





KTBdesigns...Coffee Break

Thanks any questions about the pattern please email me at... cmsally@primus.ca

Materials Needed

Coffee Pot... "Red Heart" worsted weight yarn in grey and "Red Heart" medium weight yarn in black, small amount of worsted weight yarn in coffee colour

Coffee Bean Bag...worsted weight yarn in cream colour, brown fabric paint with squeezable tip, clear plastic produce container, pipe cleaner

Coffee beans...sport weight brown yarn

Coffee Mug..."Red Heart" comfort yarn in light green, scrap of brown yarn

Coffee Cake..."Red Heart" super saver yarn in medium brown and tan variegated

Size 4mm crochet hook

Stitch marker I use a scrap of contrasting yarn

Notes

Finished coffee pot measures 10 ½" high x 8" across, the mug is 4" high x 5" across, the coffee bag is 7" high x 4 ½" across, and the coffee cake is 8" across x 3" high.

A portion of this pattern is crochet in continuous spirals where the rounds are not joined. It will be stated if rounds are to be joined. When working in continuous rounds, place stitch marker at the beginning of each round.

Crochet Terms and Abbreviations

Chain...ch Fpdc...front post double crochet
Single crochet.... Sc Bpdc...back post double crochet
Double crochet....dc Fpsc...front post single crochet
Slip stitch....ss


To crochet 2 stitches together....pick up the front loops only of the next 2 stitches, pull loop of yarn through both stitches together and proceed with stitch as usual.

Coffee Pot grey and black yarn

1. With black yarn... Ch 2, work 6sc in second ch from hook.
2. Work 2sc in each stitch =12sc.
3. Work (1sc, 2sc in next stitch) x6 =18sc.
4. Work (2sc, 2sc in next stitch) x6 =24sc.
5. Work (3sc, 2sc in next stitch) x6 =30sc.
6. Work (4sc, 2sc in next stitch) x6 =36sc.
7. Work (5sc, 2sc in next stitch) x6 = 42sc.
8. Work (6sc, 2sc in next stitch) x6 =48sc.
9. Work 48sc in back loops.
- 10 & 11. Work 48sc around.
12. Change to grey yarn...work 48sc.
- 13 – 23. Work 48sc around.
24. Work (5sc, sc next 2 together) x 6 =42sc.
- 25 – 36. Work 42sc around.
37. Work (4sc, sc next 2 together) x6 = 36sc.
- 38 7 39. Work 36sc around.
40. Work fpse around. Bind off.

Coffee Insert for Pot coffee coloured yarn

1. Ch 2, work 6sc in second ch from hook.
2. Work 2sc in each stitch =12sc.
3. Work (1sc, 2sc in next stitch) x6 =18sc.
4. Work (2sc, 2sc in next stitch) x6 =24sc.
5. Work (3sc, 2sc in next stitch) x6 =30sc, ss and bind off leaving a 12" tail of yarn. Place piece inside the coffee pot on top of the fiberfill and sew in place using needle on tail of yarn. See photo below.



Legs for the bottom of the coffee pot black yarn

1. Join yarn to any remaining loop of round 9 and work sc around, ss to join.
- 2 – 4. Ch 1, turn, 4sc.
5. Ch 1, turn, 4sc in front loops.
- 6 – 8. Ch 1, turn, 4sc. Bind off on last row leaving an 8" tail of yarn.
9. Skip the next 8 stitches and repeat rows 1 – 8. Do this 4 times in total to make 4 legs. See photo above.
10. Fold each leg to the inside along row 5. Sew each side seam using needle on tail of yarn. Photo (left) below. Fold piece (to the inside) in half again and sew in place. See photo (right) below.



Coffee Pot Lid grey yarn

1. With grey Ch 2, work 6sc in second ch from hook.
2. Work 2sc in each stitch =12sc.
3. Work (1sc, 2sc in next stitch) x6 =18sc.
4. Work (2sc, 2sc in next stitch) x6 =24sc.
5. Work (3sc, 2sc in next stitch) x6 =30sc.
6. Work fpst around, ss to join.
7. Work ss (loosely) in back loops around and bind off. Stuff lid with fiberfill.

For the Knob on the lid black yarn

1. Ch 2, work 6sc in second ch from hook.
2. Work 2sc in each stitch =12sc.
3. Work 12sc in back loops.
4. Work 12sc around, ss and bind off leaving a 12" tail of yarn. Stuff with fiberfill and sew, centered, to the top of the lid.

For the bottom of the lid...

1. With grey... Ch 2, work 6 sc in second ch from hook.
2. Work 2 sc in each stitch =12sc.
3. Work (1sc, 2sc in next stitch) x6 =18sc.
4. Work (2sc, 2sc in next stitch) x6 =24sc. Bind off leaving a 12" tail of yarn. Sew bottom to the top of the lid, catching one loop only from each piece. See photo.



Spout grey yarn

1. Ch 8, ss in beginning chain to join and make a circle.
- 2 - 8. Work 8sc around.
9. Work (2sc, 2sc in next stitch) x 2, 2sc =10sc.
- 10 & 11. Work 10sc.
12. Work (sc, 2sc in next stitch) x 5 =15sc.
- 13 -15. Work 15sc.
16. Turn, skip one stitch, work 8dc.
17. Turn, skip one stitch, work 6dc.
18. Turn, skip one stitch, work 5dc. Bind off leaving a 12" tail of yarn. Stuff spout with fiberfill. Use needle on tail of yarn to sew spout to the side of the coffee pot. See photo for placement.



Handle black yarn

1. Leaving a 10" tail of yarn to start, ch 2, work 6sc in second chain from hook.
2. Work continuously on these 6sc until piece measures 3".
3. Work (2sc, 2sc in next stitch) x 2 = 8sc.
4. Work 8sc.
5. Work (2sc, 2sc in next stitch) x 2, 2sc. = 10sc.
6. Work 10sc.
7. Work (2sc, 2sc in next stitch) x 3, sc = 13sc.
- 8 – 19. Work 13sc around.
20. Press edges together and work 2dc in each stitch through both sides of last row of piece. See photos next page. Bind off leaving a 10" tail of yarn. Use needle on tail of yarn to sew bottom of handle to side of coffee pot. Use needle on tail of yarn left at the beginning to sew top of handle to side of coffee pot. See photos (below) for placement.
21. To further shape the handle, use a scrap of black yarn on a needle and take a few stitches through both thicknesses of the handle, approximately 2" from where the top of the handle is attached to the pot. See photos below.



Electrical cord and Plug black and grey yarn


1. For the cord...use black yarn...and ch 70, starting in the second ch from hook, work 69sc. Bind off leaving a 15" tail of yarn. Fold piece in half lengthwise and use needle on tail of yarn to sew seam.
2. For the plug...use black yarn...and ch 2, work 6sc in second ch from hook.
3. Work 2sc in each stitch =12sc.
- 4 – 7. Work 12sc around, ss on last round and bind off leaving an 8" tail of yarn.
8. For the prongs of the plug...use grey yarn...and ch 12, starting in second ch from hook, sc11. Bind off leaving a 5" tail of yarn. Fold piece in half lengthwise and use needle on tail of yarn to sew seam.
9. Fold the piece in half and push the fold of the prongs inside the plug and use needle on the tail of black yarn left on the plug to sew across the edges of the plug, securing the prongs.
10. Sew one end of the cord to the bottom of the coffee pot, under the handle. Sew the other end of the cord to the plug. See photos.



Coffee Bean Bag cream yarn pipe cleaner

1. Ch 18, starting in second ch from hook, 17sc.
- 2 - 12. Ch 1, turn, 17sc.
13. You will be starting to make the opening for the front of the bag now...Ch 1, turn, 4sc. You will be working on these 4 stitches only for the next 7 rows.
- 14 - 20. Ch 1, turn, 4sc. Bind off.
21. You will make the other side of the opening of the bag now...Skip the next 9 stitches, join yarn in the next stitch and ch 1, work 4sc. You will be working on these stitches only for the next 7 rows.
- 22 - 28. Ch 1, turn, 4sc.
29. Ch 1, turn, 4sc, ch 9, 4sc across the original group of 4sc =17sc.
30. Ch 1, turn, sc across the chain, 4sc.
- 31 - 37. Ch 1, turn, 17sc.
38. Ch 1, turn, 17sc in front loops.
- 39 - 47. Ch 1, turn 17sc.
48. Ch 1, turn, 17sc in front loops.
- 49 - 78. Ch 1, turn, 17sc.
79. You will start to make the tabs for the top of the bag now... Ch 10, starting in second ch from hook, work 9sc, sc 17 across the top of the bag, ch 10, starting in second ch from the hook, work 9sc.
- 80 - 81. Ch 1, turn, 35sc.
82. Ch 1, turn, 35sc in front loops.
- 83 - 84. Ch 1, turn, 35sc. Bind off leaving a 12" tail of yarn. Cut pipe cleaner the width of the top of your bag, across the tabs. Add 1" to the measurement. Fold over 1/2" on both ends of the pipe cleaner to

cover the sharp edges. Place the pipe cleaner across the top of the bag, fold the edge of the bag down toward the front and sew the seam using a needle on the tail of yarn. See photos below.



Sides for the coffee bean bag cream yarn make 2

1. Ch 32, starting in second ch from hook, 31sc.
- 2 – 4. Ch 1, turn, 31sc.
5. Ch 1, turn, 31sc in back loops.
- 6-8. Ch 1, turn, 31sc. Bind off leaving a 20" tail of yarn.
9. Sew one piece to each side of the bag, matching edges and making sure that the fold of the side pieces faces the inside of the bag. See photos below.





Insert for the opening in the front of the bag cream yarn

Note: This piece, when sewn to the inside of the bag over the opening created on the front of the bag, will create an envelope that your coffee beans will slide into.

1. Ch 18, starting in second ch from hook, sc17.

2 –12. Ch 1, turn, 17sc. Bind off on last row leaving a 12" tail of yarn.

13. Slide piece to the inside of the bag and sew in place across the bottom and the 2 sides. Leave the top open so that it creates an envelop.

Coffee bag and insert



Coffee Bag ...inside out...with insert in place



14. Use brown fabric paint to add "Coffee" to the front of the bag. See photo.
15. Cut the plastic produce container or any piece of clear plastic to fit inside the envelope opening of your coffee bag. Place the coffee beans (see instructions below) inside the envelope under the plastic. Stuff the coffee bag lightly and fold the top over and secure with the tabs.



Coffee Beans brown yarn make many

1. Ch 2, 4sc in second ch from hook.
- 2 – 4. Work 4sc. Bind off on last round leaving a 4" tail of yarn. Use needle on tail of yarn to sew opening closed.
5. Place the coffee beans inside the envelope between the clear plastic and the crocheted insert. See photo.

Coffee Mug green yarn

1. Ch 2, work 6sc in second ch from hook.
2. Work 2sc in each stitch =12sc.
3. Work (1sc, 2sc in next stitch) x6 =18sc.
4. Work (2sc, 2sc in next stitch) x6 =24sc.
5. Work 24sc in the back loops.
6. Work (3sc, 2sc in next stitch) x6 =30sc.
7. Work (4sc, 2sc in next stitch) x6 =36sc.
- 8 – 20. Work 36sc around.
21. Work fpstc around, ss and bind off.
22. Attach yarn to any remaining loop from round 5 and work sc in each loop.
23. For the handle....Ch 17, starting in second ch from hook, sc 16.
24. Ch 1, turn, 16sc.
25. Ch 1, turn, 16sc. Bind off leaving a 8" tail of yarn. Fold piece in half lengthwise and use needle on tail of yarn to sew seam. Sew each end of handle to the side of the mug. See photo for placement.



Coffee Cake medium brown yarn and variegated yarn

1. Ch 20, ss in beginning stitch to join and make a circle.
- 2 – 11. Work 20sc around.
12. Working in front loops (sc, 2sc in next stitch) x10 =30sc.
13. Work (4sc, 2sc in next stitch) x6 =36sc.
14. Work (5sc, 2sc in next stitch) x6 =42sc.
15. Work (6sc, 2sc in next stitch) x6 =48sc.
16. Work (7sc, 2sc in next stitch) x6 =54sc.
17. Work (8sc, 2sc in next stitch) x6 =60sc.
18. Work (9sc, 2sc in next stitch) x6 =66sc.
19. Work (10sc, 2sc in next stitch) x6 =72sc.
20. Work (11sc, 2sc in next stitch) x6 =78sc.
21. Work (12sc, 2sc in next stitch) x6 =84sc.
22. Work (13sc, 2sc in next stitch) x6 =90sc.
23. Work 90sc around in the front loops.
- 24 – 32. Work 90sc around. Bind off.



To make the top of the coffee cake use 2 strands...one of variegated and one of medium tan

1. Attach yarn to any loop of the first round of the cake and work ...Ch2, (dc, 2dc in next stitch) x 10 =30dc.
2. Ch 2, (4dc, 2dc in next stitch) x6 =36dc.
3. Ch 2, (2dc, 2dc in next stitch) x12 =48dc. Photo above is what the cake should look like now.
4. Ch 2, (dc, 2dc in next stitch) x24 =72sc.
5. Ch 1, sc around, ss to join. Bind off leaving a 15" tail of yarn.
6. Stuff cake with fiberfill and sew top on, using needle on tail of yarn. I used one strand of yarn to sew in one direction and one strand of yarn to sew in the other direction. Sew catching one loop of yarn from each piece. See photo (left) below.





Coffee

