

Double Knitting
35-50 cms (14-20 ins)



7178



Baby Jacket, Trousers and Mitts

MEASUREMENTS AND MATERIALS See back page

TENSION

22 sts and 30 rows to 10 cms [4 ins] over st st using 4mm needles. 25 sts and 40 rows to 10cms [4 ins] over patt using 4mm needles.

It is essential to obtain correct tension in yarn used and a small test piece should be worked. If piece measures **more** than required width, try again using smaller needles. If piece measures **less** than required width, try again using larger needles.

NOTES

Figures in round brackets refer to the larger sizes. Figures or instructions in square brackets, [], should be repeated as stated after the brackets.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt = alternate; beg = beginning; cms = centimetres; cont = continue(ing); dec = decrease(ing); foll = following; inc = increase(ing); ins = inches; k = knit; p = purl; psso = pass slipped stitch over; patt = pattern; rem = remain(ing); rep = repeat; sl = slip; st(s) = stitch(es); st st = stocking stitch (1 row k, 1 row p); tbl = through back of loop; tog = together; yb = yarn back; yf = yarn forward; 0 = no st, row or time to be worked in that size.

SPECIAL ABBREVIATIONS

C2F = Knit into front of 2nd st on needle, then knit first st, slipping both sts off needle at the same time.

C4 = Slip next st off needle and leave at front of work, slip next 2 sts onto right hand needle, slip

next st off needle and leave at front of work, slip first dropped st onto left hand needle, slip the 2 slipped sts back onto left hand needle, then pick up 2nd dropped st and place on left hand needle, therefore crossing the 2 outside sts over the centre 2.

JACKET BACK

Using 4mm needles cast on 71(78-85-92) sts and work 4 rows in garter st (every row knit)

★ Commence Patt

1st row (wrong side): P3, k2, *p5, k2; rep from * to last 3 sts, p3.

2nd row: Knit.

Rep the last 2 rows twice more.

7th row: K2, yf, sl 1, yb, k2, yf, sl 1, yb, *k3, yf, sl 1, yb, k2, yf, sl 1, yb; rep from * to last 2 sts, k2.

8th row: K2, sl 1, k2, sl 1, *k3, sl 1, k2, sl 1; rep from * to last 2 sts, k2.

9th row: As 7th row.

10th row: K2, *C4, k7 (including sts of C4); rep from * to last 6 sts, C4, k6.

These 10 rows form the patt. Cont in patt until back measures approximately 16(19-21-24)cms ending with a 1st row of patt.

Next row (decrease): K1, *k2tog, p2, sl 1, k1, psso, k1; rep from * to end ★.
51(56-61-66) sts rem.

Change to 3¼mm needles and commence yoke patt:

1st row: P2, k2, *p3, k2; rep from * to last 2 sts, p2.

2nd row: K2, p2, *k3, p2; rep from * to last 2 sts, k2.

Rep the last 2 rows until back measures 23(27-31-35)cms

ending with a wrong side row.

Shape Shoulders

Keeping patt correct cast off 5(6-7-7) sts at beg of next 4 rows, then 6(6-6-8) sts at beg of foll 2 rows. Cast off rem 19(20-21-22) sts loosely in patt.

LEFT FRONT

Using 4mm needles cast on 36(36-43-43) sts and work 4 rows in garter st. Work as given for Back from ★ to ★.
26(26-31-31) sts rem.

★★ Change to 3¼mm needles and work in yoke patt as given for Back until front is 11(11-13-13) rows shorter than back to start of shoulder shaping thus ending with a right side row (work 1 row more here for Right Front).

Shape Neck

Next row: Cast off 5(3-5-3) sts, patt to end.

Dec 1 st at neck edge on next 3 rows, then foll 2(2-3-3) alt rows. 16(18-20-22) sts rem. Work 3 rows straight, thus ending at side edge.

Shape Shoulder

Cast off 5(6-7-7) sts at beg of next and foll alt row. Work 1 row. Cast off rem 6(6-6-8) sts.

RIGHT FRONT

Using 4mm needles cast on 36(36-43-43) sts and work 4 rows in garter st. Work as given for Back from ★ to ★.
26(26-31-31) sts rem.

Work as given for Left Front from ** to end, reversing shaping by working 1 row more where indicated.

SLEEVES

Using 3¼mm needles cast on 42(42-50-50) sts.

1st row: K2, *p2, k2; rep from * to end.

2nd row: P2, *C2F, p2; rep from * to end.

Rep the last 2 rows for cuff until cabled rib measures 6(6-8-8)cms ending with a 1st row and increasing 1 st at end of last row for 1st and 2nd sizes only. 43(43-50-50) sts.

Change to 4mm needles and work 2 rows in patt as given for Back. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every foll 6th row until there are 53(57-64-66) sts. Work straight until sleeve measures 15(17-20-22)cms from beg ending with a wrong side row. Cast off in patt.

HOOD

Using 3¼mm needles cast on 90(98-102-110) sts and work 7 rows in cabled rib as given for Sleeves.

Change to 4mm needles and knit 1 row increasing 2(1-4-3) sts evenly across row. 92(99-106-113) sts. Work in patt as given for Back until hood measures 15(16-17-18)cms ending with a wrong side row.

Shape Back

Keeping patt correct cast off 7 sts at beg of next 10(10-12-12) rows. 22(29-22-29) sts rem. Cont in patt on these sts until work measures 14(14-17-17)cms from end of cast off sts ending with a wrong side row. Cast off in patt.

FINISHING AND FRONT BANDS

Read pressing instructions on ball band.

Button Band: Using 3¼mm needles and with right side facing, pick up and k54(62-70-82) sts evenly down left front edge. Work 7 rows in cabled rib as given for Sleeves. Cast off in rib patt.

Buttonhole Band: Using 3¼mm needles and with right side facing, pick up and k54(62-70-82) sts evenly down right front edge. Work 3 rows in

cabled rib as given for Sleeves.

Next Row (buttonholes): Patt 12(20-16-28), *yrn, p2tog, patt 10(10-14-14); rep from * to last 6 sts, yrn, p2tog, patt 4.

Work 3 more rows in cabled rib. Cast off in rib patt.

Join shoulder seams. Place markers 10(11-13-14)cms down from shoulder seam on fronts and back and sew sleeve to side edge between markers. Join side and sleeve seams reversing lower half of seam on cuff. Join back seams of hood. Sew hood to neck edge easing in as necessary. Sew on buttons. Turn back cuffs.

TROUSERS RIGHT LEG

Using 3¼mm needles cast on 38(42-42-46) sts and work 12(12-16-16) rows in cabled rib as given for Sleeves of Jacket.

Next row (increase): P2(2-4-4), *inc in next st, p3(5-3-5); rep from * to last 4(4-6-6) sts, inc in next st, p to end. 47(49-51-53) sts.

Change to 4mm needles and work 2 rows in st st. Inc. 1 st at each end of next and every foll 4th row until there are 63(69-75-81) sts. Work straight until leg measures 15(18-22-26)cms ending with a purl row.

Shape Crotch

Cast off 3 sts at beg of next 2 rows. Dec 1 st at each end of next 3 rows, then foll 2 alt rows. Purl 1 row. Break yarn and slip rem 47(53-59-65) sts onto a holder.

LEFT LEG

Work as given for Right Leg but leave sts on needle and do not break yarn at end.

BODY

Next row: With right side facing knit to last st of left leg, then knit tog last st of left leg with first st of right leg, knit to end of right leg. 93(105-117-129)

sts.

Work in st st until body measures 10(12-14-16)cms from start of crotch shaping ending with a purl row.

Shape Back

Next row: K23(26-29-32), turn.

Next row: Sl 1, purl to end.

Next row: K18(20-22-24), turn.

Next row: Sl 1, purl to end.

Next row: K13(14-15-16), turn.

Next row: Sl 1, purl to end.

Next row: K8, turn.

Next row: Sl 1, purl to end.

Next row: Knit across all sts.

Next row: P23(26-29-32), turn.

Next row: Sl 1, knit to end.

Next row: P18(20-22-24), turn.

Next row: Sl 1, knit to end.

Next row: P13(14-15-16), turn.

Next row: Sl 1, knit to end.

Next row: P8, turn.

Next row: Sl 1, knit to end.

Next row: Purl across all sts.

Change to 3¼mm needles and commence rib:

1st row: K1, *p1, k1; rep from * to end.

2nd row: P1, *k1, p1; rep from * to end.

Rep the last 2 rows 3 times more. Cast off in rib.

TO FINISH

Read pressing instructions on ball band.

Join front and back crotch seams. Join inside leg seams. Join elastic into a ring and place inside ribbed waistband. Work a herringbone stitch over the elastic onto every alt stitch of ribbing thus enclosing the elastic.

MITTS

Using 3¼mm needles cast on 26(26-30-30) sts and work 6(6-7-7)cms in cabled rib as given for

Sleeves of Jacket ending with a 2nd row and increasing 1(3-1-3) sts evenly across last row. 27(29-31-33) sts.

Change to 4mm needles and work in st st until mitt measures 4(5-7-8)cms from top of rib ending with a purl row.

Shape Top

Next row: K1, [sl 1, k1, psso,

k8(9-10-11), k2tog, k1] twice. 23(25-27-29) sts rem.

Next row: Purl.

Next row: K1, [sl 1, k1, psso, k6(7-8-9), k2tog, k1] twice. 19(21-23-25) sts rem.

Next row: Purl.

Next row: K1, [sl 1, k1, psso, k4(5-6-7), k2tog, k1] twice.

Cast off rem 15(17-19-21) sts.

TO FINISH

Join top and side seams reversing seam on lower half of cuffs. Turn back cuffs. Using 2 strands of yarn make a twisted cord of required length and sew each end to inside of mitts as illustrated.

TO FIT

Chest sizes	35	40	45	50	cms
	14	16	18	20	ins

JACKET

Length to shoulder	23	27	31	35	cms
	9	10½	12	14	ins

Sleeve length	12	14	16	18	cms
	5	5½	6½	7	ins

TROUSERS

Inside leg seam	15	18	22	26	cms
	6	7	8½	10	ins

MATERIALS

Big Value DK or Big Value Baby DK	100g balls				
	2	3	4	5	balls

Anti Tickle DK	50g balls				
6	7	9	11	balls	

Pair needles each size 3¼mm (UK10-USA3) and 4mm (UK8-USA6).

4 buttons for Jacket.

Waist length of 2cm wide elastic for Trousers.

King Cole Ltd., Merrie Mills, Old Souls Way, Bingley, BD16 2AX, U.K.

