

Double
Knitting

E1208
12 - 18 in
31 - 46 cm

Knitter's Choice



Dress, Jacket, Waistcoat and Quilt

MEASUREMENTS AND MATERIALS

To fit chest sizes	12 31	14 36	16 41	18 46	in cm
Garment measurement (approx)	15 38	17½ 44.5	19 48	21½ 54.5	in cm
Dress					
Length from back neck (approx)	11 28	12 31	13 33	14½ 37	in cm
Length of sleeve seam	4 10	5 12.5	6 15	7 17.5	in cm
Jacket					
Length from back neck (approx)	7½ 19	9 23	10 25.5	11½ 29	in cm
Length of sleeve seam	4 10	5 12.5	6 15	7 17.5	in cm
Waistcoat					
Length from back neck (approx)	6½ 16.5	8 20.5	9 23	10½ 26.5	in cm
Quilt	22 x 30 56 x 76				in cm
DK					
Dress	1	1	2	3	100g balls
DK Jacket					
Main Shade (White)	1	1	2	2	100g balls
Contrast (Navy)	1	1	1	1	100g ball
DK Waistcoat	1	1	1	1	100g ball
DK Quilt	5				100g balls

1 pair size 3¼mm (UK10–USA3) and 1 pair size 4mm (UK8–USA6) knitting needles or the size of needles to give correct tension. Stitch holders. 3 buttons, 1½ [1½:1½:1½] metres of Craftlon Eyelet Lace and ½ metre narrow ribbon for Dress. 4[4:4:5] buttons for Jacket. 10 metres of lace and 1 piece 4oz Wadding to fit Quilt.

IMPORTANT

These yarn amounts are based on average requirements and are therefore approximate.

NOTES

Instructions are given for 12 in or 31 cm, larger sizes in square brackets. Where only one figure is given this applies to all sizes. We suggest that you underline all the figures for the size you require before knitting.

TENSION

24 sts and 36 rows to 4 in or 10 cm measured over patt on size 4 mm needles or the size of needles to give correct tension. It is important to check your tension before commencing the garment, therefore knit a tension square. If there are less sts or rows to 4 in or 10 cm than stated, change to thinner needles. If there are more sts or rows to 4 in or 10 cm than stated, change to thicker needles.

ABBREVIATIONS

K = knit; **P** = purl; **st(s)** = stitch(es); **inc** = increase(ing); **dec** = decrease(ing); **in** = inch(es); **cm** = centimetres; **mm** = millimetres; **g** = gramme; **tog** = together; **sl** = slip; **Sl1K** = slip one stitch knitwise; **Sl1P** = slip one stitch purlwise; **psso** = pass slipped stitch over; **beg** = begin(ning); **rep** = repeat; **alt** = alternate; **rem** = remain(ing); **stst** = stocking stitch (1 row knit, 1 row

purl); **gst** = garter stitch (every row knit); **patt** = pattern; **M** = main shade; **C** = contrast; **yfwd** = yarn forward; **ym** = yarn round needle; **cont** = continue; **fol** = following; **tbs** = through back of stitch; **approx** = approximately; **DK** = double knitting; **0** = no rows to be worked for this size.

DRESS

BACK

Using 4 mm needles cast on 75 [87 : 95 : 107] sts.

1st Row: K2, * P3, K1, rep from * to last st, K1.

2nd Row: K1, P1, * K3, P1, rep from * to last st, K1.

3rd Row: Knit.

4th Row: K1, P to last st, K1.

5th Row: As 1st row.

6th Row: As 2nd row.

Beg with a K row work in stst until work measures 7½ [8½ : 9 : 10] in or 19.5 [22 : 23 : 25.5] cm from beg, ending with a K row.

Next Row (Dec row): P3 [4 : 3 : 4], (P2tog) twice, * P1, (P2tog) twice, rep from * to last 3 [4 : 3 : 4] sts, P to end. — 47 [55 : 59 : 67] sts. Place a marker at each end of last row. **

Right Back Yoke

Shape Armhole

Next Row: K2tog, (P3, K1) 5 [6 : 6 : 7] times, P0 [0 : 2 : 2], turn, cast on 3 sts for underlay. — 24 [28 : 30 : 34] sts. Sl rem 25 [29 : 31 : 35] sts onto a st holder.

Next Row: K3 [3 : 5 : 5], (P1, K3) 4 [5 : 5 : 6] times, P1, K2, K2tog.

Next Row: K2tog, K to end.

Next Row: K3, P to last 2 sts, P2tog. — 21 [25 : 27 : 31] sts.

Cont straight in patt with gst band as

follows:

1st Row: K2, (P3, K1) 4 [5 : 5 : 6] times, P0 [0 : 2 : 2], K3.

2nd Row: K3 [3 : 5 : 5], P1, (K3, P1) 4 [5 : 5 : 6] times, K1.

3rd Row: Knit.

4th Row: K3, P to last st, K1.

Work 22 [24 : 28 : 32] rows more in patt.

Shape Shoulder

Next Row: Cast off 10 [14 : 15 : 17] sts in patt, sl rem 11 [11 : 12 : 14] sts onto a st holder for neckband.

Left Back Yoke

With right side facing rejoin yarn and work across rem 25 [29 : 31 : 35] sts as follows:

Shape Armhole

Next Row: K3, P0 [0 : 2 : 2], (K1, P3) 5 [6 : 6 : 7] times, K2tog. — 24 [28 : 30 : 34] sts.

Next Row: K2tog, K2, P1, (K3, P1) 4 [5 : 5 : 6] times, K3 [3 : 5 : 5].

Next Row: K to last 2 sts, K2tog.

Next Row: P2tog, P to last 3 sts, K3. — 21 [25 : 27 : 31] sts.

Cont straight in patt with gst band as follows:

1st Row: K3, P0 [0 : 2 : 2], (K1, P3) 4 [5 : 5 : 6] times, K2.

2nd Row: K1, P1, (K3, P1) 4 [5 : 5 : 6] times, K3 [3 : 5 : 5].

3rd Row: Knit.

4th Row: K1, P to last 3 sts, K3.

5th Row (Buttonhole row): K2, yfwd, K2tog, patt to end.

Beg with 2nd row work 21 [23 : 27 : 31] rows more in patt making a further buttonhole on 12th [12th : 14th : 16th] row.

Shape Shoulder

Next Row (Buttonhole row): K2, yfwd, K2tog, patt 7 [7 : 8 : 10], cast off rem 10 [14 : 15 : 17] sts in patt.
Sl sts onto a st holder.

FRONT

Work exactly as given for Back to **.

YOKE

Shape Armholes

1st Row (Making eyelet holes): K2tog, * yrn, P3tog, yfwd, K1, rep from * to last 5 sts, yrn, P3tog, yfwd, K2tog. — 45 [53 : 57 : 65] sts.
2nd Row: K2tog, K2, P1, * K3, P1, rep from * to last 4 sts, K2, K2tog.
3rd Row: K2tog, K to last 2 sts, K2tog.
4th Row: P2tog, P to last 2 sts, P2tog. — 39 [47 : 51 : 59] sts.
5th Row: K2, * P3, K1, rep from * to last st, K1.
Work 13 [15 : 17 : 19] rows straight in patt.

Shape Neck

Next Row: Patt 16 [20 : 21 : 23], turn. Complete first side as follows:
*** Keeping patt correct dec 1 st at neck edge on next 4 rows, then foll 2 alt rows. — 10 [14 : 15 : 17] sts.
Work 3 [3 : 5 : 7] rows straight in patt. Cast off.
Sl centre 7 [7 : 9 : 13] sts onto a st holder.
Rejoin yarn at neck edge of rem 16 [20 : 21 : 23] sts and patt to end.
Complete second side to correspond with first side from ***.

SLEEVES (Both Alike)

Using 3¼ mm needles cast on 27 [27 : 31 : 31] sts.
1st Row: K2, * P3, K1, rep from * to last st, K1.
2nd Row: K1, P1, * K3, P1, rep from * to last st, K1.
3rd Row: Knit.

Insert Lace

Cut a length of lace so that there are 27 [27 : 31 : 31] holes.
**** **Next Row:** Place lace behind work so that it lays on right side, then insert needle into first st and into first hole in lace and knit in the usual way. Cont in this way working every st through a hole in lace. ****
5th to 7th Rows: Rep 1st to 3rd rows.
8th Row: Purl.
5th to 8th rows inclusive form patt.
Change to 4 mm needles.
***** Cont in patt and working inc sts into patt inc 1 st at each end of next and every foll 4th [4th : 5th : 4th] row until 39 [43 : 49 : 55] sts are on needle. Cont straight in patt until work measures 4 [5 : 6 : 7] in or 10 [12.5 : 15 : 17.5] cm from beg, ending with a wrong side row *****. Place a marker at each end of last row.

Shape Top

Dec 1 st at each end of next 4 rows. — 31 [35 : 41 : 47] sts.
Cast off in patt.

NECKBAND

With a backstitch join shoulder seams. Sl 11 [11 : 12 : 14] sts onto a 3¼ mm needle so that you are ready to beg with right side facing, rejoin yarn and pick up

and K11 [13 : 13 : 15] sts evenly from left side of front neck, K7 [7 : 9 : 13] sts from centre front, pick up and K11 [13 : 13 : 15] sts evenly from right side of front neck and K11 [11 : 12 : 14] sts from right back neck. — 51 [55 : 59 : 71] sts.
Work 2 rows in gst.

Insert Lace

Cut a length of lace so that there are 45 [49 : 53 : 65] holes.
Next Row: K3, place lace behind work so that it lays on right side, then insert needle into next st and into first hole in lace and knit in the usual way. Cont in this way working every st through a hole in lace to last 3 sts, K3.
Work 3 rows in gst.
Cast off fairly loosely knitwise.

JACKET

BACK

Using 3¼ mm needles and C cast on 47 [55 : 59 : 67] sts.
***** Beg with a K row work 5 rows in stst.
Break off C, join in M and complete with M.
Change to 4 mm needles and P 1 row.
Work in patt as follows:
1st Row (Right side): K2, * P3, K1, rep from * to last st, K1.
2nd Row: K1, P1, * K3, P1, rep from * to last st, K1.
3rd Row: Knit.
4th Row: K1, P to last st, K1.
These 4 rows form patt. *****
Work 60 [74 : 82 : 96] rows more in patt.

Shape Shoulders

Next Row: Cast off 14 [18 : 19 : 21], patt 19 [19 : 21 : 25] counting st already on needle after casting off, cast off rem 14 [18 : 19 : 21] sts. Sl sts onto a st holder.

LEFT FRONT

Using 3¼ mm needles and C cast on 27 [31 : 35 : 39] sts and work exactly as given for Back from ***** to *****.
Work 48 [62 : 68 : 80] rows more in patt making buttonholes for a Boy Only on 11th [13th : 7th : 15th] and every foll 12th [16th : 20th : 16th] row as follows:
Buttonhole Row: K to last 5 sts, K2tog, yfwd, K3.

Shape Neck

Next Row: Patt 20 [24 : 25 : 27], cast off rem 7 [7 : 10 : 12] sts, turn and rejoin yarn.
***** Keeping patt correct dec 1 st at neck edge on next 4 rows, then foll 2 alt rows. — 14 [18 : 19 : 21] sts.
Work 3 [3 : 5 : 7] rows straight in patt. Cast off.

RIGHT FRONT

Using 3¼ mm needles and C cast on 27 [31 : 35 : 39] sts and work exactly as given for Back from ***** to *****.
Work 48 [62 : 68 : 80] rows more in patt making buttonholes for a Girl Only on 11th [13th : 7th : 15th] and every foll 12th [16th : 20th : 16th] row as follows:
Buttonhole Row: K3, yfwd, K2tog, K to end.

Shape Neck

Next Row: Cast off 7 [7 : 10 : 12] sts, patt to end.
Complete Right Front to correspond with Left Front from *****.

SLEEVES (Both Alike)

Using 3¼ mm needles and C cast on 27 [27 : 31 : 31] sts and work exactly as given for Back from ***** to *****.
Follow instructions given for Sleeves of Dress from ***** to *****.

Shape Top

Keeping patt correct cast off 7 [8 : 9 : 10] sts at beg of next 4 rows.
Cast off rem 11 [11 : 13 : 15] sts.

HOOD

With a backstitch join shoulder seams. Using 4 mm needles rejoin M yarn at centre of cast off sts on right front neck and pick up and K3 [4 : 5 : 6] sts evenly from cast off sts and 11 [13 : 13 : 15] sts evenly from shaped edge of right front neck, work across back neck st holder inc once in every st, pick up and K12 [12 : 14 : 15] sts evenly from shaped edge of left front neck and 3 [4 : 5 : 5] sts to centre of cast off sts. — 67 [71 : 79 : 91] sts.
P 1 row.

Shape Neck

Next Row: K2, P3, K1, turn.
Next Row: Sl1P, K3, P1, K1.
Next Row: K10, turn.
Next Row: Sl1P, P8, K1.
Next Row: K2, (P3, K1) 3 times, turn.
Next Row: Sl1P, (K3, P1) 3 times, K1.
Next Row: K to last 6 sts, K1, P3, K2.
Next Row: K1, P1, K3, P1, turn.
Next Row: Sl1K, K5.
Next Row: K1, P10, turn.
Next Row: Sl1K, (P3, K1) twice, K1.
Next Row: K1, P1, (K3, P1) 3 times, turn.
Next Row: Sl1K, K13.
Next Row: K1, P to last st, K1.
Cont straight in patt until Hood measures 5 [5½ : 6½ : 6½] in or 12.5 [14.5 : 16 : 17] cm down centre back, ending with a K row.
Cast off purlwise.

FRONT EDGE BORDERS (Both Alike)

Using 3¼ mm needles and with right side facing rejoin C yarn and pick up and K38 [48 : 52 : 62] sts evenly from front edge, excluding lower edge border. (Approx 2 sts from every 3 rows).
Beg with a P row work 5 rows in stst. Cast off.

HOOD AND NECK BORDER

With a backstitch join top seam. Using 3¼ mm needles and with right side facing rejoin C yarn and pick up and K4 [4 : 5 : 6] sts from right front neck cast off sts, 68 [76 : 82 : 88] sts evenly from Hood and 4 [4 : 5 : 6] sts from left front neck cast off sts. — 76 [84 : 92 : 100] sts.
Beg with a P row work 5 rows in stst. Cast off.

WAISTCOAT

BACK

Using 4 mm needles cast on 59 [71 : 79 : 91] sts.
1st Row: K2, * P3, K1, rep from * to last st, K1.



2nd Row: K1, P1, * K3, P1, rep from * to last st, K1.
3rd Row: Knit.
4th Row: K1, P to last st, K1.
These 4 rows form patt.
Keeping patt correct dec 1 st at each end of next and every foll 4th row until 47 [55 : 59 : 67] sts rem.
Work 3 [7 : 5 : 5] rows straight in patt.
Place a marker at each end of last row.

Shape Armholes

Dec 1 st at each end of next 4 rows. — 39 [47 : 51 : 59] sts.
Work 26 [28 : 32 : 36] rows straight in patt.
Cast off in patt. Place a marker at each side of centre 19 [19 : 21 : 25] sts to mark back neck.

LEFT FRONT

Using 4 mm needles cast on 27 [35 : 39 : 47] sts and work 4 rows in patt as given for Back.
Keeping patt correct dec 1 st at beg of next and every foll 4th row until 21 [27 : 29 : 35] sts rem.
Work 3 [7 : 5 : 5] rows straight in patt.
Place a marker at side edge of last row.

Shape Armhole and Front Slope

Next Row: K2tog, patt to last 8 sts, patt 2 tog, patt 6.
Next Row: Patt to last 2 sts, K2tog.
Rep last 2 rows once more. — 15 [21 : 23 : 29] sts.
Keeping armhole edge straight cont to dec 1 st at front edge (inside the last 6 sts) on next and every foll 4th [alt : alt : alt] row until 10 [19 : 21 : 23] sts rem, then every foll 0 [4th : 4th : 4th] row until 10 [14 : 15 : 17] sts rem.
Work 9 [5 : 5 : 1] rows straight in patt.
Cast off.

RIGHT FRONT

Work to match Left Front reversing shapings.

ARMHOLE BORDERS (Both Alike)

With a backstitch join shoulder seams to markers.
Using 3 1/4 mm needles and with right side facing rejoin yarn and pick up and K37 [39 : 44 : 50] sts evenly between markers.
Work 2 rows in gst dec 1 st at each end of each row. — 33 [35 : 40 : 46] sts.
Cast off fairly loosely knitwise.

QUILT

FRONT

Centre

Using 4 mm needles cast on 23 sts.
1st Row: K2, * P3, K1, rep from * to last st, K1.
2nd Row: Inc in first st, P1, * K3, P1, rep from * to last st, inc in last st.
3rd Row: Inc in first st, K to last st, inc in last st.
4th Row: Inc in first st, P to last st, inc in last st.
These 4 rows set patt.
Cont in patt inc 1 st at each end of every row until 43 sts are on needle, then each end of every foll alt row until 55 sts are

on needle, then each end of every foll 4th row until 59 sts are on needle.
Work 91 rows straight in patt.
Cont in patt dec 1 st at each end of next and every foll 4th row until 53 sts rem, then each end of every foll alt row until 41 sts rem, then each end of every row until 23 sts rem.

Add Lace

Cut a length of lace so that there are 23 holes.
Follow instructions given for Sleeves of Dress from **** to ****.
Using 4 mm needles and with right side facing pick up and K23 sts from cast on edge.
Cut a length of lace so that there are 23 holes.
Add lace as before.
Using 4 mm needles pick up and K102 sts evenly from one side edge of oval (2 sts from every 3 rows).
Cut a length of lace so that there are 102 holes.
Add lace as before.
Work rem side edge of oval in same way.

Main Piece

Using 4 mm needles cast on 107 sts.
1st Row: K2, * P3, K1, rep from * to last st, K1.
2nd Row: K1, P1, * K3, P1, rep from * to last st, K1.
3rd Row: Knit.
4th Row: K1, P to last st, K1.
Work 36 rows more in patt.

Divide for centre

Next Row: Patt 42, cast off next 23 sts, patt 42 including st already on needle after casting off.
Complete first side as follows:
***** Keeping patt correct dec 1 st at inside edge on every row until 33 sts rem, then at inside edge of every foll alt row until 27 sts rem, then at inside edge of every foll 4th row until 25 sts rem.
Work 91 rows straight.
Cont in patt inc 1 st at inside edge on next and every foll 4th row until 28 sts are on needle, then at inside edge of every foll alt row until 34 sts are on needle, then at inside edge of every row until 42 sts are on needle.
Patt 1 row *****. Sl sts onto a st holder.
With wrong side facing rejoin yarn at inside edge of rem 42 sts, work 2 tog and patt to end.
Complete second side to correspond with first side from ***** to *****.
Next Row: Patt 42 sts from second side, cast on 23 sts, then patt 42 sts from first side. — 107 sts.
Work 40 rows straight in patt.

Add Lace

Cut a length of lace so that there are 107 holes.
Add lace as before.
Using 4 mm needles pick up and K107 sts from cast on edge.
Cut a length of lace so that there are 107 holes.
Add lace as before.

Using 4 mm needles pick up and K156 sts evenly from one side edge.
Cut a length of lace so that there are 156 holes.

Add lace as before.

Work rem side edge in same way.

BACK

Using 4 mm needles cast on 107 sts and work 234 rows in patt as given for Main Piece.
Cast off in patt.

EDGING

Using 3 1/4 mm needles cast on 4 sts.
1st, 3rd, 5th and 7th Rows (Right side): K3, yfwd, K to end.
2nd Row: K1, K1tbs, K3.
4th Row: K2, K1tbs, K3.
6th Row: K3, K1tbs, K3.
8th Row: K4, K1tbs, K3. — 8 sts.
9th Row: K8.
10th Row: Cast off 4 sts, K4.
These 10 rows form patt.
Cont in patt until edging is long enough to fit all round Quilt, ending with 9th row.
Cast off knitwise.

TO MAKE UP

See ball band for pressing and washing instructions.

Dress

Place centre of sleeve tops to shoulder seams, then sew Sleeves evenly to back and front yoke matching markers.
Join side and sleeve seams.
Sew underlay neatly in position.
Sew on buttons.
Cut ribbon in half and secure at each side of yoke, thread through eyelet holes and tie at centre front.

Jacket

Place a marker 3 1/4 [3 1/2 : 4 : 4 1/2] in or 8.5 [9 : 10 : 11.5] cm from shoulder seams on Back and Fronts.

Place centre of cast off edge of sleeves to shoulder seams, then sew Sleeves evenly to Back and Fronts between markers.
Join side and sleeve seams, reversing seams so that edges are allowed to roll.
Join corners of rolled edges at lower edge and neck.
Sew on buttons.

Waistcoat

Join side seams.

Quilt

Sew oval in place to main piece working behind lace.
Sew cast off edges and sides of back to front working behind lace.
Insert filling then sew cast on edge of back to front enclosing filling. Work a row of running sts round oval through all thicknesses to hold filling in place.
Sew Edging in place round Quilt working behind lace. Join cast on and cast off edges of edging.

To Set Knitting

Pin out to size and shape, cover with a damp cloth and allow to dry.

This pattern is protected by copyright and reproduction in any form, including photostat, is strictly forbidden.
Any infringement will lead to prosecution

THE PATTERN LIBRARY

2 OAK BANK FARM, CHILDS LANE, SHIPLEY, WEST YORKSHIRE BD18 1PA