

Lee Target

6648

9_d

Super Crimp Baby Bri-Nylon 4-ply

3-4 Balls

Chest 18"-22"



Two baby coats

IN LEE TARGET SUPER CRIMP
BABY BRI-NYLON 4-PLY

Abbreviations used throughout

alt.	alternate	p.s.s.o.	pass slipped
beg.	beginning		stitch over
comm.	commencement	rem.	remain(ing)
cont.	continue(uity)	rep.	repeat
dec.	decrease(ing)	sl.	slip
fol(l)s).	follow(s)(ing)	st(s).	stitch(es)
g.st.	garter stitch	st.st.	stocking stitch
	(every row knit)		(one row knit,
inc.	increase(ing)		one row purl)
in(s).	inch(es)	tog.	together
k.	knit	t.b.l.	through back
patt.	pattern		of loops
p.	purl	yn.fwd.	yarn forward

Tension

7½ sts. to one inch on No. 10 needles (unpressed).
7 sts. and 11 rows to one inch on No. 10 needles
(pressed).

Success depends on working to correct tension.

Note

Check tension before commencing and if there are less stitches to one inch than the number stated, change to a finer needle. If more stitches to one inch than stated, change to a larger needle.

N.B.

Follow first set of figures given for 18 ins. Chest.
Follow first set of figures in brackets for 20 ins. Chest.
Follow second set of figures in brackets for 22 ins. Chest.
When only one set of figures is given, this applies to all sizes.

DESIGN 'A' LEMON COAT

MEASUREMENTS

chest	18"	20"	22"
length from top of shoulder	9"	10"	11½"
sleeve seam	5½"	6"	7"

MATERIALS

balls	3	3	4
1 pair needles No.	10	10	10
buttons	6	6	7

BACK

Cast on 70 (78; 84) sts.

1st row. Sl.1, knit to end.

2nd row. As 1st row.

3rd row. Sl.1, * k1, p1, rep. from * to last st., k1.

4th row. As 3rd row.

5th row. As 1st row. Rep. 3rd row twice.

8th row. Sl.1, purl to last st., k1.

Comm. with a purl row, cont. in st.st. until work measures 5½ (6; 7) ins. from comm., ending on wrong side.

Shape Armholes. Cast off 3 (4; 4) sts. at beg. of next 2 rows.

1st row. Sl.1, k2tog.t.b.l., knit to last 3 sts., k2t

2nd row. Sl.1, purl to last st., k1.

Rep. last 2 rows until 26 (28; 28) sts. rem., ending on wrong side. Cast off.

LEFT FRONT

Cast on 42 (46; 48) sts. and work 2 rows in g.st.

3rd row. Sl.1, * p1, k1, rep. from * to last st., k1.

4th row. As 3rd row.

5th row. Sl.1, knit to end. Rep. 3rd row twice.

8th row. Sl.1, purl to last st., k1. Proceed as folls:—

1st row. Sl.1, (p1, k1) 3 times, k1, purl to last st., k1.

2nd row. Sl.1, knit to last 7 sts., (p1, k1) 3 times, k1.

3rd row. Sl.1, k7, purl to last st., k1.

4th row. As 2nd row.

5th row. As 1st row.

6th row. Sl.1, knit to last 8 sts., p7, k1.

Rep. last 6 rows until work measures 5½ (6; 7) ins. from comm., ending on wrong side.

Shape Armhole

1st row. Cast off 3 (4; 4) sts. knit to last 8 sts., patt. 8.

2nd row. Sl.1, patt. 7, purl to last st., k1.

3rd row. Sl.1, k2tog.t.b.l., knit to last 8 sts., patt. 8.

4th row. Sl.1, patt. 7, purl to last 3 sts., p2tog., k1.

Rep. 3rd and 4th rows until 31 (31; 40) sts., rem., ending on wrong side. Rep. 3rd and 2nd rows until 22 (24; 24) sts. rem., ending on wrong side.

Next row. Sl.1, k2tog.t.b.l., knit to last 8 sts., place these 8 sts. on to a safety pin for neckband.

Cont. dec. at armhole edge on every foll. alt. row (as before), whilst at the same time, dec. at neck edge on next 6 (7; 7) rows, then dec. at armhole edge only on every alt. row until 2 sts. rem.

Next row. K2tog. Fasten off.

RIGHT FRONT

First place pins on Left Front as a guide for buttonholes, the first pin 3 rows up from lower edge, the 5 (5; 6) th pin 1¼ ins. below neck edge, placing 3 (3; 4) more pins evenly between.

Cast on 42 (46; 48) sts. and work 2 rows in g.st.
3rd row. Sl.1, * k1, p1, rep. from * to last st., k1.
4th row. Sl.1, k1, p1, k1, yn.fwd., k2tog.
 (buttonhole), * p1, k1, rep. from * to end.
5th row. Sl.1, knit to last st., k1. Rep. 3rd row twice.
8th row. Sl.1, purl to last st., k1.

Proceed as follows:—

1st row. Sl.1, purl to last 7 sts., (k1, p1) 3 times, k1.
 Keeping the 8 border sts. in patt., proceed in st.st.
 until work measures 5½ (6; 7) ins. from comm.,
 ending on right side and working buttonholes as
 before when pin positions are reached.

Shape Armhole

1st row. Cast off 3 (4; 4) sts., purl to last 8 sts.,
 patt. 8.
2nd row. Sl.1, patt. 7, knit to last 3 sts., k2tog., k1.
 Complete to correspond with Left Front, reversing
 all shapings and working buttonholes as before,
 when pin positions are reached.

SLEEVES

Cast on 38 (40; 42) sts. and rep. the first 8 rows as
 given for Back. Comm. with a purl row, proceed in
 st.st., inc. one st. at each end of 2nd and every foll.
 4th row until there are 50 (56; 60) sts. on the needle.
 Cont. without further shaping until work measures
 5½ (6; 7) ins. from comm., ending on wrong side.

Shape Top. Cast off 3 (4; 4) sts. at beg. of next
 2 rows.

1st row. Sl.1, k2tog.t.b.l., knit to last 3 sts., k2tog.,
 k1.

2nd row. Sl.1, purl to last st., k1.
 Rep. last 2 rows until 6 sts. rem., ending on wrong
 side. Cast off.

Using a damp cloth and warm iron, press carefully.
 Sew in sleeves.

NECKBAND

With right side of work facing, patt. across.
 8 sts. left on safety pin, pick up and knit 8 (9; 9) sts.
 up right side of neck, 6 sts. across sleeve top, 26 (28;
 28) sts. across back of neck, 6 sts. across sleeve top,
 9 (10; 10) sts. down left side of neck and patt. across
 8 sts. left on safety pin. 71 (75; 75) sts.

1st row. Sl.1, patt. to end.

2nd row. Sl.1, patt. 3, wl.fwd., k2tog.

(buttonhole), patt. to end.

Work 3 rows in patt.

Cast off fairly loosely in patt.

TO MAKE UP

Sew up side and sleeve seams. Sew on buttons to
 correspond with buttonholes. Press all seams.

DESIGN 'B' WHITE COAT

MEASUREMENTS

chest	18"	20"
length from top of shoulder	10"	11"
sleeve seam	5"	6"

MATERIALS

balls	3	4
1 pair needles No.	10	10
buttons	4	4

BACK

Cast on 122 (144) sts. and work 3 rows in g.st.
 Proceed as follows:—

1st row. Sl.1, yn.fwd., k3, * (k2tog.) twice, k3,
 yn.fwd., k1, yn.fwd., k3, rep. from * to last 8 sts.,
 (k2tog.) twice, k3, yn.fwd., k1.

2nd row. Sl.1, purl to last st., k1.

3rd row. Sl.1, knit to end.

4th row. Sl.1, knit to end.

The last 4 rows form the patt. Rep. the 1st to 4th
 rows (inclusive) 16 (18) times, then rep. 1st and
 2nd rows once.

Next row. K1 (2) sts., * k2tog., k3tog., rep. from *
 to last 1 (2) sts., k1 (2) sts. 50 (60) sts. Work 5 rows
 in g.st.

Next row. K4, * inc. in next st., k1, rep. from * to
 last 4 sts., k4. 71 (86) sts.

Comm. with a purl row, work 5 rows in st.st.

Shape Armholes. Cast off 3 (4) sts. at beg. of
 next 2 rows.

1st row. Sl.1, k2tog.t.b.l., knit to last 3 sts., k2tog.,
 k1.

2nd row. Sl.1, purl to last st., k1.

Rep. 1st and 2nd rows until 23 (30) sts. rem.,
 ending on wrong side. Cast off.

LEFT FRONT

Cast on 73 (84) sts. and work 3 rows in g.st.

1st row. Sl.1, wl.fwd., k3, * (k2tog.) twice, k3,
 yn.fwd., k1, yn.fwd., k3, rep. from * to last 14 sts.,
 (k2tog.) twice, k3, yn.fwd., k7.

2nd row. Sl.1, k5, purl to last st., k1.

3rd row. Sl.1, knit to end.

4th row. Sl.1, knit to end. The last 4 rows form the
 patt. Rep. the 1st to 4th rows (inclusive) 16 (18)
 times, then 1st and 2nd rows once.

Next row. K1 (2) sts., * k2tog., k3tog., rep. from *
 to last 7 sts., k7. 34 (39) sts. Work 5 rows in g.st.

Next row. Sl.1, k1, * inc. in next st., k3, rep. from *
 to last 8 (9) sts., inc. in next st., k7 (8) sts. 41 (47) sts.

Keeping the 6 border sts. in g.st. throughout, comm. with a purl row, work 5 rows in st.st.

Shape Armhole

1st row. Cast off 3 (4) sts., knit to end.

2nd row. Sl.1, k5, purl to last st., k1.

3rd row. Sl.1, k2tog.t.b.l., knit to end.

4th row. Sl.1, k5, purl to last st., k1. Rep. the last 2 rows until 23 (26) sts. rem., ending on right side.

Next row. Sl.1, k5, sl. these 6 sts. on to a safety pin for neckband, cast off 4 (5) sts., purl to last st., k1.

Cont. dec. at armhole edge (as before) on next and every foll. alt. row, whilst at the same time, dec. at neck edge on next 4 (5) rows. Cont. dec. at armhole edge only on every foll. alt. row until 3 sts. rem., ending on wrong side.

Next row. K3tog. Fasten off.

RIGHT FRONT

Cast on 73 (84) sts. and work 3 rows in g.st.

Proceed as folls:—

1st row. Sl.1, k6, yn.fwd., k3, * (k2tog.) twice, k3, yn.fwd., k1, yn.fwd., k3, rep. from * to last 8 sts., (k2tog.) twice, k3, yn.fwd., k1.

2nd row. Sl.1, purl to last 6 sts., k6.

3rd row. Sl.1, knit to end.

4th row. Sl.1, knit to end.

The last 4 rows form the patt. Rep. the 1st to 4th rows (inclusive) 16 (18) times, then rep. 1st and 2nd rows once.

Next row. Sl.1, k6, * k3tog., k2tog., rep. from * to last 1 (2) sts., k1 (2). 34 (39) sts.

Work 3 rows in g.st.

Next row. Sl.1, k3, yn.fwd., k2tog., (buttonhole) knit to end.

Next row. Sl.1, knit to end.

Next row. Sl.1, k6 (7) sts., * inc. in next st., k3, rep. from * to last 3 sts., inc. in next st., k2. 41 (47) sts.

Keeping the 6 border sts. in g.st. throughout, comm. with a purl row, work 6 rows in st.st.

Shape Armhole

1st row. Cast off 3 (4) sts., purl to last 6 sts., k6.

2nd row. Sl.1, knit to last 6 sts., k6.

Complete to correspond with Left Front, reversing all shapings and working buttonholes (as before) on every foll. 14 (16)th row from last.

SLEEVES

Cast on 36 (42) sts. and work 6 rows in g.st.

Proceed in st.st., inc. one st. at each end of 3rd and every foll. 4th row until there are 56 (64) sts. on the needle. Cont. without further shaping until work measures 5 (6) ins. from comm., ending on wrong side.

Shape Top. Cast off 3 (4) sts. at beg. of next 2 rows.

1st row. Sl.1, k2tog.t.b.l., knit to last 3 sts., k2tog., k1.

2nd row. Sl.1, purl to last st., k1. Rep. 1st and 2nd rows until 8 sts. rem., ending on wrong side.

Cast off.

NECKBAND

Using a damp cloth and warm iron, press carefully. Sew in sleeves.

With right side of work facing, knit across the 6 sts. left on safety pin at centre front, pick up and knit 7 sts. up right front neck, 8 sts. across sleeve top, 23 (30) sts. across back neck, 8 sts. across sleeve top, 7 sts. down left front, and knit across 6 sts. left on safety pin at centre front. 65 (72) sts.

Work 3 rows in g.st.

Next row. Sl.1, k3, yn.fwd., k2tog., knit to end.

Work 2 rows in g.st. Cast off loosely knitways.

TO MAKE UP

Sew up side and sleeve seams. Sew on buttons to correspond with buttonholes. Press all seams.

Washing instructions

- 1 Using a good quality soap flake, very sparingly, and making sure all flakes are thoroughly dissolved, and with the water comfortable to the hands (40 degrees cent.), the garment should be squeezed gently in an up and down movement in the water until clean.
- 2 Rinse thoroughly in water of the same temperature until all soap is removed, supporting the garment with the hands when removing from the water, as the weight of the water running down the garment can otherwise cause stretching.
- 3 Squeeze out all excessive moisture.
- 4 Lay on a flat surface to dry, patting back to the original shape and measurements.
- 5 On no account must the garment be dried in the direct sun, or in front of a fire or radiator, or hung up to dry.

If you have any difficulty with this pattern, or any ideas as to how the pattern or instructions could be further improved we should like to hear from you. Write to The Knitting Department.

LEE TARGET KNITTING WOOLS GEORGE LEE & SONS LTD., WAKEFIELD, YORKSHIRE