

Lee Target Cherub

4PLY BABY SUPER CRIMP



8820

1/-

Chest 18" (20"; 22")



Dungaree Set (in 3 Sizes)

IN 'LEE TARGET' CHERUB BABY BRI-NYLON
4-PLY SUPER CRIMP

MEASUREMENTS

JUMPER

Chest	18 ins.	20 ins.	22 ins.
Length from top of Shoulder	10 ins.	11 ins.	12 ins.
Sleeve Seam	5 ins.	5½ ins.	6 ins.

DUNGAREES

Overall length from centre front	16½ ins.	18 ins.	19½ ins.
----------------------------------	----------	---------	----------

MATERIALS

Cherub Baby Bri-Nylon 4-ply

DUNGAREES	Balls	5	5	6
JUMPER—contrast	Balls	1	2	2
Main	Balls	2	3	3
1 Pair Needles No.		10	10	10
1 Pair Needles No.		11	11	11
Buttons		2	2	2

TENSION

7 sts. to one inch on No. 10 needles.

Success depends on working to correct tension.

Note:

Check tension before commencing and if there are less stitches to one inch than the number stated, change to a finer needle. If more stitches to one inch than stated, change to a larger needle.

Abbreviations

alt.	alternate.	p.s.s.o.	pass slipped
beg.	beginning.		stitch over.
comm.	commencement.	pw.	purlways.
c.	contrast.	rem.	remain(ing).
cont.	continue(uity).	rep.	repeat.
dec.	decrease(ing).	sl.	slip.
fol(s).	follow(s)(ing).	st(s).	stitch(es).
g.st.	garter stitch (every row knit).	st.st.	stocking stitch (one row knit, one row purl).
inc.	increase(ing).		
in(s).	inch(es).	tog.	together.
k.	knit.	yd(s).	yard(s).
m.	main	yn.fwd.	yarn forward.
patt.	pattern.	y.o.n.	yarn on (over) needle.
p.	purl.		

N.B.:

Follow first set of figures given for 18 in. Chest.
Follow first set of figures in brackets for 20 in. Chest.
Follow second set of figures in brackets for 22 in. Chest.
When only one set of figures is given, this applies to all sizes.

The thumb method is used for casting on throughout and is worked as follows:- Using a ball of yarn, measure a length approx. 2 yds., do not break off this length, but * holding this in the left hand, pass round the left thumb anti-clockwise. Place point of needle underneath this loop and using yarn from ball, pass yarn round point of needle and draw through loop on thumb. (One st. now on needle). Rep. from * for required number of sts.

JUMPER

BACK

Using No. 11 needles and m. cast on 69 (75; 81) sts.

1st row. Sl.1, * k1, p1, rep. from * to last 2 sts., k2.

2nd row. Sl.1, * p1, k1, rep. from * to end.

Rep. 1st and 2nd rows twice.

Using No. 10 needles proceed in st.st. until work measures 6 (6½; 7) ins. from comm. ending on wrong side.

Shape Armholes

Cast off 3 sts. at beg. of each of next 2 rows.

3rd row. Sl.1, sl.1, k1, p.s.s.o., knit to last 3 sts., k2tog., k1.

4th row. Sl.1, purl to last st., k1.

Rep. 3rd and 4th rows until 29 (31; 33) sts. rem. Cast off.

FRONT

Work exactly as given for Back (including armhole shapings) until 45 (47; 51) sts. rem.

Shape Neck

1st row. Sl.1, sl.1, k1, p.s.s.o., k14 (14; 16), cast off 11 (13; 13), k. to last 3 sts., k2tog., k1.

2nd row. Sl.1, p. to last st., k1.

Cont. raglan shaping as before dec. one st. at neck edge on next and every foll. alt. row until 2 sts. rem.

Next row. K2tog. Fasten off.

Return to rem. sts. and work to match first side.

SLEEVES

Using No. 11 needles and m. cast on 39 (41; 43) sts. and work 10 rows in rib as given for Back. Using No. 10 needles and cont. in st.st. inc. one st. at each end of the 5th and every foll. 6th row until there are 49 (53; 57) sts. on the needle. Cont. without further shaping until sleeve measures 5 (5½; 6) sts. from comm. ending on wrong side.

Shape Top

Cast off 3sts. at beg. of next 2 rows.

3rd row. Sl.1, sl.1, k1, p.s.s.o., k. to last 3 sts., k2tog., k1.

4th row. Sl.1, p. to end.

Rep. 3rd and 4th rows until 9 sts. rem. Cast off.

Using a damp cloth and warm iron press each piece carefully. Sew in sleeves leaving left back raglan open.

NECKBAND

Using No. 11 needles and c. pick up and knit 9 sts. across sleeve top, 10 (12; 14) sts. down left front neck, 11 (13; 13) sts. from centre front, 11 (13; 15) sts. up right front neck, 9 sts. across second sleeve top and 29 (31; 33) sts. across back neck. 79 (87; 93) sts.
1st row. Sl.1, * p1, k1, rep. from * to end.
2nd row. Sl.1, * k1, p1, rep. from * to last 2 sts., k2. Rep. 1st and 2nd rows once, then 1st row once. Cast off loosely in rib.

TO MAKE UP

Sew up left back raglan and neckband seam. Sew up side and sleeve seams. Press all seams.

DUNGAREES FRONT

Comm. at neck.

Using No. 10 needles and m. cast on 60 (63; 66) sts.
** Work 8 rows in g.st. Proceed in patt. as folls:-
1st row. Sl.1, k4 * yn.fwd., sl.1 p.w., y.o.n., k2, p.s.s.o. the k2 just worked, rep. from * to last 4 sts., k4.
2nd row. Sl.1, k3, p. to last 4 sts., k4.
3rd & 4th rows. Sl.1, k. to end.
5th row. Sl.1, k3, sl.1 p.w., k2, p.s.s.o. the k2 just worked, * yn.fwd., sl.1 p.w., y.o.n., k2, p.s.s.o. the k2 just worked, rep. from * to last 5 sts., yn.fwd., k5.
6th row. As 2nd row.
7th & 8th rows. As 3rd and 4th rows.
These 8 rows form the patt. Cont. in patt. until work measures 4 (4½; 5) ins. from comm. ending on wrong side.

Shape Armholes

1st row. Sl.1, k2, inc. in next st., patt. to last 4 sts., inc. in next st., k3.
2nd row. Sl.1, k4, patt. to last 5 sts., k5.
3rd row. Sl.1, k3, inc. in next st., patt. to last 5 sts., inc. in next st., k4.
4th row. Sl.1, k5, patt. to last 6 sts., k6, cast on 3 sts.
5th row. Sl.1, k8, patt. to last 6 sts., k6, cast on 3 sts. **
70 (73; 76) sts. Leave these sts. on a spare needle.

BACK

Strap

Using No. 10 needles and m. cast on 4 sts. and knit 2 rows. Cont. in g.st. inc. one st. at each end of the next and every foll. alt. row until there are 10 sts. on the needle.

Next row. Sl.1, k. to end.

Next row. Inc. in first st., k3, yn.fwd., k2tog. (buttonhole), k2, inc. in next st., k1.

Inc. one st. at each end of every foll. alt. row until there are 16 sts. on needle. Cont. in g.st. on these sts. until work measures 3 ins. from comm. ending on wrong side. Break off yarn. Leave on spare needle. Work another strap in the same manner, do not

break off yarn.

Next row. Sl.1, k15 across strap just worked, cast on 28 (31; 34) sts., k. across 16 sts. left on spare needle.

Next row. Sl.1, k. to end.

Work from ** to ** as given for Front.

Next row. K9, patt. to last 9 sts., k9, then with wrong side of front piece facing, work across front piece as folls:-

Left leg. Sl.1, k8, patt. 26 (27; 29) sts., turn leaving rem. 35 (37; 38) sts. on thread for right leg. Using No. 11 needles proceed as folls:-

1st row. Rib 70 (73; 76) turn leaving rem.

35 (36; 38) sts. on thread for right leg. Work 5 rows in rib on these sts. Using No. 10 needles proceed as folls:-

1st & every alt. row. K. to end.

2nd row. Sl.1, p19, turn.

4th row. Sl.1, p29, turn.

6th row. Sl.1, p39, turn.

8th row. Sl.1, p49, turn.

9th row. K. to end inc. one st. at end of row on 18 ins. and 22 ins. size only 71 (73; 77) sts.

*** Comm. with a p. row proceed in st.st. inc. one st. at each end of every foll. 4th row until there are 89 (93; 97) sts. on needle.

Cont. without further shaping until work measures 6½ (7; 7½) ins. down front edge (including waist ribbing) ending on wrong side.

Shape Leg

1st row. Sl.1, sl.1, k1, p.s.s.o., k. to last 3 sts., k2tog., k1.

2nd row. Sl.1, p. to last st., k1.

Rep. 1st and 2nd rows until 43 (45; 49) sts. rem.

Comm. with a p. row work 9 (13; 17) rows without shaping. Using No.11 needles work 6 rows in k1, p1 rib dec. one st. at end of last row.

Using No. 10 needles work 2 rows in st.st. ***

Divide for Foot

1st row. Sl.1, k19 (21; 23) turn.

2nd row. Sl.1, p12 (14; 16) turn.

Work 14 (16; 18) rows in st.st. on these sts. Break off yarn.

Next row. With right side facing rejoin yarn to inside edge of sts. left at right side, pick up and knit 7 (9; 11) sts. along instep, k. across 13 (15; 17) sts. on needle, pick up and knit 7 (9; 11) sts. down other side of instep, knit across rem. sts. at other side. Comm. with a p. row work 5 rows in st.st. across all 56 (62; 70) sts.

Shape Foot

1st row. Sl.1, k13 (15; 17), k2tog., k9 (11; 13), sl.1, k1, p.s.s.o., k19 (21; 25), k2tog., k1, sl.1, k1, p.s.s.o., k5.

2nd & every foll. alt. row. Sl.1, p. to last st., k1.

3rd row. Sl.1, k12 (14; 16), k2tog., k9 (11; 13), sl.1, k1, p.s.s.o., k17 (19; 23), k2tog., k1, sl.1, k1, p.s.s.o., k4.

5th row. Sl.1, k11 (13; 15), k2tog., k9 (11; 13), Sl.1, k1, p.s.s.o., k15 (17; 21), k2tog., k1, sl.1, k1, p.s.s.o., k3.

6th row. Sl.1, p. to last st., k1. Cast off.

With wrong side facing using No. 11 needles, comm. at inside edge of sts. left on front piece rib to end, then comm. at armhole edge of sts. left on Back piece rib to end. Work 5 more rows in rib.

Using No. 10 needles proceed as folls:-

1st & every alt. row. Sl.1, p. to last st., k1.

2nd row. Sl.1, k19, turn.

4th row. Sl.1, k29, turn.

6th row. Sl.1, k39, turn.

8th row. Sl.1, k49, turn.

Rep. from *** to *** as given for Left Leg.

Divide for Foot

1st row. Sl.1, k34 (36; 40) turn.

2nd row. Sl.1, p12 (14; 16) turn.

Work 14 (16; 18) rows in st.st. on these sts. Break off yarn.

Next row. With right side facing rejoin yarn to inside edge of sts. left at right side, pick up and knit 7 (9; 11) sts. from instep, knit across 13 (15; 17) sts. on needle, pick up and knit 7 (9; 11) sts. from other side of instep, k. across rem. sts. Comm. with a p. row work 5 rows st.st. across all sts.

Shape Foot

1st row. Sl.1, k4, k2tog., k1, sl.1, k1, p.s.s.o., k19 (21; 25), k2tog., k9 (11; 13) sl.1, k1, p.s.s.o., k14 (16; 18).

2nd & every alt. row. Sl.1, p. to last st., k1.

3rd row. Sl.1, k3, k2tog., k1, sl.1, k1, p.s.s.o., k17 (19; 23), k2tog., k9 (11; 13), sl.1, k1, p.s.s.o., k13 (15; 17).

5th row. Sl.1, k2, k2tog., k1, sl.1, k1, p.s.s.o., k15 (17; 21), k2tog., k9 (11; 13), sl.1, k1, p.s.s.o., k12 (13; 16).

6th row. Sl.1, p. to last st., k1. Cast off.

TO MAKE UP

Using a damp cloth and warm iron press carefully. Sew up seams. Sew on buttons at front to correspond with buttonholes in Back straps. Press all seams.

Washing instructions

1 Using a good quality soap flake, very sparingly, and making sure all flakes are thoroughly dissolved, and with the water comfortable to the hands (40 degrees cent.), the garment should be squeezed gently in an up and down movement in the water until clean.

2 Rinse thoroughly in water of the same temperature until all soap is removed, supporting the garment with the hands when removing from the water, as the weight of the water running down the garment can otherwise cause stretching.

3 Squeeze out all excessive moisture.

4 Lay on a flat surface to dry, patting back to the original shape and measurements.

5 On no account must the garment be dried in the direct sun, or in front of a fire or radiator, or hung up to dry.

If you have any difficulty with this pattern write to The Knitting Department.

LEE TARGET KNITTING WOOLS GEORGE LEE & SONS LTD., WAKEFIELD, YORKSHIRE