

1845

Marriner

4 ply
18-20 ins
45.5-51 cms
Crochet



A Marriner Design

ANGEL TOPS

Sizes 18–20 ins (45.5–51 cms)

MATERIALS:

MARRINER BABY BOUQUET 4 PLY

Approx 60% Acrylic/40% Nylon, (Courtele/Bri-Nylon)

MARRINER BABY BRIGHT EYES 4 PLY

Approx 60% Acrylic/40% Nylon (Courtele/Bri-Nylon)

Plain Top: 5/6 20g balls

Two Colour Top: 5/5 20g balls main colour
1/1 20g ball contrast colour

Both Versions: Crochet hooks size 3.50 mm and
3.00 mm
3 Jason buttons

N.B. These yarn amounts are based on average requirements and are therefore approximate.

NOTE: Where only one figure is given, this applies to both sizes. Where the figure 0 appears, no sts or rows are worked for this size.

MEASUREMENTS: To fit chest 18/20 ins (45.5/51 cms)

Both versions: Length at centre back 10½/11½ ins (26.5/29 cms)

Sleeve seam 4¾/5½ ins (12/14 cms)

TENSION: Both patterns are based on a tension of 24 sts and 14 rows to a 4 in (10 cm) square measured over tr using size 3.00 mm hook.

IMPORTANT: It is essential that you test your tension before commencing work in order that your garment is the correct size.

To test your tension: Using a size 3.00 mm hook, work a sample of tr; measure the stitches and rows accurately. If you have the correct number of stitches and rows to 4 ins (10 cms), your tension is correct. If less, your work is too loose; try a size smaller hook. If more, your work is too tight; try a size larger hook.

ABBREVIATIONS: Ch, chain; dc, double crochet; h tr, half treble; tr, treble; ss, slip stitch; st(s), stitch (es); dec 1 st, decrease one stitch by working next 2 sts together; rep, repeat; patt, pattern; sp, space; dec, decrease; alt, alternate; gr, group; mc, main colour; cc, contrast colour.

HAVE YOU CHECKED YOUR TENSION?

PLAIN TOP

N.B. In these instructions, the turning ch does not count as a stitch.

FRONT: ★ Using size 3.50 mm hook, work 84/92 ch.
Foundation row: (Right side) 1 dc in 2nd ch from hook, * 1 ch, 1 dc in each of next 4 ch, 2 ch, 1 dc in each of next 4 ch, rep from * to last 2 ch, 1 ch, 1 dc in each of last 2 ch, turn.

Change to pattern.

1st row: 3 ch, * (1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * to last 1 ch sp, (1 tr, 2 ch, 1 tr) in last 1 ch sp, 1 tr in turning ch, turn.

2nd row: 3 ch, * (2 tr, 1 ch, 2 tr) in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, rep from * to last 2 ch sp, (2 tr, 1 ch, 2 tr) in last 2 ch sp, 1 tr in top of turning ch, turn.

The last 2 rows form the pattern. Rep 2 patt rows 6/7 times more, then 1st row once more.

Shape Armholes: *1st row:* Ss across first 4 sts, 3 ch, (1 tr, 2 ch, 1 tr) in next 1 ch sp, * (2 tr, 1 ch, 2 tr) in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, rep from * to last 7 sts, miss 2 tr, 1 tr in next tr, turn. Rep last row twice more. Change to size 3.00 mm hook.

Dec row: 1 ch, * 1 dc in next tr, 1 dc in 2 ch sp, 1 dc in next tr, miss 1 tr, 1 dc in next tr, miss 1 ch sp, 1 dc in next tr, miss 1 tr, rep from * to last 2 ch sp, 1 dc in next tr, 1 dc in 2 ch sp, 1 dc in last tr, turn. (38/43 sts) ★

Next row: 1 ch, 1 dc in each st to end, turn.

Rep last row until armholes measure 2¾/3 ins (7/7.5 cms), ending with a wrong side row.

Shape Neck: *Next row:* 1 ch, 1 dc in each of next 14/16 dc, turn.

Dec 1 st at neck edge on next and every alt row until 10/12 sts remain. Work straight until armhole measures 4¼/4½ ins (10/11.5 cms). Fasten off.

Miss centre 10/11 sts, rejoin yarn to next st, 1 ch, 1 dc in same st, 1 dc in each dc to end, turn. (14/16 sts)
Complete to match first side of neck, reversing shapings.

BACK: Work as for Front from ★ to ★.

Divide for Back: *Next row:* 1 ch, 1 dc in each of next 19/21 dc, turn.

Continue on these sts until Back matches Front to shoulder. Fasten off.

Miss centre 0/1 st, rejoin yarn to next st, 1 ch, 1 dc in same st, 1 dc in each dc to end, turn.

Complete to match first side of Back.

SLEEVES: Using size 3.00 mm hook, work 24/26 ch.
1st row: (Right side) 1 dc in 2nd ch from hook, 1 dc

in each ch to end, turn. (23/25 sts)

2nd row: 1 ch, 1 dc in each dc of previous row, turn. Rep last row twice more.

Foundation row: 1 ch, 1 dc in each of first 1/2 sts, (1 ch, 1 dc in each of next 2 dc, 2 ch, 1 dc in each of next 2 dc) 5 times, 1 ch, 1 dc in each of next 2/3 dc, turn.

Change to size 3.50 mm hook and patt as given for Front, starting with 1st row.

Continue until Sleeve measures 4¼/5½ ins (12/14 cms) approximately from beg, ending with a wrong side row.

Shape Top: **1st row:** Follow instructions for 1st row of armhole shaping on Front.

2nd row: 3 ch, 2 tr in next 2 ch sp, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * twice more, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 2 tr in next 2 ch sp, 1 tr in top of turning ch, turn.

3rd row: 3 ch, (2 tr, 1 ch, 2 tr) in next 2 ch sp, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * twice more, 1 tr in top of turning ch, turn.

4th row: 3 ch, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * twice more, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 1 tr in top of turning ch, turn.

5th row: 3 ch, 2 tr in next 2 ch sp, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * once more, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 2 tr in next 2 ch sp, 1 tr in top of turning ch, turn.

6th row: 3 ch, (2 tr, 1 ch, 2 tr) in next 2 ch sp, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * once more, 1 tr in top of turning ch, turn.

7th row: 3 ch, *(1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, rep from * once more, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 1 tr in top of turning ch, turn.

8th row: 3 ch, 2 tr in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 2 tr in next 2 ch sp, 1 tr in top of turning ch, turn.

9th row: 3 ch, (2 tr, 1 ch, 2 tr) in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, 1 tr in top of turning ch, turn.

10th row: 3 ch, (1 tr, 2 ch, 1 tr) in next 1 ch sp, (2 tr, 1 ch, 2 tr) in next 2 ch sp, (1 tr, 2 ch, 1 tr) in next 1 ch sp, 1 tr in top of turning ch. Fasten off.

BUTTONHOLE BAND: With right side of work facing and using size 3.00 mm hook, join yarn to top of Right Back and work 20/24 dc down back edge, turn.

2nd row: 1 ch, 1 dc in each of next 3/5 dc, (2 ch, miss 2 sts, 1 dc in each of next 5/6 dc) twice, 2 ch, miss 2 sts, 1 dc in last st, turn.

3rd row: 1 ch, 1 dc in each dc and 2 dc into each 2 ch

sp of previous row. Fasten off.

BUTTON BAND: With right side of work facing and using size 3.00 mm hook, join yarn to bottom of Left Back and work to match Buttonhole Band, omitting buttonholes.

TO MAKE UP: Press work lightly on the wrong side, using a cool iron over a dry cloth. Using a flat stitch, join shoulder seams. Set in sleeves, then join side and sleeve seams, matching pattern. Slip stitch ends of Bands neatly in place to base of Yoke.

Neck Edging: With right side of work facing and using size 3.00 mm hook, join yarn to top of Left Back and work 1 row of dc all round neck edge, turn.

2nd row: 1 ch, 1 dc in each dc of previous row. Fasten off.

Cuff Edging: With right side of work facing and using size 3.00 mm hook, work 1 round of dc round cuff. Fasten off.

Lower Edging: With right side of work facing and using size 3.50 mm hook, work 1 round of dc round lower edge of Angel Top. Fasten off.

Press seams and edgings. Sew on buttons.

TWO COLOUR TOP

N.B. In these instructions, the turning ch does not count as a stitch.

YOKE: Using size 3.00 mm hook and cc, work 69/73 ch.

1st row: (Right side) 1 h tr in 3rd ch from hook, 1 h tr in each ch to end, turn. (67/71 sts)

2nd row: Using cc, 1 ch, 1 dc in each h tr of previous row, turn.

3rd row: Using mc, 2 ch, 1 h tr in each of first 3 dc, *2 h tr in next dc, 1 h tr in each of next 3 dc, rep from * to end, turn. (83/88 sts)

4th row: Using mc, 1 ch, 1 dc in each h tr of previous row, turn.

5th row: Using cc, 2 ch, 1 h tr in each dc of previous row, turn.

6th row: As 2nd row.

7th row: Using mc, 2 ch, 1 h tr in each of first 3/4 dc, *2 h tr in next st, 1 h tr in each of next 3 dc, rep from * to end, turn. (103/109 sts)

8th row: As 4th row.

9th row: As 5th row.

10th row: As 2nd row.

11th row: Using mc, 2 ch, 1 h tr in each of first 3/4 dc, *2 h tr in next st, 1 h tr in each of next 3 dc, rep from * to last 0/1 st, 1 h tr in last 0/1 dc, turn. (128/135 sts)

12th row: As 4th row.

13th row: As 5th row.

INCHES
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
cm 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

14th row: As 2nd row.
15th row: Using mc, 2 ch, 1 h tr in each of first 3/5 dc, * 2 h tr in next st, 1 h tr in each of next 3 dc, rep from * to last 1/2 sts, 1 h tr in each of last 1/2 dc, turn. (159/167 sts)
16th row: As 4th row.
17th row: As 5th row.
18th row: As 2nd row.
19th row: Using mc, 2 ch, 1 h tr in each of first 9/5 dc, * 2 h tr in next st, 1 h tr in each of next 3 dc, rep from * to last 6/2 sts, 1 h tr in each of last 6/2 dc, turn. (195/207 sts)
20th row: As 4th row.
21st row: As 5th row.
22nd row: As 2nd row.
23rd row: Using mc, 2 ch, 2 h tr in first st, 1 h tr in each dc of previous row, turn. (196/208 sts)
24th row: As 4th row.
Change to size 3.50 mm hook and continue in mc only.

RIGHT BACK: Next row: (Right side) 1 ch, 1 dc in first dc, *(1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next dc, miss 1 st, rep from * 6/7 times more, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next dc, turn.

★ 2nd row: 5 ch, 1 tr in first dc, *1 dc in centre tr of next gr, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, rep from * to last gr, 1 dc in centre tr of last gr, (1 tr, 2 ch, 1 tr)all into last dc, turn.

3rd row: 1 ch, 1 dc in first tr, *(1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, 1 dc in centre tr of next gr, rep from * to last dc, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr) all into last dc, 1 dc into 3rd st of turning ch.

2nd size only: Rep last 2 rows once more. ★

Both sizes: Fasten off.

RIGHT SLEEVE: Rejoin yarn to next st of Yoke, 1 ch, 1 dc in same st, *(1 tr, 2 ch, 1 tr, 2 ch, 1 tr) all into next dc, miss 1 st, 1 dc in next dc, miss 1 st, rep from * 7 times more, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next st, turn.

Work as for Right Back from ★ to ★, marking both ends of last row with a coloured thread. The last 2 rows form the pattern and are repeated. Continue in patt until Sleeve measures 4¼/5 ins (11/12.5 cms) from marker threads, ending with a right side row.

Change to size 3.00 mm hook.
Dec row: 2 ch, 1 h tr in first tr, (1 dc in next tr, 1 h tr in each of next 2 tr)8 times, 1 dc in next tr, 1 h tr in next tr, 1 h tr in last dc, turn. (28 sts)

Next row: 1 ch, 1 dc in each st of previous row, turn. Rep last row 3 times more. Fasten off.

FRONT: Rejoin yarn to next st of Yoke, 1 ch, 1 dc in same st, *(1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next dc, miss 1 st, rep from * 13/14 times more, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next st, turn.

Work as for Right Back from ★ to ★. Fasten off.

LEFT SLEEVE: Work as for Right Sleeve.

LEFT BACK: Rejoin yarn to next st of Yoke, 1 ch, 1 dc in same st, *(1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in next dc, miss 1 st, rep from * 6/7 times more, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, miss 1 st, 1 dc in last dc, turn.

Work as for Right Back from ★ to ★.

Next row: 5 ch, 1 tr in first dc, *1 dc in centre tr of next gr, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, rep from * to last gr of Left Back, 1 dc in centre tr of last gr, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into first dc of Front, **1 dc in centre tr of next gr, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into next dc, rep from ** to last gr of Front, 1 dc in centre tr of last gr, (1 tr, 2 ch, 1 tr, 2 ch, 1 tr)all into first dc of Right Back, patt to end, turn. Continue in patt across all sts until Body measures 5½/6 ins (14/15 cms) from armhole, ending with a wrong side row. Fasten off.

TO MAKE UP: Press work lightly on the wrong side, using a cool iron over a dry cloth. Using a flat stitch, join sleeve seams to coloured threads then set in sleeves. Using a flat stitch, join centre back seam to bottom of Yoke.

Back and Neck Edgings: With right side of work facing, using size 3.00 mm hook and mc, join yarn to top of centre back seam and work 23/25 dc up left side of back opening, 3 dc into first st of foundation ch, 1 dc into each of next 65/69 sts of foundation ch, 3 dc into last st, then 23/25 dc down right side of back opening, turn.

2nd row: 1 ch, 1 dc in each of next 5/7 dc, 2 ch, miss 2 sts, (1 dc in each of next 6 dc, 2 ch, miss 2 sts)twice, 1 dc in next dc, 3 dc in next (corner)dc, 1 dc in each of next 3/2 dc, (1 dc in each of next 2 dc, miss 1 st, 1 dc in each of next 3 dc)10/11 times, 1 dc in each of next 4/3 dc, 3 dc in next (corner)dc, 1 dc in each dc to end. Fasten off.

Lower Edging: With right side of work facing, using size 3.50 mm hook and mc, work 1 round of dc round lower edge of Top, working 1 dc into each st and 2 dc into each 2 ch sp. Fasten off.

Slip stitch ends of Back Edgings in place. Press seams and edgings. Sew on buttons.

Marriner will not accept any responsibility for the finished garment unless the yarn recommended on this leaflet is used.

We shall be pleased to help you with any query if it is accompanied by a Marriner ball band and a stamped self-addressed envelope.

1845/982