

MODE baby

3-50C



SPECIAL

OUTFITS - TROUSERS - JUMPSUITS

Number 11

QUARTERLY
Number 11 - 1£

Where to buy the yarns used in this issue :

PHILDAR

Phildar U.K. Ltd.
Westgate Industrial Estate
4 Gambrel Road
Northampton NN5 5NF

ANNY BLATT

Laines Anny Blatt U.K. Ltd.
International Business Centre
1/3 Mortimer Street
London W1N 7RH

PINGOUIN

French Wools Ltd.
7/11 Lexington Street
London W1R 4BU

SUNBURST

6201

Jumper and bibbed overall

SIZE: 3 months. Instructions for 6-mo size are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to both sizes.

MATERIALS: « Phildar » brand « Pé-gase » or « Phildar de Luxe » 3-ply acrylic-wool baby yarn as follows: 2 (3) 50-gr balls yellow, 1 ball orange. A pair each of INOX knitting needles sizes 3 mm and 4 mm (nos. 8 and 11). 2 buttons.

TENSION: With the size 4 needles, 24 sts and 32 rows should measure 10 cm square, when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

OVERALL: BACK:

RIGHT LEG: Using size 3 needles and orange yarn cast on 24 (26) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 2 rows. Change to yellow yarn and continue in single rib for 2 cm more.

Change to the size 4 needles and work in stocking stitch (Right side: knit; Wrong side: purl), increasing (by working twice into st) 10 sts over first row thus: work 1 (2), *work 2, inc 1*, rep from * to * 9 times, work 3 (4) = 34 (36) sts.

Continue straight in stocking stitch until Right Leg measures 20 (22) cm from cast-on edge, ending with a wrong-side row.

LEFT LEG: As for Right.

Crutch: After completing final purl row, knit 1 more row, then cast on 12 sts, and pick up the sts from the holder. Work the 2 sides as one piece from now on = 80 (84) sts.

Continue in stocking stitch, decreasing 1 st either side of the crutch on the following 6 right-side rows as follows:

1st row: Knit 33 (35), sl 1, k1, pss0, k10, k2tog, k33 (35).

Purl next and all even-numbered rows.

3rd row: K33 (35), sl 1, k1, pss0, k8, k2tog, k33 (35).

5th row: K33 (35), sl 1, k1, pss0, k6, k2tog, k33 (35).

Work 3 more decrease rows in this manner, always knitting 2 fewer sts between decreases = 68 (72) sts.

Continue without further shaping until Back measures 37 (39) cm from cast-on edge, ending with a wrong-side row.

Top: Cast off 10 (11) sts at beg of next 2 rows, then cast off 1 st at either end of each foll alt (rs) row 12 times.

Work straight until Overall measures 45 (47) cm from cast-on edge. Change to size 3 needles and work in single rib for 2 cm. Place sts on a holder.

FRONT: As for Back.

STRAPS (make 2): Using size 3 needles and yellow, cast on 8 sts and rib 20 (22) cm.

Buttonhole: Next row: Rib 3, cast off 2, rib 3.

Abbreviations

alt. = alternate - cont. = continue
cm = centimetre - dbl = double
dec = decrease - foll = following
fwd = forward - gr = grams
inc = increase - k = knit
mm = millimetre - mo = month
p = purl - pss0 = pass slip stitch over
r = row - rep = repeat
rs = right side - sl = slip
st = stitch - tog = together
ws = wrong side - yo = yarn over hook (crochet)
yr = year



Published by :
LES EDITIONS DE SAXE
S.A.

20, rue Croix-Barret
F-69007 LYON, FRANCE

Director in charge :
Guy ROUSSET

Editor :
Paulette ROUSSET

Page layout :
Ghyslaine NERGUIZIAN

© 1985 EDITIONS DE SAXE
All rights reserved.

Printed in France






Distributed by :
READER'S DIGEST DISTRIBUTION SERVICES,

P.O. Box 222

N° 7 - 10 Old Bailey
LONDON ED 99 4 AH

Tel. : 01.236.1070

W 162 062



Next row: Rib 3, cast on 2, rib 3.
Dec 1 st at each end of next 4 rows = 0 sts.

FINISHING

Lightly press the 2 pieces on the wrong side, according to the instructions on the yarn label. Backstitch the side, crutch, and leg seams.

Bib trim: Using the size 3 needles and orange, pick up the sts from the Back holder and rib 2 rows. Cast off loosely. Repeat for Front bib. Now pick up 22 (24) sts down one side of the Front bib and rib 2 rows. Cast off. Repeat for 2nd side, and on both sides of Back.

Attach a Strap to the inside of each corner of the Back bib. Sew a button to either corner of the Front bib on the outside.

Use the orange yarn to embroider the Sun design in « Vs », imitating the knitted sts, and taking care not to pull the yarn too tight.

METHOD

JUMPER: BACK: Using size 3 needles and orange, cast on 58 (62) sts and work in single rib thus: 2 rows orange. Change to yellow yarn and continue in single rib for 2 cm more.

Now change to size 4 needles and continue in stocking stitch until Jumper measures 14 (16) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 2 sts at beg of next 2 rows, then cast off 2 sts at either end of next alternate (rs) row once (twice) = 50 sts*. Work straight until Back measures 25 (27) cm overall.

Cast off 10; place next 30 sts on holder; cast off 10.

FRONT: As for Back as far as*. Work straight until Front measures 21 (23) cm from cast-on edge, ending with a right-side row.

Neck: Next row: Work 16 sts and place them on a holder. Cast off foll 18 sts; work to end of row. (Finish the 2 sides of the Front separately from this point.) Cast off 2 sts at neck edge (beg of rs rows) on foll 3 alternate rows.

Work straight until Right Front measures 25 (27) cm overall.

Shoulder: Cast off remaining 10 sts. Pick up sts from holder and finish Left Front to match, reversing the shaping.

SLEEVES (both alike): Using size 3 needles and orange, cast on 36 (40) sts and work in single rib for 2 rows. Change to yellow yarn and continue in single rib for 2 cm more.

Now change to size 4 needles and work in stocking stitch, increasing 1 st either end of every 4th row 7 times = 50 (54) sts.

Work straight until Sleeve measures 16 (18) cm from cast-on edge.

Cast off.

FINISHING

Lightly press the pieces on the wrong side, avoiding the ribbing, according to the directions on the yarn label. Backstitch right shoulder seam.

Neck: Using size 3 needles and yellow yarn, with rs facing, pick up 30 sts across Front, then the 30 Back sts from the holder = 60 sts. Work in single rib for 2 cm. Change to orange yarn and rib 2 rows. Cast off loosely in rib.

Sew up left shoulder and side seams. Sew the sleeves and insert them in the armholes. Embroider satin-stitch dots on Front and Sleeves, as shown in the photograph, taking care not to pull the sts tight.

THIS WAY UP

6202

Coat and dress

SIZE: 12 months. Instructions for 18-mo and 2-yr sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: « Anny Blatt » brand « Baby Blatt » 100 % 4-ply wool as follows: 1 50-gr ball turquoise no. 1859, 1 ball emerald (émeraude) green no. 1860, 1 ball soft pink (buvard) no. 1854, 2 (3-3) balls azalée no. 1853; « Angor'Anny » angora-wool blend, 3 20-gr balls pink (buvard) no. 633. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm, and a set each of INOX double-pointed needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13). 1 button.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 29 sts and 37 rows in stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller, as appropriate.

METHOD

BACK: Using size 3 needles and turquoise, cast on 136 (142-146) sts and work in garter st (knit every row) for 18 rows (= 9 raised rows facing).

Stripes: Continue in the following yarn sequence: emerald; angora; turquoise; soft pink; working 2 rows stocking stitch (*Right side:* knit; *Wrong side:* purl) and 2 rows garter st with each yarn. Now use the angora yarn to work *2 rows stocking stitch, 2 rows garter st*, rep from * to * twice more.

Now change to the azalée yarn and work in stocking stitch, decreasing 1 st either end of every 14th (16th-18th) row 4 times = 128 (134-138) sts.

Work straight until Back measures 29 (32-35) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 2 sts at beg of next 2 rows, then cast off 1 st either end of each foll alt (rs) row twice = 120 (126-130) sts. Work 2 more rows straight, then place sts on a holder.


FRONT: As for Back.

SLEEVES (both alike): Beg at wrist, using size 3 needles and turquoise, cast on 40 (42-42) sts and work in garter st for 2 cm. Change to azalée yarn and work in stocking stitch, increasing (by working twice into st) 28 (34-38) sts across first row thus: work 6 (4-2), then work twice into each of foll 28 (34-38) sts, work 6 (4-2) = 68 (76-80) sts.

Continue in stocking stitch, increasing 1 st at either end of every 4th (6th-6th) row 3 times = 74 (82-86) sts. Work straight until sleeve measures 7 (8-9) cm from cast-on edge. Now cast off 2 sts at beg of next 2 rows, and 1 st either end of foll alt (rs) row twice = 66 (74-78) sts. Work straight until Sleeve measures 9 (10-11) cm, then place sts on a holder.

YOKE: Place the 60 (63-65) Right Back sts on a holder apart. With rs of work facing, using the size 3 dp needles, pick up (without knitting) the 60 (63-65) Left Back sts, then 66 (74-78) Sleeve sts, the 120 (126-130) Front sts, the remaining 66 (74-78) Sleeve sts, and finally the 60 (63-65) Right Back sts = 372 (400-416) sts. Work in rounds of stocking stitch (always knitting, with rs of work facing) with the azalée yarn, until Yoke measures 3 (4-4) cm from beg.

Always with rs facing, dec thus: [k2tog] 30 (32-33) times, then k3 (1-4), *k2tog, k4*, rep from * to * 9 (11-11) times,





k3 (2-3), [k2tog] 60 (62-65) times, k3 (2-5), **k2tog, k4** rep from ** to ** 9 (11-11) times, k3 (3-4), finally k2tog to end of row = 232 (250-262) sts.

Change to the angora yarn to work 3 rows in garter st.

Next row: Still with angora yarn and garter st, dec 1 (4-7) times thus: *k115 (49-30), k2tog*; for 12-mo size, k115; for 18-mo size, rep from * to * 3 times; for 2-yr size, rep from * to * 6 times = 231 (246-255) sts. Now work in 2/1 rib:

Row 1: *P2, k1*, rep from * to *.

Row 2 and all subsequent rows: P over p, k over k.

Continue in 2/1 rib for 3 (3-4) cm from 1st rib row.

Change to single-pointed needles and work to centre back, stopping at a purl st; place these sts on a holder.

Finish the 2 sides separately from this point, leaving an opening at centre Back, bordered on either side by a purl st (when rs is facing).

Work in single rib (**Row 1:** knit 1, purl 1 to end; *subsequent rows:* k over k, p over p), in the first row, purling tog each pair of purl sts from the last 2/1 rib row worked = 155 (165-171) sts.

Continue in single rib for 4 cm from 1st single rib row.

Change to size 2 1/2 single-pointed needles and turquoise yarn to continue in garter st, working 1st garter st row thus: k2tog to end = 78 (83-86) sts. Work 7 more rows in garter st, then cast off.

FINISHING

Lightly press the dress on the wrong side, according to the directions on the yarn label. Backstitch the side and sleeve seams. Sew a button to the left opening, and work a buttonhole lp in matching yarn on the other side.

6203

Coat

SIZE: 1 year. Instructions for 18-mo and 2-yr sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: «Anny Blatt» brand «Baby Blatt» 100% 4-ply wool as follows: 2 (2-3) 50-gr balls turquoise no. 1859; 1 ball emerald (émeraude) green no. 1860; soft pink (buvard) no. 1854; azalée (bright pink) no. 1853; «Angor'Anny» angora-wool blend, 3-20 gr balls pink (buvard) no. 633. A pair each of INOX knitting needles sizes 2 mm, 2 1/2 mm, and 3 mm (nos. 14, 13, 11); 4 buttons.

TENSION: With the size 3 needles, 29 sts and 37 rows should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using size 3 needles and turquoise yarn, cast on 104 (110-116) sts and work in

garter st (knit every row) for 12 rows (6 raised rows facing).

Stripes: Continue in the following yarn sequence: emerald; angora; turquoise; soft pink; working 2 rows stocking stitch (*Right side:* knit; *Wrong side:* purl) and 2 rows garter st in each yarn. Now change to the angora yarn and work *2 rows stocking stitch, 2 rows garter st*, rep from * to * twice more.

Change to the turquoise yarn and continue in stocking stitch until Back measures 20.5 (22.5-24.5) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 1 st at either end of next row and foll 4 alternate (rs) rows = 94 (100-106) sts. After final decrease row, work 2 more rows straight, then place sts on a holder.

LEFT FRONT: Using size 3 needles and turquoise yarn, cast on 58 (61-64) sts and work in garter st for 12 rows.

Change to stripes exactly as for Back, then continue in stocking stitch with turquoise yarn, until Left Front measures 20.5 (22.5-24.5) cm from cast-on edge, ending with a wrong-side row.

Armholes: Dec (k2tog) 1 st at beg of each rs row 5 times.

After final decrease row, work 2 more rows straight, then place sts on a holder.

RIGHT FRONT: As for Left, reversing the shaping, but matching Back and Left Front row for row.

SLEEVES (both alike): Using size 2 1/2 needles and azalée yarn, cast on 50 (52-52) sts and work in single rib (**Row 1:** k1, p1 to end; *subsequent rows:* k over k, p over p) for 2 cm.

Change to size 3 needles and turquoise to continue in stocking stitch, increasing 1 st each end of every 10th (8th-6th) row 4 (6-9) times = 58 (64-70) sts.

Continue straight until Sleeve measures 15 (17-20) cm from cast-on edge, ending with a wrong-side row.

Cast off 1 st either end of next row and each following alternate (rs) row 4 times = 48 (54-60) sts. After final decrease row, work 2 more rows straight, then place sts on a holder.

YOKE: With rs of work facing, using size 3 needles, pick up the sts for the Right Front, a Sleeve, the Back, the 2nd Sleeve, and the Left Front = 296 (320-344) sts, and work stripes in following yarn sequence: emerald; angora; turquoise; soft pink; working 2 rows stocking stitch and 2 rows garter st with each yarn.

Change to azalée yarn and stocking stitch, in shortened rows as follows:

Row 1: Work 271 (293-315), turn.

Row 2: Work 246 (266-286), turn.


Row 3: Work 221 (239-257), turn.

Row 4: Work 196 (212-230), turn.

Row 5: Work 171 (185-201), turn.

Row 6: Work 146 (158-172), turn.

Now work a row across all the sts, decreasing 42 (54-66) sts evenly as follows:



Work 2 (0-8), *k2tog, work 5 (4-3)*, rep from * to * 41 (53-65) times, end row with: work 0 (0-6) = 254 (266-278) sts.

Change to angora yarn and work 5 rows in garter st.

Still with angora yarn, work 1 more garter st row, decreasing thus: work 21 (6-3), *k2tog, work 12 (10-7)*, rep from * to * 15 (21-30) times, end row by working 9 (0-0) = 238 (244-247) sts. Continue with azalée yarn in 1/2 rib (**Row 1:** *k1, p2*, rep from * to * end; *subsequent rows:* k over k, p over p), beginning and ending each row with k1, for 4 (4-5) cm.

Now work in single rib, in the 1st single rib row purling tog each pair of purl sts from last 1/2 rib row = 159 (163-165) sts. Continue in single rib for 4 cm all told, then place sts on a holder.

BUTTON BANDS: Using size 2 needles and turquoise, work in single rib as follows:

Row 1: k2, p1, k1, p1, k2.

Row 2: k2, k1, p1, k1, k2.

Repeat these rows until Band measures 24 (26-29) cm from cast-on edge.

Buttonhole: k2, sl 1, k1, psso, rib to end as before.

Next row: Rib row as before, casting on 1 st to replace cast-off. Form 3 more buttonholes over the same sts, at 4-cm intervals. When Band measures 36 (38-41) cm from cast-on edge, place sts on holder. Make a second border exactly the same but without buttonholes.

FINISHING

Lightly press the Coat on the wrong side, according to the directions on the yarn label.

Backstitch Button bands to Fronts (sts on holders at top), placing the buttonholes on the right.

NECKBAND: Beg at Right Front, using size 2 1/2 needles and turquoise, pick up all sts from holders and work as follows:

Row 1: K7, k3tog to last 7 sts, k7.

Row 2: Knit to end.

Row 3: K3, sl 1, k1, psso, k to end.

Row 4: K to last 3 sts, cast on 1 st, k3.

Work 4 more rows in garter st, then cast off loosely.

Backstitch the side seams. Sew on the buttons.

Cardigan and cap

SIZE: 3 months. Instructions for 6-mo and 1-yr sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: 3-ply acrylic baby yarn suitable for use with INOX needles sizes 2½ mm and 3 mm (nos. 11 and 13) as follows: 100 (150-150) gr white, 50 gr pink. 6 small buttons.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the larger needles, 37 sts and 42 rows in twisted rib (see directions below) should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

CARDIGAN: BACK: Using the size 2½ needles and pink yarn, cast on 72 (88-92) sts and work in twisted rib (1st and odd-numbered rows: knit 1 through back of st, purl 1 to end; Even-numbered rows: k over k sts, p over p sts) for 12 rows.

Change to size 3 needles and white yarn. Continue in twisted rib, reversing the pattern every 8th row (i.e., p over k sts, and k1 tbs over p sts, see chart), until Back measures 18 (21-23) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 5 sts at beg of next 2 rows.

Work straight until Back measures 26 (30-33) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Work 19 (24-26) and place these sts on a holder (complete the two sides of the Back separately from this point); cast off next 24 (24-30) sts; work to end of row. Continue on Left Back sts only until Back measures 27 (31-34) from cast-on edge, then cast off in rib. Pick up sts from holder and complete second side to match.

LEFT FRONT: Using size 2½ needles and pink yarn, cast on 43 (52-56) sts and work in twisted rib for 12 rows.

Change to size 3 needles and white yarn, as follows:

Next row: Work twisted rib to last 7 sts; slip 7 sts on to a holder (Border). Continue in twisted rib over 36 (47-49) sts, reversing the pattern every 8th row, as for Back.

Work straight until Front measures 18 (21-23) cm from cast-on edge, ending with a wrong-side row.

Armhole: Cast off 5 sts at beg of next row. Work straight again over 31 (42-44) sts until Left front measures 23 (26-29) cm overall, ending with a right-side row.

Neck: Cast off at beg of next and foll alternate (wrong-side) rows thus: 6 (6-6) sts, 3 (4-4) sts, 2 (3-3) sts, 2 (2-2) sts, 1 (1-2) sts, 0 (0-1) st.

Change to pink yarn and work 8 more rows in twisted rib. Cast off in rib, taking care not to pull the sts tight.

RIGHT FRONT: As for Left, reversing the shaping.

RIGHT BORDER: Pick up Border sts from holder. **Work in twisted rib for 5 (5.5-6.5) cm.

Buttonhole: Next row: Rib 2, k2tog, yarn fwd, rib 3**.

Work from ** to ** 3 more times, then continue in twisted rib until Border measures 23 (26-29) cm from cast-on edge. Place sts on holder.

LEFT BORDER: Pick up 7 Border sts from holder, work twisted rib until Border measures 23 (26-29) cm from cast-on edge, then replace sts on holder.

SLEEVES (both alike): Using the smaller needles and pink yarn, cast on 56 (63-67) sts and work in twisted rib for 12 rows. Change to size 3 needles and white yarn and continue in twisted rib, reversing the pattern every 8th row as before, and increasing (by working twice into st) 1 st on either side every 16th row 4 times = 64 (71-75) sts. Work straight in pattern until Sleeve measures 18 (20-22) cm from cast-on edge. Now change to pink yarn and pattern 8 more rows. Cast off.

FINISHING

Sew side and shoulder seams. Sew up sleeves and insert sleeves in armholes. Sew on the borders.

Neck Border: Using the size 2½ needles and pink, pick up the 7 Border sts from the Right holder, then pick up 18 sts across Right Front, 23 sts across Back, 18 from Left front, and 7 from left holder. Work in twisted rib for 3 rows.

Next row: Rib 2, k2tog, yarn fwd, rib to end.

Rib 4 more rows, then cast off loosely. Sew on buttons.

CAP: Using size 3 needles and pink yarn, cast on 121 (125-131) sts and work in single rib for 12 (14-16) rows.

Next row: Place first 7 sts on a holder. Change to white yarn and work to end of row. Continue on 114 (118-124) sts in twisted rib, reversing the pattern as given every 8th row, until cap measures 10 (12-14) cm from cast-on edge.

Next row: Dec 7 times across row as follows: Rib 1 (3-6), *k3tog, rib 13*, rep from * 6 times, rib 1 (3-6).

[Work 5 rows straight; repeat 7 decreases across row] 3 times more (number of sts between decreases will diminish each time as you work the decreases over those made previously).



Change to pink yarn and work 6 rows, repeating 7 decreases every 2nd row. Place remaining sts on holder.

Pick up 7 sts left at completion of initial ribbing, and work in single rib until Border is same length as cap. Break off yarn and thread end through sts. Pull firmly to close and secure with a few slipstitches on either side.

TWISTED RIB



| k1
- p1
k1 tbs







Jersey and knickers

SIZE: 6 months. Instructions for 1-yr and 18-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

Our photograph shows the 1-year size.

MATERIALS: Dralon Layette 4-ply acrylic yarn as follows: 2 (2-3) 50-gr balls ochre, 1 ball red, 1 ball green. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos 11 and 13). 30 (35-40) cm of elastic for the waistband.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the larger needles, 27 sts and 39 rows in stocking stitch should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

JERSEY: BACK: Using size 2 1/2 needles and ochre yarn, cast on 64 (70-76) sts and work in single rib (1st row: knit 1, purl 1 to end; Subsequent rows: k over k, p over p) for 3 cm.

Change to size 3 needles and stocking stitch (Right side: knit; Wrong side: purl) to work the following stripes: *8 rows ochre, 8 rows red, 8 rows ochre, 8 rows green*, rep from * to * for stripes.

Work without shaping until Back measures 15 (18-22) cm from cast-on edge, ending with a wrong-side row*.

Armholes: Cast off 3 sts at beg of next 2 rows. Cast off 1 st at either end of following alternate (right-side) rows 16 (18-20) times. Cast off remaining 26 (28-30) sts.

FRONT: As for Back as far as*.

Armholes and Neck: Cast off 3 sts at beg of next 2 rows. Cast off 1 st at either end of each alternate (right-side) row 14 (16-18) times and at the same time on the 9th (11th-13th) raglan decrease, dec for Neck thus:

Dec 1 for raglan as before, work next 10 and place these sts on a holder (complete the two sides of the Front separately from this point); cast off next 12 (14-16) sts; work to end of row, decreasing 1 st for raglan as before.

Continue raglan decreases and at beg of alternate rows dec at neck edge as follows: 3 sts once, 2 sts once, 1 st twice. Cast off remaining 2 sts. Pick up sts from holder and complete second side to match, reversing the shaping.

SLEEVES: RIGHT: Beg at wrist, using smaller needles and ochre yarn, cast on 48 (52-56) sts and work in single rib for 3 cm. Change to larger needles and continue in striped stocking stitch as given, increasing (by working twice into st) 1 st on either side every 10th row 4 times = 56 (60-64) sts. Work straight until Sleeve measures 15 (18-22) cm from cast-on edge (make sure you have worked up to the same row as on the Back and Front, so as to match the stripes).

Raglan: Cast off 3 sts at beg of next 2 rows. Dec 1 st at either end of every alternate (right-side) row 14 (16-18) times.

Shoulder cap: Dec 10 at beg of next 2 right-side rows (front of Sleeve) while at the same time working usual raglan dec at end of row (back of Sleeve).

LEFT: As for Right, reversing the shaping (work Shoulder cap shaping at beg of wrong-side rows).

FINISHING

Pin out the pieces to size, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label.

Backstitch the 2 right raglan seams and the left front raglan seam, taking care to match the stripes.

Neck: Using the smaller needles and ochre yarn, beg at Left shoulder (right side facing), pick up 18 sts across Left Sleeve, 28 (30-32) across Front, 18 across Right Sleeve, and 26 (28-30) across Back = 90 (94-98) sts. Work in single rib for 2 cm, then cast off loosely.

Backstitch the 4th raglan seam, then the side seams. Sew up the Sleeve seams.

METHOD

KNICKERS: RIGHT LEG: Using size 3 needles and ochre yarn, cast on 76 (80-84) sts and work straight in stocking stitch until leg measures 8 (10-12) cm from cast-on edge, ending with a wrong-side row.

Crutch: Cast off 6 sts at beg of next 2 rows, then place sts on a holder.

LEFT LEG: As for Right; after working second crutch decrease, pick up sts from holder and work the two sides as one piece from this point = 128 (136-144) sts.


Continue straight in stocking stitch until Knickers measure 14 (16-18) cm from cast-on edge.

Waistband: Change to size 2 1/2 needles and work in single rib for 4 cm. Cast off loosely in rib.

Cuffs (make 2): Using size 2 1/2 needles and ochre yarn, cast on 50 sts and work in single rib for 7 (8-9) cm. Cast off loosely.

FINISHING

Lightly press the Knickers, avoiding the ribbing, according to the directions on the yarn label. Backstitch the back, leg, and crutch seams. Sew the ends of each cuff to form a ring, and attach a cuff to the bottom of each leg, lightly gathering the leg to fit. Fold the waistband in half to the inside and slipstitch in place, leaving a small opening on one side. Thread the elastic through the casing thus formed.





SNOWDRIFT

6206

Jersey and long pants

SIZE: 3 months. Instructions for 6-mo and 1-yr sizes are given in brackets in the pattern and the diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

Our photograph shows the 6-month size.

MATERIALS: Dralon Layette 4-ply acrylic yarn, 5 (4-4) 50-gr balls white; a pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13); 16 small white buttons.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the larger needles, 32 sts and 60 rows in pearl rib (see pattern below) should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

JERSEY: BACK: Using the size 2 1/2 needles, cast on 68 (74-80) sts and work in single rib (1st row: knit 1, purl 1 to end; Subsequent rows: k over k, p over p) for 5 cm. Change to size 3 needles and work in pearl rib as follows:

Row 1: Knit to end.

Row 2: Slip 1, *p1, dbl 1 (insert right-hand needle in next st one row down and knit 1)*, rep from * to * to last st, slip 1. Rep these 2 rows for pattern st. Work straight in pearl rib until Jersey measures 14 (16-18) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 6 sts at beg of foll 2 rows = 56 (62-68) sts*.

Continue straight again in pattern until Jersey measures 23 (25-27) cm from cast-on edge, ending with a wrong-side row.

Shoulders: Cast off 6 (7-8) sts at beg of next 4 rows.

Cast off remaining 32 (34-36) sts.

FRONT: As for Back as far as*.

Continue straight in pattern until Front measures 18 (20-22) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Pattern 24 (26-28) cm and place these sts on a holder (finish the two sides of the Front separately from this point). Cast off next 8 (10-12) sts; work to end of row. Decrease at neck edge on foll alternate rows (beg of each right-side row) thus: 4 sts once, 3 sts once, 2 sts once, 1 st 3 times.

Work straight until Front measures 23 (25-27) cm overall, ending with a right-side row.

Shoulder: Cast off 6 (7-8) sts at beg of next and following wrong-side row.

Pick up the sts from the holder and finish the second side to match, reversing the shaping.

SLEEVES (both alike): With the smaller needles, cast on 62 (66-70) sts and work in single rib for 5 cm.

Change to the larger needles and work straight in pattern st until Sleeve measures 16 (18-20) cm from cast-on edge. Cast off loosely.

FINISHING

Sew up right shoulder seam.

Neck: Using smaller needles, beg at Left Front, with right side of work facing, pick up 46 (50-56) sts across Front, and 34 (36-40) across Back = 80 (86-96) sts. Work in single rib for 2.5 cm, then cast off. Sew the left shoulder seam, and the side seams. Sew up the sleeve seams and insert the sleeves in the armholes.

METHOD

LONG PANTS: RIGHT LEG: Using the size 3 needles, cast on 68 (72-78) sts and work in pattern st, increasing (by working twice into st) 1 st either side every 14th row 6 times = 80 (84-90) sts.

Work straight in pattern until leg measures 17 (19-21) cm from cast-on edge.

Crutch: Cast off 6 sts at beg of next 2 rows, then place Right Leg sts on a holder.

LEFT LEG: As for Right. After working 2nd decrease, pick up the Right Leg sts and work both sides as one piece from this point = 136 (144-156) sts.

Continue straight in pattern until Long Pants measure 28 (32-36) cm from cast-on edge.

Waistband: Next row: Change to smaller needles and work in single rib for 2 cm.

Buttonholes: Next row: Rib 10 (8-10), *k2tog, yarn fwd, rib 21 (23-25)*, rep from * to * 4 times, k2tog, yarn fwd, rib 9.

Work again in single rib until Waistband measures 4 cm wide, then cast off loosely in rib.

Crutch Button Bands: Back: Using smaller needles, cast on 112 (120-128) sts and work in single rib for 10 rows. Cast off.




Front: Cast on as for Back band, and rib 4 rows.

Buttonholes: Next row: Rib 4, *k2tog, yarn fwd, rib 13 (14-15)*, rep from * to * 8 times, rib to end.

Rib 5 more rows, then cast off.

FINISHING

Sew the Pants back seam as far as the crutch. Turn under 1 cm at the bottom of each leg. Sew the Crutch Button bands to the « selvages » (slipped sts) of legs. Sew on the buttons.





SNUG RUG

6207

Cot cover

SIZE: 50 × 65 cm (20 × 25 ins).

MATERIALS: « Phildar » brand « Pé-gase » acrylic-wool blend 3-ply yarn, 4 50-gr balls white. « Phildar de Luxe » acrylic-wool 3-ply yarn, 1 50-gr ball in each of the following shades: cendrillon, fée, poucinet, angelot. A pair of INOX knitting needles size 4 mm (no. 8); an INOX crochet hook size 3 1/2 mm (no. 9). A piece of lining material 65 × 50 cm (+ 0.7 cm [1/4"] hem allowance); a piece of quilt batting, 50 × 65.

NOTE: The « Pé-gase » yarn is used in a single thickness throughout, whereas the « Phildar de Luxe » is used double (wind each skein into 2 balls of roughly equal weight before beginning the pattern).

METHOD

Using the knitting needles and white yarn, cast on 90 sts and follow the chart to work the patterned stocking stitch (*Right side*: knit; *Wrong side*: purl), alternating plain and pattern as follows:

Rows 1, 2: White stocking stitch,

Rows 3, 4: patterned stocking stitch: K2 white, **k2 cendrillon, k4 white**, rep from * to * 13 times, end row with k2 cendrillon, k2 white. When working the pattern, take care not to pull the yarn tightly across the back of the work, to prevent puckers from forming on the

Front; also, be sure to twist the two threads loosely together on the wrong side to avoid holes around the design. Continue following the diagram for the colour sequence, and work from ∞ to ∞ 8 times all told lengthwise. End by repeating once from * to *. Do not fasten off.

BORDER: Work 9 fancy stripe rows right around the rug, using the crochet hook, beg at a corner, and picking up the white yarn left at the completion of the knitted section. Follow the diagram.

Row 1 (white): In corner work 1 ch (lp yarn over hook, *yo and through lp on hook) to count as a dc, 3 ch, 1 dc (*insert hook in st, yo, draw up lp, yo and through 2 lps on hook), then *1 ch, skip 1 row (when working lengthwise) or 1 st (when working widthwise), 1 dc*, rep from * to * all around; end the rnd with 1 sl st (same as ch) in 1st ch st of rnd.

Row 2 (cendrillon): Join yarn with a sl st in corner lp, 1 dc + 3 ch + 1 dc in corner, *1 ch, skip a dc, work 1 dc by inserting hook under ch st of preceding rnd*, rep from * to * all around; end rnd with 1 sl st in 1st st.

Work all following rows as for Row 2, but in the following colour sequence:

Row 3 and all odd-numbered rows: White.

Row 4: Fée.

Row 6: Poucinet.


Row 8: Angelot.

After working Row 9 in white, use white to work 1 final row in reverse dc (going from left to right, rather than the usual right to left).

FINISHING


Pin out the rug, wrong side up, to a rectangle 50 × 65 cm. Press lightly with a warm iron and a damp cloth. Place the batting over the stocking stitch section. Turn under 0.7 cm (1/4 in) all-around the lining, and use a needle and thread to slipstitch the lining in place over the batting, around the knitted section of the rug.

BORDER DIAGRAM



□ = chain stitch
X = double crochet
△ = slip stitch

□ = White
X = Cendrillon
△ = Fée
△ = Poucinet
△ = Angelot



BUTTERFLY BOWS

6208

Jumper, trousers, and booties

SIZE: Newborn to 3 months.

MATERIALS: « Phildar » brand « Steamer » 100 % acrylic 2-ply yarn, white, as follows: 2 50-gr balls for the jumper, 2 for the trousers, and 1 for the booties. A pair each of INOX knitting needles sizes 2 mm and 2 1/2 mm (nos. 14 and 12). 120 cm (1 1/3 yards) 7-mm (1/4-in) satin ribbon in each of the following colours: pink, pale blue, pale green; a dome fastener; a length of elasti-sed thread for the waistband; 2 buttons.

TENSION: With the larger needles, 30 sts and 70 rows in garter st, unpressed, should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

JUMPER: The jumper is worked in a single piece lengthwise, with shortened rows for the shaping, beg at Right Back edge.

RIGHT BACK: Using size 2 1/2 needles, cast on 77 sts and work in garter st (knit every row) for 8 rows (= 4 raised rows facing you).

Next row: Knit 45 (body, always in garter st), knit 26 (13 + 13 for yoke, 1st pattern row), knit 6 (neck, always in garter st) (see diagram).

Always knitting garter st sections as indicated, continue pattern on central 26 sts as follows:

Pattern (over 18 rows and a multiple of 2 sts + 2 more to make a « selvage » either side):

Row 1: Knit.

Row 2: Purl.

Row 3: Knit.

Rows 4-5: Purl.

Row 6 (eyelets): Sl 1, k1, *yo k2tog*, rep from * to * to last st, sl 1.

Rows 7-8: Purl.

Row 9: Knit.

Row 10: Purl.

Rows 11-18: Knit.

Repeat these 18 rows for the pattern.

Work in garter st and pattern to end of 16th row from cast-on edge (8th shaping row).

Row 9: Knit 45, turn.

Row 10: Knit back over 45 sts of 9th row.

Row 11: Knit 58, turn.

Row 12: Purl 13, knit 45.

Row 13: Knit 71, turn.

Row 14: Purl 26, knit 45.

Row 15: Knit 45, purl 26, knit 6, turn.

Row 16: Knit 6, work eyelets over 24 sts (see Row 6 of Pattern), knit 47.

Continue in this manner, repeating Rows 9-58 of the diagram. Take care, each time you turn, to loop yarn around following st in order to avoid forming a hole. When you reach the end of Row 112 (which will be Row 12 of the diagram) the finished Back should measure 16 cm from the cast-on edge (measure on the right of the 45 body sts).

Place the 43 right-hand (Body) sts on a holder.

RIGHT SLEEVE: To replace 45 sts on holder, using size 2 $\frac{1}{2}$ needles cast on 43 sts and continue according to the diagram, always knitting the 6 sts on your extreme right to form the wrist in garter st. When you have completed Row 134 from cast-on (46th row of diagram), finished Sleeve should measure 19 cm overall.

FRONT: Next row: Cast off 45 Sleeve sts; pick up the 43 Body sts from the holder and work in garter st and pattern, as given for Right Back. The completion of Row 194 of the Body (28th row of diagram) marks the centre front. When you have completed Row 276 (10th row of diagram), Front is finished (jumper should measure 39.5 cm from cast-on edge). Place the 43 Right Body sts on a holder.

LEFT SLEEVE: Cast on 45 sts and work the Left Sleeve as for the Right.

LEFT BACK: After completing the Left Sleeve, cast off Sleeve sts, pick up Body sts, and complete Left Back to match Right Back, ending, as you began, with 8 rows of garter st (4 raised rows facing you) over all the sts. Cast off loosely.

FINISHING

Do not press. Sew side and sleeve seams. Cut the ribbons into 30-cm (12-in) lengths, fold each piece in half and thread the ribbons through every other eyelet row in the yoke, alternating the colours. Tie the ends into bows along the lower edge of the yoke. Sew the dome fastener to the Back neck.

METHOD

TROUSERS: LEG: Using size 2 needles cast on 23 sts and work in single rib (Row 1: Knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 8 rows.

Change to larger needles and work in garter st, increasing (by working twice into st) 1 st at either end of every 18th row 5 times = 82 sts.

Continue straight until leg measures 23 cm from cast-on edge ending with a wrong-side row.

Crutch: Cast off 1 st at beg of each of following 3 right-side rows and at the same time, cast off 2 sts at beg of next wrong-side row, then 1 st at beg of foll 3 wrong-side rows = 74 sts.

Work straight until Leg measures 38.5 cm from cast-on edge, ending with a right-side row.

To add stretch: Next row: Knit 34, turn.

Next row: Knit back over 34 sts last worked.

Next row: Knit 30, turn.




Next row: Knit back over 30 sts last worked.

Next row: Knit 25, turn and work back as before.

Work 5 more rows as for last, each time knitting 5 sts fewer than in the preceding row. After final «turn and knit back» row, knit 2 rows straight over all 74 sts.

Waistband: Next row: Change back to size 2 needles and work in single rib for 4 cm. Cast off loosely in rib.

Make a second leg as for the first, reversing the shaping.



FINISHING

Do not press. Backstitch the crutch, then backstitch the inside leg seams as far as the ribbing. Turn the leg right side out and close the ribbing with the seam on the outside for a neat cuff. Backstitch the centre back and front seams. Thread the elastic through the waistband ribbing.

METHOD

BOOTEES: RIGHT: Beg with the sole: using size 2 $\frac{1}{2}$ needles cast on 45 sts, place a coloured marker thread in the central st, and work in garter st, increasing 1 st at either end as well as on either side of central st every other row 3 times = 57 sts. Work without shaping for 20 rows.

Row 21: Cast off 1 st at either end of row

(seam).

Row 22: Work 9 and place these sts on a holder (half-heel).

Cast off next 8 sts; place foll 5 sts on a holder; knit 11 (upper); place foll 5 sts on holder; cast off next 8 sts; place final 9 sts on holder (half-heel).

Row 23: For *Bootee Upper*, continue in garter st on the central 11 sts, knitting the last st of each row tog with the first of the 5 on the holder. When all 5 on either side have been used up, continue in stocking stitch (*Right side:* knit; *Wrong side:* purl) decreasing 1 st on either side every other row 3 times and, at the same time, working an eyelet in the 3rd row thus: Work 3, yarn fwd, k2tog, work 3. Work 2 more eyelets over same sts on following 4th rows = 5 sts remain on needle. After 3rd eyelet, work straight in stocking stitch for 2 cm, then cast off.

With right side of work facing, use a size-2 needle to pick up the 9 right-hand sts then the 9 left-hand sts (heel; there will be a centre seam); now cast on 20 sts (to the left of those already on the needle) for the strap = 38 sts. Work 8 rows straight in garter st, then cast off.

LEFT BOOTEE: As for Right, reversing the shaping.

FINISHING

Close the sole and heel with a fine flat seam. Fold 1 cm on the Bootee upper to the inside and slipstitch in place. Pass the strap through the upper. Work a buttonhole lp at the end of each strap, and sew a button to each bootee. Fold a length of ribbon in half and thread it through the eyelets on each bootee; finish off with a bow.



PYRAMIDS

6209

Jersey and trousers

SIZE: 9 months. Instruction for 18-mo size are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to both sizes.

MATERIALS: 2-ply baby yarn as follows: 2 (3) 50-gr balls off-white, 1 ball each of light blue and orange. A pair each of INOX knitting needles sizes 3 mm and 4 1/2 mm (nos. 11 and 7). About 40 cm of elastic for the waistband.

NOTE: The outfit is knitted with 4 strands of yarn. Wind each ball of off-white into 2 balls of equal weight, and the blue and orange each into 4 balls of equal weight before beginning the pattern.

Be sure to check your tension before beginning the pattern, to ensure accurate size.



TENSION: With the size 4 1/2 needles and 4 strands of yarn, 18 sts and 28 rows should measure 10 cm square, when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

JERSEY: BACK: Using the size 3 needles and off-white yarn, cast on 48 (52) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 3 cm.

Change to size 4 needles and continue in stocking stitch (Right side: knit; Wrong side: purl) until Back measures 18 (20) cm from cast-on edge.

Now work again in single rib for 8 cm more.



Change to size 3 needles and orange yarn to work 2 rows in double stocking stitch, as follows:

Row 1: *k1, yarn fwd, sl 1 as if to purl, yarn over (to back)*, rep from * to * to end.

Row 2: Knit the slipped sts and slip the knitted sts as if to purl. (Remember to pass yarn fwd and over, as given for Row 1; these 2 rows make up the dbl stocking stitch pattern).

Cast off k sts knitwise and p sts purlwise.

FRONT: As for Back, but replace the stocking stitch section with patterned stocking stitch (follow the chart for the design). When working the patterned stocking stitch, take care not to pull the yarn tightly across the back of the work, to avoid forming puckers on the front. Also, be sure to twist the two threads loosely together on the wrong side to prevent holes from forming around the design.

SLEEVES (both alike): Using size 3 needles and off-white, cast on 26 (30) sts and work in single rib for 3 cm. Change to size 4 1/2 needles and continue in patterned stocking stitch, according to the chart, increasing (by working twice into st) 1 st on either side every 2 cm 5 times = 36 (40) sts. Work straight in pattern until Sleeve measures 20 (22) cm from cast-on edge. Cast off.

FINISHING

Lightly press the pieces on the wrong side, following the directions on the yarn label. Backstitch the shoulders 3 cm in from the armhole edge. Backstitch the sides, leaving 10 (11) cm at the top of each seam for inserting the sleeves. Sew up the sleeves and insert them in the armholes.

METHOD

TROUSERS: BACK: Beg at bottom of leg, with size 3 needles and off-white, cast on 26 (30) sts and work in single rib for 3 cm.

Change to the larger needles and continue in stocking stitch until Leg measures 22 (23) cm from cast-on edge, ending with a wrong-side row. Place sts on holder. Make another leg as for the first.

Crutch: Work 1 more knit row, cast on 10 sts, and pick up the sts from the holder = 62 (70) sts. Work the 2 sides as one piece. Continue in stocking stitch, decreasing 1 st either side of the Crutch every alternate (rs) row 5 times as follows:

Row 1: Knit 25 (29), sl 1, k1, pssso, k8, k2tog, k25 (29).

Row 2 and all even-numbered rows: purl.

Row 3: K25 (29), sl 1, k1, pssso, k6, k2tog, k25 (29).

Row 5: K25 (29), sl 1, k1, pssso, k4, k2tog, k25 (29).

Work 2 more decrease rows in this manner, working 2 fewer sts between decreases each time = 52 (60) sts.

Work straight until Trousers measure 40 (42) cm from cast-on edge.

Waistband: Change back to size 3 needles, work in double stocking stitch for 2 cm as follows:

Row 1: *k1, yarn fwd, sl 1 as if to purl, yarn over (to back)*, rep from * to * to end.

Row 2: Knit the slipped sts and slip the knitted sts as if to purl. (Remember to pass yarn fwd and over, as given for Row 1). These 2 rows make up the dbl stocking stitch pattern.


Cast off the k sts knitwise and the p sts purlwise.

FRONT: As for Back.


TRIANGLE KNEE PATCHES (make 2): Using larger needles and orange, cast on 18 (22) sts and work in stocking stitch, decreasing 1 st at each end of every alternate row until all sts are used up.

FINISHING

Lightly press the Trousers on the wrong side, following the directions on the yarn label. Slipstitch the triangles to the knees. Thread the elastic through the dbl stocking stitches at the waist.



✓ = Blue
✓ = Orange
□ = Off-white





LITTLE MISS

6210

Dress

SIZE: 6 months. Instructions for 1-yr and 18-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

Our photograph shows the 1-year size.

MATERIALS: Dralon Layette 4-ply acrylic yarn as follows: 2 50-gr balls white, 1 ball pink, 1 ball blue. A pair each of INOX knitting needles sizes 2½ mm and 3 mm (nos. 11 and 13). Two small white buttons.

TENSION: With the larger needles, 27 sts and 39 rows in reverse stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using the smaller needles and white yarn, cast on 114 (120-126) sts and work in single rib (1st row: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 1.5 cm.

Change to larger needles and pink yarn to work in reverse stocking stitch (Right side: purl; Wrong-side: knit), decreasing 1 st either side every 8th row 10 times = 94 (100-106) sts, and keeping the following stripe pattern: 14 rows pink, 6 rows blue; then continuing in white, until Back measures 23 (25-28) cm from cast-on edge*.

Yoke: Change to size 2½ needles and continue in single rib until Dress measures 26.5 (29-33) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 7 (8-9) sts at beg of next 2 rows = 80 (84-88) sts. Continue straight in rib until Dress measures 36.5 (40-44.5) cm overall, ending with a wrong-side row.


Shoulders: Cast off 21 (22-23) sts at beg of next 2 rows.

Next row: Cast off remaining 38 (40-42) sts.

FRONT: As for Back as far as*.

Yoke: Change to size 2½ needles and continue in single rib until Dress measures 32 (36-41) cm from cast-on edge, ending with a wrong-side row.

Neck: Rib 31 (32-33) and place these sts on a holder (finish the two sides of the Front separately from this point). Cast off following 18 (20-22) sts, rib to end. Cast off from neck edge (beg of right-side rows) on next row and following alternate rows as follows: 4 sts × 1, 2 sts × 3.



Work straight until Dress measures 36.5 (40-44.5) cm from cast-on edge, ending with a wrong-side row.

Shoulder: Next row: Cast off remaining 21 (22-23) sts.

Pick up the sts from the holder and finish the second side to match, reversing the shaping and casting off for the Shoulder when Dress measures 35.5 (39-43.5) cm from cast-on edge.

SLEEVES (both alike): Using size 2½ needles and white yarn, cast on 48 (52-56) sts and work in single rib for 4 cm.

Change to size 3 needles and reverse stocking stitch to work following stripes: 8 rows pink, 4 rows blue, then white, at the same time increasing (by working twice into st) 1 st on either side every 8th row × 6 = 60 (64-68) sts.

Continue straight in white until Sleeve measures 17 (19-22) cm from cast-on edge, then work stripes thus: 4 rows blue, 8 rows pink (sleeve should measure 20 [22-25] cm by end of last pink row).

Cast off all sts at once.

BOWS (make 2 pink, 2 blue): Using size 2½ needles, cast on 10 sts and work in single rib for 18 cm. Cast off.

FINISHING

Pin out pieces, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label. Sew the right shoulder seam.



Neck: Using the smaller needles, beg at Left Front, with right side facing, pick up 40 (42-44) sts across Front and 38 (40-42) sts across Back = 78 (82-86) sts. Work in single rib for 2 cm, then cast off loosely in rib.

Button Tabs: Back: Using smaller needles and white yarn, pick up 29 (30-31) sts on Back Left Shoulder, work 8 rows in single rib, then cast off.

In the same manner, pick up 29 (30-31) sts across Left Front shoulder and rib 3 rows.

Next row: Rib 13 (14-15), *k2tog, yarn fwd* (buttonhole), rib 8, rep from * to *, rib 4. Rib 4 more rows then cast off.

Place the Front tab on top of the Back tab and stitch them together along the armhole edge. Sew the side seams, taking care to match the stripes. Sew the sleeve seams and insert sleeves in armholes. Stitch the pink bows to the Front, and the blue to the Back, placing each piece 1 cm below the armhole and 2 cm from the side seam.



SPRING BUD

6211

Cardigan and trousers

SIZE: 6 months. Instructions for the 1-yr and 18-mo sizes are given in brackets in the pattern and the diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

Our photograph shows the 1-year size.

MATERIALS: Dralon Layette 4-ply acrylic yarn as follows: 3 (3-4) 50-gr balls khaki green, 1 ball each (remnants would be enough) of the following colours: red, white, ochre. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13); 7 green buttons, 12 mm in diameter; 35 (38-40) cm elastic for the waist-band.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the larger needles, 27 sts and 39 rows in stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

CARDIGAN: BACK: Using the size 2 1/2 needles and khaki yarn, cast on 72 (76-80) sts and work in single rib (1st row: knit 1, purl 1 to end; Subsequent rows: k over k, p over p) for 3 cm.

Change to size 3 needles and work in reverse stocking stitch (Right side: purl; Wrong side: knit) until Back measures 17 (19-21) cm from cast-on edge, ending with a wrong-side row.

Armholes: Cast off 5 sts at beg of next 2 rows = 62 (66-70) sts.

Continue straight in reverse stocking stitch until back measures 27.5 (30-33) cm from cast-on edge, ending with a wrong-side row.

Shoulders: Cast off 8 (9-10) sts at beg of following 4 rows.

Neck: After last Shoulder decrease row, cast off remaining 30 sts.

LEFT FRONT: Using the size 2 1/2 needles and khaki yarn, cast on 33 (36-40) sts and work in single rib for 3 cm.

Change to the larger needles and work in reverse stocking stitch until Left Front measures 17 (19-21) cm from cast-on edge, ending with a wrong-side row.

Armhole: Cast off 5 sts at beg of next row. Now continue straight in reverse stocking stitch, working the stripes as follows:

2 rows red, 2 rows khaki, 2 rows ochre, 2 rows white, 2 rows khaki, 2 rows ochre, 2 rows white, 2 rows red.





Change back to khaki yarn and continue in reverse stocking stitch until Left Front measures 24.5 (27-30) cm from cast-on edge, ending with a right-side row.

Neck: Cast off at neck edge (beg of each following wrong-side row) as follows: 4 (5-7) sts once, 3 sts once, 2 sts twice, 1 st once.

Work straight until Left Front measures 27.5 (30-33) cm from cast-on edge, ending with a wrong-side row.

Shoulder: Cast off 8 (9-10) sts at beg of foll 2 right-side rows.

RIGHT FRONT: As for Left, reversing the shaping.



SLEEVES (both alike): Using the smaller needles and khaki yarn, cast on 48 (52-56) sts and work in single rib for 3 cm.

Change to larger needles and work in reverse stocking stitch, increasing (by working twice into st) 1 st on either side every 8th (10th-10th) row 6 times = 60 (64-68) sts.

Work straight until Sleeve measures 16 (18-20) cm from cast-on edge, then cast off all sts at once.

BORDERS: *Left:* Using size 2 1/2 needles and khaki, cast on 82 (94-106) sts and work in single rib for 10 rows. Cast off loosely in rib.

Right: Cast on as for Left and work 4 rows in single rib.

Buttonholes: *Next row:* Rib 4, *k2tog, yarn fwd, rib 10 (12-14), rep from* 6 times, rib to end.

Rib 5 more rows, then cast off loosely in rib.

FINISHING

Pin out the pieces and lightly press on the wrong side, except the ribbing, according to the directions on the yarn label. Backstitch the side and shoulder seams.

Neck Border: Using size 2 1/2 needles and khaki, beg at Right Front neck (right side of work facing), pick up 16 (18-20) sts across Right Front, 30 (32-34) across Back, and 16 (18-20) across Left Front = 62 (68-74) sts. Work 2 cm in single rib, then cast off loosely in rib.

Sew Borders to Fronts. Sew the sleeve seams and insert sleeves in armholes. Sew on the buttons.

METHOD

TROUSERS: RIGHT LEG: Using size 2 1/2 needles and khaki yarn, cast on 76 (80-84) sts and work in single rib for 1.5 cm.

Eyelet: *Next row:* Rib 37 (39-41) k2tog, yarn fwd, rib to end.

Continue in ribbing until right Leg measures 3 cm from cast-on edge.

Change to size 3 needles and work in reverse stocking stitch until leg measures 20 (22-25) cm from cast-on edge, ending with a wrong-size row.

Crutch: Cast off 6 sts at beg of next 2 rows, then place Right Leg sts on a holder.

LEFT LEG: As for Right, and after working second Crutch decrease, pick up Right Leg sts and work both sides as one piece from this point = 128 (136-144) sts.

Work straight until Trousers measure 34 (38-43) cm from cast-on edge.

Waistband: *Next row:* Change to smaller needles and work in single rib for 4 cm. Cast off loosely in rib.

Braid trim (make 2): Using smaller needles and khaki yarn, cast on 4 sts and work in single rib for 40 cm. Cast off.

FINISHING

Pin out the Trousers, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label. Sew back, leg, and crutch seams. Fold the Waistband ribbing in half to the inside and slipstitch in place, leaving a small opening for the elastic; thread the elastic through the casing thus formed. Fold the ribbing at leg bottoms in half to the inside and slipstitch in place. Thread a braid trim through the eyelet in each leg hem, and tie loop.







MINT FRESH

6212

Rug

SIZE: Finished rug: 58 × 60 cm (23 × 23 1/2 ins).

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 5 50-gr balls Grand Blanc (white) no. 103, 1 ball Turquoise no. 110. A pair of INOX knitting needles size 3 mm (no. 11). You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

TENSION: 29 sts and 38 rows in patterned stocking stitch should measure 10 cm square, when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller, as appropriate.

METHOD

TOP: Using turquoise yarn, cast on 174 sts and work 1 row turquoise in single rib (1st row: knit 1, purl 1 to end; subsequent rows: k over k, p over p); now work 10 rows white, increasing 1 st at each end of every alternate row 5 times; finally work 4 rows turquoise.

Next, decrease 1 st at each end of every alternate row 5 times, while working 10 rows white; then work 2 rows turquoise.

Now work straight in patterned stocking stitch (Right side: knit; Wrong side: purl) following the chart, until Rug measures 54 cm from cast-on edge. Take care not to pull yarn tightly across Back of work, to prevent puckers from forming on the Front; also be sure to twist the two threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.




Finally, work a Border as at beg of Top: 2 rows turquoise; 10 rows white while at the same time increasing 1 st at either end every alternate row 5 times. Now work 4 rows turquoise, followed by 10 rows white, decreasing 1 st either end every other row 5 times; end with 2 rows turquoise, and cast off loosely.

SIDE BORDERS: With right side of work facing, using turquoise yarn, pick up 184 sts along side. Work in single rib in following stripe pattern: 1 row turquoise, 10 rows white while at the same time increasing 1 st at either end of every alternate row 5 times; work 4 rows turquoise, then 10 rows white at the same decreasing 1 st either end every alternate row 5 times. Finally, work 1 row turquoise, and cast off loosely.

LINING: Using white yarn, cast on 168 sts and work in stocking stitch (Right side: knit; Wrong side: purl) until lining measures 54 cm from cast-on edge. Cast off loosely.

FINISHING

Pin out pieces to size, wrong side up, and press lightly, following the directions on the yarn label. Fold the border in half to the wrong side and slipstitch the corners. Place the Lining on the Top, wrong sides together, and slipstitch the lining to the edge of the border.



Overall

SIZE: 3 months. Instructions for the 6-mo size are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to both sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 2 (3) 50-gr balls Grand Blanc (white) no. 103, 1 ball Turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm and 3 mm (nos. 11 and 14). A 35-cm white zip fastener. You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With size 3 needles, 30 sts and 34 rows in patterned stocking stitch, and 29 sts and 38 rows in one-colour stocking stitch should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller, as appropriate.

METHOD

RIGHT LEG: Using size 3 needles and white yarn, cast on 28 (32) sts and work in stocking stitch (*Right side:* knit; *Wrong side:* purl) for 2 rows. Now, inc at beg of following alternate (right-side) rows as follows: 1 st 3 times; 2 sts once, 3 sts once = 36 (40) sts. Purl 1 row, then place sts on a holder.

Still using size 3 needles and white, cast on 4 (6) sts and work 2 rows of stocking stitch.

Now inc at end of following alternate (knit) rows (or at beg of purl rows) as follows: 1 st 4 times, 2 sts once, 6 sts once = 16 (18) sts.

With right (knit) side of work facing, pick up the first group of sts from holder and work the two pieces as one from this point = 52 (58) sts. Continue straight in stocking stitch until leg measures 6 (7) cm from cast-on edge, ending with a wrong-side row. On next and subsequent right-side rows as indicated, inc at either end of row thus: *1 st (each end) on 4th row, 1 st (each end) on 2nd row*, rep from * to * 5 (7) times, then inc 1 st at each end every 2nd row 5 times (once) = 86 (92) sts.

Work straight until Leg measures 18 (20) cm from cast-on edge, ending with a wrong-side row, then place sts on a holder.

LEFT LEG: As for Right, reversing the shaping. After final row, with right side of work facing, pick up Right Leg sts, place a coloured marker thread in the two central sts, and work both sides as a single piece = 172 (184) sts.

Continue in stocking stitch, decreasing on right-side rows as follows:

K2tog, k81 (87), k2tog, k2, sl 1, k1, pssso, k to last 2 sts, sl 1, k1, pssso. Purl 1 row.

Rep from ** to ** 3 times, always working 2 central decreases on 2 sts either side of marker threads = 156 (168) sts.

Continue straight until work measures 41 (44) cm from cast-on edge, ending with a wrong-side row.

Placket: Next row: Knit 117 (126) and place these sts on a holder. Finish the top of the Overall separately from this point, beg with the 39 (42) Left Back sts.

Armhole: Continuing in stocking stitch, decrease 1 st at armhole edge (beg of wrong-side rows) every alternate row 23 (25) times.

Shoulder: Cast off remaining 16 (17) sts.

Right Back: Pick up outside 39 (42) sts from holder and complete Right Back to match, reversing the shaping (see diagram).

FRONT: Pick up the remaining 78 (84) sts from the holder and continue in stocking stitch, decreasing 1 st each end of every alternate (right-side) row 21 (23) times, while at the same time forming the Neck when Front measures 49 (53) cm from cast-on edge (there should be 54 (60) sts on the needle) as follows:

Neck: Continue raglan decrease as before, work next 16 (18) sts and place them on a holder (complete the two sides of the Front separately from this point); cast off next 18 (20) sts and work to end of row, decreasing 1 st as before for raglan. Continue raglan slope while at the same time decreasing at neck edge (beg of each right-side row) on alternate rows as follows: 2 sts once, 1 st 5 times, 2 sts once.




Pick up sts from holder and complete second side to match, reversing the shaping.

RIGHT SLEEVE: Beg at wrist, using size 2 needles and turquoise yarn, cast on 42 (44) sts and work in single rib (1st row: knit 1, purl 1 to end; *Subsequent rows:* k over k, p over p) thus: 2 rows turquoise, 10 rows white, 2 rows turquoise, increasing 9 (13) sts across final turquoise row thus:

Rib 5 (4), *inc 1, rib 4 (3)*, rep from * to * 8 (12) times = 51 (57) sts.

Now change to size 3 needles and work in stocking stitch, following chart for design and increasing 1 st either end of every 4th row 8 times = 67 (73) sts. Take care not to pull thread tightly over Back of work, to prevent puckers from forming on the Front; also, be sure to twist the two threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design. Continue straight in pattern until Sleeve measures 14 (16) cm from cast-on edge, ending with a wrong-side row.

Raglan shaping: Dec at either end of alternate (right-side) rows thus: *2 sts (either end) once, 1 st (either end) once*, rep from * to * 4 times. Now decrease 1 st either end 8 (10) times.



Finally, decrease 10 sts at beg (Sleeve front) of next row, work to end, dec 1 st as before; purl 1 row.

Next row: Decrease 9 (11) at beg of next row, dec 1 at end as before.

LEFT SLEEVE: As for Right, reversing the shaping.

SOLES (both alike): Using size 3 needles and white yarn, cast on 7 sts and follow the chart for patterned stocking stitch, increasing at both ends of every alternate (right-side) row thus: 2 sts twice, 1 st 4 times = 23 sts. Work straight until Sole measures 7 (8) cm from cast-on edge, then at each end of every alternate row, decrease thus: 1 st 4 times, 2 sts twice. Now cast off remaining 7 sts.

Upper (both alike): Using size 3 needles and white yarn, cast on 30 (34) sts and work in stocking stitch until Upper measures 3 (4) cm from cast-on edge. At either end of each following alternate row decrease thus: 1 st 3 times, 2 sts once, 3 sts twice. Now cast off remaining 8 (12) sts.

POCKETS (both alike): Using size 3 needles and white yarn, cast on 23 sts and follow chart for patterned stocking stitch until Pocket measures 6 cm from cast-on edge. Now work in single rib thus: 2 rows white, 2 rows turquoise. Cast off loosely in rib.

FINISHING

Pin out pieces and press lightly, avoiding the ribbing, according to the directions on the yarn label.

Sew up the Sleeve seams and insert the Sleeves in the armholes.

Neck: Using size 2 needles and white yarn, with right side of work facing, pick up 14 (15) sts across Left Back, 13 (14) across Sleeve, 32 (34) across Front, 13 (14) across Sleeve, and 14 (15) across Right Back = 86 (92) sts. Work in single rib thus: 2 rows white, 2 rows turquoise. Cast off loosely. Backstitch leg and crutch seams.

Placket Border: Using size 2 needles and white yarn, with right side of work facing, pick up 98 (110) sts along Left Back opening. Cast off knitwise on following row. Repeat for Right Back.

Sew heel section of sole to bottom of leg, then sew the foot Upper in place along the curve at the leg bottom. Sew the pockets in place on the Front. Finally, insert the zip fastener in the Placket.

6214

Rompers

SIZE: 3 months. Instructions for 6-mo and 9-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 2 (2-3) 50-gr balls Grand Blanc (white) no. 103, 1 ball turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm and 3 mm (nos. 11 and 14); an INOX crochet hook size 2 mm (no. 14). 2 buttons. You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 29 sts and 38 rows in stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: LEFT LEG: Using size 2 needles and turquoise yarn, cast on 40 (43-46) sts and work in single rib (*Row 1:* knit 1, purl 1; *subsequent rows:* k over k, p over p) in the following stripes: 1 row turquoise, 34 rows white, 2 rows turquoise.

Change to size 3 needles and white yarn and work in stocking stitch (*Right side:* knit; *Wrong side:* purl), increasing (by working twice into st) 18 sts across 1st row thus: work 3 (4-6), *inc 1, work 2*, rep from * to * 17 times = 58 (61-64) sts.

Work straight until Leg measures 10 cm from cast-on edge, ending with a wrong-side row*. Place sts on holder.

RIGHT LEG: As for Left as far as*. Knit 1 more row, then work across the Left sts and work the Back as one piece from this point = 116 (122-128) sts. Place a coloured marker thread in the 2 central sts.

Now continue in stocking stitch, decreasing 1 st on either side of the 2 central sts (refer to coloured marker) every alternate row 7 times = 102 (108-114) sts. Work without shaping until back measures 29 (31-33) cm from cast-on edge.

Waistband: Change to the smaller needles and work 1 more row in stocking stitch, decreasing 26 sts across the row as follows: work 0 (2-4), *work 2, k2tog*, rep from * to * 25 times = 76 (82-88) sts**. Continue in single rib for 2 rows: Back should measure 30 (32-34) cm.

Buttonholes: *Next row:* Rib 18 (20-22), cast off 2, rib 36 (38-40), cast off 2, rib to end.

Next row: Rib 18 (20-22), cast on 2, rib 36 (38-40), cast on 2, rib to end.

Rib 2 more rows: Back should measure 31 (33-35) cm from cast-on edge. Then cast off loosely in rib.

FRONT: As for Back as far as**.

Work in single rib for 6 rows, then cast off loosely in rib.


STRAPS (make 2): Using size 2 needles and white yarn, cast on 11 sts and work in single rib for 31 (32-33) cm. Cast off.

Trim: Using the crochet hook and turquoise yarn, work around each strap, in single crochet thus:

lp yarn over hook, *insert hook in (knitted) st, draw lp up and through lp on hook, rep from*.

FINISHING

Pin out pieces to size, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label. Backstitch the side and leg seams. Attach the straps to the inside of the Front waistband ribbing. Sew a button to the other end of each strap.



6215

T-SHIRT

SIZE: 3 months. Instructions for 6-mo and 9-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 1 (2-2) 50-gr balls Grand Blanc (white) no. 103; 1 ball turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm and 3 mm (nos. 11 and 14). You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin » or « Pingofine » wool, and nylon blend. The same quantities apply.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 30 sts and 34 rows in patterned stocking stitch should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using the size 2 needles and white yarn, cast on 65 (71-77) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 2 cm, then rib 2 more rows with turquoise yarn.

Change to the size 3 needles and stocking stitch (Right side: knit; Wrong side: purl), following the chart for the pattern, until the Back measures 14 (16-18) cm from cast-on edge, ending with a wrong-side row. When working patterned stocking stitch, take care not to pull yarn tightly across back of work, to avoid forming puckers on the front; also, be sure to twist the two

threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.

Armholes: Cast off 2 (3-3) sts at beg of next 2 rows = 61 (65-71) sts*. Work without further shaping until Back measures 24 (27-29) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Work 24 (24-26) and place these sts on a holder. Cast off the following 13 (17-19) sts, and work to end of row. Finish the two sides separately from this point, beg with Left Back. Cast off from neck edge (beg of right-side rows) on foll 7 (7-9) alt rows as follows: 3 sts once, 2 sts twice, 1 st 4 (4-6) times. Next, cast off at same edge every 4th row as follows: 1 st 3 times. Again on 4 alt rows cast off: 1 st twice, then 2 sts twice. Finally, cast off the remaining 4 sts.

Pick up sts from holder and finish the other side to match, reversing the shaping.

FRONT: As for Back as far as*.

Work without further shaping until Front measures 20 (23-25) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Work 25 (25-27) and place these sts on a holder. Cast off 11 (15-17) sts. Work to end of row. Cast off at neck edge on foll 4 alt rows as follows: 2 sts 4 times. Then at same edge, cast off 1 st every 4th row 8 times. Again on alt rows cast off 1 st once (once-3 times), and 2 sts twice. Finally, cast off remaining 4 sts.

Pick up sts from holder and finish Left front to match, reversing the shaping.



SLEEVES (both alike): Using size 2 needles and white yarn, cast on 44 (44-48) sts and work in single rib for 2 cm. Change to turquoise yarn and rib 1 row straight, then rib 1 more row, increasing (by working twice into st) 22 (22-24) sts across row thus: *rib 2, inc 1*, rep from * to * 21 (21-23) times = 66 (66-72) sts. Change to size 3 needles and follow the chart for the patterned stocking stitch, until Sleeve measures 16 (18-20) cm from cast-on edge. Cast off.

NECK BORDERS: With right side facing, using size 2 needles and turquoise, pick up 103 (107-113) sts across Back neck and work in single rib thus: 1 row turquoise, 3 rows white. Cast off loosely in rib.

In the same manner, pick up 129 (133-139) sts across Front neck and work 1 row turquoise, 3 rows white. Cast off.

FINISHING

Pin out pieces to size, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label. Backstitch the side seams. Lap the Back neck over the Front on each shoulder and slipstitch along the armhole edge. Sew up the Sleeves and insert them in the armholes.





Jumper

SIZE: 6 months. Instructions for the 9-mo, 1-yr, and 18-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 4 sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 2 (2-3-3) 50-gr balls Grand Blanc (white) no. 103, 1 (1-2-2) balls turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm, 2 1/2 mm, and 3 mm (nos. 14, 12, 11). 3 buttons. You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

TENSION: With the size 3 needles, 30 sts and 37 rows in patterned stocking stitch should measure 10 cm square, when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using size 2 needles and turquoise yarn, cast on 77 (83-89-95) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) in the following stripe pattern: 2 rows turquoise, 10 rows white, 2 rows turquoise.

Change to size 3 needles and follow the chart to work the patterned stocking stitch (Right side: knit; Wrong side: purl) until Jumper measures 16 (18-20-22) cm from cast-on edge, ending with a wrong-side row. When working pattern, take care not to pull yarn tightly across back of work, to avoid forming puckers on the front; also, be sure to twist the two threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.

Armholes: Cast off 5 (5-6-6) sts at beg of next 2 rows = 67 (73-77-83) sts*. Continue straight until Jumper measures 17 (19-21-24) cm overall, ending with a wrong-side row.

Placket: Next row: Work 33 (36-38-41) sts and place on a holder; cast off next st; work to end of row. Finish the two sides of the Back separately from this point, beg with Left Back.

Work without further shaping until Left back measures 27.5 (30.5-33.5-36.5) cm from cast-on edge, ending with a wrong-side row.

Neck: Cast off 17 (19-20-22) sts at beg of next row.

Work 1 (purl) row straight.

Shoulder: Cast off remaining 16 (17-18-19) sts.

Pick up sts from holder and finish Right Back to match, reversing the shaping.

FRONT: As for Back as far as*.

Now continue without further shaping until Front measures 22.5 (25.5-28.5-31.5) cm from cast-on edge, ending with a wrong-side row.

Neck: Work 26 (27-28-29) sts and place on a holder. Cast off next 15 (19-21-25) sts. Work to end of row. Finish the two sides separately from this point, beg with Right Front. Cast off at neck edge on 6 foll alt (rs) rows as follows: 3 sts once; 2 sts twice; 1 st 3 times.

Work 1 row straight.

Shoulder: Cast off remaining 16 (17-18-19) sts.

Pick up sts from holder and finish Left Front to match, reversing the shaping.

SLEEVES (both alike): Beg at wrist, using size 2 needles and turquoise yarn, cast on 44 (48-51-54) sts and work in single rib as follows: 2 rows turquoise, 10 rows white, 1 row turquoise. Now rib 1 more row turquoise, increasing evenly across the row as follows: Rib 4 (1-1-5), *inc 1 (by working twice into st), rib 5 (5-4-3)*, rep from * to * 7 (9-12-15) times = 52 (58-64-70) sts.

Change to size 3 needles and again follow the chart for patterned stocking stitch, increasing 1 st either end of every 6th

(6th-8th-8th) row 9 times = 70 (76-82-88) sts.

Continue without further shaping until Sleeve measures 18 (20-22-24) cm cast-on edge. Cast off loosely.

PLACKET BORDERS: Using size 2 1/2 needles and white yarn, with right side facing, pick up 30 (32-34-34) sts along one side of Placket opening.

Next row: Using turquoise yarn, cast off all sts knitwise. Repeat for second side.

FINISHING

Pin out the pieces, wrong side up, and press lightly according to the directions on the yarn label. Backstitch the shoulder seams.





Collar: Using size 2 1/2 needles and white yarn, with rs of work facing and beg at centre front = 8th (10th-11th-13th) cast-off st, pick up 21 (23-24-26) sts across Front, followed by 17 (19-20-22) sts across Right Back = 38 (42-44-48) sts.

Work 2 rows in stocking stitch, then 1 row in single rib.

Continue in single rib, increasing by working twice into every other rib st across row.

Continue straight in rib until collar measures 3.5 (3.5-4.5-4.5) cm from pick-up row. Change to turquoise yarn and rib 2 rows. Cast off loosely in rib. Beg at Left Back Placket, make another identical collar.

Backstitch the side seams. Sew up the sleeves and insert them in the armholes. Use turquoise yarn to work 3 buttonhole loops evenly spaced down the Right Placket, and sew the buttons to the Left Placket.



Overall

SIZE: 3 months. Instructions for the 6-mo and 9-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 2 (2-3) 50-gr balls Grand Blanc (white) no. 103, 1 (1-2) balls turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm and 3 mm (nos. 11 and 14). 2 buttons. You can also make this model using the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 30 sts and 34 rows in patterned stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: LEFT LEG: Using size 2 needles and turquoise yarn, cast on 31 (34-39) sts

and work in single rib thus: 2 rows turquoise, 32 rows white, 2 rows turquoise, increasing (by working twice into st) over last turquoise row thus: *rib 1 (1-2), inc 1, rib 2 (2-0), inc 1 (1-0)*, rep from * to *9 (9-17) times = 51 (54-57) sts. Change to size 3 needles and follow the chart to work patterned stocking stitch (*Right side:* knit; *Wrong side:* purl) until leg measures 23 (25-27) sts from cast-on edge, ending with a wrong-side row. When working patterned stocking stitch, take care not to pull yarn tightly across back of work, to avoid forming puckers on the front. Also, be sure to twist the two threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.

RIGHT LEG: As for Left. After completing final wrong-side row, knit 1 row, then knit across the sts on the holder and work the 2 sides as one piece = 102 (108-114) sts. Place a coloured marker thread in the 2 central sts.

Continue in patterned stocking stitch, decreasing 1 st either side of markers every other row 5 times (work decrease rows as follows: knit to last 2 sts before marker, k2tog, knit 2, sl 1, k1, pss0, knit to end) = 92 (98-104) sts.

Work straight until Back measures 39 (43-47) cm from cast-on edge.

WAISTBAND: Change to size 2 needles and work 1 row of decreases as follows: work 0 (2-9), *work 4, k2tog*, rep from * to * 14 times = 77 (83-89) sts*. Now work in single rib as follows; 2 rows turquoise.

Next row: Change to white yarn and rib 18 (20-22), cast off 2, rib 37 (39-41), cast off 2, rib to end.

Next row: Rib 18 (20-22), cast on 2, rib 37 (39-41), cast on 2, rib to end.

Rib 3 more rows white, then 2 rows turquoise, and cast off.

FRONT: As for Back as far as*.




Waistband: Rib 2 rows turquoise, 5 rows white, 2 rows turquoise.


Bib: Change to size 3 needles and cast off 22 (24-26) sts at beg of next 2 rows. Now follow the chart again to work in patterned stocking stitch over the 33 (35-37) central sts until Bib measures 7.5 (8.5-9.5) cm from the Waistband ribbing. Change back to the smaller needles and work in single rib thus: 2 rows turquoise, 2 rows white. Cast off loosely in rib. Using the size 2 needles and turquoise, with rs facing, pick up 33 (35-37) sts along one side of the Bib and work 2 rows turquoise, 2 rows white. Cast off loosely in rib. Repeat for 2nd side.

STRAPS (make 2): Using size 2 needles and white, cast on 7 sts and work in single rib for 30 (31-31) cm. Cast off.

FINISHING

Lightly press the overall on the wrong side, avoiding the ribbing, according to the directions on the yarn label. Backstitch the Leg seams, turning the seam to the outside for the last 4 cm of each leg, to allow for the cuff. Slipstitch the Bib borders to the waistband ribbing. Attach a strap to either corner of the Bib, and sew a button to the other end of each strap.





Cardigan

SIZE: 6 months. Instructions for the 9-mo, 1-yr, and 18-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 4 sizes.

MATERIALS: « Pingouin » brand « Pingorex Baby » 3-ply acrylic yarn as follows: 2 (2-2-3) 50-gr balls Grand Blanc (white) no. 103, 1 (1-2-3) balls turquoise no. 110. A pair each of INOX knitting needles sizes 2 mm and 3 mm (nos. 11 and 14). 5 buttons. You can also make this model with the same manufacturer's « Pingolaine » 4-ply acrylic, « Baby Pingouin », or « Pingofine » wool and nylon blend. The same quantities apply.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 31 sts and 38 rows in patterned stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

The Cardigan is worked in a single piece. Beg at lower back edge: using size 2 needles and white yarn, cast on 78 (84-90-96) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) as follows: 8 rows white, 2 rows turquoise.

Change to size 3 needles and follow the chart to work the patterned stocking stitch (Right side: knit; Wrong side: purl) until Cardigan measures 15 (17-19-21) cm from cast-on edge, ending with a wrong-side row. When working patterned stocking stitch, take care not to pull yarn tightly across back of work, to avoid forming puckers on the front. Also, be sure to twist the two threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.

SLEEVES: Next row: *Cast on 46 (52-58-64) sts*, pattern to end of row, rep from * to * = 170 (188-206-224) sts. Continue in pattern without shaping until Back measures 24 (27-30-33) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Pattern 72 (80-88-96) sts and place them on a holder; cast off foll 26 (28-30-32) sts, pattern to end of row. Continue on the Left shoulder sts alone for the meantime, until Left Back measures 25 (28-31-34) cm. Inc at neck edge (beg of right-side rows, see chart) on following 7 alternate rows as follows: 6 (7-8-9) sts once, 3 sts once, 2 sts once, 1 st 3 times = 88 (97-106-115) sts.

Continue straight in pattern until Left measures 35 (39-43-47) cm overall, ending with a right-side row.

Next row: Cast off 46 (52-58-64) sts (end of Left Sleeve). Take care when finishing sleeves that lines of pattern Back and Front will match; if necessary, work a row or two more before casting off sleeve sts.

FRONT: Continue straight on remaining 42 (45-48-51) sts and work the same number of rows as you did for the Back, to make sure that the lines of the checks match.

Now change back to the smaller needles and work in single rib as follows: 2 rows turquoise, 8 rows white. Cast off loosely in rib.

Pick up the sts from the holder and finish the Right Back to match, reversing the shaping.

Wrist Ribbing: Using size 2 needles and turquoise yarn, with rs facing, pick up 44 (46-48-48) sts across wrist and work in single rib thus: 2 rows turquoise, 14 rows white. Cast off.

Neck Border: Using the size 2 needles and turquoise yarn, with rs facing pick up 18 (19-20-21) sts across Right Front, 32 (34-36-38) sts across Back, and 18 (19-20-21) across Left Front. Work in single rib thus: 1 row turquoise, 3 rows white. Cast off loosely.

Front Borders: Using size 2 needles and turquoise, pick up 64 (67-70-73) sts down Left Front and rib 1 row turquoise. Change to white yarn and work as follows:


Buttonholes: Rib 3 (3-2-3), *k2tog, yarn fwd, rib 13 (14-15-15)*, rep from * to * 4 times, rib to end.

Rib 2 more rows white, then cast off.


Pick up the same number of sts up Right Front and work the same border but without buttonholes.

FINISHING

Lightly press the cardigan, avoiding the ribbing, according to the directions on the yarn label. Backstitch the side seams, taking care to match the pattern. Close the underarm seams. Sew on the buttons.



/ = Turquoise
□ = White



* Rep from Row 1

* Row 1

6 mo 9 mo 1 yr 18 mo



6219

33

Shoulder cap: Cast off 7 (7-7-8) sts at beg of next 6 rows, then cast off remaining 10 (12-16-14) sts all at once.

RIGHT SLEEVE: As for Left, but omitting the stripes.



HOOD: Using the size 3 needles and Skate yarn, cast on 36 (38-40-42) sts and work in reverse stocking stitch, increasing (on your left-hand side of the sts) 1 st every 6th row 3 times, then 1 st every 4th row 3 times = 42 (44-46-48) sts.

Work straight until Hood measures 14 (15-16-17) cm from cast-on edge, ending with a right-side row.

Hood shaping: From same edge where you formerly increased, cast off 2 sts at beg of next and foll 8 (8-7-7) alternate rows, then cast off 4 sts from same edge on foll alt row once (once-twice-twice). After final decrease, work to end of row, then cast off remaining 20 (22-22-24) sts all at once. Make another Hood piece as for first, but reversing the shaping.

FINISHING

Do not press the pieces. Sew up the shoulder, crutch, and leg seams. Sew the underarm seams and insert the sleeves in the armholes. Join the two Hood pieces, and sew the Hood to the neckline. Turn under 1 cm right around the front of the hood. Insert the zip fastener in the front of the jumpsuit. Twist yarn together to make a cord 60 cm long, and thread it through the hem of the hood. Follow the diagram to work the embroidery trim in satin stitch.



SURPRISE PACKAGE

6220

Jumper and overall



SIZE: 9 months. Instructions for 1-yr and 18-mo sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

MATERIALS: «Anny Blatt» brand «Baby Blatt» 100% wool, 4-play baby yarn as follows: buvard (pink) no. 1854, 1 50-gr ball; azur (blue) no. 1858, 4 (5-5) 50-gr balls; turquoise no. 1859, 1 (2-2) 50-gr balls. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13). 3 buttons.

TENSION: With size 3 needles, 29 sts and 37 rows in stocking stitch should measure 10 cm square when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller, as appropriate.

METHOD

JUMPER: BACK: Using size 2 1/2 needles and pink wool, cast on 76 (78-84) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 3 cm.



Change to size 3 needles and turquoise yarn and work in stocking stitch (*Right side:* knit; *Wrong side:* purl) until Back measures 15 (16-17) cm from cast-on edge, ending with a wrong-side row*.

Armholes: Cast off 4 sts at beg of next 2 rows, then dec 1 st at each end of foll alt row 22 (23-25) times, while at the same time dividing for Back Placket when Back measures 22 (24-26) cm from cast-on edge, as follows: Work to centre back and place sts on holder; work to end of row and finish the two sides separately from this point. After working final raglan decrease, cast off remaining 12 (12-13) sts. Pick up sts from holder and finish other side to match.

FRONT: As for Back as far as*.

Armholes: Cast off 4 sts at beg of next 2 rows, then dec 1 st at each end of foll alt row 18 (19-21) times.

Neck: Next row: Work raglan dec as before, work next 9 sts and place on a holder. Cast off foll 10 (10-12) sts. Work to end, decreasing as before. Finish the two sides separately from this point. Continue armhole decreases and, at beg of same (right-side) rows, dec at neck edge as follows: 4 sts once, 2 sts once, 1 st. Pick up sts from holder and finish Left front to match, reversing the shaping.

SLEEVES (both alike): Using size 2 1/2 needles and pink wool, cast on 42 (42-44) sts and work in single rib for 3 cm.

Change to size 3 needles and turquoise wool, and work in stocking stitch, increasing (by working twice into st) 4 sts evenly across 1st row as follows: work 6 (6-8), *inc 1, work 10*, rep from * to * 3 times = 46 (46-48) sts.

Continue in stocking stitch, increasing 1 st at each end of every 8th row 6 (7-8) times = 58 (60-64) sts.

Work straight until Sleeve measures 18 (20-21) cm from cast-on edge, ending with a wrong-side row. Cast off 4 sts at beg of next 2 rows, then cast off 1 st at each end of every alternate row 22 (23-25) times. Cast off remaining 6 sts.

NECK: Using smaller needles and pink, cast on 98 (98-104) sts and work in single rib for 1 cm, ending with a wrong-side row.


Buttonhole: Next row: Rib 3, cast off 2, rib to end.

Next row: Rib to last 3 sts, cast on 2, rib to end.

Rib 2 cm all told, then cast off loosely.

FINISHING

Pin out the pieces, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the yarn label. Backstitch side seams. Sew up sleeve seams and insert sleeves in armholes. Backstitch Neckband, matching it stitch for stitch, on outside of jumper. Sew a button to neckband.



METHOD

OVERALL: FRONT: RIGHT LEG: Using size 2 1/2 needles and pink, cast on 18 (20-22) sts and work in single rib for 3 cm. Change to size 3 needles and blue wool, and work in stocking stitch, increasing 18 (18-19) sts evenly over first row as follows: work 0 (1-2) sts, work twice into each of foll 18 (18-19) sts, work 0 (1-1) = 36 (38-41) sts. Continue straight until Front measures 21 (22-26) cm from cast-on edge, ending with a wrong-side row.

Crutch: Inc 2 sts at beg of next right-side row, then again 1 st at beg of foll right-side row.

Purl 1 row, then place sts on holder.

LEFT LEG: As for Right, but work Crutch increases at beg of wrong-side rows. After working final row, pick up Right Leg sts and work both sides as a single piece = 78 (82-88) sts.

Continue straight until Overall measures 39 (41-45) cm from cast-on edge.

Waistband: Change to smaller needles and turquoise wool to work in single rib for 4 cm*.

Now change back to size 3 needles and blue and continue in stocking stitch for 4 cm measured from top of waistband ribbing, ending with a ws row.

Armholes: Cast off 5 (5-6) sts at beg of next 2 rows; 4 sts at beg of foll 2 rows; 2 sts at beg of next 4 rows; then 1 st at beg of foll 6 (6-8) rows = 46 (50-52) sts.

Continue straight until Front measures 9 (9-11) cm from top of waistband.

Change to smaller needles and pink wool; work in single rib for 2 cm, then cast off loosely in rib.

BACK: As for Front as far as*.

Change back to larger needles and blue and continue in stocking stitch for 4 (4-5) cm measured from top of waistband ribbing.

Change to smaller needles and pink and work 1 cm in single rib, ending with a wrong-side row.

Buttonholes: Next row: Rib 22 (24-27), cast off 2, rib 30, cast off 2, rib to end.

Next row: Rib 22 (24-27), cast on 2, rib 30, cast on 2, rib to end.

Continue in single rib for 2 cm all told, then cast off in rib.

RIGHT POCKET: Using larger needles and turquoise, cast on 22 sts and work in stocking stitch until pocket measures 9 cm from cast-on edge.

Cast off 5 sts at beg of next wrong-side row, 3 sts at beg of foll wrong-side row, and 1 st at beg of every wrong-side row 11 times. Cast off remaining 3 sts.

LEFT POCKET: As for Right, reversing the shaping.

FRONT ARMHOLE TRIM (make 2): Using smaller needles and pink, cast on 34 (34-38) and work in single rib for 2 cm. Cast off loosely in rib.

POCKET TRIM (make 2): Using smaller needles and pink, cast on 66 sts and work in single rib for 2 cm. Cast off loosely in rib.

STRAPS (make 2): Using pink wool and size 2 1/2 needles, cast on 12 sts and work in single rib for 26 (28-30) cm. Cast off.

FINISHING

Pin out main pieces, wrong side up, and press lightly, avoiding the ribbing, according to the directions on the label. Backstitch the side seams. Backstitch the armhole trims to the armholes, matching them stitch for stitch; backstitch the pocket trims stitch for stitch to the pockets, leaving 4 cm free at the top of each. Slipstitch the pockets to the front (see photo). Backstitch the crutch and leg seams. Attach the straps as shown, and sew a button to the end of each.



JUNIOR JOGGER

6221

Jersey and trousers

SIZE: 1 year. Instructions for 18-mo and 2-yr sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all 3 sizes.

Our photograph shows the 18-mo size.

MATERIALS: Dralon Layette 4-ply acrylic yarn as follows: 2 (2-3) 50-gr balls red, 1 (1-2) balls white, 1 ball black. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13). 35 (40-45) cm of elastic for the waistband.

TENSION: With the larger needles, 27 sts and 39 rows in stocking stitch should measure 10 cm square, when sample is pressed according to the directions on the yarn label. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

JERSEY: BACK: Using size 2 1/2 needles and white yarn, cast on 74 (80-86) sts and work in single rib (1st row: knit 1, purl 1; Subsequent rows: k over k, p over p) for 4 cm.

Change to size 3 needles and work in stocking stitch (Right side: knit; Wrong side: purl), in stripes as follows: *2 rows black, 2 rows white*, rep from * to *. Work without shaping until Back measures 18 (20-22) cm from cast-on edge, ending with a wrong-side row*.

Armholes: Cast off 3 sts at beg of next 2 rows. Dec 1 st on either side every alternate (right-side) row 20 (22-24) times. Cast off remaining 28 (30-32) sts.

FRONT: As for Back as far as*.

Armholes: Cast off 3 sts at beg of next 2 rows. Dec 1 st on either side every alternate (right-side) row 14 (16-18) times.

Neck: 29th (33rd-37th) row from start of Armhole, dec for neck thus: dec 1 for raglan as before, work next 11 sts and place these sts on a holder (complete the two sides of Front separately from this point). Cast off next 8 (10-12) sts; work to end of row, decreasing 1 for raglan as before.

Continuing usual 1-st dec on alternate rows for raglan, at same time decrease at neck edge (beg of right-side rows) thus: 4 sts once, 3 sts once, 2 sts once, 1 st once. Cast off remaining 2 sts. Pick up sts from holder and finish 2nd side to match, reversing the shaping.

SLEEVES: RIGHT: Beg at wrist, with smaller needles and white yarn, cast on 52 (56-60) sts and work in single rib for 4 cm. Change to larger needles and stocking stitch stripes, increasing (by working twice into st) 1 st on either side every 10th row 6 times = 64 (68-72) sts. Work straight until Sleeve measures 19 (21-23) cm from cast-on edge (after 2 white rows).

Raglan slope: Work in red stocking stitch, decreasing 3 sts at beg of next 2 rows. Dec 1 st on either side every alternate (right-side) row 18 (20-22) times.

Shoulder cap: Dec 10 sts at beg of alternate (right-side) row twice (Front), at the same time working usual 1-st raglan decrease at end of row (back of Sleeve).

LEFT: As for Right, reversing the shaping (work shoulder cap shaping at beg of wrong-side rows).

FINISHING

Pin out pieces and press lightly, avoiding the ribbing, according to the directions on the yarn label. Backstitch the 2 right raglan seams and the left front raglan seam.

Neck: Using smaller needles and white yarn, beg at Left shoulder with right side facing, pick up 14 (16-18) sts across Sleeve, 34 (36-38) across Front, 14 (16-18) across Right Sleeve, and 28 (30-32) across Back = 90 (98-106) sts. Work in single rib for 2 cm,

then cast off loosely. Backstitch the 4th raglan seam, then the side and sleeve seams, taking care to match the stripes.

METHOD

TROUSERS: RIGHT LEG: Using size 3 needles and red yarn cast on 84 (86-88) sts and work in stocking until Leg measures 20 (22-24) cm from cast-on edge, ending with a wrong-side row.

Crutch: Cast off 6 sts at beg of next 2 rows, then place sts on a holder.

LEFT: As for Right. After working second crutch decrease, pick up sts from holder and work the two sides as one piece from this point = 144 (148-152) sts.





Work straight until Trousers measure 37 (40-42) sts from cast-on edge.

Waistband: Change to size 2 1/2 needles and work in single rib for 4 cm. Cast off loosely in rib.

Cuffs (make 2): Using smaller needles and red yarn, cast on 56 (60-64) sts and work in single rib for 9 cm. Cast off loosely.

FINISHING

Lightly press the trousers, avoiding the ribbing, according to the directions on the yarn label. Backstitch the leg and crutch seams. Sew the ends of each cuff to form a ring and attach a cuff to the bottom of each leg, lightly gathering leg to fit. Fold the waistband in half to the inside and slipstitch in place, leaving a small opening. Thread the elastic through the casing thus formed.





PASTEL PATTERNS

6222

Twinset

JUMPER

SIZE: 2-4 years. Instructions for 6-8 yr, 10 yr, 12 yr, and 14 yr are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all the sizes.

MATERIALS: « Phildar » brand « Super Baby » 3-ply acrylic-wool blend yarn: 2 (3-4-5-6) 50-gr balls cygne; 1 (1-1-2-2) balls méringue; 1 (1-1-2-2) balls pêche; 1 (2-2-3-3) balls brindille; 1 ball colombe. A pair each of INOX knitting needles sizes 2 1/2 mm and 3 mm (nos. 11 and 13).

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 30 sts and 40 rows in patterned stocking stitch, unpressed, should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using the size 2 1/2 needles and brindille yarn, cast on 112 (124-136-148-160) sts and work in single rib (Row 1: knit 1, purl 1 to end; subsequent rows: k over k, p over p) for 3 cm. Change to size 3 needles and continue in patterned stocking stitch (Right side: knit; Wrong side: purl), beg design at 12th st of chart and beg row with sl 1*. Work straight in pattern until Jumper measures 34 (40-44-48-52) cm from cast-on edge, ending with a wrong-side row. When working patterned stocking stitch, take care not to pull yarn tightly across

back of work to avoid forming puckers on front. Also, be sure to twist the 2 threads loosely together on the wrong side as you change from one to the other, to avoid forming holes around the design.

Neck: Next row: Work 47 (53-58-64-69) sts and place them on a holder; cast off next 18 (18-20-20-22) sts and work to end of row. Finish the 2 sides separately from this point. Work 1 more row straight on Left Back sts only.

Next row: Cast off 18 (20-20-22-22) sts at beg of row (neck edge). Work straight until Left Back measures 35 (41-44-49-53) cm from cast-on edge, ending with a right-side row.

Shoulder: Next row: Cast off remaining 29 (33-38-42-47) sts.

Pick up sts from holder and complete Right Back to match, reversing the shaping.

FRONT: As for Back as far as*. Work straight until Front measures 28 (33.5-36-40.5-44) cm from cast-on edge, ending with a wrong-side row.

Neck: Next row: Work 51 (56-61-67-72) sts and place them on a holder. Cast off next 10 (12-14-14-16) sts. Work to end of row and finish the 2 sides separately from this point.

Cast off at neck edge (beg of rs rows) on following alternate rows thus: 4 sts twice, 3 sts once, 2 sts once, 1 st 9 (10-10-12-12) times.

Work straight until Front measures 35 (41-44-49-53) cm from cast-on edge, ending with a right-side row.

Shoulder: Next row: Cast off remaining 29 (33-38-42-47) sts.

Pick up sts from holder and finish second side to match, reversing the shaping.

SLEEVES (both alike): Using size 2 1/2 needles and brindille yarn, cast on 50 (50-56-58-64) sts and work in single rib for 3.5 cm, ending with a right-side row.

Next row (ws facing): Purl 1 row, increasing (by working twice into st) 8 (8-6-6-6) sts thus: purl 2 (2-2-4-4) sts, *inc 1, purl 6 (6-9-9-10) sts*, rep from * to * 7 (7-5-5-5) times = 58 (58-62-64-70) sts.





Change to size 3 needles and follow the chart for the patterned stocking stitch, beg row with sl 1 and beg design at 3rd (9th-1st-6th-9th) st of chart, and inc 1 st either end of every 6th row 13 (17-19-17-23) times, then again 1 st either end of every 4th row twice (4 times-3 times-10 times-4 times) = 88 (100-106-118-124) sts.

Work straight until Sleeve measures 26 (33.5-36-40-43) cm from cast-on edge, then cast off loosely.

NECKBAND: Using size 2 1/2 needles and brindille yarn, cast on 136 (138-142-144-148) sts and work in single rib for 3.5 cm. Cast off loosely in rib.

FINISHING

Do not press. Backstitch the side seams, taking care to match the pattern and leaving an opening of 14 (16-17-19-20) cm at the top of each seam. Backstitch the shoulders. Sew up the sleeves and insert them in the armholes. Attach the neckband, backstitching it neatly on the right side of the neck.



CARDIGAN

SIZE: 2 years. Instructions for 4-yr, 6-yr, 8-yr, 10-yr, 12-yr, and 14-yr sizes are given in brackets in the pattern and diagrams. Where only one number appears, this single measurement applies to all the sizes.

MATERIALS: « Phildar » brand « Super Baby » 3-ply acrylic-wool blend: 5 (6-7-8-9-10-11) 50-gr balls cygne. For all sizes, 1 ball in each of the following shades: meringue, pêche, brindille, colombe. A pair each of INOX knitting needles sizes 2½ mm and 3 mm (nos. 11 and 13). 5 (5-6-6-6-7-7) buttons. 42 (50-54-63-68-77-84) cm of toning twill tape or grosgrain ribbon for facing the Front edges.

Be sure to check your tension before beginning the pattern, to ensure accurate size.

TENSION: With the size 3 needles, 30 sts and 40 rows in stocking stitch, unpressed, should measure 10 cm square. If you cannot obtain the correct tension using the needles recommended, try a size larger or smaller as appropriate.

METHOD

BACK: Using the size 2½ needles and brindille yarn cast on 108 (114-120-136-138-150-162) sts and work in single rib (*Row 1:* Knit 1, purl 1 to end; *subsequent rows:* k over k, p over p) for 3 cm.

Change to size 3 needles and cygne yarn and continue in stocking stitch (*Right side:* knit; *Wrong side:* purl) until Back measures 30 (35-38-41-44-49-53) cm from cast-on edge, ending with a wrong-side row.

Neck: *Next row:* Work 45 (48-51-54-59-64-70) sts and place them on a holder. Cast off the foll 18 (18-18-20-22-22) sts; work to end of row and finish the two sides separately from this point.

Continue in stocking stitch, decreasing at beg of next right-side row (neck edge) 18 (18-18-18-20-20-21-22) sts once. Work 1 more row straight, then cast off loosely. Pick up sts from holder and finish the second side to match, reversing the shaping.

RIGHT FRONT: Using size 2½ needles and brindille yarn, cast on 57 (60-63-66-72-78-84) sts and work in single rib for 3 cm while at the same time working buttonhole in right-side row 1 cm up from cast-on

(Row 3) thus:

Buttonhole row: Rib 5, cast off next 3 sts, rib to end.

Next row: Rib to last 5 sts, cast on 3, rib 5. In the same way work 3 (3-4-4-4-5-5) more buttonholes at 5 (5-6-6-6-7-7)-cm intervals up the Front.

After completing rib, change to size 3 needles and cygne yarn to work in stocking stitch until Front measures 24 (29-32-34-37-41-54) cm from cast-on edge, ending with a wrong-side row.

Neck: Cast off from neck edge (beg of rs rows) on next and foll alternate rows thus: 12 (12-12-13-13-14-14) sts once, 3 sts twice, 2 sts 3 (3-3-2-2-2-2) times, 1 st 6 (6-6-9-10-11-12) times.

Work straight until Right Front measures 31 (36-39-42-45-50-54) cm from cast-on edge, ending with a right-side row.

Shoulder: Cast off remaining 27 (30-33-34-39-43-48) sts.


LEFT FRONT: As for Right, reversing the shaping and omitting the buttonholes.

SLEEVES (both alike): Using size 2½ needles and brindille, cast on 48 (50-50-50-56-60-66) sts and work in single rib for 3 cm.

Change to size 3 needles and cygne yarn to work in stocking stitch, increasing (by working twice into st) 12 sts across 1st row thus:

Work 0 (2-2-2-6-0-5), *inc 1, work 4 (4-4-4-5-5) sts*, rep from * to * 11 times. Continue in stocking st, inc 1 st at either end of every 6th row 10 (15-17-20-21-25-25) times = 80 (92-96-102-110-122-128) sts.

Work straight until Sleeve measures 21 (26-29-31-33-38-41) cm from cast-on edge. Cast off loosely.



NECKBAND: Using smaller needles and brindille yarn, cast on 137 (137-137-145-153-159-161) sts and work in single rib for 3 rows.

4th Row: Rib to last 8 sts, cast off 3, rib 5.

5th Row: Rib 5, cast on 3, rib to end.

Rib straight until Neckband measures 3.5 cm from cast-on, then cast off loosely in rib.



FINISHING

Follow the charts to embroider the motifs on Fronts, Back and Sleeves in « V » stitches imitating the knitted sts. Take care not to pull the yarn tight.


Backstitch the shoulders and sides, leaving 13 (15-16-17-18-20-21) cm open at the top of side seams. Backstitch the sleeve seams and insert sleeves in armholes. Attach the neckband.

Stitch the tape to each Front edge on the right side of the work, fold to the wrong side, and hemstitch the facing thus formed in place. Embroider buttonholes in the Right Front facing.

Sew buttons to Left front.



CHART




Sleeve: beg at Row 15 (25-32-39-45-53-61)

Centre Front
Centre Right Sleeve
Quarter Back

■ = Colombe or Brindille
□ = Meringue or Pêche
■ = Brindille or Pêche
□ = Cygne

Armhole Back and Front:
22 rows



Sleeve: Row 12 (20-24-28-32-38-42)

Centre Front
Centre Right Sleeve
Quarter Back

