

Baby 4ply Magnum or Lustre

PT001



3 Designs



MEASUREMENTS

	1	3	6	12	mth/s
To Fit Chest:	35	40	45	50	cm
Actual Measurement:	38	44	49	55	cm
Length:	23	26	29	33	cm
Sleeve Length (approx):	11	13	16	19	cm

MATERIALS

Panda Baby Lustre 4ply or Panda Magnum 4ply (50g balls)

Striped Jacket

Main Colour (MC)	2	3	3	4	balls
Contrast Colour (CC)	1	1	1	1	ball
Plain Jacket - Quantity	3	3	4	4	balls

One 3.00mm crochet hook or THE REQUIRED SIZE TO GIVE CORRECT TENSION; 3 buttons; knitters needle for sewing seams.

TENSION

This garment has been designed at a tension of 20tr and 11 rows to 10cm over tr fabric and 3 patts to 8cm and 16 rows to 10cm over patt using 3.00mm hook.

SPECIAL ABBREVIATIONS

"Puff St" = (yoh, draw up a lp in next st), 3 times in same st, yoh and draw through all 7 lps on hook, 1ch firmly to fasten.

"Dec" = (yoh, draw up a lp in next st, yoh and draw through first 2 lps on hook) twice, yoh and draw through all 3 lps on hook.

STRIPED JACKET (worked in one piece to underarm).

Using 3.00mm hook and MC, make 130 (148-166-184) ch.

1st Row: Miss 1ch, 1dc in each ch to end ... 129 (147-165-183) dc.

2nd Row: 3ch (counts as 1tr), miss first dc, 1tr in each dc to end.

3rd Row: 1ch, 1dc in each of first 2tr, * 3ch, miss 2tr, "Puff St" in next tr, 3ch, miss 2tr, 1dc in next tr, rep from * to turning ch, 1tr in top of turning ch ... 21 (24-27-30) patts.

4th Row: 5ch (counts as 1tr, 2ch), 3dc in fastening ch of next puff st, * 3ch, 3dc in fastening ch of next puff st, rep from * to last 2dc, 2ch, miss 1dc, 1tr in last dc.

5th Row: 1ch, 1dc in first tr, 2dc in first 2ch sp, * 1dc in each of next 3dc, 3dc in next 3ch sp, rep from * to end working last dc in 3rd of 5ch at beg. Rows 2 to 5 incl form patt.

Cont in patt until work measures approx 13 (15-17-19) cm from beg, ending with a 5th patt row.

Dec Row: (1dc, 1ch) in first dc, 1tr in each of next 10 (13-14-17) dc,

("Dec") 53 (59-67-73) times, 1tr in each of next 12 (15-16-19) dc ...

76 (88-98-110) tr, counting (1dc, 1ch) as 1tr.

YOKE

Divide for Right Front:

Using CC, Next Row: (1dc, 1ch) in first tr, 1tr in each of next 15 (16-18-20) tr, turn.

Cont on these 16 (17-19-21) tr.

Work a further 5 (5-7-9) rows tr fabric in stripes of 1 row each MC and CC.

Shape Neck:

Keeping stripes correct, 1st Row: Sl st across first 4 sts, (1dc, 1ch) in next tr, 1tr in each tr to end, 1tr in top of turning ch ... 12 (13-15-17) tr.

2nd Row: (1dc, 1ch) in first tr, 1tr in each tr to last 3sts,

"Dec", 1tr in top of turning ch.

3rd Row: (1dc, 1ch) in first tr, "Dec" 1tr in each tr to end, 1tr in top of turning ch.

4th Row: As 2nd row ... 9 (10-12-14) sts.

Work 2 rows.

Shape Shoulder:

Next Row: 1tr in each of first 3 (3-4-5) tr, 1dc in each of next 3 (3-4-5) tr, slst across rem 3 (4-4-4) tr. Fasten off.

Miss next 6 (10-10-12) tr. With right side facing join CC with a sl st in next tr, (1dc, 1ch) in same place as sl st, 1tr in each of next 31 (33-39-43) tr, turn.

Cont on these 32 (34-40-44) tr for Back.

Work 11 (11-13-15) rows in stripes of 1 row each MC and CC.

Shape Shoulders:

Next Row: Sl st across first 3 (3-4-5) tr, 1dc in each of next 3 (3-4-5) tr, 1tr in each of next 3 (4-4-4) tr, 1tr in each of 14 (14-16-16) tr, 1tr in each of next 3 (4-4-4) tr, 1dc in each of next 3 (3-4-5) tr, sl st across rem 3 (3-4-5) tr. Fasten off.

Miss next 6 (10-10-12) tr. With right side facing join CC with a sl st in next tr, (1dc, 1ch) in same place as sl st, 1tr in each of next 15 (16-18-20) tr, turn.

Cont on these 16 (17-19-21) tr for Left Front.

Work a further 5 (5-7-9) rows in stripes of 1 row each MC and CC.

Shape Neck:

Keeping stripes correct, 1st Row: (1dc, 1ch) in first tr, 1tr in each tr to last 4sts, turn.

2nd Row: (1dc, 1ch) in first tr, "Dec", 1tr in each tr to end, 1tr in top of turning ch.

3rd Row: (1dc, 1ch) in first tr, 1tr in each tr to last 3 sts, "Dec", 1tr in top of turning ch.

4th Row: As 2nd row ... 9 (10-12-14) sts.

Work 2 rows.

Shape Shoulder:

Next Row: Sl st across first 3 (3-4-5) tr, 1dc in each of next 3 (3-4-5) tr, 1tr in each of next 3 (4-4-4) tr. Fasten off.

SLEEVES

Using 3.00mm hook and MC, make 28ch.

Work rows 1 to 5 incl as given for Striped Jacket, noting that there will be 4 patts at end of 3rd row.

6th Row: (1dc, 1ch) in first dc, 1tr in each dc to end ... 27 tr counting (1dc, 1ch) as 1tr.

Using CC, 7th Row: (1dc, 1ch) in first tr, 2 tr in next tr, 1tr in each tr to last 2 sts, 2tr in next tr, 1tr in top of turning ch ... 29 tr.

Cont in tr fabric and stripes of 1 row each MC and CC inc one st at each end of foll alt row/s 1 (2-3-4) times ... 31 (33-35-37) tr.

Work a further 3 (3-5-7) rows without further inc.

Tie a marker at each end of last row.

Work 2 (3-3-4) rows.

Shape Top:

Next Row: Sl st across first 4 (4-5-5) tr, 1dc in each of next 4 (4-5-5) tr, 1tr in each of next 4 (5-4-5) tr, 1tr in each of next 7tr, 1tr in each of next 4 (5-4-5) tr, 1dc in each of next 4 (4-5-5) tr, sl st across rem 4 (4-5-5) tr. Fasten off.


TO MAKE UP

Join shoulder and sleeve seams to markers. Sew in sleeves, placing rows above markers to sts missed at armhole. Using 3.00mm hook and MC, work 1 row dc evenly along fronts and neck edge, then 1 round "Crab St" evenly around fronts, neck, lower and sleeve edges, working three 2ch buttonloops evenly along Right Front Yoke. Fasten off. Sew on buttons.

PLAIN JACKET

Work as given for Striped Jacket, working in one colour throughout.

Design 3 continued from page 1.



ABBREVIATIONS

alt=alternate; approx=approximately; beg=begin/ning; ch=chain; cm=centimetres; cont=continue; Crab St=work as for dc but working from left to right instead of right to left so that sts are worked backwards; dc=double crochet; dec=decrease/s, decreasing; foll=follows, following; htr=half treble; inc=increase/s, increasing; incl=inclusive, including; K=Knit; lp/s=loop/s; 0=(zero) - no sts, rows or times; P=Purl; patt/s=pattern/s; pss=pass slipped st over; rem=remain/s, remaining or remainder; rep=repeat; sl=slip; sl st=slip stitch; sp/s=space/s; st/s = stitch/es; stocking st=1 row knit, 1 row purl; tbl=through back of loop; tog=together; tr=trelle; yoh=yarn over hook; yon=yarn over needle - take yarn over top of needle into knitting position, thus making a st; yrn=yarn round needle - take yarn right around needle into purling position, thus making a st.

If you require assistance with your pattern please phone (03) 9380 3888.

PT001



9 312065 032416

MEASUREMENTS

	1	3	6	12	mth/s
To Fit Chest:	35	40	45	50	cm
Cardigan					
Actual Measurement (approx):	38	44	49	55	cm
Length (approx):	21	24	28	32	cm
Sleeve Length:	11	13	16	19	cm
Leggings - Length:	30	33	38	43	cm

MATERIALS

Panda Baby Lustre 4ply or Panda Magnum 4ply (50g balls)
 Cardigan 2 3 3 3 balls
 Leggings 2 2 2 3 balls
 One pair each 2.75mm and 3.25mm knitting needles or THE REQUIRED SIZE TO GIVE CORRECT TENSION; knitters needle for sewing seams; 4 (4-4-5) buttons and 3.00mm crochet hook for Cardigan. Length of round elastic for Leggings.

TENSION

These garments have been designed at a tension 28 sts and 36 rows to 10 cm over stocking st, using 3.25mm needles.

CARDIGAN - BACK

Using 2.75mm needles, cast on 53 (61-69-77) sts.
1st Row: K1, * P1, K1, rep from * to end.
 Rep 1st row 9 (13-13-17) times, inc one st in centre of last row 10 (14-14-18) rows moss st in all ... 54 (62-70-78) sts.
 Change to 3.25mm needles and **Beg Patt:**
1st Row: Knit.
2nd Row: Purl (thus completing first 2 rows of Graph - refer below).
 Work rows 3 to 20 incl from Graph.
 Last 20 rows form patt. **
 Cont in patt until work measures 21 (24-28-32) cm from beg, working last row on wrong side.
Shape Shoulders:
 Keeping patt correct, cast off 6 (7-8-9) sts at beg of next 4 rows, then 6 (7-8-10) sts at beg of foll 2 rows. Cast off rem 18 (20-22-22) sts.

LEFT FRONT

Using 2.75mm needles, cast on 27 (31-35-39) sts and work 10 (14-14-18) rows moss st as given for Back.
 Change to 3.25mm needles and work in patt as given for Back, working from Graph as indicated for Left Front until there are 9 (11-11-13) rows less than Back to beg of shoulder shaping, thus working last row on right side.
Shape Neck:
Next Row: Keeping patt correct, cast off 5 (5-6-6) sts, patt to end ... 22 (26-29-33) sts.
 Dec one st at neck edge in next and foll alt rows until 18 (21-24-28) sts rem.
 Work 1 (1-1-3) row/s patt.
Shape Shoulders:
 Cast off 6 (7-8-9) sts at beg of next row and foll alt row.
 Work 1 row. Cast off rem 6 (7-8-10) sts.

RIGHT FRONT

Work as given for Left Front, noting to work from Graph as indicated for Right Front until there are 10 (12-12-14) rows less than Back to beg of shoulder shaping, thus working last row on wrong side.
Shape Neck:
Next Row: Keeping patt correct, cast off 5 (5-6-6) sts, patt to end ... 22 (26-29-33) sts.
 Dec one st at neck edge in foll alt rows until 18 (21-24-28) sts rem.
 Work 2 (2-2-4) rows patt.
Shape Shoulder:
 Work as given for other shoulder.

SLEEVES

Using 2.75mm needles, cast on 35 (35-39-39) sts.
 Work 10 (14-14-18) rows moss st as given for Back, inc 3 (3-7-7) sts evenly across last row ... 38 (38-46-46) sts.
 Change to 3.25mm needles and work in patt as given for Back, foll instructions as given for size 1 (1-3-3) and (working extra sts into patt), inc one st at each end of 5th and every (every-alt-alt) rows until there are 48 (56-64-78) sts, then in foll alt (alt-4th-4th) row/s until there are 58 (64-70-80) sts.
 Cont (without further inc) until work measures 11 (13-16-19) cm from beg, ending with a purl row.
Shape Top:
 Keeping patt correct, cast off 7 (8-9-11) sts at beg of next 4 rows, then 8 (9-9-10) sts at beg of foll 2 rows. Cast off rem 14 (14-16-16) sts.

COLLAR

Using 3.25mm needles, cast on 71 (75-77-83) sts.
 Work in Moss St as given for Back, inc one st at each end of 5th and foll alt rows 5 times in all ... 81 (85-87-93) sts.
Next Row: Moss 1 (3-5-1), (sl1, K2tog, pssso, moss 3) 13 (13-13-15) times, moss 2 (4-4-2) ... 55 (59-61-63) sts.
 Work 3 rows moss st. Cast off loosely.

RIGHT FRONT BAND

With right side facing, using 2.75mm needles knit up 55 (61-71-83) sts evenly along Right Front Edge.
 Work 3 rows moss st.
Next Row: Moss 4, * yfwd, work 2tog, moss 13 (15-18-16) rep from * 2 (2-2-3) times, yfwd, work 2tog, moss 4 (4-5-5) ... 4 (4-4-5) buttonholes.
 Work 3 rows moss st. Cast off loosely.

LEFT FRONT BAND


Work to correspond with for Right Front Band, omitting buttonholes.

TO MAKE UP

Tie a marker 10 (11-12-14) cm down from beg of shoulder shaping on side edges of Back and Fronts to mark armholes. Sew in sleeves evenly between markers, placing centre of sleeves to shoulder seams. Join side and sleeve seams. Sew collar in position beg and ending at centre of Front Bands. Using Hook, work 1 row dc, then 1 row "Crab St" evenly along collar edges. Sew on buttons.

LEGGINGS

Refer page 1.



KEY = Knit into front of 2nd stitch on left hand needle then into front of 1st stitch, slipping both sts of needle tog.
 = Knit into back of 2nd stitch on left hand needle then into front of 1st stitch, slipping both sts of needle tog.
 = Knit st on odd numbered rows (right side), purl st on even numbered rows (wrong side).

For each row:

Beg at appropriate edge and work to beg of rep, work rep number of times stated, then continue to end of row.

Note:

When working from Graph, read odd numbered rows (right side) from right to left and even numbered rows (wrong side) from left to right.



This publication is protected by copyright. Reproduction in any form (including photocopying) without prior permission from Panda Yarns will lead to proceedings being brought to restrain any infringement.

PANDA YARNS

(A DIVISION OF AUSTRALIAN COUNTRY SPINNERS PTY. LTD.)
 314 - 320 ALBERT STREET, BRUNSWICK, VIC. 3056
 TELEPHONE: (03) 9380 3886
 A.C.N. 006 290 713

Baby's wear and accessories by

heather brown pty. ltd

and

"Always Springtime"
 Kate Finn Ovals and Nursery Items





MEASUREMENTS

	1	3	6	12	mth/s
To Fit Chest:	35	40	45	50	cm
Jumper					
Actual Measurement (approx)	38	44	49	55	cm
Length:	21	24	28	32	cm
Sleeve Length:	11	13	16	19	cm
Leggings - Length:	30	33	38	43	cm

MATERIALS

Panda Baby Lustre 4ply or Panda Magnum 4ply (50g balls)

Jumper	2	2	2	3	balls
Leggings	2	2	2	3	balls

One pair each 2.75mm and 3.25mm knitting needles OR THE REQUIRED SIZE TO GIVE CORRECT TENSION; 1 stitch holder and 6 buttons for Jumper; length of round elastic for leggings; knitters needle for sewing seams.

TENSION - refer page 3.

JUMPER - BACK

Using 2.75mm needles, cast on 54 (62-66-74) sts.

1st Row: K2, * P2, K2, rep from * to end.

2nd Row: P2, * K2, P2, rep from * to end.

Rep 1st and 2nd rows 4 (6-6-8) times, then 1st row once, dec 3 (3-1-1) sts evenly across last row 11 (15-15-19) rows rib in all ... 51 (59-65-73) sts.

Change to 3.25mm needles and **Beg Diamond Patt.**

**** Next Row** (wrong side): Knit.

Work rows 1 to 13 incl from Graph A (refer page 2).

Next Row: Knit. **

Beg Check Patt: - Work rows 1 to 4 incl from Graph B (refer page 2).

Last 4 rows form Check Patt.

Cont in Check Patt until work measures approx 11 (13-16-18) cm from beg, ending with a 1st patt row.

Rep from ** to **

Working rem from Graph B, cont until work measures 20 (23-27-31) cm from beg, working last row on wrong side.

Shape Shoulders:

Keeping patt correct, cast off 5 (7-7-8) sts at beg of next 4 rows, then 6 (6-8-9) sts at beg of foll 2 rows ... 19 (19-21-23) sts.

Change to 2.75mm needles and knit 1 row, dec (dec-inc-dec) once in centre of row ... 18 (18-22-22) sts.

Work 9 rows rib as given for lower band, beg with a 2nd row.

Cast off loosely in rib.

FRONT

Work as given for Back until there are 12 (14-14-16) rows less than Back to beg of shoulder shaping, thus working last row on wrong side.

Shape Neck:

Next Row: Patt 21 (25-27-31), turn.

Keeping patt correct, cont on these 21 (25-27-31) sts and dec one st at neck edge in every row until 18 (23-25-29) sts rem, **Sizes 3, 6, and 12 mths only** - then in foll alt row/s until (22-24-27) sts rem.

Work 0 (1-1-1) row/s patt.

All Sizes - NOTE - Front is 8 rows less than Back to allow for shoulder bands.

Shape Shoulder:

Keeping patt correct, cast off 5 (7-7-8) sts at beg of next row and foll alt row, AT SAME TIME dec one st at neck edge in next row and foll alt row.

Work 1 row. Cast off rem 6 (6-8-9) sts.

Slip next 9 (9-11-11) sts onto a stitch holder and leave.

With right side facing, join yarn to rem 21 (25-27-31) sts and patt to end.

Keeping patt correct, cont on these 21 (25-27-31) sts and dec one st at neck edge in every row until 17 (23-25-29) sts rem, **Sizes 3, 6 and 12 mths only** - then in foll alt rows until (21-23-26) sts rem.

All Sizes - Shape Shoulder:

Keeping patt correct, cast off 5 (7-7-8) sts at beg of next and foll alt row, AT SAME TIME dec one st at neck edge in 2nd row.

Work 1 row. Cast off rem 6 (6-8-9) sts.

SLEEVES

Using 2.75mm needles, cast on 34 (34-34-38) sts.

Work 9 rows rib as given for Back, dec (inc-inc-inc) 1 (3-7-3) st/s evenly across last row ... 33 (37-41-41) sts.

Change to 3.25mm needles.

Rep from ** to ** of Back as given for Size 1 (12-3-3) of Back, working extra sts into patt inc one st at each end of 4th and every row until there are 43 (43-47-51) sts, then in foll alt rows until there are 49 (51-55-57) sts.

Work from Graph B as given for Size 12 (1-12-1) of Back for rem and working extra sts into patt, inc one st at each end of next and foll alt rows until there are 53 (57-57-63) sts, then in foll 4th row/s until there are 55 (59-65-75) sts.

Cont in Check Patt (without further inc) until work measures 11 (13-16-19) cm from beg, working last row on wrong side.

Shape Top:

Keeping patt correct, cast off 6 (6-7-8) sts at beg of next 6 rows, then 5 (7-7-9) sts at beg of foll 2 rows. Cast off rem 9 sts.

FRONT NECKBAND

With right side facing and using 2.75mm needles, knit up 12 (14-14-16) sts evenly along left side of neck, knit across sts from stitch holder, inc (inc-dec-dec) one st in centre, then knit up 12 (14-14-16) sts evenly along right side of neck ... 34 (38-38-42) sts.

Work 9 rows rib as given for Back, beg with a 2nd row.

Cast off loosely in rib.

FRONT SHOULDER BANDS (make 2)

With right side facing and using 2.75mm needles, knit up 22 (26-26-30) sts evenly across front shoulder and along side edge of neckband.

Work 5 rows rib as given for Back, beg with a 2nd row.

Next Row: Rib 2 * rib 2tog, yrn (to make a st), rib 6 (8-8-10), rep from * once, rib 2tog, yrn (to make a st), rib 2 ... 3 buttonholes.

Work 3 rows rib. Cast off loosely in rib.

BACK SHOULDER BANDS (make 2)

Work as given for Front Shoulder Bands, omitting buttonholes.

TO MAKE UP

Place front shoulder band over back shoulder band and stitch in position at armhole edge. Tie markers 10 (11-12-14) cm down from shoulder on side edges of Back and Front to mark armholes.

Sew in sleeves between markers, placing centre of sleeves to base of back shoulder bands and sewing through both thicknesses of shoulder bands. Join side and sleeve seams. Sew on buttons.

LEGGINGS FOR DESIGNS 2 & 3 (working from appropriate Graphs).

RIGHT LEG (beg at waist)

Using 2.75mm needles, cast on 70 (74-78-82) sts.

1st Row: K2, * P2, K2, rep from * to end.

2nd Row: P2, * K2, P2, rep from * to end.

Rep 1st and 2nd rows 4 times, (10 rows rib in all).

Change to 3.25mm needles and **Beg Check Patt for design 3, Design 2** - work as indicated for Jumper from Graph refer page 2.

Working from Graph B throughout, work 2 rows as given for size 12 (3-1-12) of Back of Jumper.

Shape Back: NOTE: When turning take yarn under needle and onto other side of work, slip next st onto right-hand needle, take yarn under needle and back to original position, slip st back onto left-hand needle, then turn and proceed as instructed. This avoids holes in work. **

***** 1st Row:** Patt 11 (13-15-17), turn.

2nd and Alt Rows: Patt to end.

3rd Row: Patt 17 (19-21-23), turn.

5th Row: Patt 23 (25-27-29), turn.

7th Row: Patt 29 (31-33-35), turn.

9th Row: Patt 35 (37-39-41), turn.

Cont turning in this manner, working 6 sts more in alt rows until the row "Patt 65 (67-69-71), turn," has been worked.

Next Row: Patt to end.

Cont in patt and working extra sts into patt, inc one st at each end of 5th and foll 8th (10th-12th-14th) rows until there are 78 (82-86-90) sts.

Cont (without further inc) until shorter edge measures 15 (16-17-18) cm from beg, working last row on wrong side.

Tie a marker at end of last row to mark back edge.

Shape Leg:

Keeping patt correct, dec one st at each end of next and foll 3rd (3rd-3rd-4th) rows until 52 (54-54-58) sts rem.

Cont in patt until work measures approx 9 (11-15-19) cm from marker, ending with a wrong side row.

Next Row: K5 (3-3-5), * K2 tog, K1 (1-2-2), rep from * to last 5 (3-3-5) sts, K5 (3-3-5) ... 38 (38-42-46) sts.

Change to 2.75mm needles.

Work 10 rows rib as given for Back of Jumper. Cast off loosely in rib.

LEFT LEG

Work as given for Right Leg to **.

Work 1 row patt.

Work as given for Right Leg from *** to end.

TO MAKE UP

Join back, front and leg seams. Thread elastic through alt rows of rib at waist.