

PARAGON BABY BOOK

6 MONTHS TO 2 YEARS

No. 2

Chris Jensen



30
CENTS



Baby's Pram Set

In a simple stitch with moss stitch border, equally suitable for either boy or girl of 6 to 12 months.

MATERIALS: To make the complete set with either Pixie Hood or Helmet: 11 ozs. of 4-ply Knitting Yarn with Nylon. Made separately: The Coat, $5\frac{1}{4}$ ozs.; the Legginettes, $3\frac{1}{4}$ ozs.; the Pixie Hood, $1\frac{1}{4}$ ozs.; the Helmet, 1 oz.; the Mittens, $\frac{1}{4}$ oz. 1 pair each Nos. 9 and 11 knitting needles. 3 buttons for Coat and 1 for Helmet. Ribbon for Pixie

Hood. A medium-sized crochet hook. Elastic for insteps of Legginettes.

MEASUREMENTS: To fit 6 to 12 months.

ABBREVIATIONS: See Page 18.

THE PATTERN:

1st row: K.

2nd row: P.
Rep. these 2 rows once.
5th and 6th rows: Work in moss st.
7th row: K.
8th row: P.
9th and 10th rows: Work in moss st.

These 10 rows comprise the p.t.t.

THE COAT:

THE BACK: Using No. 9 needles, cast on 111 sts. and work 12 rows in moss st.

Now work in patt. until the work measures 9 ins., ending with a 10th patt. row. Work 3 rows in st.st., then change to No. 11 needles and dec. for the waist as follows:—

Next row: (P. 2 tog.) twice, * p. 1, p. 2 tog.; rep. from * until 2 sts. rem., p 2 tog. (73 sts.).

Work 10 rows in moss st. for the waistband, then change to No. 9 needles and work the first 4 rows of patt.

SHAPE ARMHOLES: Cont. in patt., casting off 2 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of every row until 59 sts. rem. Work in patt. without further shaping until the armholes measure 4 ins. on the straight, ending with a wrong side row.

SHAPE NECK AND SHOULDERS: Next row: Patt. 20,

cast off 19, patt. 20. Cont. on the last 20 sts., dec 1 st. at the neck edge on the next 2 rows, cast off. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

LEFT FRONT: NOTE—If the set is for a boy work the buttonholes on this front.

Using No. 9 needles, cast on 59 sts. and work 12 rows moss st.

Now work in patt. as for the back, but keep 6 sts. at the front edge in moss st. as a border throughout. Cont. until the front measures the same as for the back to waistband, ending with a right side row (as on the back).

Dec. for the waist as follows:—Change to No. 11 needles. Moss st. 6, * (p. 2 tog.) twice, p. 1, p. 2 tog., p. 1, p. 2 tog., p. 1, p. 2 tog.; rep. from * until 1 st. rem., p. 1 (39 sts.). Work 10 rows in moss st., then change to No. 9 needles and work 4 rows in patt. still keeping the 6 moss sts. at the front edge as a border.

SHAPE ARMHOLE: Cont. in patt. casting off 2 sts. at the beg. of the next row, then dec. 1 st. at this same edge on every following row until 32 sts. rem. Work without further shaping until the armhole measures 3 ins. on the straight, ending with a right side row.

SHAPE NECK: Keeping the patt. correct, cast off 9 sts. at the beg. of the next row, then dec. 1 st. at the neck edge on every following row until 18 sts. rem. Work in patt. without further shaping until the armhole measures the same as for the back to shoulder, cast off.

RIGHT FRONT: Work to correspond with the Left Front, with the border and all shapings at opposite ends of the work. The waist dec. row will be worked as follows:—(wrong side facing): P. 1, * p. 2 tog., p. 1, p. 2 tog., p. 1, p. 2 tog., p. 1 (p. 2 tog.) twice; rep. from * until 6 sts. rem., moss st. 6 (39 sts.). Cont. to match the opposite side, making a buttonhole in the 5th row of the waistband (and then 2 more at intervals of $1\frac{1}{2}$ ins.) thus:—Moss st. 3, cast off 2, work to end of row. On the following row cast on 2 sts. to replace those cast off.

SLEEVES (both alike): Using No. 9 needles, cast on 43 sts. and work 12 more rows in moss st. Now work in patt. inc. 1 st. at both ends of the 3rd and every following 8th row until there are 57 sts. on the needle and the sleeve measures 7 ins. (or length required).

SHAPE TOP: Keeping the patt. correct, cast off 2 sts. at the beg. of every row until 17 sts. rem., cast off.

THE COLLAR: Using No. 9 needles, cast on 2 sts.

1st row: K. 1 and p. 1 into the first st., k. 1.

2nd row: K. 1, p. 1, then k. 1, and p. 1 into the last st.

3rd row: K. 1, and p. 1 into the first st., k. 1, p. 1 alternately, ending k. 1.

4th row: K. 1, p. 1 alternately until 1 st. rem., k. 1, and p. 1 into last st.

Rep. the last 2 rows until there are 15 sts. on the needle, then cont. in moss st. on these 15 sts. until the work measures 7 ins. along the straight edge. Now dec. 1 st. on the shaped edge on every row until 2 sts. rem., cast off.

THE LEGGINETTES:

RIGHT LEG: Using No. 11 needles, cast on 84 sts. and work in k. 2, p. 2 rib for $\frac{1}{2}$ in. Now work the holes for the girdle as follows:—* K. 2, wind the wool around needle to make a st., p. 2 tog.; rep. from * to end. Cont. in rib until the work measures 2 ins. Change to No. 9 needles and shape the back as follows:—

1st and 2nd rows: K. 10, turn and p. back.

3rd and 4th rows: K. 20, turn and p. back.

5th and 6th rows: K. 30, turn and p. back.

Cont. in this way, working 10 more sts. before turning on every alternate row until 24 sts. rem. unworked. In the next row work across all sts. Cont. in st.st., inc. 1 st. at the longest edge on the 5th and every following 10th row until there are 90 sts. on the needle. Work 7 more rows after the last inc.

SHAPE THE LEG: Dec. 1 st. at both ends of the next and every alternate row until 44 sts. rem., cont. in st.st. without further shaping until the leg measures 9 ins. from the commencement of shaping, ending with a k. row.

SHAPE INSTEP: Next row: P. 20, turn and k. 16 back. Cont. in st.st. on these 16 sts. for 2 ins., then k. 2 tog. at both ends of the next 4 rows. Break off wool and rejoin at the rem. 24 sts. Pick up and k. 18 sts. along the right hand side of instep flap, k. the 8 sts. across the toe then pick up and k. 18 sts. along the other side of flap, k. the rem. 4 sts. Work 8 rows in moss st., cast off.

LEFT LEG: Work to correspond with the Right Leg, reversing the shapings. For the back shaping commence on a p. row instead of a k. row. For the instep, end with a p. row instead of a k. row.

THE PIXIE HOOD:

Using No. 9 needles, cast on 30 sts. and work the first row thus:—* K. 1, k. twice into the next st.;

rep. from * until 6 sts. rem., k. 6 (42 sts.).

Now work in patt., commencing with the 2nd row and work 28 rows in patt. Cont. in patt., inc. 1 st. at the beg. of the next and every following 4th row until there are 48 sts. on the needle, then work without further shaping until the patt. has been worked 6 times. Work 2 rows of the 7th patt. and place a marker here as this is where the hood folds in half for the top of crown. Cont. in patt. for 10 more rows, then dec. 1 st. at the shaped edge of the next and every following 4th row until 42 sts. rem. Now work without further shaping until 12 patts. have been worked from beg. Work 3 rows in st.st.

Next row: P. 6, * p. 2 tog., p. 1; rep. from * to end (30 sts.).

THE FRONT FACING: Using No. 9 needles, cast on 11 sts. and work in moss st., inc. 1 st. at the beg. of the 3rd and every following 4th row until there are 21 sts. on the needle. Work 3 rows without shaping, then dec. 1 st. on the shaped edge on the next and every alternate row until 11 sts. rem. Work 1 row, then inc. 1 st. on the shaped edge on the next and every alternate row until once more there are 21 sts. on the needle. Work 3 rows without shaping, then dec. on the shaped edge of the next and every following 4th row until 11 sts. rem. Work 2 rows, then cast off.

Join front facing to long straight edge of hood, right side of facing to wrong side of hood. Fold facing over to right side and stitch side edges and points lightly into position.

NECKBAND: Join centre back seam. With right side facing and using No. 11 needles, pick up and k. 60 sts. along neck edge. Work 10 rows in moss st., cast off.

THE HELMET

Using No. 9 needles, commence at the crown.

Cast on 8 sts. K. 1 row and p. 1 row. Now inc. for the crown as follows:—

1st row: K. twice into every st.

2nd and all alternate rows: K. 1, p. to the last st., k. 1.


3rd row: * K. 1, k. twice into the next st.; rep. from * to end.

5th row: * K. 2, k. twice into the next st.; rep. from * to end.

7th row: * K. 3, k. twice into the next st.; rep. from * to end.

Cont. in this way, working 1 st. more between the increases on every alternate row until there are 96 sts. on the needle. P. back, inc. 1 st. in the middle of the row (97 sts.). Now work in patt., commencing with the 3rd row of patt., inc. 1 st. at both ends of the 3rd row (99 sts.). Cont. in patt. until 28 rows have been

(continued on page 7)



DUCKIE

Romper and Cardigan

9 TO 15 MONTHS

MATERIALS: 7 ozs. of. 4-ply Patonyle Knitting Yarn with Nylon for the complete set made with long sleeves in Romper, or 6 ozs. made with short sleeves. If made separately allow 3 ozs. for short-sleeved Romper (4 ozs. for long sleeves) and 3 ozs. for Cardigan, $\frac{1}{2}$ oz. of the same wool in white for "duck" motifs. A yard or so of orange or bright yellow wool for the ducks' bills. A pair each Nos. 9 and 11 knitting needles. A medium-sized crochet hook. 10 small buttons for Romper, 5 for Cardigan.

MEASUREMENTS: ROMPER.

Shoulder to crutch, when fastened $16\frac{1}{2}$ ins. Around underarm, 20 ins.: short sleeve seam, $1\frac{1}{2}$ ins., long sleeve seam, 7 ins.

CARDIGAN: Length from shoulder to lower edge, $10\frac{1}{2}$ ins.; chest, 21 ins.; sleeve seam, 7 ins.

ABBREVIATIONS: See Page 18.

ROMPER.

FRONT: Using No. 9 needles and M. wool, cast on 23 sts. and k. 4 rows. Work buttonholes thus:—

K. 3, * M. 1, k. 2 tog., k. 6; rep. from * ending with k. 2 instead of k. 6.

Next row: K., then turn and cast on 46 sts.

Next row: P., then turn and cast on 46 sts. (115 sts.).

NOW COMMENCE GUSSET SHAPING: 1st row: K. 46, sl. 1, k. 1, p.s.s.o., k. 19, k. 2 tog., k. 46.

2nd and all alternate rows: K. 1, p. to last st., k. 1.

3rd row: K. 46, sl. 1, k. 1, p.s.s.o., k. 17, k. 2 tog., k. 46

5th row: K. 46, sl. 1, k. 1, p.s.s.o., k. 15, k. 2 tog., k. 46.

7th row: K. 46, sl. 1, k. 1, p.s.s.o., k. 13, k. 2 tog., k. 46.

Cont. in this way working 2 sts. less between the decreasings on every alternate row until the row k. 46, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., k. 46 has been completed. (95 sts.).

Work the next alternate row thus: K. 46, sl. 1, k. 2 tog., p.s.s.o., k. 46. (93 sts.).

Cont. in st.st. without further shaping until work measures $8\frac{1}{2}$ ins. at side edge, ending with a wrong side row.

Next row: Dec. for waist as follows:—K. 2 tog., k. 1, * k. 2 tog., k. 3; rep. from * until 5 sts. rem., k. 2 tog., k. 1, k. 2 tog. (73 sts.). Change to No. 11 needles and work 7 rows in k. 1, p. 1 rib, but beg. and ending the 1st row with p. 1.

MAKE HOLES FOR GIRDLE (rib should commence with k. 1): K. 1, * m. 1, k. 2 tog.; rep. from * to end. Work 7 more rows in rib.

(continued on page 9)





Girl's Cardigan

Sized to fit tiny tots aged 1 to 2 years.

MATERIALS: 3 ozs. of 4-ply Patonyle Knitting Yarn with Nylon. 1 pair each Nos. 9 and 11 knitting needles. 5 buttons.

MEASUREMENTS: Length from shoulder to lower edge, 11 ins.; chest, 22 ins.; sleeve seam, 7½ ins.

ABBREVIATIONS: See Page 18.

THE BACK: Using No. 11 needles, cast on 76 sts. and work 1½ ins. in k. 1, p. 1 rib. Change to No. 9 needles and work in st.st. until back measures 7 ins., ending with a p. row.

SHAPE ARMHOLES: Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of the following 6 rows. (58 sts.). Cont. in st.st. until armholes measure 3¼ ins. on straight.

SHAPE NECK (r.s.f.): K. 19, cast off 20, k. 19. Cont. on last 19 sts., dec. 1 st. at neck edge of following 3 rows, cast off. Rejoin wool at neck

edge and work other side to correspond, reversing shapings.

LEFT FRONT: Using No. 11 needles, cast on 36 sts. and work 1½ ins. in k. 1, p. 1 rib. Change to No. 9 needles and work as follows:

1st row: K. 26, p. 10.
2nd row: K. 10, p. 26.
Rep. these 2 rows once.
5th row: K. 26, p. 3 (k. 1, m. 1) twice, k. 1, p. 4.
6th row: K. 4, p. 2, m. 1, p. 1, m. 1, p. 2, k. 3, p. 26.
7th row: K. 26, p. 3, k. 3, m. 1, k. 1, m. 1, k. 3, p. 4.
8th row: K. 4, p. 2 tog., p. 5, p. 2 tog., t.b.s., k. 3, p. 26.
9th row: K. 26, p. 3, k. 2 tog., t.b.s., k. 3, k. 2 tog., p. 4.
10th row: K. 4, p. 2 tog., p. 1, p. 2 tog., t.b.s., k. 3, p. 26.
11th row: K. 26, p. 3, m. 1, sl. 1, k. 2 tog., p.s.s.o., m. 1, p. 4.

12th row: K. 10, p. 26. (12 rows to patt.).

Rep. these 12 rows until work measures same as for back to commencement of armhole shapings, ending with a wrong side row.

SHAPE ARMHOLE AND COMMENCE FRONT SLOPE: Cast off 3 sts. at beg. of next row, k. until 12 sts. rem. (counting the patt. border as 10 sts. only), k. 2 tog., patt. to end. Dec. 1 st. at armhole edge on following 6 rows, but at the same time, dec. 1 st. immediately inside the patt. border (as before) on every 4th row until 10 sts. have been decreased at this side and 17 sts. rem. Work without shaping until armhole measures same as for back, cast off.

RIGHT FRONT: Work to correspond with the Left Front, but with all shapings reversed and the patt. border at the beg. of needle instead of at end. When working front slope shapings on this side do not k. 2 tog., but decrease in this manner:—Patt border, sl. 1, k. 1, p.s.s.o., work to end of row.

SLEEVES (both alike): Using No. 11 needles, cast on 40 sts. and work 1½ ins. in k. 1, p. 1 rib inc. into every 10th st. on last row. (44 sts.). Change to No. 9 needles and work in st.st., inc. 1 st. at both ends of every 6th row until there are 58 sts. on needle and sleeve measures 7½ ins. (or length required).

SHAPE TOP: Cast off 2 sts. at beg. of every row until 18 sts. rem. Cast off.

FRONT STRAPPING: Using No. 11 needles, cast on 10 sts. and work in k. 1, p. 1 rib, making a buttonhole in the 5th row and then in every following 14th row until there are 5 in all thus:—Rib 4, cast off 2, rib 4. On the following row cast on 2 sts. to replace those cast off. Cont. in rib until strapping is long enough to fit front and neck edges (slightly stretched), cast off.

TO MAKE UP: Press work with a warm iron over a damp cloth, omitting ribbing and pressing patt. border very lightly. Join shoulder, side and sleeve seams. Sew in sleeves. Stitch strapping to front and neck edges, buttonhole portion to right-hand side. Press seams. Sew on buttons. [END

MATERIALS: 3 ozs. of 4-ply Fingering Wool in the main shade and a small amount of the same wool in gold (for sand), blue (for hat and shorts), red (for spade and bucket) and flesh (for body and legs). 1 pair each Nos. 10 and 12 knitting needles. Elastic for back of suit.

ABBREVIATIONS: See Page 18.

MEASUREMENTS: Around widest part 20 ins., length from top of bib to lower edge 13½ ins.

Commence at waist edge of back: Using No. 12 needles and main shade, cast on 68 sts. and work 14 rows in k. 1, p. 1 rib.

Change to No. 10 needles and k. 1 row. Now shape back as follows:—

1st row: P. 40, turn.

2nd row: K. 12, turn.

3rd row: P. 19, turn.

4th row: K. 26, turn.

5th row: P. 33, turn. Cont. in this way working 7 more sts. before turning on every row until all the sts. have been worked, then cont. in st.st. inc. 1 st. at both ends of the 7th and every following 8th row until there are 78 sts. on needle and the side edges measure 6½ ins. from beg., ending with a p. row.

SHAPE LEGS: Cast off 6 sts. at beg. of next 10 rows. (18 sts. rem.). Work in st.st. on these 18 sts. for 2 ins. to form gusset then shape front legs by casting on 6 sts. at beg. of following 10 rows. (78 sts.). Cont. in st.st. dec. 1 st. at both ends of every 8th row to match back increases until 68 sts. rem., then work without shaping until the side edge measures the same as for back to lower edge of waist ribbing, ending with a p. row. Change to No. 12 needles and work 14 rows in k. 1, p. 1 rib. Still working in rib cast off 18 sts. at beg. of next 2 rows. (32 sts.).

Change back to No. 10 needles and work the bib thus:—Work 6 rows in st.st. Change to gold wool and commence working from the fairisle chart. Each square represents one st. and the 32 sts. and 24 rows shown in the chart form the complete patt. Work all k. rows from right to left of chart and all p. rows from left to right.

NOTE: Do not attempt to carry the various shades across at the back of work, but join in the required colour when the position for that colour is reached and use about a yard length each time. Thus the first 6 rows will be worked as follows:—

Work 4 rows in st.st. in gold.

5th row: K. 21 gold, 3 flesh, 8 gold.

6th row: P. 8 gold, 10 flesh, 14 gold.

Cont. in this way, using the different colours as indicated until the

chart has been completed, then cont. in st.st. in main shades until the bib measures 4 ins. from top of waist-band. Change to No. 12 needles and work 12 rows in garter st. (every row k.), cast off.

LEG BANDS: Using No. 12 needles and main shade and with right side facing, pick up and k. 70 sts. evenly around leg opening. Work

10 rows in k. 1, p. 1 rib, cast off LOOSELY.

Work other leg to match.

BIB BORDERS AND SHOULDER STRAPS COMBINED (Make 2 pieces): Using No. 12 needles and main wool, cast on 7 sts. and work in garter st. for 16 ins. (or length required), cast off.

(continued on page 18)

Sun Suit

For boy or girl aged 9 months to 2 years.





Bunny Slippers

Designed for the baby aged 6 to 9 months.

MATERIALS: $\frac{1}{2}$ oz. of 4-ply Knitting Yarn with Nylon in the main shade and a small ball of the same wool in pink or blue for lining ears. 1 pair No. 10 knitting needles 2 small buttons.

MEASUREMENTS: Length of foot, $4\frac{1}{2}$ ins.

ABBREVIATIONS: See Page 18.

Cast on 24 sts. and k. 1 row. Cont. in garter st. (every row k.), inc. 1 st. at the end of every row until there are 34 sts. on needle.

K. 2 rows. Cont. in garter st., dec. 1 st. at the end of every row until 24 sts. rem.

K. 1 row.
Next row: K., turn and cast on 7 sts. (for heel).

Cont. in garter st., inc. 1 st. at the toe end of needle on next and every alternate row until there are 38 sts. on needle.

K. 1 row.
Next row: Cast off 23 sts., k. 15.
Next row: P.

Cont. in st.st. for 14 more rows, then turn and cast on 23 sts. (38 sts.).

Next row: K. to last 2 sts., k. 2 tog.
Next row: K.

Rep. these last two rows until 31 sts. rem., cast off.

EARS: Using pink or blue wool and with r.s.f., pick up and k. 8 sts. from side of instep to centre of instep.

K. 1 row. Cont. in garter st., inc. 1 st. in the centre of the next and every following right side row until there are 11 sts. on needle. K. 3 rows without shaping. Now dec. 1 st. in centre of next and every following right side row until 4 sts. rem. K. 2 tog. twice, then k. 2 tog. and fasten off. Make a second ear the same, but picking up the 8 sts. from centre to side of instep.

EAR LININGS (make 2): Using main shade work as for the ears, casting on 8 sts. instead of picking them up from instep.

ANKLE STRAP: Join heel seam. Using main shade, cast on 13 sts., then pick up and k. 7 sts. at each side of heel seam, cast on 13 sts. (40 sts.). K. 2 rows.

3rd row: K. until 3 sts. rem., wool forward to make a st., k. 2 tog., k. 1.
K. 1 more row, then cast off loosely.

Make a second shoe the same, but make the buttonhole at the opposite end of ankle strap.

TO MAKE UP: Stitch a lining to each ear, right sides together. Turn linings out to right side then stitch lightly across at the base of ears. Stitch the sides of ears together in centre at the base to form correct ear shapes. Sew up the seam around the sole, gathering up the fullness around the toe. Sew on button to ankle strap. Embroider the face and whiskers as shown in the illustration. **[END]**

PRAM SET

(continued from page 3)

worked, then work 4 rows in st.st. dec 1 st. at both ends of the 1st and 4th rows (95 sts.).

Now work 10 rows in moss st., then divide for the ear flaps as follows:—

Next row: Cast off 4 sts., moss st. 28, cast off 31, moss st. 32.

Next row: Cast off 4 sts. and cont. in moss st. on the rem. 28 sts. dec. 1 st. at the beg. of every row until 6 sts. rem. Work 2 tog. 3 times, work 2 tog. and fasten off.

Rejoin wool at the needle point and work 1 row, then cont. in moss st. dec. 1 st. at the beg. of every row until 5 sts. rem. Cont. on these 5 sts. for 3 ins., cast off.

THE MITTENS:

Using No. 9 needles, cast on 37 sts. and work 8 rows in moss st. Now work the 10 patt. rows once, then work 4 rows in st.st.

Change to No. 11 needles and work the ribbonholes thus:—K. 1, * wool forward, k. 2 tog.; rep. from * to end.

Next row: P.

THUMB GUSSET: Cont. in st.st. throughout.

1st row: K. 18, k. twice into the next st., k. 18.

2nd and every alternate row: P.

3rd row: K. 18, k. twice into each of the next 2 sts., k. 18.

5th row: K. 18, k. twice into next st., k. 2, k. twice into next st., k. 18.

Cont. in this way, working 2 extra sts. between the increases on every alternate row until there are 9 extra sts. on the needle (46 sts.). P. back.

Next row (The Thumb): K. 28, turn and p. 10 back. Cont. on these 10 sts. for 8 rows.

Next row: K. 2 tog. all along row. Break off wool, thread through rem. sts. and sew down seam of thumb. Cont. across all stitches for 14 rows.

SHAPE TOP:

1st row: K. 1, k. 2 tog., t.b.s., k. 12, k. 2 tog., k. 2, k. 2 tog., t.b.s., k. 12, k. 2 tog., k. 1.

2nd and every alternate row: P.

3rd row: K. 1, k. 2 tog., t.b.s., k. 10, k. 2 tog., k. 2, k. 2 tog., t.b.s., k. 10, k. 2 tog., k. 1.

5th row: K. 1, k. 2 tog., t.b.s., k. 8, k. 2 tog., k. 2, k. 2 tog., t.b.s., k. 8, k. 2 tog., k. 1.

7th row: K. 1, k. 2 tog., t.b.s., k. 6, k. 2 tog., k. 2, k. 2 tog., t.b.s., k. 6, k. 2 tog., k. 1.

8th row: P 10, turn.

Fold the work in half (right side inside) and cast off from both needles together.

(continued on page 18)

Boy's First Suit

For the "Little Man" 6 to 12 months.



MATERIALS: 5 ozs. 3-ply Patonyle Knitting Yarn with Nylon. 1 pair each Nos. 9 and 11 knitting needles, 4 buttons. A medium-sized crochet hook.

MEASUREMENTS: Jersey: Length from shoulder to lower edge, 11 ins., chest 20 ins., sleeve seam 7½ ins.; Knickers: Centre front 9½ ins.

ABBREVIATIONS: See Page 18.

THE PATTERN (number of stitches divisible by 8 plus 2):

1st row: K. 2, * p. 1, "twist A" thus:—K. into front of 2nd st. on left-hand needle, then p. into front of 1st st. and slip both sts. off the needle tog., "twist B" thus:—Pass needle behind first st. on left hand needle and p. into front of 2nd st., then k. into front of 1st st. and slip both sts. off needle tog., p. 1, k. 2; rep from * to end.

2nd row: P. 2, * k. 1, p. 1, k. 2, p. 1, k. 1, p. 2; rep. from * to end.

3rd row: K. 2, * "twist A," p. 2, "twist B," k. 2; rep. from * to end.

4th row: P. 3, * k. 4, p. 4; rep. from * ending with p. 3 instead of p. 4.

5th row: K. 2, * p. 2, k. 2; rep from * to end.

6th row: P. 2, * k. 2, p. 2; rep from * to end.

Rep. these last 2 rows twice more. (10 rows to patt.).

THE JERSEY.

THE BACK: Using No. 11 needles, cast on 74 sts. and work as follows:—

1st row: K. 2, * p. 2, k. 2; rep. from * to end.

2nd row: P. 2, * k. 2, p. 2; rep. from * to end.

Rep. these 2 rows for 1½ ins., ending with a 2nd row.

Change to No. 9 needles and work in patt. until the piece measures 7½ ins., ending with a wrong side row.

SHAPE ARMHOLES: Keeping patt. correct, cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of the next 5 rows (58 sts.).

Cont. in patt. until armholes measure 3½ ins. on straight, ending with a wrong side row.

SHAPE NECK: Patt. 21, cast off 16, patt. 21. Cont. on the last 21 sts., dec. 1 st. at neck edge on next 4 rows, cast off. Rejoin wool at neck edge and work other side to correspond, reversing shapings.

THE FRONT: Work as for back until armholes measure 2½ ins. on straight, ending with a wrong side row.

SHAPE NECK: Patt. 22, cast off 14, patt. 22. Cont. on last 22 sts., dec. 1 st. at neck edge on every row
(continued on page 17)

DUCKIE SET

(continued from page 4)

Change to No. 9 needles and work in st.st. until the piece measures 10½ ins. at side edge, ending with a p. row.

Now count across 8 sts. from each end and place a piece of contrasting coloured wool between the 8th and the next sts., thus the centre 57 sts. are marked off for working the fair-isle motifs, which are worked throughout in st.st. Each square represents 1 st., and the 57 sts. and 15 rows shown in the chart form the complete patt. for working across yoke.

1st row: K. 8 M., then, working from chart, k. * 1 M., 3 W.; rep. from * to 1 st. before marker, then k. to end in M.

2nd row: P. 8 M., then, working from chart, P. * 1 W., 3 M.; rep. from * to 9 sts. from end, 1 W., 8 M.

3rd row: K. 8 M., then from chart k. 9 M., 6 W., 9 M., 10 W., 8 M., 6 W., 9 M., then k. to end in M.

4th row: P. 8 M., then from chart P. 8 M., 3 W., 3 M., 2 W., 6 M., 12 W., 7 M., 3 W., 3 M., 2 W., 8 M., then k. to end in M.

Cont. in this way, working the centre 57 sts. from chart, using the different coloured wool as indicated until 10 rows have been completed from beg. of fair-isle; the small ducks are now completed and only the head of centre one remains.

SHAPE ARMHOLES: Keeping patt. correct for head of large duck, cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of next 4 rows. (59 sts.). Cont. in st.st. in

M. until armholes measure 2½ ins. on straight, ending with a p. row.

SHAPE NECK: K. 21, cast off 17, k. 21. Cont. on last 21 sts., dec. 1 st. at neck edge on next 5 rows. (16 sts.). Then work without shaping until armholes measure 3½ ins. on straight, cast off. Rejoin wool at neck edge and work other side to correspond, reversing shapings.

BACK: Work as for front (omitting buttonholes) until piece measures 8½ ins. at side edge, ending with a p. row. Now shape back as follows:—

1st and 2nd rows: K. until 8 sts. rem., turn and p. until 8 sts. rem., turn.

3rd and 4th rows: K. until 14 sts. rem., turn and p. until 14 sts. rem., turn.

5th and 6th rows: K. until 20 sts. rem., turn and p. until 20 sts. rem., turn.

7th and 8th rows: K. until 26 sts. rem., turn and p. until 26 sts. rem., turn.

9th and 10th rows: K. until 32 sts. rem., turn and p. until 32 sts. rem., turn; then k. to end. P. 1 row across all sts.

Now work the decrease row and the 15 rows of ribbed waistband as for front (changing to No. 11 needles). Change back to No. 9 needles and work the back opening thus (73 sts. on needle):—

Next row: K. 34, turn; leaving rem. 39 sts. on a spare needle or stitch-holder until required.

Next row: Cast on 5 sts. (for underlap), then k. 5 and p. to end. (39 sts.). Cont. in st.st., keeping 5 sts. at centre back in garter st. (every row k.) as a border throughout until work

measures same as for front to commencement of armhole shapings.

SHAPE ARMHOLE: Cast off 2 sts. at beg. of next row, then dec. 1 st. at armhole edge on the following 5 rows. (32 sts. rem.). Work without further shaping until armhole measures 3½ ins. on straight, ending with a right side row.

SHAPE NECK: Cast off 13 sts. p. to end. Dec. 1 st. at neck edge on following 3 rows, cast off.

Rejoin wool at centre back and work other side to correspond, reversing shapings and making a button hole at beg. of 5th row and then at intervals of 1 in. until there are 4 in all thus:—K. 3, wind wool twice around needle, k. 2 tog., work to end. On following row drop one, make st. and k. the other.




SHORT SLEEVES: Using No. 11 needles, cast on 50 sts. and work 1 k. 1, p. 1 rib for 8 rows.

Next row: Change to No. 9 needles and work the next row thus K. 11, inc. into every 3rd st. until 9 increases have been made, k. to end. (59 sts.). Cont. in st.st. until work measures 1½ ins.

SHAPE TOP: Cast off 2 sts. at beg. of every row until 19 sts. rem., cast off.

LONG SLEEVES: Using No. 11 needles, cast on 38 sts. and work 1 inch in k. 1 p. 1 rib. Change to No. 9 needles and k. next row, inc. into every 7th st. (43 sts.). Cont. in st.st., inc. at both ends of every 6th row until there are 59 sts. on needle and work measures 7 ins. (or length

(continued on page 17)





Frock

In an attractive
rosebud stitch.

Size 1 to 2 years.



MATERIALS: 4 ozs. of Baby Wool with Nylon. 1 pair each Nos. 9 and 11 knitting needles. 4 small buttons. A medium-sized crochet hook. Ribbon.

MEASUREMENTS: Length 17 ins., chest 22 ins., sleeve seam 2 ins.

ABBREVIATIONS: See Page 18.

NOTE: The pattern used for the skirt of frock requires a number of stitches divisible by 17 plus 2.

THE FROCK

THE FRONT: Using No. 9 needles, cast on 155 sts. and work 8 rows in garter st.

Now work in the following patt.:

1st row: K. 1, * k. 2 tog., k. 3, m. 1, k. 1, p. 2 (k. 1, p. 1 and k. 1 all into the next st.), p. 2, k. 1, m. 1, k. 3, sl. 1, k. 1, p.s.s.o.; rep. from * until 1 st. rem., k. 1.

2nd row: K. 1, p. 6, * k. 2, p. 3, k. 2, p. 12; rep. from * ending with p. 6, k. 1, instead of p. 12.

3rd row: K. 1, * k. 2 tog., k. 3, m. 1, k. 1, p. 2, k. 3, p. 2, k. 1, m. 1, k. 3, sl. 1, k. 1, p.s.s.o.; rep. from * until 1 st. rem., k. 1.

4th row: As for 2nd row.

5th row: K. 1, * k. 2 tog., k. 3, m. 1, k. 1, p. 2, sl. 1, k. 2 tog., p.s.s.o., p. 2, k. 1, m. 1, k. 3, sl. 1, k. 1, p.s.s.o.; rep. from * until 1 st. rem., k. 1.

6th row: K. 1, p. 6, * k. 2, p. 1, k.

2, p. 12; rep. from * ending with p. 6, k. 1, instead of p. 12.

These 6 rows comprise the patt. Cont. to rep. them until the work measures 12 ins., ending with a 4th patt. row.

Now dec. for the waist as follows:—

Next row: K. 2 tog., k. 3 tog., k. 2 tog., * p. 2 tog., sl. 1, k. 2 tog., p.s.s.o., p. 2 tog., sl. 1, k. 1, p.s.s.o. (k. 2 tog.) 5 times; rep. from * until 14 sts. rem., p. 2 tog., sl. 1, k. 2, p.s.s.o., p. 2 tog., sl. 1, k. 1, p.s.s.o., k. 3 tog., k. 2 tog. (81 sts.).

Next row: K. 2, * p. 1, k. 1, p. 1, k. 1, p. 1, k. 4; rep. from * ending with k. 2 instead of k. 4.

Now work the yoke in the following patt.:

1st row: P. 2, * k. 1, p. 1 (k. 1, p. 1 and k. 1 all into the next st.), p. 1, k. 1, p. 4; rep. from * ending with p. 2 instead of p. 4.

2nd row: K. 2, * p. 1, k. 1, p. 3, k. 1, p. 1, k. 4; rep. from * ending with k. 2 instead of k. 4.

3rd row: P. 2, * k. 1, p. 1, k. 3, p. 1, k. 1, p. 4; rep. from * ending with p. 2 instead of p. 4.

4th row: As the 2nd row.

5th row: P. 2, * k. 1, p. 1, sl. 1, k. 2 tog., p.s.s.o., p. 1, k. 1, p. 4; rep. from * ending with p. 2 instead of p. 4.

6th row: K. 2, * p. 1, k. 1, p. 1,

k. 1, p. 1, k. 4; rep. from * ending with k. 2 instead of k. 4.

These 6 rows comprise the yoke patt. Rep. them once more.

SHAPE ARMHOLES: Note: When counting the number of sts. while shaping, disregard the increased sts. which form the patt. and count these 3 sts. as one st. only.

Keeping the patt. correct, cast off 2 sts. at the beg. of the next 2 rows, then dec. 1 st. at both ends of every row until 5 sts. have been reduced at both ends of the work.

71 sts. will rem., counted after a 5th or a 6th patt. row.

Cont. in patt. without further shaping until the armholes measure 2½ ins. on the straight, ending with a wrong side row.

SHAPE NECK: Patt. across 28 sts., cast off 15, patt. 28. Cont. in patt. on the last 28 sts. dec. 1 st. at the neck edge on every row until 22 sts. rem., then work without shaping until the armhole measures 3½ ins. on the straight, cast off. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

THE BACK: Work as for the front until the armholes measure 3½ ins. on the straight, ending with a wrong side row.

(continued on page 18)



Lacy Socks

A neat lacy design in the first two sock sizes. Easy to make on two needles.

MATERIALS: FIRST SIZE: 1 oz. of 3-ply Knitting Yarn with Nylon. 1 pair No. 12 knitting needles.

MEASUREMENTS: Length of foot, $4\frac{1}{2}$ ins., length of leg, 5 ins.

ABBREVIATIONS: See Page 18.

Using wool double cast on 46 sts. then cont. with single wool and work in k. 1, p. 1 rib for $1\frac{1}{2}$ ins. inc. 1 st. at end of last row. (47 sts.). Now cont. in the following patt.:

1st row: K. 2, * k. 2 tog., m. 1, k. 2; rep. from * ending with k. 3, instead of k. 2.

2nd row: P. 2, * p. 2 tog., m. 1, p. 2; rep. from * ending with p. 3 instead of p. 2.

Rep. these 2 patt. rows until work measures 4 ins. from commencement, ending with a 2nd row.

Now work heel thus:—(1st half) K. 12, turn; Next row: Sl. 1, p. to last st., k. 1.

Rep. these last 2 rows 6 more times. (14 rows in all). Now turn the half heel thus:—

1st row: K. 3, k. 2 tog., k. 1, turn. 2nd and every alternate row: Sl. 1, p. to last st., k. 1.

3rd row: K. 4, k. 2 tog., k. 1, turn; 5th row: K. 5, k. 2 tog., k. 1, turn; 7th row: K. 6, k. 2 tog., k. 1, then k. up 7 sts. at the side of heel on to this needle, work next 23 sts. in patt., k. 12.

Now work 2nd half of heel thus:— 1st row: P. 11, k. 1, turn.

2nd row: Sl. 1, k. to end. Rep. these 2 rows 6 more times.

Now turn the half heel thus:—

1st row: P. 3, p. 2 tog., p. 1, turn; 2nd and every alternate row: Sl. 1, k. to end.

3rd row: P. 4, p. 2 tog., p. 1, turn;

5th row: P. 5, p. 2 tog., p. 1, turn;

7th row: P. 6, p. 2 tog., p. 1. Now pick up and p. 7 sts. up side of heel, patt. 23, p. 15. (53 sts.).

Work for instep as follows:—

1st row: K. 12, k. 2 tog., k. 1, patt. 23, k. 1, sl. 1, k. 1, p.s.s.o., k. to end.

2nd and 4th rows: K. 1, work to last st. (keeping centre 23 sts. in patt.), k. 1.

3rd row: K. 11, k. 2 tog., k. 1, patt. 23, k. 1, sl. 1, k. 1, p.s.s.o., k. to end.

5th row: K. 10, k. 2 tog., k. 1, patt. 23, k. 1, sl. 1, k. 1, p.s.s.o., k. to end.

Cont. on these 47 sts., working the 12 sts. at each end of needle in st.st. and the centre 23 sts. in patt. for 2 ins., ending with a wrong side row.

SHAPE TOE:

1st row: K. 9, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 17, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 9.

2nd and every alternate row: K. 1, p. to last st., k. 1.

3rd row: K. 8, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 15, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 8.

5th row: K. 7, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 13, k. 2 tog., k. 2, sl. 1, k. 1, p.s.s.o., k. 7.

Cont. in this way, dec. 4 sts. on all right side rows, working 1 st. less before the 1st and after the last dec. and 2 sts. less at centre until 19 sts. rem., cast off.

Work a second sock exactly the same.

TO MAKE UP: Press work lightly with a warm iron over a damp cloth, omitting ribbing, join leg, foot and toe seams. Press seams.

SECOND SIZE SOCKS: 1 oz. of 3-ply Fingering Wool. 1 pair No. 11 knitting needles.

MEASUREMENTS: Length of foot: 5 ins., length of leg, $5\frac{1}{2}$ ins.

Work as for instructions for first size socks but with the following alterations:— Work until piece measures $4\frac{1}{2}$ ins. before commencing heel, then after the instep shapings have been completed, work along foot for $2\frac{1}{2}$ ins. before commencing toe shapings.

[END]

MATERIALS: 4 ozs. of 4-ply Knitting Yarn with Nylon. 1 pair each Nos. 9 and 11 knitting needles. 5 buttons.

MEASUREMENTS: Length from shoulder to lower edge, 10½ ins.; chest, 21 ins.; sleeve seam, 7 ins.

ABBREVIATIONS: See Page 18.

THE PATTERN (number of stitches divisible by 8 plus 2).

1st row: K. 1, * p. 4, k. 4; rep. from * to last st., k. 1.

2nd row: K. 1, p. to last st., k. 1.

Rep. these 2 rows once.

5th row: K. 1, * k. 4, p. 4; rep. from * to last st., k. 1.

6th row: K. 1, p. to last st., k. 1.

Rep. last 2 rows once. (8 rows to patt.).

BACK: Using No. 11 needles, cast on 74 sts. and work 10 rows in garter st. (every row k.). Change to No. 9 needles and work in patt. until the back measures 6½ ins. ending with a wrong side row.

SHAPE ARMHOLES: Cast off 2 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of the following 6 rows. (58 sts.). Cont. in patt. without further shaping until armholes measure 3½ ins. on straight.

SHAPE NECK: Patt. 19, cast off 20, patt. 19. Cont. on last 19 sts. dec. 1 st. at neck edge on next 3 rows; cast off. Rejoin wool at neck edge and work other side to correspond.

RIGHT FRONT: Using No. 11 needles, cast on 40 sts. and work 10 rows in garter st. Change to No. 9 needles and work in patt. with a garter st. border as follows:—

1st row: K. 7, * p. 4, k. 4; rep. from * to last st., k. 1.

2nd row: K. 1, p. until 7 sts. rem., k. 7.

Rep. last 2 rows once.

5th row: K. 7, * k. 4, p. 4; rep. from * to last st., k. 1.


6th row: K. 1, p. until 7 sts. rem., k. 7.

Rep. these last 2 rows once. (8 rows to patt.).

Cont. in patt. until work measures same as for back to commencement of armhole shapings, ending with a right side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 2 sts. at beg. of next row, work to end.

Next row: K. 7, work 2 tog., patt. to last 2 sts., work 2 tog. Cont. in patt. dec. 1 st. at armhole edge on the following 5 rows (8 sts. reduced at this edge) but at the same time cont. to shape front slope by dec. 1 st. immediately inside the garter st. border on every following 4th row until 23 sts. rem. and the armhole measures the same as for the back to shoulder, cast off the 16 shoulder sts.



... Cardigan

Sizes 9 to 18 months. Made in a simple block stitch.

and cont. on rem. 7 border sts. for 1½ ins., cast off.

LEFT FRONT: Work to correspond with the Right Front with the border and all shapings at opposite ends of work, making a buttonhole in the 5th row and then at intervals of 1½ ins. until there are 5 in all, thus:—Work until 5 sts. rem., cast off 2, k. 3. In the following row cast on 2 sts. to replace those cast off.

SLEEVES (both alike): Using No. 11 needles, cast on 38 sts. and work 10 rows in garter st. inc. into every 9th st. on last row. (42 sts.).

Change to No. 9 needles and work

in patt., inc. 1 st. at both ends of every 6th row until there are 58 sts. on needle and the piece measures 7 ins. (or length required).

SHAPE TOP: Dec. 1 st. at both ends of every row until 20 sts. rem. Cast off, working 2 tog. at both ends of casting off row.

TO MAKE UP: Press work lightly with a warm iron over a damp cloth. Join shoulder, side and sleeve seams. Sew in sleeves. Stitch together the 2 sets of border sts. and sew to back neck edge. Press all seams. Sew on buttons. **[END]**

Romper and Cardigan Set

To fit sizes 9 to 18 months.

MATERIALS: 7 ozs. 3-ply Patonyle Knitting Yarn with Nylon for the complete set made with long sleeves in Romper, or 6 ozs. for short sleeves. If made separately allow 3 ozs. for short sleeved Romper (4 ozs. long sleeves) and 3 ozs. for the Cardigan. 1 pair each Nos. 9 and 11 knitting needles. 10 small buttons for Romper, 5 for Cardigan. A medium-sized crochet hook.



MEASUREMENTS, Romper: Shoulder to crutch, when fastened $16\frac{1}{2}$ ins., around underarm, 20 ins., short sleeve seam, $1\frac{1}{2}$ ins., long sleeve seam, $8\frac{1}{2}$ ins. **Cardigan:** Length from shoulder to lower edge, $10\frac{1}{2}$ ins., chest 21 ins., sleeve seam $8\frac{1}{2}$ ins.

ABBREVIATIONS: See Page 18.

THE PATTERN FOR WAISTS AND YOKES: (Number of stitches divisible by 5 plus 2).

1st row: P. 2, * sl. 1, k. 2, p.s.s.o. the 2 knit sts., p. 2, rep. from * to end.

2nd row: K. 2, * p. 1, m. 1, p. 1, k. 2; rep. from * to end.

3rd row: P. 2, * k. 1, k. into back of next st., k. 1, p. 2; rep. from * to end.

4th row: K. 2, * p. 3, k. 2; rep. from * to end. (4 rows to patt.).

ROMPER.

FRONT: Using No. 9 needles, cast on 23 sts. and k. 4 rows. Work buttonholes thus:—* k. 2 tog., m. 1, k. 5; rep. from * twice, m. 1, k. 2 tog.

Knit 3 rows.

Next row: Knit, turn and cast on 48 sts.

Next row: Purl, turn and cast on 48 sts. (119 sts.).

(continued overleaf

COMMENCE GUSSET SHAPING:

1st row: K. 48, sl. 1, k. 1, p.s.s.o., k. 19, k. 2 tog., k. 48.

2nd and every alternate row: P.

3rd row: K. 48, sl. 1, k. 1, p.s.s.o., k. 17, k. 2 tog., k. 48.

5th row: K. 48, sl. 1, k. 1, p.s.s.o., k. 15, k. 2 tog., k. 48.

7th row: K. 48, sl. 1, k. 1, p.s.s.o., k. 13, k. 2 tog., k. 48.

Cont. in this way working 2 sts. between the decreasings on every alternate row, until the row, k. 48, sl. 1, k. 1, p.s.s.o., k. 1, k. 2 tog., k. 48 has been completed. (99 sts.).

Work the next alternate row thus: K. 48, sl. 1, k. 2 tog., p.s.s.o., k. 48. (97 sts.).

Cont. in st.st. without further shaping until work measures 9 ins. at side edge, ending with a p. row.

Decrease for waist as follows:—K. 2 tog., * k. 3, k. 2 tog.; rep. from * to end. (77 sts.).

Next row: Purl.

Now work in patt. as given at beg. of instruction for 3 patts. (12 rows), then work the first 2 patt. rows again. Now work in st.st., but on the first row k. into the back of all the made sts. on the previous patt. row. Cont. in st.st. until work measures 12½ ins. at side edge, ending with a p. row.

SHAPE ARMHOLES: Cast off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of the following 7 rows. (57 sts.). Cont. in st.st. until armhole measures 1½ ins. on straight, ending with a p. row. Now work 2 patts. (8 rows) as for waistband, then work the first 2 patt. rows again.

SHAPE NECK: Next row: Patt. 22, cast off 13, patt. 22. Cont. in patt. on the last 22 sts., dec. 1 st. at neck edge on next 4 rows (18 sts.), then work without shaping (in patt.) until armhole measures 3½ ins. on straight, cast off. Rejoin wool at neck edge and work other side to correspond, reversing shapings.

BACK: Work as for front (omitting buttonholes) until work measures 9 ins. at side edge, ending with a p. row.

SHAPE BACK: 1st and 2nd rows: K. to last 8 sts., turn and p. to last 8 sts., turn.

3rd and 4th rows: K. to last 13 sts., turn and p. to last 13 sts., turn.

5th and 6th rows: K. to last 18 sts., turn and p. to last 18 sts., turn.

7th and 8th rows: K. to last 23 sts., turn and p. to last 23 sts., turn.

9th and 10th rows: K. to last 28 sts., turn and p. to last 28 sts., turn.

11th and 12th rows: K. to last 33 sts., turn and p. to last 33 sts., turn, and k. to end.

P. 1 row across all sts.

Now cont. as for front from the waist decrease row but when working

the patt. on the yoke work 4 patts. instead of 2 as on front yoke.

SHAPE NECK (r.s.f.): Patt. 21, cast off 15, patt. 21. Cont. on last 21 sts. dec. 1 st. at neck edge on next 3 rows, then work on rem. 18 sts. until armhole measures same as for front to shoulder, cast off. Rejoin wool at neck edge and work other side to correspond.

SHORT SLEEVES (both alike): Using No. 11 needles cast on 52 sts. and work in k. 1, p. 1 rib for 8 rows. Change to No. 9 needles and k. 1 row, inc. into every 8th st. (58 sts.). Cont. in st.st. until sleeve measures 1½ ins.

SHAPE TOP: Cast off 2 sts. at beg. of every row until 22 sts. rem., cast off.

LONG SLEEVES (both alike): Using No. 11 needles, cast on 40 sts. and work in k. 1, p. 1 rib for 2 ins. Change to No. 9 needles and k. the next row inc. into every 10th st. (44 sts.). Cont. in st.st., inc. 1 st. at both ends of the 7th and every following 6th row until there are 58 sts. on needle and work measures 8½ ins. (or length required).

Shape top as given for shaping top of short sleeves.

LEG BANDS: Join side seams. Using No. 11 needles and with r.s.f., pick up and k. 80 sts. around leg opening. Work 5 rows in k. 1, p. 1 rib.

MAKE BUTTONHOLES (left leg): Rib 2, m. 1, work 2 tog., rib to end. Work 2 more rows in rib. Cast off loosely in rib. For right leg make buttonholes at end of 6th row instead of at beg.

CARDIGAN.

BACK: Using No. 9 needles, cast on 72 sts. and work in patt. for 12 rows (3 patts.), then work the first 2 patt. rows again.

Cont. in st.st. until the piece measures 6½ ins. from commencement, ending with a p. row but when working the first row after patt. band has been completed be sure to k. into back of all "made sts." on the previous row.

SHAPE ARMHOLES: Dec. 1 st. at both ends of the next 5 rows. (62 sts.). Work 7 rows in st.st. Now with r.s.f. work in yoke patt. until armholes measure 3½ ins. on straight, ending with a wrong side row.

SHAPE NECK: Patt. 20, cast off 22, patt. 20. Cont. on the last 20 sts. dec. 1 st. at the neck edge on next 3 rows, cast off rem. sts. Rejoin wool at neck edge and work other side to correspond, reversing shapings.

LEFT FRONT: Using No. 9 needles, cast on 42 sts. and work

12 rows in patt. then work the first 2 patt. rows again. Now work in st.st. but on the first row work into back of every made st. of the previous row. Cont. in st.st. until piece measures 6½ ins., ending with a wrong side row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 8 sts. at beg. of next row, work to last 2 sts., k. 2 tog. Dec. 1 st. at armhole edge on next 5 rows (13 sts. decreased at this edge) but at the same time cont. to shape front slope by dec. 1 st. at front edge on every 3rd row. Work 4 rows in st.st. without shaping at armhole edge, then change to yoke patt. still dec. at front edge on every 3rd row until 17 sts. rem. and the armhole measures the same as for the back to shoulder. Cast off.

RIGHT FRONT: Work to correspond with the Left Front, reversing all shapings and taking care to work the patt. on yoke to match that on Left Front;—so that the 2 p. sts. are at armhole edge.

SLEEVES (both alike): Using No. 11 needles, cast on 40 sts. and work in k. 1, p. 1 rib for 2 ins. Change to No. 9 needles and k. the next row, inc. into every 10th st. (44 sts.). Cont. in st.st. inc. 1 st. at both ends of the 7th and every following 6th row until there are 60 sts. on needle and work measures 8½ ins. (or length required).

SHAPE TOP: Cast off 2 sts. at beg. of every row until 20 sts. rem. Cast off.

FRONT STRAPPING: Using No. 11 needles cast on 8 sts. and work in k. 1, p. 1 rib. Make a buttonhole in the 5th and every following 12th row (5 in all) thus:—Rib 3, cast off 2, rib 3. On the following row cast on 2 sts. to replace those cast off. Cont. in rib until strapping is long enough to fit fronts and back neck edges (slightly stretched), cast off.

TO MAKE UP: Press work lightly with a warm iron over a damp cloth, omitting patt. portions and ribbing.

ROMPER: Join shoulder seams for ½ in. from armhole edges. Sew up sleeve seams and insert into armholes. Work a row of d.c. around neck and shoulder openings, making 2 small chain loops on each shoulder front. Sew on buttons, 2 on each shoulder and 6 on underleg flap to match buttonholes. **CARDIGAN:** Join shoulder, side and sleeve seams. Sew in sleeves, placing the seams ½ in. towards the front from side seams — this is important. Sew strapping to front and neck edges, buttonhole portion to right side for a Girl and the left side for a Boy. Press seams. Sew on buttons. [END]

Eskimo Suit

Snug and warm for those colder days. Fits sizes 9 to 18 months.



MATERIALS: 8 ozs. of 4-ply Patonyle Knitting Yarn with Nylon for the set with Pixie Hood. For suit only:—6½ ozs. will be required. 1 pair each Nos. 9 and 11 knitting needles. A 14 inch zipp fastener.

MEASUREMENTS: Chest—22 ins., Shoulder to crutch at front — 16 ins., shoulder to centre of ribbing at front waist — 7½ ins., inside leg seam to ankle — 10 ins., sleeve seam — 8½ ins.

ABBREVIATIONS: See Page 18.

SUIT

LEFT LEG: Commence at the ankle, using No. 11 needles, cast on 48 sts. and work in k. 2, p. 2 rib for 2 ins. Change to No. 9 needles and k. next row. inc. into every 2nd st. (72 sts.). Next row: P. cont. in st.st. inc. 1 st. at each end of needle on every 10th row until 6 increases have been made at each end (84 sts.) and the work measures 9 ins. from commencement. Now inc. 1 st. at both ends of every alternate row until there are 94 sts. on needle, ending with a wrong side row.

Now dec. 1 st. at both ends of every alternate row until 84 sts. rem., ending with a wrong side row.

Next row: (r.s.f.) k. 79, moss st. 5.

Next row: Moss st. 5, p. 79.

Cont. in st.st. with the 5 sts. at the front edge in moss st as a border throughout, dec. 1 st. at the back edge at 1 inch intervals until 6 more decreasings have been made at this edge (78 sts.) and the work measures 7½ ins., from beg. of decreasings at crutch, ending with a wrong side row.

SHAPE THE BACK WAIST: 1st and 2nd rows: K. 54 sts., turn and p. pack.

(continued overleaf)

3rd and 4th rows: K. 45 sts., turn and p. back.

5th and 6th rows: K. 36 sts., turn and p. back.

7th and 8th rows: K. 27 sts., turn and p. back.

9th and 10th rows: K. 18 sts., turn and p. back.

11th and 12th rows: K. 9, turn and p. back.

Leave these sts. on a spare needle until required.

RIGHT LEG: Work as for left leg but working the moss st. border at the beg. of the work and the shapings at the end of right side rows. When the waist is reached work the back waist shapings commencing with a wrong side row facing.

Thus the first 2 rows of shaping will read as follows:—

1st and 2nd rows: P. 54, turn and k. back.

When the shapings are completed place the sts. for both legs on to a No. 11 needle, arranging so that the moss st. border on right leg is at the beg. of row and the left leg moss st. border at the end of needle (156 sts.). Now commence bodice part as follows:—

Next row: Using No. 11 needles, moss st. 5, p. 2 * k. 2, p. 2; rep. from * until 5 sts. rem., moss st. 5.

Work 9 more rows in k. 2 p. 2, rib and the moss st. borders as now set, thus ending with a wrong side row.

MAKE HOLES FOR GIRDLE: Moss st. 5, * wind wool around needle to make a st., p. 2 tog., k. 2; rep. from * until 7 sts. rem., make a st. as before, p. 2 tog., moss st. 5.

Work 11 more rows in rib (with moss st. borders), then change to No. 9 needles and work in st.st. on the main sts. until the work measures 3½ ins. from girdle holes, ending with a wrong side row.

COMMENCE ARMHOLE SHAPINGS: Next row: Moss st. 5, k. 31, cast off 6, k. 72, cast off 6, k. 31, moss st. 5, leaving the rem. sts. for back and right front until required. Cont. on the last 36 sts. for left front dec. 1 st. at the armhole edge on the following 7 rows (29 sts.). Cont. without further shaping until the armhole measures 3½ ins. on straight, ending with a right side row.

SHAPE NECK: Cast off 6 sts. from neck edge at the beg. of next row, then dec. 1 st. at this same edge on every row until 18 sts. rem. and the armhole measures 4½ ins. on straight. Cast off.

Rejoin wool at wrong side of sts. for back and cont. in st.st., dec. 1 st. at both ends of the next 7 rows. (58 sts.). Cont. in st.st. without further shaping until the armholes measure ½ in. less than front armholes.

SHAPE NECK: Next row: Work across 20 sts., cast off 18, work across 20. Cont. on last 20 sts. dec. 1 st. at the neck edge on next 2 rows. Cast off. Rejoin wool at the rem. 20 sts. and work to correspond, reversing shapings.

Rejoin wool at wrong side of sts. for right front and work to correspond with the left front, reversing all shapings.

SLEEVES: (both alike) Using No. 11 needles, cast on 40 sts. and work 2 ins. in k. 2, p. 2 rib. Change to No. 9 needles and work in st.st. inc. into every 4th st. on the first row. (50 sts.). Cont. in st.st. inc. 1 st. at both ends of the 7th and every following 8th row until there are 64 sts. on needle and the work measures 8½ ins. (or length required).

SHAPE TOP: Dec. 1 st. at both ends of every row until 20 sts. rem. Cast off, working 2 tog. at both ends of casting off row.

COLLAR: Using No. 9 needles, cast on 77 sts. and work in moss st. dec. 1 st. at both ends of every 4th row until the work measures 2½ ins. Next row: K., working tog. every 5th and 6th sts. Cast off.

TO MAKE UP: Press work well with a warm iron over a damp cloth, omitting the ribbing. Join the back seam of pants. Join front seam from crutch to beg. of moss st. border at front. Stitch zip neatly into front opening from neck to lower edge of opening, taking great care not to stretch edges while working, otherwise the zip will buckle up when the garment is worn. Join shoulder and sleeve seams. Sew in sleeves. Stitch collar to neck edge. Join leg seams.

THE GIRDLE: Using the wool double, crochet a length of chain, sufficient to thread through waist and

tie in a bow at front. Finish ends of girdle with tassels or pom poms.

THE PIXIE HOOD

Commence at one side. Using No. 9 needles, cast on 53 sts. and work in moss st., inc. 1 st. at the beg. of the 11th and every following 8th row (all increases to be made at same edge) until the work measures 4½ ins. Now inc. 1 st. at the shaped edge on every 4th row until the work measures 6½ ins. Now shape as follows (still inc. at shaped edge every 4th row):—

Next 2 rows: Moss st. until 49 sts. rem., then turn and moss st. back.

Next 2 rows: Moss st. until 41 sts. rem., then turn and moss st. back.

Next 2 rows: Moss st. until 33 sts. rem., then turn and moss st. to end.

Next 2 rows: Moss st. until 25 sts. rem., then turn and moss st. to end. These last 2 rows mark centre top of pixie hood. From now on the hood is worked in reverse and decreases must be made on the shaped edge to match the increases already worked on this side.

Next 2 rows: Moss st. until 33 sts. rem., turn and work back.

Next 2 rows: Moss st. until 41 sts. rem., turn and work back.

Next 2 rows: Moss st. until 49 sts. rem., turn and work back.

Cont. making decreases on the shaped edge every 4th row until the work, when folded at top of pixie hood, measures 4½ ins. less than other side. Now make decreases every 8th row until 53 sts. rem. and work measures same as for opposite side, cast off.

TIE BAND: Using No. 9 needles, cast on 2 sts. and work in moss st. inc. 1 st. at the beg. of every alternate row until there are 9 sts. on needle, then work straight until work measures 34 ins. Now dec. on the shaped edge on every alternate row until 2 sts. rem. Work 2 tog. and fasten off.

TO MAKE UP: Press very lightly with a warm iron over a damp cloth. Fold back 1½ ins. on straight edge of hood for turn back. Join back seam. Join centre of tie band to back seam and stitch neck edge of hood to band, gathering up the neck edge to measure 9 ins. and join this 9 ins. to centre 9 ins. of tie band. Press seams. **[END]**

Published by
PARAGON ART HANDICRAFTS
BOX 3305, G.P.O., SYDNEY

Reproduction in any form is forbidden.
Wholly set up and printed in Australia by
R. V. Byers Pty. Limited, 59 Carnarvon Street, Auburn, N.S.W.



565101/10

DUCKIE SET

(continued from page 9)

required). Shape top as given for shaping top of short sleeves.

NECK BAND: Join shoulder seams. Using No. 11 needles and with r.s.f., commence at centre back and pick up and k. 72 sts. evenly around neck. Work 8 rows in k. 1, p. 1 rib, still keeping 5 sts. at both ends of needle in garter st. and making a buttonhole in centre of neckband to match those up back opening. Cast off loosely.

LEG BANDS: Join side seams. Using No. 11 needles and r.s.f., pick up and k. 78 sts. around leg opening, then work 5 rows in k. 1, p. 1 rib. Make buttonhole (left leg): Rib 2, m. 1, k. 2 tog., rib to end. Work 2 more rows in rib, then cast off in rib. For right leg make buttonhole at opposite end of row.

CARDIGAN.

BACK: Using No. 11 needles cast on 78 sts. and work 1 in. in k. 1, p. 1 rib. Change to No. 9 needles and work in st.st. until piece measures $6\frac{1}{2}$ ins., ending with a p. row.

SHAPE ARMHOLES: Cast off 3 sts. at beg. of next 2 rows, dec. 1 st. at both ends of next 6 rows. (60 sts.). Work without shaping until armholes measure 4 ins. on straight.

SHAPE NECK (r.s.f.): K. 18, cast off 24, k. 18. Cont. on last 18 sts., dec. 1 st. at neck edge on next 2

rows. Cast off. Rejoin wool and work other side to match.

RIGHT FRONT: Using No. 11 needles, cast on 42 sts. and work as follows:—

1st row: K. 6, * p. 1, k. 1; rep. from * to end.

2nd row: * P. 1, k. 1; rep. from * to last 6 sts., k. 6.

Rep. these 2 rows for 1 in., ending with a 2nd row.

Change to No. 9 needles and work 4 rows in st.st. with the 6 sts. at front edge in garter st.

Next row: K. 6, then work from chart marked Right Front to end, reading from right to left.

Next row: Work from chart reading from left to right until 6 sts. rem., k. 6.

Cont. in this way until fairisle chart is completed, then work in st.st. (with border) until piece measures same as for back to armhole, ending with a k. row.

SHAPE ARMHOLE AND FRONT SLOPE: Cast off 3 sts., work to end.

Next row: K. 6, sl. 1, k. 1, p.s.s.o., work until 2 sts. rem., k. 2 tog.

Dec. 1 st at armhole edge on following 5 rows (9 sts. decreased at this edge), but at same time cont. decreasing at front slope (as before) on every 4th row until 22 sts. rem. and armhole measures same as for back to shoulder. Cast off 16 sts. and cont. on rem. border sts. for $1\frac{1}{2}$ ins., cast off.

LEFT FRONT: Work to corres-

pond with Right Front with border and all shapings at opposite ends of work, using chart marked Left Front for fairisle and making a buttonhole in the 5th row and then at intervals of $1\frac{1}{2}$ ins. until there are 5 in all, thus:—Work until 4 sts. rem., wind wool twice around needle, k. 2 tog., k. 2. On following row drop 1 made st. and k. the other. When shaping front slope at this side k. 2 tog. immediately inside border.

SLEEVES: Using No. 11 needles, cast on 40 sts. and work 1 in. in k. 1, p. 1 rib. Change to No. 9 needles and work in st.st., inc. into every 10th st. on 1st row. (44 sts.). Cont. in st.st., inc. 1 st. at both ends of every 6th row until there are 60 sts. on needle and work measures 7 ins. (or length required).

SHAPE TOP: Cast off 2 sts. at beg. of every row until 20 sts. rem., cast off.

TO MAKE UP: Press all work with a warm iron over a damp cloth, omitting ribbing. **ROMPER:** Join sleeve seams. Sew in sleeves.

GIRDLE: Using wool double, crochet a sufficient length of chain and trim ends with tassels. Sew on buttons.

CARDIGAN: Join shoulder, side and sleeve seams. Sew in sleeves. Stitch together the 2 sets of border sts. and sew to back neck edge. Press all seams. Sew on buttons. Work a tiny st. to represent an eye at the head of each small duck on both romper and cardigan. **[END]**

BOY'S FIRST SUIT

(continued from page 8)

until 17 sts. rem., then work without shaping until armhole measures same as for back to shoulder, cast off. Rejoin wool at neck edge and work other side to correspond, reversing shapings.

SLEEVES (both alike): Using No. 11 needles, cast on 42 sts. and work in rib as for beg. of back for $1\frac{1}{2}$ ins., ending with a 2nd row.

Change to No. 9 needles and work in patt. inc. 1 st. at both ends of the 3rd, and every following 6th row, until there are 58 sts. on needle (working extra sts. into patt.), and sleeve measures $7\frac{1}{2}$ ins. (or length required).

SHAPE TOP: Keeping patt. correct, dec. 1 st. at both ends of every row until 18 sts. rem. Cast off, working 2 tog. at both ends of casting off row.

FRONT NECK BAND: Using No. 11 needles and with r.s.f., pick up and k. 44 sts. evenly around front of neck. Work 6 rows in k. 2, p. 2 rib. Cast off loosely in rib.

BACK NECK BAND: Work as for front neck band, but pick up only 32 sts. instead of 44.

THE KNICKERS.

Commence at front:

Using No. 9 needles, cast on 84 sts. and work 6 rows in k. 2, p. 2 rib.

Now make holes for girdle as follows:—* k. 2, wind wool around needle to make a st., p. 2 tog., rep. from * to end. Work 5 more rows in rib.

Now work in st.st. until the piece measures 9 ins.

Cast off 34 sts. at beg. of next 2 rows, then cont. in st.st. on the centre 16 sts. for $1\frac{1}{2}$ ins. Cast on 34 sts. at beg. of next 2 rows and cont. in st.st. until back measures same as for front to commencement of ribbing.

SHAPE BACK (r.s.f.):

1st and 2nd rows: K. 76, turn and p. 68 back.

3rd and 4th rows: K. 60, turn and p. 52 back.

5th and 6th rows: K. 44, turn and p. 36 back.

7th and 8th rows: K. 28, turn and p. 20 back.

Turn and k. to end.

Work 5 rows in k. 2, p. 2 rib, then make a row of holes for girdle as on front.

Work 6 more rows in rib. Cast off loosely.

LEG BANDS: Using No. 11 needles and with r.s.f., pick up and k. 80 sts. evenly around leg opening. Work 8 rows in k. 2, p. 2 rib. Cast off loosely in rib.

GIRDLE: Using wool double, crochet a sufficient length of chain and finish off ends with crochet rings or small pom poms.

TO MAKE UP: Press work with a warm iron over a damp cloth, omitting ribbing.


JERSEY: Join shoulder seams for $\frac{1}{4}$ in. from armhole edges. Sew in sleeves. Join side and sleeve seams in one operation. Work a row of d.c. around shoulder openings, making 2 small chain loops at each front shoulder. Press seams. Sew on buttons to correspond with loops.

KNICKERS: Join side seams. Press, then thread girdle through waist. **[END]**

SUN SUIT

(continued from page 6)

TO MAKE UP: Neaten off all ends of fairisle at back of work. Embroider shoulder straps in chain st. across back of kneeling child on motif, using the same wool as for the shorts on figure. Using fine, dark coloured thread, embroider a fine line around the flesh coloured portions on child to make it stand out from the gold-coloured background. Sew up side seams. Join borders to sides of bib and to front waistline. Cross straps at back, adjusting to required size and sew ends slant-wise to wrong side of ribbing. Work a row of herring-bone sts. close together with wool along wrong side of back ribbing, then thread elastic through the herring-bone sts. and sew ends securely to side seams. [END]



← 32 STS. →
• = GOLD, x = BLUE, 1 = RED, • = FLESH

PRAM SET

(continued from page 7)

TO MAKE UP:

Press the work lightly with a warm iron over a damp cloth, omitting the ribbing.

THE COAT: Join shoulder, side and sleeve seams. Sew in sleeves.

Join straight edge of collar to neck edge, leaving $\frac{1}{2}$ in. at each front edge free for overlap. Press seams. Sew on buttons to correspond with button-holes. **THE LEGGINETTES:** Join back and front seams. Sew up the leg seams. Stitch a small piece of elastic under each instep. Press seams. **GIRDLE:** Using the wool double, crochet a sufficient length of chain and thread through the waist,

making a small pom pom at each end. **THE PIXIE HOOD:** Press and sew on ribbons. **THE HELMET:** Join up the back seam. Work a row of d.c. around the edges, making a button loop on the chin strap. Press and sew on a button to correspond with loop. **THE MITTENS:** Join and press seams. Crochet a chain as for the Legginettes and thread through wrists. [END]

BABY'S FROCK

(continued from page 10)

SHAPE NECK: Patt. across 24 sts., cast off 23 sts., patt. 24. Cont. on the last 24 sts. dec. 1 st. at the neck edge on the next 2 rows, cast off. Rejoin wool at the neck edge and work the other side to correspond, reversing shapings.

SLEEVES (both alike): Using No. 11 needles, cast on 39 sts. and work in garter st. for 7 rows.

Next row: P. 3, p. twice into each of the next 33 sts., p. 3. (72 sts.).

Change to No. 9 needles and work in patt. as for the yoke of frock until the sleeve measures 2 ins.

SHAPE TOP: Keeping the patt. correct, cast off 3 sts. at the beg. of every row until 12 sts. rem. Cast off, working 2 tog. at both ends of the casting off row.

TO MAKE UP: Press the work lightly with a warm iron over a damp cloth. Join shoulder seams for $\frac{1}{4}$ in.

from the armhole edges. Sew in sleeves, easing in the fullness around the top of armholes. Join side and sleeve seams. Work a row of d.c. around the neck and shoulder openings, making 2 small chain loops on each front shoulder. Work a picot edge around the neck thus:— * 1 d.c., into the 1st st., 3 chain join by d.c. into the 1st of the 3 chain, 1 d.c., miss 1 st.; rep. from * to end. Thread ribbon through the holes formed by the patt. at the waist of frock. Sew on buttons to correspond with loops. Press seams. [END]

ABBREVIATIONS THROUGHOUT THIS BOOK

K., knit; p., purl; sts., stitches; tog., together; rep., repeat; inc., increase; dec., decrease; beg., beginning; rem., remains (ing); cont., continue; patt., pattern; r.s.f., right side facing; st.st., stocking stitch (right side k., wrong side p.); m. 1, make 1 (by bringing or leaving the wool forward before a k. st. or winding the wool around the needle before a p. st.); t.b.s., through back of stitches; moss st., moss stitch (k. 1, p. 1 alternately on an uneven number of stitches, but when working over an even number always work a k. st. over a k. st. of the previous row); ins., inches; sl., slip; p.s.s.o., pass slipped stitch over; d.c., double crochet; w.o.n., wool over needle; garter st., every row k.; M., main shade; W., white wool; when the instructions are enclosed between brackets, then followed by a number thus:—(k. 2, k. 2 tog.) 3 times, this means that the instructions between brackets are worked the number of times stated after the closing bracket.

PUBLISHER'S ANNOUNCEMENT

Other Paragon books now or soon to be available from your Newsagent or Draper. If unable to obtain locally write to—

PARAGON ART HANDICRAFTS, BOX 3305, G.P.O., SYDNEY
enclosing 1/6 in postal notes for each book required plus postage.



No. 39.—Six sparkling new Matinee Jacket designs, simple to knit for warmth and comfort. Price, 1/6.



No. 511.—2 Pram Sets, 2 Layettes, plus accessories. Striking simple-to-knit designs. Price, 1/6.



Baby Book No. 6.—Featuring Frocks, Cardigans, Baby Sets, Layettes, Coats, Bonnets, etc. Price, 1/6.



No. 37.—Men's Wear Book, with designs for the discerning business man to the rugged outdoor man. Price, 1/6.



No. 38.—Sock Book. Contains patterns for men's, boys' and toddlers' socks of all descriptions. Price, 1/6.



Bonnets and Helmets Book.—A whole new range of patterns for baby Bonnets, Berets, Helmets, Caps from birth to 12 mths. Price, 1/6.



Smocking No. 2.—Eleven new designs, suitable for baby wear, Frocks, Coats, etc. Price 2/-



Fair Isle Chart No. 2.—All types of Fair Isle designs suitable for the whole family; simple Paragon instructions. Price 2/-.



No. 70.—Four new Layettes, an attractive Shawl and a reversible Pram Cover. Price, 1/6.



No. 75.—Layettes, Pram Sets, Pram Cover, etc., in designs to suit every occasion. Price, 1/6.




No. 83.—10 Bed Jackets in enchanting designs for warmth and beauty at bed time. Price, 1/6.



Bootee Book.—21 pairs of lovely Baby Bootees, fascinating simple-to-knit patterns. Price, 1/6.



Both worn 3 weeks,
washed 12 times.



This one was Patonised.

Your knitting needn't shrink or pill again... if you use
Patons **PATONISED** wools

Patons exclusive Patonising process
preserves the original fit
and good looks of your handknits.

Once these sweaters looked exactly alike! Then each was worn for 4 hours daily, for 3 weeks, and under the same conditions. After that both were given 12 identical hand washes, and allowed to dry completely between each wash. See the sweater on the left, knitted in a non-Patonised wool equivalent to 8-ply, has shrunk 2". It's pilled and felted, too.



Now see how the sweater on the right has **kept** its original fit, its smooth, unruffled look. And it still has that good woollen feel. That's because it was knitted in a Patons Patonised wool of identical ply — to the correct knitting tension, of course. Make sure you always knit with one of Patons 16 Patonised wools. They're your guarantee of handknits you'll be proud to wear.

Knit it with **Patons**
and you'll be proud of it



9,000