



1090 6^D

Spanish Encore

*Following many
requests we publish
three further baby
designs created by
Carmen Castresana
of Madrid in Patons
Beehive Baby Wool*



Albeniz

MATERIALS

2 oz. PATONS BEEHIVE Baby Wool, Patonised, and
1 x 1/4 oz. ball PATONS FUZZY-WUZZY.
Two No. 13 and one spare No. 13 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.
Length of Ribbon. One press-stud.
You must use the P & B brands recommended above to be sure of a successful result.

MEASUREMENTS

To fit 18 inch chest. Length, 8 ins. Sleeve seam, 5 ins.
These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

9 sts. and 11 rows to one square inch on No. 13 needles, measured over stocking stitch.
See below for how to check your Tension, and Abbreviations.

Commencing at neck, using Baby Wool and the two needle method, cast on 82 sts.
Work 12 rows in stocking stitch.
Next row—Make hem by knitting tog. one st. from needle and one loop from cast-on edge all across row.
Next row—K.1, P. to last st., K.1.
Next row—Inc. in first st., * inc. in next st. knitwise, rep. from * to last st., K.1 (163 sts.)
Work yoke as follows:—

PLEASE READ THIS FIRST

ABBREVIATIONS

K.=knit; P.=purl; K.B.=knit into back of stitch; st.=stitch; sl.1P.=slip 1 purlwise; w.fwd.=wool forward; w.r.n.=wool round needle; p.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches.

HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 13

1st row—* K.1, P.1, rep. from * to last st., K.1.
2nd row—K.2, * P.1, K.1, rep. from * to last st., K.1.
3rd to 9th row—Rep. 1st and 2nd rows 3 times, then 1st row once.
10th to 12th row—K.
13th row—K.1, P. to last st., K.1.
14th row—Using Fuzzy-Wuzzy, K.1, * keeping Fuzzy-Wuzzy at back of work sl.1P., P.1, rep. from * to last 2 sts., sl.1P., K.1.
15th row—K.2, * sl.1P., K.1, rep. from * to last st., K.1.
16th to 18th row—Using Baby Wool, K.
19th row—K.1, * inc. in next st. purlwise, P.2, rep. from * to last 3 sts., inc. in next st., P.1, K.1 (217 sts.).
20th row—As 2nd row.
21st row—As 1st row.
22nd to 27th row—Rep. 20th and 21st rows 3 times.
28th row—K.7, * inc. in next st., K.1, rep. from * to last 6 sts., K. to end (319 sts.).
29th row—K.
Proceed in **ridge and lace patt.** as follows:—
1st row—Using Baby wool, K.
2nd row—K.1, P. to last st., K.1.
3rd row—Using Fuzzy-Wuzzy, K.1, * keeping Fuzzy-Wuzzy at back of work sl.1P., P.1, rep. from * to last 2 sts., sl.1P., K.1.
4th row—K.2, * sl.1P., K.1, rep. from * to last st., K.1.
5th row—Using Baby Wool, K.
6th row—K.1, P. to last st., K.1.
7th to 10th row—Rep. 3rd to 6th.

needles and some Patons Beehive Baby Wool, Patonised. Cast on 18 stitches and work in stocking stitch—1 row knit; 1 row purl—for 22 rows. Cast off; press very lightly on wrong side. The tension should be 9 sts. and 11 rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch corresponding alterations must be made to the needles throughout.



11th to 13th row—Rep. 3rd to 5th.
14th and 15th rows—K.
16th row—K.1, P. to last st., K.1.
17th row—* K.1, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog.t.b.l., rep. from * to last st., K.1.
18th and every alt. row—K.1, P. to last st., K.1.
19th row—K.2 tog., w.fwd., * K.3, w.fwd., sl.1P., K.2 tog., p.s.o., w.fwd., rep. from * to last 5 sts., K.3, w.fwd., K.2 tog.t.b.l.
21st row—* K.2, w.fwd., sl.1P., K.2 tog., p.s.o., w.fwd., K.1, rep. from * to last st., K.1.
23rd and 24th rows—K.
These 24 rows form the patt.
Next row—K.1, K.2 tog., (K.102, K.2 tog.) twice, K. to last 3 sts., K.2 tog., K.1 (315 sts.).

Next row—K.1, P. to last st., K.1.
Divide work as follows:—
Next row—(3rd row of patt.) Patt. 107, turn.
Next row—Patt. 61, turn.
Proceed on this group of 61 sts. for **First Sleeve** as follows:—
Keeping patt. correct, continue until the 3rd complete patt. from beg. has been worked. Work rows 1 to 13 incl. once.
Break off Fuzzy-Wuzzy.
Next row—K.3, * (K.2 tog.) 3 times, K.1, rep. from * to last 2 sts., K.2 (37 sts.).
Proceed in K.1, P.1 rib until work measures 5 ins. from where sts. were divided.
Cast off loosely in rib.
Rejoin Fuzzy-Wuzzy to sts. on left-hand needle and proceed for **2nd sleeve** as follows:
Next row—Patt. 161, turn.
Next row—Patt. 61, turn.

Complete to match first Sleeve.
Rejoin Fuzzy-Wuzzy to remaining 47 sts. on left-hand needle and patt. to end.
Next row—Patt. across first group of 47 sts. for **Right Front**, patt. across next group of 100 sts. for **Back**, patt. across last group of 46 sts. for **Left Front** (193 sts.).
Keeping patt. correct, continue on these sts. until the 22nd row of 3rd patt. from beg. has been completed. Break off Fuzzy-Wuzzy.
Leave these sts. on needle.

BORDER

Using Baby Wool commencing at Left Front edge and omitting Neckband, with right side of work facing **knit up** 52 sts. along Left Front edge, K. across 193 sts. from needle using spare needle where needed, **knit up** 52 sts. along Right Front edge to lower edge of neckband (297 sts.).
Next row—K.51, (inc. in next st.) 3 times, K.189, (inc. in next st.) 3 times, K. to end (303 sts.).
Work rows 1 to 13 incl. of Ridge and lace patt. Break off Fuzzy-Wuzzy.
Using Baby Wool, work 4 rows in stocking stitch.
Next row—P.51, (P.2 tog.) 3 times, P.189, (P.2 tog.) 3 times, P. to end. Cast off loosely.

TO MAKE UP

Press fabric very lightly on wrong side of work, using a warm iron and damp cloth, taking care not to stretch yoke.
Using a flat seam join sleeve seams.
Fold Border at centre to wrong side of work and flat-stitch cast-off edge to knitted-up edge. Close ends of Border. Press seams.
Thread ribbon through hem at neck.
Attach press stud to top of Border.

BONNET

MATERIALS

1 oz. PATONS BEEHIVE Baby Wool, Patonised, and
1 x 1/2 oz. ball PATONS FUZZY-WUZZY.
Two No. 13 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.
Length of ribbon.

You must use the P & B brands recommended above to be sure of a successful result.

MEASUREMENT

Width round front edge, 11 1/2 ins.

TENSION

9 sts. and 11 rows to one square inch on No. 13 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

Using Baby Wool and the two needle method, cast on 103 sts.

1st row—K.

2nd row—K.1, P. to last st., K.1.

3rd to 6th row—Rep. 1st and 2nd rows twice.

7th row—Using Fuzzy-Wuzzy, K.1, * keeping Fuzzy-Wuzzy at back of work sl.1 purlwise, P.1, rep. from * to last 2 sts., sl.1 purlwise, K.1.

8th row—K.1, * K.1, sl.1 purlwise, rep. from * to last 2 sts., K.2.

9th row—Using Baby Wool, K.

10th row—K.1, P. to last st., K.1.

11th to 16th row—Rep. 7th to 10th rows once, then 7th and 8th rows once.

17th row—Using Baby Wool, **make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

18th and 19th rows—K.

20th and alt. rows—K.1, P. to last st., K.1.

21st row—* K.1, K.2 tog., w.fwd., K.1, w.fwd., K.2 tog.t.b.l., rep. from * to last st., K.1.

23rd row—K.2 tog., w.fwd., * K.3, w.fwd., sl.1, K.2 tog., p.s.o., w.fwd., rep. from * to last 5 sts., K.3, w.fwd., K.2 tog.t.b.l.

25th row—* K.2, w.fwd., sl.1, K.2 tog., p.s.o., w.fwd., K.1, rep. from * to last st., K.1.

26th row—K.1, P. to last st., K.1.

27th to 29th row—K.

30th row—K.1, P. to last st., K.1.

Rows 7 to 30 form the patt., noting that on every rep. of patt., 17th row will be K.

Continue in patt. until the 18th row of the 3rd complete patt. from beg. has been worked.

Keeping patt. correct, proceed as follows:—
Next row—Cast off 33, patt. to last 33 sts., cast off 33.

Break off Baby Wool.

Rejoin wool to remaining group of 37 sts. and continue until the 28th row of the 5th complete patt. from beg. has been worked.

Next row—K.1, (K.2 tog.) 18 times (19 sts.). Slip these sts. on to a length of wool and leave.

TO MAKE UP

Very lightly press on wrong side using a warm iron and damp cloth.
Using a flat seam join sides to Back piece.

BAND

Using Baby Wool with right side of work facing, **knit up** 74 sts. along lower edge of Bonnet including sts. from length of wool. K. 8 rows. Cast off.
Make 2 small rosettes with ribbon and attach to sides of Bonnet.

Granados

MATERIALS

3 oz. PATONS BEEHIVE Baby Wool, Patonised.

Two No. 10, two No. 9 and two No. 7 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

A fine crochet hook. Two buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

To fit 20 inch chest. Length, 11 1/2 ins. Sleeve seam, 6 1/2 ins. (with Cuff turned back).

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

7 1/2 sts. and 9 1/2 rows to one square inch on No. 10 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

BACK AND FRONTS

(Worked in one piece to armhole shaping).

Using No. 7 needles, cast on 287 sts.
K. 1 row.

Proceed in **ridge patt.** as follows:—

1st row—(wrong side facing) K.7, * insert needle purlwise into next 3 sts. as if to purl them tog. but instead P.1, K.1, P.1 into them as if they were 1 st., K.2, rep. from * to last 5 sts., K.5.

2nd row—K.5, P. to last 5 sts., K.5.

These 2 rows form the patt.

Continue in patt. until work measures 6 ins. from beg.

Change to No. 9 needles and continue in patt. until work measures 7 ins. from beg., finishing at end of a 2nd row.

Next row—(wrong side facing) K.7, patt. 3, K.2 for border * patt. 3, K.2 tog., rep. from * to last 15 sts., patt. 3, K.2, patt. 3, K.7 (235 sts.).

Keeping border correct and working K.1 in place of K.2 between patt., continue in patt. until work measures 7 1/2 ins. from beg. finishing with **wrong side facing** for next row.

Change to No. 10 needles and proceed as follows:—



Next row—Work across 12 sts. for border, * P.1, K.1 into next 3 sts. inserting needle as if to P.3 tog., thus making 2 sts. out of 3, K.1, rep. from * to last 15 sts., P.1, K.1 into next 3 sts. as before, work border on last 12 sts. (182 sts.).

Next row—Work border, P. to last 12 sts., work border.

Divide for Fronts and Back as follows:—

Next row—Work border, P.31, cast off 6, P.83 (there now being 84 sts. on needle) cast off 6, P.30, work border on last 12 sts.

Proceed on first group of 43 sts. for **First Front** as follows:—

Next row—Work border, K. to end.

Shape armhole as follows:—

Next row—Cast off 3, P. to last 14 sts., P.2 tog., work border.

Keeping border correct and knitting 1 st. at armhole edge on every row, continue in stocking stitch, dec. 1 st. at armhole edge on next 5 rows, at same time dec. as before inside border on every 3rd row until 32 sts. remain, then every alt. row until 20 sts. remain. Continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge. Cast off 15 sts. for shoulder, K.20 rows on remaining 5 sts. Cast off. Rejoin wool to next group of 84 sts. and work in stocking stitch for **Back**, dec. 1 st. at both ends of every row until 74 sts. remain.

Continue on these sts. until work measures same as Front to shoulder. Cast off all across. Rejoin wool to 2nd group of 43 sts. for **second Front** and complete to match first Front reversing shapings.

SLEEVES

Using No. 10 needles, cast on 42 sts. K. 1 row.

Next row—K.1, rep. from * to * of 1st row as at commencement of Coat to last st., K.1.

Next row—K.1, P. to last st., K.1.

Rep. these 2 rows until work measures 1 inch from beg., inc. 1 st. at end of last row (43 sts.).

Next row—K.

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch, inc. 1 st. at both ends of 7th and every following 3rd row until there are 57 sts.

Continue on these sts. until work measures $7\frac{1}{2}$ ins. from beg.

Shape top by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of every row until 41 sts. remain, every alt. row until 27 sts. remain.

Cast off 4 sts. at beg. of next 4 rows. Cast off.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, taking care not to stretch yoke. Very lightly press each piece using a warm iron and damp cloth. Using a flat seam join shoulder and sleeve seams and stitch Sleeves into position. Flat-stitch Neckband to back of neck and join seam. Attach button on each Front at waist just inside garter stitch border. Using double wool, crochet a chain $2\frac{1}{2}$ ins. long. Attach chain under one button and make loop at other end. Press seams.

TENSION

$9\frac{1}{2}$ sts. and $11\frac{1}{2}$ rows to one square inch on No. 14 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

NOTE

As this garment is worked entirely on rows, it is essential for the tension to be correct if the final measurements are to be obtained.

Commencing at neck edge, using Main Shade and the two needle method, cast on 84 sts.

1st row—K.

2nd row—P.

3rd to 14th row—Rep. 1st and 2nd rows 6 times.

15th row—Make hem by knitting tog. one st. from needle and one loop from cast-on edge all across row.

16th row—K., thus making a ridge.

Shape Yoke as follows:—

**** 1st row**—Using Contrast, K.

2nd row—K.1, * w.r.n., P.2 tog., rep. from * to last st., K.1.

3rd and 4th rows—Using Main Shade, K. **5th row**—K.3, * w.fwd., K.2, rep. from * to last st., K.1.

6th row—* K.1, P.2, rep. from * to last st., K.1.

7th row—K.3, * P.1, K.2, rep. from * to last st., K.1.

8th and 9th rows—As 6th and 7th.

10th row—As 6th row.

11th and 12th rows—K. **

Rep. from ** to ** twice (274 sts.).

Next row—Using Contrast, inc. in first st., (K.4, inc. in next st.) 10 times, K.4, (inc. in next st., K.3) 41 times, (inc. in next st., K.4) 11 times (337 sts.).

Next row—K.



Next row—K.1, P. to last st., K.1.

Next row—K.

Work Chevron Patt. Band as follows:—

1st row—Using Main Shade, K.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, * K.3, K.2 tog., w.fwd., rep. from * to last st., K.1.

4th row—K.1, * P.1, w.r.n., P.2 tog., P.2, rep. from * to last st., K.1.


5th row—K.1, * K.1, K.2 tog., w.fwd., K.2, rep. from * to last st., K.1.

6th row—K.1, * P.3, w.r.n., P.2 tog., rep. from * to last st., K.1.

7th row—K.1, * K.1, w.fwd., K.2 tog.t.b.l., K.2, rep. from * to last st., K.1.

8th row—K.1, * P.1, P.2 tog.t.b.l., w.r.n., P.2, rep. from * to last st., K.1.

9th row—K.1, * K.3, w.fwd., K.2 tog.t.b.l.,



Scarlatti

MATERIALS

2 oz. Main Shade, 1 oz. Contrast, PATONS BEEHIVE Baby Wool, Patonised.

Two No. 14 and one spare No. 14 QUEEN BEE needles, measured by BEEHIVE gauge. A press stud. Length of ribbon. You must use the P & B brand recommended

above to be sure of a successful result.

MEASUREMENTS

To fit 20 inch chest. Length, $8\frac{1}{2}$ ins. Sleeve seam, $5\frac{1}{2}$ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

INCHES
1
2
3
4
5
6

rep. from * to last st., K.1.

10th row—K.1, P. to last st., K.1.

11th and 12th rows—Using Contrast, K.

13th row—K.1, P. to last st., K.1.

14th row—K.

These 14 rows form the Chevron Patt. Band.

Divide Work as follows:—

Next row—Using Main Shade, K.120, turn.

Next row—Inc. in first st. knitwise, P.68,

inc. in next st., turn.

Proceed on this group of 72 sts. in Eyelet Patt. for First Sleeve as follows:—

1st and 2nd rows—Using Main Shade, K.1, P. to last st., K.1.

3rd row—Using Contrast, K.

4th row—K.1, * w.r.n., P.2 tog., rep. from * to last st., K.1.

5th and 6th rows—Using Main Shade, K.

7th and 8th rows—As 3rd and 4th.

9th row—Using Main Shade, K.

10th to 12th row—K.1, P. to last st., K.1.

13th and 14th rows—Using Contrast, K.

15th row—K.1, P. to last st., K.1.

16th row—K.

These 16 rows form the Eyelet Patt. Band.

***Work rows 1 to 14 incl. of Chevron Patt. Band.

Next row—Using Main Shade, K.

Next row—K.1, P. to last st., K.1.

Work rows 1 to 16 incl. of Eyelet Patt. Band.***

Rep. from *** to *** once.

Break off Contrast.

Next row—Using Main Shade, K.6, (K.2 tog.) 30 times, K.6 (42 sts.).

Next row—K.

Work 6 rows in stocking stitch.

Next row—K.1, * K.2 tog., w.fwd., rep. from * to last st., K.1.

Work 5 rows in stocking stitch. Cast off.

Rejoin wool to sts. on left-hand needle and proceed for Second Sleeve as follows:—

Next row—Using Main Shade, K.167, turn.

Next row—Inc. in first st. knitwise, P.68, inc. in next st., turn.

Complete to match First Sleeve.

Rejoin Main Shade to remaining 50 sts. on left-hand needle, K. to end.

Next row—K.1, P.49 across first group of 50 sts. for Right Front, P. across next group of 97 sts. for Back, P.49, K.1 across last group of 50 sts. for Left Front (197 sts.).

Continue in patt. as on Sleeves until the 2nd complete Eyelet Patt. Band has been worked, noting that on each Eyelet Patt. Band worked, 1 st. will be increased at end of 2nd row and 1 st. will be decreased at end of 12th row.

Work rows 1 to 10 of Chevron Patt. Band. Leave these sts. on needle.

BORDER

Using Contrast and commencing at Left Front edge omitting Neckband with right side of work facing, **knit up** 60 sts. along Left Front edge, K. across 197 sts. on needle, using spare needle where needed, **knit up** 60 sts. along Right Front edge to lower edge of Neckband (317 sts.).

Next row—K.

Next row—K.1, P. to last st., K.1.

Next row—K.

Break off Contrast.

Next row—Using Main Shade, K.52, (inc. in next st., K.3) 4 times, inc. in next st., K.179, (inc. in next st., K.3) 4 times, inc. in next st., K. to end (327 sts.).

Next row—K. (thus forming ridge).

Next row—K.

Next row—P.

Next row—K.54, (inc. in next st., K.3) 4 times, inc. in next st., K.185, (inc. in next st., K.3) 4 times, inc. in next st., K. to end (337 sts.).

Work 3 rows in stocking stitch.

Next row—K.2, * w.fwd., K.2 tog., rep. from * to last st., K.1.

Work 4 rows in stocking stitch.

Next row—P.54, (P.2 tog., P.3) 4 times, P.2 tog., P.185, (P.2 tog., P.3) 4 times, P.2 tog., P. to end (327 sts.). Cast off loosely.

TO MAKE UP

Press fabric very lightly on wrong side using a warm iron and damp cloth, taking care not to stretch Yoke.

Using a flat seam join sleeve seams.

Fold over picot edges at row of holes and neatly stitch into position on wrong side of work to form hem, join ends of border at neck. Attach press stud to top of border.

Thread ribbon through hem at neck.

Press seams.

Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London. 20038