



 **Patons**

Price Code K
3400 0067

Doll's Clothes





THE **Patons** HAND KNIT
AND CROCHET
STAR ★ RATINGS
TO HELP **YOU** CHOOSE THE PATTERN
SUITED TO **YOUR** ABILITY

- ★ One star says this is a **beginner level** of knitting and crochet. Basic stitches only, with simple shaping.
 - ★★ Two stars mean **easy knitting and crochet**, with some fancy patterns such as shells, mesh, simple 2 colour patterns and cables.
 - ★★★ Three stars are for **advanced knitters and crochet workers**, requiring some specialised knowledge such as Fair Isle, Aran and more complicated lace patterns.
 - ★★★★ Four stars signal a **challenge**. There can be make-and-lose patterns, complicated shaping, and any technique that requires a higher level of concentration.
- P** The letter **P** after any star grouping suggests that an additional degree of patience is required for a quality finish.

from **Patons**
THE KNITTING AND CROCHET EXPERTS

SCOTTISH DOLL'S OUTFIT



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (approx)	cm	38-43
	ins	15-17
Fits chest (approx)	cm	20-23

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Main Colour (M - red)	2
1st Contrast (C1 - green)	1
2nd Contrast (C2 - yellow)	1
3rd Contrast (C3 - white)	2
4th Contrast (C4 - black)	1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 3.75mm (No 9) Aero Knitting Needles and A 3.50mm (No 9) Aero Crochet Hook or size/s needed to give correct tension. 2 Press Studs; a Length of Round Elastic and a Safety Pin for **Kilt**; 4 Small Buttons for **Blouse**; A Brooch or Pin for **Sash**.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

KILT

Using 3.75mm Needles and M, cast on 187 sts.

1st row (wrong side) - K3, (tie a C2 thread around last of these sts, K2, tie a C1 thread around last of these sts, K4) 3 times, K6, (tie a C2 thread around last of these sts, K2, tie a C1 thread around last of these sts, K10) 12 times, (tie a C2 thread around last of these sts, K2, tie a C1 thread around last of these sts, K4) 3 times, ending last rep with K2, instead of K4.

2nd row - K2, (P1, K1, P1, K3) 3 times, * K1, P1, K3, keeping yarn at back of work sl 1 purlways, P1, K1, P1, K3, rep from * to last 11 sts, P1, K1, P1, K3, P1, K1, P1, K2.

3rd row - (K1, P1) twice, K1, (P3, K1, P1, K1) twice, * P4, K1, P4, K1, P1, K1, rep from * to last 14 sts, (P3, K1, P1, K1) twice, P1, K1.

** Using C1, **4th row** - As 2nd row.

Using M, **5th row** - As 3rd row.

Using C2, **6th row** - As 2nd row.

Using M, rep 3rd row once, then 2nd and 3rd rows twice. **

Rep from ** to ** 3 times, rows 4 to 6 incl once, then 3rd row once.

Next row - Patt 18, * cast off 7 sts, patt 5, rep from * to last 13 sts, patt 13.

Next row - Patt 17, * P2tog, K1, P1, K1, rep from * to last 14 sts, patt 14.

Next row - Patt 17, rib to last 17 sts, patt 17.

Rep last row 3 times.

Cast off in patt.

Vertical stripes - Beg at lower edge and using colours as indicated by coloured threads, work a row of chain st along each purl st, taking one st over each knitted row. Do not carry chain st up through ribbed waistband. Purl sts not marked with threads are left to mark inside edge of pleats.

MAKE UP

Press pleats in position along purl sts and slipped sts. Catch top of pleats in position. Thread 2 rows of elastic through ribbed waistband. Sew press studs at front waistline. Pin lower part of front overlap with safety pin.

BLOUSE (worked in one piece to underarm)

Using 3.75mm Needles and C3, cast on 59 sts.

Work 28 rows stocking st.

Divide for armholes - **Next row** - K13, cast off 4 sts, K25, cast off 4 sts, K13.

Cont on last 13 sts for **Right Back**.

Dec at armhole edge in alt rows twice ... 11 sts.

Work 10 rows.

Shape neck - Cast off 4 sts at beg of next row ... 7 sts.

Dec at neck edge in every row twice ... 5 sts.

Cast off.

Join C3 to centre 25 sts for **Front**.

Dec at each end of alt rows twice ... 21 sts.

Work 5 rows.

Shape neck - Next row - K8, cast off 5 sts, K8.

Cont on last 8 sts, dec at neck edge in alt rows 3 times ... 5 sts.

Work 1 row. Cast off.

Join C3 to rem 8 sts, dec at neck edge in alt rows 3 times ... 5 sts.

Work 1 row. Cast off.

Join C3 to rem 13 sts for **Left Back**.

Dec at armhole edge in alt rows twice ... 11 sts.

Work 9 rows.

Shape neck - Cast off 4 sts at beg of next row ... 7 sts. Work 1 row.

Dec at neck edge in every row twice ... 5 sts.

Cast off.

SLEEVES

Using 3.75mm Needles and C3, cast on 27 sts.

Work 26 rows stocking st.

Shape top - Dec at each end of every row until 7 sts rem.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join shoulder and sleeve seams. Sew in sleeves. With right side facing, using 3.50mm Hook and C3, work 1 row dc evenly around neck and back opening, working 4 buttonloops evenly along right hand side of back opening. Work edging around neck and lower edge of sleeves as follows - * 2 ch, miss 2 sts, 1 tr in next st, (2 ch, 1 dc in top of last tr worked, 1 tr in same st as that in which last tr was worked) 3 times, 2 ch, miss one st, 1 dc in next st, rep from * to end. Fasten off. Sew on buttons. Press seams.

VEST (worked in one piece to underarm)

Using 3.75mm Needles and C4, cast on 61 sts.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row 13 times for moss st.

Divide for armholes - Next row - Moss 13, cast off 5 sts, moss 25, cast off 5 sts, moss 13.

Cont on last 13 sts for **Left Front**.

Dec at armhole edge in alt rows twice ... 11 sts.

Work 8 rows moss st.

Shape neck - Cast off 3 sts at beg of next row

... 8 sts.

Dec at neck edge in next and alt rows 4 times in all ... 4 sts.

Work 1 row.

Cast off.

Join C4 to centre 25 sts for **Back**.

Dec at each end of alt rows twice ... 21 sts.

Work 13 rows moss st.

Shape neck - Next row - Moss 7, cast off 7 sts, moss 7.

Cont on last 7 sts.

Dec at neck edge in next 3 rows ... 4 sts.

Cast off.

Join C4 to rem 7 sts.

Dec at neck edge in next 3 rows ... 4 sts.

Cast off.

Join C4 to rem 13 sts for **Right Front**.

Dec at armhole edge in alt rows twice ... 11 sts.

Work 7 rows moss st.

Shape neck - Cast off 3 sts at beg of next row ... 8 sts.

Dec at neck edge in alt rows 4 times ... 4 sts.

Work 1 row.

Cast off.

MAKE UP

Using a flat seam, join shoulder seams.

CAP (make 2 pieces)

Using 3.75 mm Needles and M, cast on 45 sts.

1st row (wrong side) - * K4, tie a C2 thread around last of these sts, K2, tie a C1 thread around last of these sts, rep from * to last 3 sts, K3.

2nd row - K3, * P1, K1, P1, K3, rep from * to end.

3rd row - P3, * K1, P1, K1, P3, rep from * to end.

** Using C1, **4th row** - As 2nd row.

Using M, **5th row** - As 3rd row.

Using C2, **6th row** - As 2nd row.

Using M, rep 3rd row once, then 2nd and 3rd rows twice. **

Rep from ** to ** once, rows 4 to 6 incl once, then 3rd row once.

Using M for rem, purl 2 rows (ridge).

Working in stocking st, beg with a knit row, cast off 3 sts at beg of next 12 rows.

Cast off.

Vertical stripes - Work as for **Kilt**.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join pieces tog. Press into crease at purl ridge as pictured. Cut 2 strands of M, C1 and C2, 20 cm long, fold in half and attach to top of cap at back. Press seams.

SASH

Using 3.75mm Needles and M, cast on 93 sts.

Work as for **Cap** to end of 6th row.

Using M, rep 3rd row once, then 2nd row once.

Cast off knitways.

Vertical stripes - Work as for **Kilt**.

Catch in position as pictured with tiny brooch or pin.

SOCKS

Using 3.75 mm Needles and C3, cast on 32 sts.

1st row - K2, * P1, K1, rep from * to end.

Rep 1st row 3 times ... 4 rows rib.

Work 4 rows stocking st, beg with a knit row.

Dec at each end of next and foll 4th rows until 24 sts rem.

Work 9 rows.

Next row - (K1, K2tog) 8 times ... 16 sts. Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join leg and foot

seams. Press seams.

PANTIES (make 2 pieces)

Using 3.75mm Needles and C3, cast on 32 sts.

1st row - K2, * P1, K1, rep from * to end.

Rep 1st row once.

3rd row - K2, * yfwd, K2tog, rep from * to end.

4th row - As 1st row.

Work 10 rows stocking st.

Dec at each end of every row until 6 sts rem.

Work 1 row. Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using a flat seam, join side and crotch seams. With right side facing, using 3.50mm Hook and C3, work 1 row dc around leg openings. Thread elastic through holes at waist, draw up to fit and fasten off securely. Press seams. 

MEXICAN DOLL'S OUTFIT



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (approx)	cm	38-43
	ins	15-17
Fits chest (approx)	cm	20-23

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Main Colour (M - cream) 2

1st Contrast (C1 - black) 2

2nd Contrast (C2 - red) 1

3rd Contrast (C3 - yellow) 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 3.75mm (No 9) Aero Knitting Needles and A 3.50mm (No 9) Aero Crochet Hook or size/s needed to give correct tension. 4 Small Buttons for **Shirt**; Length of Round Elastic for **Trousers**; Length of Wire for **Hat** if desired.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use

smaller needles, if more sts use bigger needles.

SHIRT (worked in one piece to underarm).

Using 3.75mm Needles and M, cast on 64 sts.

1st row - K3, * P2, K2, rep from * to last st, K1.

2nd row - K1, P2, * K2, P2, rep from * to last st, K1.

Last 2 rows form rib patt.

Rep 1st and 2nd rows 11 times.

Divide for raglan armholes - **Next row** - Rib 14, cast off 4 sts, rib 28, cast off 4 sts, rib 14.

Cont on last 14 sts for **Left Front**.

Dec at armhole edge in 4th and foll alt rows until 9 sts rem.

Shape neck - Cast off 2 sts at beg of next row ... 7 sts.

Dec at each end of next row and foll alt row, then at armhole edge only in foll alt row ... 2 sts.

Next row - Rib 2, **turn**, work 2tog. Fasten off.

Join M to centre 28 sts for **Back**.

Shape raglan armholes - Dec at each end of 4th and foll alt rows until 12 sts rem.

Work 1 row. Cast off.

Join M to rem 14 sts at armhole edge for **Right Front**.

Dec at armhole edge in 4th and foll alt rows until 10 sts rem.

Work 1 row.

Shape neck - Cast off 2 sts, rib to last 2 sts, work 2tog ... 7 sts.

Dec at each end of foll alt rows twice, then at armhole edge only in foll alt row ... 2 sts.

Next row - Rib 2, **turn**, work 2tog. Fasten off.

SLEEVES

Using 3.75mm Needles and M, cast on 28 sts.

Work 18 rows in rib patt as for Shirt.

Shape raglans - Cast off 2 sts at beg of next 2 rows ... 24 sts.

Dec at each end of 3rd row and foll alt rows until 8 sts rem.

Work 1 row.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side, taking care not to flatten patt. Using back-stitch, join raglan seams. Using a flat seam, join sleeve seams. With right side facing using 3.50mm Hook and M, work 1 row dc evenly along fronts and around neck, working 4 buttonloops evenly along left front. Sew on buttons. Press seams.

Fringe - Wind yarn around a piece of cardboard 4 cm wide and cut along one side. With wrong side facing and using 2 strands of yarn, fold yarn in half and draw loop through a stitch at lower edge of sleeve, pull ends through this loop and tighten. Rep in alt sts around lower edges of sleeves.

TROUSERS (make 2 pieces)

Using 3.75mm Needles and M, cast on 30 sts.

1st row - K2, * P2, K2, rep from * to end.

2nd row - P2, * K2, P2, rep from * to end.

3rd row - K2, * yrn, P2tog, yon, K2tog, rep from * to end.

4th row - As 2nd row.

Keeping rib patt correct as in 1st and 2nd rows, inc at each end of next and foll 6th rows until there are 36 sts, then in alt rows until there are 42 sts.

Work 1 row.

Shape leg - Cast off 3 sts at beg of next 2 rows ... 36 sts.

Dec at each end of next and alt rows until 30 sts rem.

Work 25 rows rib.

Cast off loosely in rib.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side, taking care not to flatten patt. Using back-stitch, join front, back and leg seams. Thread elastic through holes at waist, draw up to fit and fasten off securely. Work fringe as for Shirt around lower edge of legs.

HAT SASH

Using 3.75mm Needles and C2, cast on 8 sts.

1st row - K2tog, K5, inc in last st.

2nd row - Purl.

Rep 1st and 2nd rows once.

Working in stripes of 4 rows C1 and 4 rows C2 throughout, rep 1st and 2nd rows until 11 C2 stripes have been completed.

Cast off.

With a slightly damp cloth and warm iron, press lightly.

PONCHO (make 2 pieces)

Using 3.50mm Hook and C2, make 20 ch.

1st row - Miss 3 ch, 1 tr in each ch to end.

Using C3, **2nd row** - (1dc, 1ch) in first tr, 1 tr in each tr to end, 1 tr in top of turning ch.

Rep 2nd row, working in stripes of (1 row C1, 1 row C2 and 1 row C3) 7 times, then 1 row C1. Fasten off.

MAKE UP

Using a flat seam, sew top edge of each piece to side edge of other piece as pictured. Using C1, work fringe as for Shirt, working one knot in side of each row and in every alt stitch.

HAT

Using 3.50mm Hook and C1, make 2 ch.

1st round - Miss 1 ch, 6 dc in last ch sl st in first dc.

2nd and alt rounds - 1ch, 1 dc in each dc to end, sl st in first dc.

3rd round - 1 ch, 2 dc in each dc to end, sl st in first dc... 12 dc.

5th round - 1 ch, (1 dc in next dc, 2 dc in next dc) 6 times, sl st in first dc ... 18 dc.

7th round - 1 ch, (1 dc in each of next 2 dc, 2 dc in next dc) 6 times, sl st in first dc ... 24 dc.

9th round - 1 ch, (1dc in each of next 3 dc, 2 dc in next dc) 6 times, sl st in first dc ... 30 dc.

Cont inc in this manner in alt rounds until there are 78 sts.

Work 7 rounds.

33rd round - 1 ch, (1 dc in each of next 12 dc, 2 dc in next dc) 6 times, sl st in first dc ... 84 dc.

34th round - 1 ch (1 dc in each of next 6 dc, 2 dc in next dc) 12 times, sl st in first dc ... 96 dc.

35th and alt rounds - As 2nd round.

36th round - 1 ch, (1 dc in each of next 7 dc, 2 dc in next dc) 12 times, sl st in first dc ... 108 dc.

38th round - 1 ch, (1 dc in each of next 8 dc, 2 dc in next dc) 12 times, sl st in first dc ... 120 dc.

40th round - 1 ch, (1 dc in each of next 9 dc, 2 dc in next dc) 12 times, sl st in first dc ... 132 dc.

Work 3 rounds.

44th round - 1 ch (1 dc in each of next 10 dc, 2 dc in next dc) 12 times, sl st in first dc ... 144 dc.

Work 4 rounds, working last round over wire (if desired). Overlap ends of wire for about 2.5 cm and draw wire up to slightly less than size of hat to give rolled edge to brim. Sl st in next dc. Fasten off. 🌲

JAPANESE DOLL'S OUTFIT



As pictured on Inside Front Cover

MEASUREMENTS

Fits Doll (approx)	cm	38-43
	ins	15-17
Fits chest (approx)	cm	20-23

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Main Colour (M blue) 3

1st Contrast (C1 custard) 1

2nd Contrast (C2 white) 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 3.75mm (No 9) Aero Knitting Needles and A 3.50mm (No 9) Aero Crochet Hook or size/s needed to give correct tension. 2 Press Studs for **Kimono**; 2 Press Studs for **Obe**; Length of Round Elastic for **Tights**; 2 skeins of pink Anchor Tapisserie Wool for embroidery.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

KIMINO (beg at lower edge of Back).

Using 3.75mm Needles and M, cast on 123 sts.

Work 4 rows stocking st.

5th row - K14, sl 1, K1, pssso, K20, sl 1, K2tog, pssso, (K21, sl 1, K2tog, pssso) twice, K20, K2tog, K14.

Work 3 rows stocking st, beg with a purl row.

9th row - K34, sl 1, K2tog, pssso, K41, sl 1, K2tog, pssso, K34.

Work 3 rows.

13th row - K13, sl 1, K1, pssso, (K18, sl 1, K2tog, pssso) 3 times, K18, K2tog, K13.

Work 3 rows.

17th row - K31, sl 1, K2tog, pssso, K35, sl 1, K2tog, pssso, K31.

Work 3 rows.

21st row - K12, sl 1, K1, pssso, K16, sl 1, K2tog, pssso, (K15, sl 1, K2tog, pssso) twice, K16, K2tog, K12.

Work 3 rows.

25th row - K28, sl 1, K2tog, pssso, K29, sl 1, K2tog, pssso, K28.

Work 3 rows.

29th row - K11, sl 1, K1, pssso, K14, sl 1, K2tog, pssso, (K12, sl 1, K2tog, pssso) twice, K14, K2tog, K11.

Work 3 rows.

33rd row - K25, sl 1, K2tog, pssso, K23, sl 1, K2tog, pssso, K25.

Work 3 rows.

37th row - K10, sl 1, K1, pssso, K12, sl 1, K2tog, pssso, (K9, sl 1, K2tog, pssso) twice, K12, K2tog, K10.

Work 3 rows.

41st row - K22, sl 1, K2tog, pssso, K17, sl 1, K2tog, pssso, K22.

Work 3 rows.

45th row - K9, sl 1, K1, pssso, K10, sl 1, K2tog, pssso, (K6, sl 1, K2tog, pssso) twice, K10, K2tog, K9.

Work 3 rows.

49th row - K19, sl 1, K2tog, pssso, K11, sl 1, K2tog, pssso, K19.

Work 3 rows.

53rd row - K8, sl 1, K1, pssso, K8, sl 1, K2tog, pssso, (K3, sl 1, K2tog, pssso) twice, K8, K2tog, K8

... 43 sts.

Dec at each end of foll 8th rows until 31 sts rem.

Work 7 rows.

Shape armholes - Cast off 2 sts at beg of next 2 rows ... 27 sts.

Dec at each end of next and alt rows until 21 sts rem.

Work 5 rows.

Shape neck - Next row - K7, cast off 7 sts, K7.

Cont on last 7 sts.

Dec at neck edge in every row twice ... 5 sts.

Work 1 row.

Beg Left Front - Cont on these 5 sts, inc at neck edge in next and foll alt rows until there are 10 sts.

Inc at each end of foll alt rows 3 times ... 16 sts.

Cast on 2 sts at beg of next row ... 18 sts.

Inc at front edge in next and foll alt rows 4 times in all ... 22 sts.

Inc at each end of foll alt row ... 24 sts.

Inc at side edge in foll 8th rows until there are 32 sts.

Work 3 rows.

Dec at front edge in next and foll 4th rows until 27 sts rem, then in alt rows until 20 sts rem.

Work 1 row. Cast off.

Beg Right Front - Join M to rem sts at neck edge. Cont on last 7 sts.

Dec at neck edge in next 2 rows ... 5 sts.

Cont on these 5 sts, inc at neck edge in alt rows until there are 10 sts.

Inc at each end of alt rows until there are 16 sts.

Work 1 row.

Cast on 2 sts, knit to last st, inc in last st ... 19 sts.

Inc at front edge in alt rows 3 times ... 22 sts.

Inc at each end of foll alt row ... 24 sts.

Inc at side edge in foll 8th rows until there are 32 sts.

Work 3 rows.

Dec at front edge in next and foll 4th rows until 27 sts rem, then in alt rows until 20 sts rem.

Work 1 row. Cast off.

SLEEVES

Using 3.75mm Needles and M, cast on 93 sts.

Work 4 rows stocking st.

Cast off 2 sts at beg of next 6 rows ... 81 sts.

Cast off 3 sts at beg of next 6 rows ... 63 sts.

Cast off 4 sts at beg of next 4 rows ... 47 sts.

Cast off 5 sts at beg of next 4 rows ... 27 sts.

Work 2 rows.

Shape top - Dec at each end of every row until 7 sts rem.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using a flat seam, join sleeve seams. Using back-stitch, join side seams. Sew in sleeves. With right side facing, using 3.50mm Hook and M, work edging around Kimino and Sleeves as follows - * Miss one st, 4 tr in next st, miss one st, 1 dc in next st, rep from * to end.

Embroider sleeves and edge of kimino as pictured. Using running st, sew lower sleeves tog for 6cm along crocheted edge. Sew 2 press studs in position at waistline, overlapping fronts to fit.

OBI

Using 3.75mm Needles and C1, cast on 13 sts.

1st row - K1, * P1, K1, rep from * to end.

Rep 1st row for moss st until work measures 23 cm for waist section from beg.

Cast off in moss st.

Make another piece 66 cm long in same manner for bow section.

Fold bow in half, then turn over 2.5 cm at folded edge twice to form thick roll. Sew to waistband. Sew on 2 press studs, overlapping band to fit.

TIGHTS (make 2 pieces).

Using 3.75mm Needles and C2, cast on 31 sts.

1st row (wrong side) - Knit.

2nd row - K1, * yfwd, K2tog, rep from * to end.

3rd and 4th rows - Knit.

5th row - Purl.

Cont in stocking st, beg with a knit row, inc at each end of next and foll 6th rows until there are 37 sts, then in alt rows until there are 43 sts. Work 1 row.

Shape leg - Cast off 2 sts at beg of next 2 rows ... 39 sts.

Dec at each end of next and foll 8th rows until 27 sts rem. Work 7 rows.

Next row - (K1, K2tog) 9 times ... 18 sts.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join front, back and leg seams. Fold legs in half so that seam is at centre and using a flat seam, join foot seams. Thread elastic through holes at waist, adjust to size and fasten off securely. Press seams. 

FASHION DOLL'S COAT



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (height approx)	cm	28
	ins	11
Fits chest (approx)	cm	13

MATERIALS

PATONS TOTEM 8 PLY 50g balls

Quantity 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for this item.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 4.00mm (No 8) and 3.25mm (No 10) Aero Knitting Needles or sizes needed to give correct tension.

3 Small Buttons.

ABBREVIATIONS - See page 32.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

BACK

Using 3.25mm Needles, cast on 29 sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

3rd row - Knit.

4th row - Knit.

Rows 1 to 4 incl form patt.

Keeping patt correct, dec at each end of 5th and foll 8th rows until 19 sts rem.

Work 9 rows patt.

Shape raglan armholes - Cast off 2 sts at beg of next 2 rows ... 15 sts.

Dec at each end of next and alt rows until 7 sts rem.

Work 1 row. Cast off.

RIGHT FRONT

Using 3.25mm Needles, cast on 17 sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 4.00mm Needles. **

1st row - K4, * P1, K1, rep from * to last st, K1.

2nd row - * K1, P1, rep from * to last 3 sts, K3.

3rd row - Knit.

4th row - Knit.

Rows 1 to 4 incl form patt.

Keeping patt and garter st border correct, dec at end of 5th and foll 8th rows until 13 sts rem.

Work 1 row.

Next row - K1, yfwd, K2tog (buttonhole), patt to end.

Dec at end of 8th row from previous dec once, AT SAME TIME working a buttonhole (as before) in 8th rows from previous buttonhole twice.

Shape raglan armhole - Cast off 2 sts at beg of next row ... 10 sts.

Shape neck - Next row - Cast off 2 sts, patt to last 2 sts, sl 1, K1, pssso ... 7 sts.

Dec at each end of alt rows twice, then at armhole edge in foll alt row ... 2 sts.

Next row - K2, turn, K2tog.

Fasten off.

LEFT FRONT

Work as for Right Front to **.

1st row - K2, * P1, K1, rep from * to last 3 sts, K3.

2nd row - K3, * P1, K1, rep from * to end.

3rd row - Knit.

4th row - Knit.

Rows 1 to 4 incl form patt.

Keeping patt and garter st border correct, dec at beg of 5th and foll 8th rows until 12 sts rem.

Cont in patt until work measures same as Right Front to armhole, working one row less patt.

Shape raglan armhole - Cast off 2 sts at beg of next row ... 10 sts.

Shape neck - Next row - Cast off 2 sts, patt to end ... 8 sts.

Next row - K2tog, patt to end ... 7 sts.

Dec at each end of alt rows twice, then at armhole

edge in foll alt row ... 2 sts.
Next row - K2, turn, K2tog.
 Fasten off.

SLEEVES

Using 3.25mm Needles, cast on 15 sts.
 Knit 7 rows garter st (1st row is wrong side).
 Change to 4.00mm Needles.
 Work 18 rows patt as for Back.
Shape raglan - Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 11 sts.
 Dec at each end of next and alt rows until 3 sts rem.
 Work 1 row. Cast off.

COLLAR

Using 3.25mm Needles, cast on 39 sts.
1st row (wrong side) - Knit.
2nd row - K4, * K2tog, K5, rep from * to end ... 34 sts.
3rd row - Knit.

4th row - K4, * K2tog, K4, rep from * to end ... 29 sts.
5th row - Knit.
6th row - K4, * K2tog, K3, rep from * to end ... 24 sts.
7th row - Knit.
 Cast off.

BELT

Using 3.25mm Needles, cast on 3 sts.
 Knit in garter st, until belt measures 20 cm from beg.
 Cast off.

MAKE UP

Owing to the textured patt, we do not recommend pressing this item. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. Using a flat seam, join side and sleeve seams. Sew Collar in position. Sew on buttons. 

FASHION DOLL'S CABLE JUMPER AND BEANIE



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (height approx)	cm	28
	ins	11
Fits chest (approx)	cm	13

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Quantity 1

Quantities are approximate as they vary between knitters.
IMPORTANT! Use only the yarn specified for these items.
 Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.75mm (No 9) and 3.00mm (No 11) Aero Knitting Needles or sizes needed to give correct tension. A Cable Needle and 3 Buttons for **Jumper**.

ABBREVIATIONS - See page 32.

SPECIAL ABBREVIATIONS - **Cable F**=slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle; **Cable B**=slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.
 Please check your tension carefully. If less sts use

smaller needles, if more sts use bigger needles.

JUMPER

BACK

Using 3.00mm Needles, cast on 23 sts.
1st row - K2, * P1, K1, rep from * to last st, K1.
2nd row - K1, * P1, K1, rep from * to end.
 Rep 1st and 2nd rows once ... 4 rows rib in all.
 Change to 3.75mm Needles.
1st row - K1, * P1, K1, rep from * to end.
 Rep last row 9 times for **moss st**.
Divide for back opening - **1st row** - Moss 10, K3, turn.
2nd row - K3, moss 10.
 Keeping moss and garter st border correct, work 6 rows.
9th row - Moss 10, K1, yfwd, K2tog ... buttonhole.

Work 3 rows.

Shape raglan armhole - Cast off 2 sts at beg of next row ... 11 sts.

Work 1 row.

Dec at armhole edge in next 3 rows, working a buttonhole (as before) in 8th row from previous buttonhole ... 8 sts.

Rep last 4 rows once ... 5 sts.

Leave rem 5 sts on a safety pin.

Join yarn to rem sts, cast on 3 sts for underlap, moss to end ... 13 sts.

2nd row - K3, moss 10.

Keeping moss and garter st border correct, work 11 rows.

Shape raglan armhole - Cast off 2 sts at beg of next row ... 11 sts.

Dec at armhole edge in next 3 rows ... 8 sts.

Work 1 row.

Dec at armhole edge in next 3 rows ... 5 sts.

Leave rem 5 sts on a safety pin.

FRONT

Using 3.00mm Needles, cast on 25 sts.

Work 4 rows rib as for Back.

Change to 3.75mm Needles.

1st row - (K1, P1) 4 times, K4, P1, K4, (P1, K1) 4 times.

2nd row - (K1, P1) twice, K2, P1, K1, P4, K1, P4, K1, P1, K2, (P1, K1) twice.

3rd row - (K1, P1) 4 times, **Cable B**, P1, **Cable F**, (P1, K1) 4 times.

Rep 2nd row once, then 1st and 2nd rows once.

Last 6 rows form patt.

Cont in patt until work measures same as Back to underarm, working last row on wrong side.

Shape raglan armholes - Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 21 sts.

Shape neck - **1st row** - Work 2tog, patt 7, **turn**.

Cont on these 8 sts.

Dec at armhole edge in next row, then at each end of foll alt row ... 5 sts.

Work 1 row.

Dec at armhole edge in next 3 rows ... 2 sts.

Next row - P2, **turn**, K2tog.

Fasten off.

Leave next 3 sts on a safety pin, join yarn to rem sts, patt to last 2 sts, work 2tog.

Cont on these 8 sts.

Dec at armhole edge in next row, then at each end of foll alt row ... 5 sts.

Work 1 row.

Dec at armhole edge in next 3 rows ... 2 sts.

Next row - P2, **turn**, K2tog.

Fasten off.

SLEEVES

Using 3.00mm Needles, cast on 13 sts.

Work 4 rows rib as for Back, inc one st in centre of last row ... 14 sts.

Change to 3.75mm Needles.

1st row - K1, P2, K1, P1, K4, P1, K1, P2, K1.

2nd row - (K1, P1) twice, K1, P4, K1, (P1, K1) twice.

3rd row - K1, P2, K1, P1, **Cable F**, P1, K1, P2, K1.

Rep 2nd row once, then 1st and 2nd rows once.

Last 6 rows form patt.

Keeping patt correct, inc at each end of next row and foll 6th row, working extra sts into moss st ... 18 sts.

Cont until work measures 6 cm from beg, working last row on wrong side.

Shape raglan - Cast off 2 sts at beg of next 2 rows ... 14 sts.

Dec at each end of next 3 rows ... 8 sts.

Dec at each end of alt rows twice ... 4 sts.

Work 1 row.

Cast off.

NECKBAND

Using back-stitch, join raglan seams noting that tops of sleeves form part of neckline. With right side facing and using 3.00mm Needles, knit across left back safety pin sts thus - K3, P1, K1, knit up 11 sts evenly across top of left sleeve and along left side of neck, (K1, P1, K1) from front safety pin, K11 evenly along right side of neck and across top of right sleeve, (K1, P1, K3) from right back safety pin ... 35 sts.

1st row - K3, * K1, P1, rep from * to last 4 sts, K4.

2nd row - K3, * P1, K1, rep from * to last 2 sts, yfwd, K2tog ... buttonhole.

3rd row - As 1st row.

Cast off loosely in rib.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side, taking care not to flatten patt. Using a flat seam, join side and sleeve seams. Sew underlap in position. Sew on buttons. Press seams.

BEANIE

Using 3.00mm Needles, cast on 37 sts.

Work 15 rows rib as for Back of **Jumper**, inc one st in centre of last row ... 38 sts.

Change to 3.75mm Needles.

Work 6 rows stocking st, beg with a knit row.

Shape top - **1st row** - K1, * K4, K2tog, rep from * to last st, K1 ... 32 sts.

Work 1 row.

3rd row - K1, * K3, K2tog, rep from * to last st, K1 ... 26 sts.

Cont dec in this manner in alt rows until 14 sts rem.

Work 1 row.

Next row - K1, * K2tog, rep from * to last st, K1 ... 8 sts.

Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join seam, reversing for half of brim. Make a small pompon (see page 33) and attach to top of Beanie. Press seam.

Turn back brim. 

FASHION DOLL'S JUMPER AND HAT



As pictured on inside Front Cover

MEASUREMENTS

Jumper

Fits Doll (height approx)	cm	28
	ins	11
Fits chest	cm	13

Hat length (approx)	cm	7.5
---------------------	----	-----

MATERIALS

PATONS PATONYLE 4 PLY 50g balls

Small Quantity of each -

Main Colour (M-red)

1st Contrast (C-yellow)

2nd Contrast (C2 -blue)

3rd Contrast (C3- white)

4th Contrast (C4 -black)

5th Contrast (C5- green)

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 3.25mm (No 10) Aero Knitting Needles or size needed to give correct tension. 3 Press Studs for **Jumper**.

ABBREVIATIONS - See page 32.

TENSION - 28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JUMPER (worked in one piece to armholes)

Using 3.25mm Needles and M, cast on 42 sts.

1st row (wrong side) - Knit (ridge).

Work 14 rows in stripes of 1 row M, 2 rows C1, 3 rows C4, 1 row C5, 2 rows C3, 1 row M, 3 rows C2 and 1 row C5.

Divide for armholes - Using C1, K11, **turn**.

Cont on these 11 sts for **Left Back**.

Work 11 rows in stripes of 1 row C1, 3 rows M, 1 row C5, 2 rows C3, 1 row C2, 1 row C4 and 2 rows

C1.

Cast off.

Join C1 to rem sts, K20, **turn**.

Cont on these 20 sts for **Front**.

Keeping stripes correct as for Left Back, work a further 8 rows.

Shape neck - Next row - K8, **turn**.

Cont on these 8 sts.

Dec at neck edge in every row 3 times ... 5 sts.

Cast off rem 5 sts.

Join appropriate colour to rem sts, cast off 4 sts, knit to end.

Cont on these 8 sts.

Dec at neck edge in every row 3 times ... 5 sts.

Cast off rem 5 sts.

Join C1 to rem 11 sts, knit to end.

Cont on these 11 sts for **Right Back**.

Work 11 rows in stripes as for Left Back.

Cast off.

SLEEVES

Using 3.25mm Needles and M, cast on 12 sts.

1st row (wrong side) - Knit, (ridge).

Working in stripe patt as for Front and Left and Right Back, inc at each end of 5th and foll 6th rows 3 times in all ... 18 sts.

Work a further 7 rows in stripes.

Cast off loosely.

NECK EDGING

Using back-stitch, join shoulder seams. With right side facing, using 3.25mm Needles and M, knit up 22 sts evenly around neck edge.

Cast off loosely knitways.

RIGHT BACK EDGING

Using 3.25mm Needles and M, knit up 19 sts evenly along Right Back edge, incl ends of neck and lower edging.

Cast off knitways.

LEFT BACK EDGING

Work as for Right Back Edging.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join sleeve seams. Sew in sleeves. Sew on press studs, placing one at

back neck, one at centre and one at lower edge of Back. Embroider Jumper on Back, Front and Sleeves as pictured. Press seams.

HAT

Using 3.25mm Needles and M, cast on 30 sts.

1st row (wrong side) - Knit (ridge).

Working throughout rem in stripe patt as for Jumper, work 8 rows.

9th row - K2tog, * K2, K2tog, rep from * to end ... 22 sts.

Work a further 5 rows, beg with a purl row.

21st row - K1, (K2tog) 6 times, K1 ... 8 sts.

Work a further 5 rows, beg with a purl row.

27th row - (K2tog) 4 times ... 4 sts.

Work a further 3 rows, beg with a purl row.

Break off yarn.

Thread yarn through rem sts, draw up tightly and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly. Embroider Hat as pictured. Using back-stitch, join centre back seam. Using C5, make a small tassel and sew in position to point. Press seams. 

FASHION DOLL'S TROUSERS



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (height approx)	cm	28
	ins	11
Fits chest (approx)	cm	13

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Quantity 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for this item.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.75mm (No 9) and 3.00mm (No 11) Aero Knitting Needles or sizes needed to give correct tension. A Length of Round Elastic.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

TROUSERS

LEFT LEG

Using 3.00mm Needles, cast on 27 sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows once.

Change to 3.75mm Needles.

1st row - K3, * K2tog, K4, rep from * to end
... 23 sts.

2nd row - Purl.

3rd row - K16, sl 1 purlways, K6.

**** Rep 2nd and 3rd rows 17 times, then 2nd row once.**

Keeping sl st crease correct, inc at each end of next row and foll alt row ... 27 sts.

Work 1 row.

Dec at each end of next and foll 4th rows until 19 sts rem.

Work 3 rows.

Change to 3.00mm Needles and work 4 rows rib as for lower edge.

Cast off loosely in rib.

RIGHT LEG

Using 3.00mm Needles, cast on 27 sts.

Work 4 rows rib.

Change to 3.75mm Needles.

1st row - K3, * K2tog, K4, rep from * to end
... 23 sts.

2nd row - Purl.

3rd row - K6, sl 1 purlways, K16.

Work as for Left Leg from ** to end.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join crotch and leg seams. Thread round elastic through alt rows of rib at waistband. Press creases and seams lightly. 

FASHION DOLL'S WRAP JACKET



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (height approx)	cm	28
	ins	11
Fits chest (approx)	cm	13

MATERIALS

PATONS TOTEM 8 PLY 50g balls

Quantity 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for this Jacket.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 4.00mm (No 8) and 3.25mm (No 10) Aero Knitting Needles or sizes needed to give correct tension. A Stitch Holder; 2 Buttons.

ABBREVIATIONS - See page 32.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET (worked in one piece from wrist to wrist)
Using 3.25mm Needles, cast on 14 sts.

Knit 10 rows garter st (1st row is wrong side of cuff).
Change to 4.00mm Needles.

1st row - Knit.

2nd row - Purl.

Knit 6 rows garter st.

Last 8 rows form patt.

Keeping patt correct, work 16 rows.

Shape body - Cast on 10 sts at beg of next 2 rows
... 34 sts.

Work 11 rows.

Divide for Back - Next row - Patt 17, turn.

Work 8 rows.

Break off yarn and leave back sts on stitch-holder.

Join yarn to rem sts for **Right Front** and cast on 9 sts to form half of back collar.

Knit 3 rows garter st.

Next row - K5, * yfwd, K2tog (buttonhole), K1, rep from * once, knit to end ... 2 buttonholes.

Knit 1 row.

Cast off.

Using 4.00mm Needles, cast on 26 sts for **Left Front**.

Knit 5 rows garter st (1st row is **right** side).

Next row - Cast off 9 sts, knit to end ... 17 sts.

Next row - Knit across sts of Left Front, then sts of Back (from stitch-holder).

Work 9 rows patt on these 34 sts.

Shape body - Cast off 10 sts at beg of next 2 rows
...14 sts.
Work 24 rows.
Change to 3.25mm Needles
Knit 10 rows garter st. Cast off.

MAKE UP

Owing to the texture of this Jacket, we recommend not to press. Using a flat seam, join side and sleeve seams. Join centre back collar seams, then sew collar in position, easing in fullness. Sew on buttons. Turn back cuffs. 

FASHION DOLL'S SKIRT AND BERET



As pictured on inside Front Cover

MEASUREMENTS

Fits Doll (height approx)	cm	28
	ins	11
Fits chest (approx)	cm	13

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Quantity 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.75mm (No 9) and 3.00mm (No 11) Aero Knitting Needles or sizes needed to give correct tension. A Length of Round Elastic for Skirt.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

SKIRT

BACK AND FRONT (both alike)

Using 3.00mm Needles, cast on 19 sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows once, inc one st in centre of last row ... 20 sts, 4 rows rib in all.

Change to 3.75mm Needles.

1st row - P2, * K4, P2, rep from * to end.

2nd row - K2, * P4, K2, rep from * to end.

Rep 1st and 2nd rows twice.

7th row - P2, * K2, M1, K2, P2, rep from * to end ... 23 sts.

8th row - K2, P5, K2, rep from * to end.

9th row - P2, * K5, P2, rep from * to end.

Rep 8th and 9th rows once, then 8th row once.

13th row - P2, * K2, M1, K3, P2, rep from * to end ... 26 sts.

14th row - K2, * P6, K2, rep from * to end.

15th row - P2, * K6, P2, rep from * to end.

Rep 14th and 15th rows once, then 14th row once.

19th row - P2, * K3, M1, K3, P2, rep from * to end ... 29 sts.

20th row - K2, * P7, K2, rep from * to end.

21st row - P2, * K7, P2, rep from * to end.

Rep 20th and 21st rows once, then 20th row once.

25th row - P2, * K3, M1, K4, P2, rep from * to end ... 32 sts.

26th row - K2, * P8, K2, rep from * to end.

27th row - P2, * K8, P2, rep from * to end.

Rep 26th and 27th rows twice, then 26th row once.

Cast off loosely in patt.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side, taking care not to flatten patt. Using back-stitch, join side seams. Thread elastic through alt rows of rib at waistband. Press seams.

BERET

Using 3.00mm Needles, cast on 37 sts.

Work 4 rows rib as for waistband of Skirt.

Change to 3.75mm Needles.

1st row - Inc in each st to end ... 74 sts.

Work 3 rows stocking st, beg with a purl row.

5th row - K1, * K7, K2tog, rep from * to last st, K1 ... 66 sts.

6th and alt rows - Purl.

7th row - K1, * K6, K2tog, rep from * to last st, K1

... 58 sts.

9th row - K1, * K5, K2tog, rep from * to last st, K1

... 50 sts.

Cont dec in this manner, working one less st between dec each time until 18 sts rem.

Work 1 row.

Next row - K1, * K2tog, rep from * to last st, K1 ... 10 sts.

Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join seam. Slip Beret over a 7.5 cm diameter disc of cardboard and press lightly. 

DOLL'S SLEEPING BAG

As pictured on inside Back Cover

MEASUREMENTS

Fits Doll (height approx)	cm	48
	ins	19
Fits chest (approx)	cm	37

MATERIALS

PATONS TOTEM 8 PLY 50g balls

Main Colour (M- purple) 4

1st Contrast (C1- white) 2

2nd Contrast (C2- blue/red) 1

3rd Contrast (C3- navy) 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for this item.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 4.00mm (No 8) and 3.25mm (No 10) Aero Knitting Needles or sizes needed to give correct tension. 25 cm Zipper.

ABBREVIATIONS - See page 32.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

BODY (worked in one piece)

Using 4.00mm Needles and M, cast on 174 sts.

1st row - Knit.

2nd row - K1, purl to last st, K1.

Rep 1st and 2nd rows until work measures 33.5 cm from beg, ending with a 2nd row.

Cast off.

LEFT SLEEVE AND YOKE

Using 3.25mm Needles and C1, cast on 42 sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

Working in stocking st in stripes of 4 rows M, 2 rows each C2 and C3, 4 rows C1, and 2 rows each C2 and C3, AT SAME TIME inc at each end of 3rd and foll 4th rows until there are 52 sts.

Keeping stripes correct, cont until work measures 8 cm from beg, ending with a purl row.

Tie a coloured thread at each end of last row.

Work 13 rows in stripes. **

Divide for neck - **Next row** - P22, cast off 4 sts, P26.

Cont on last 26 sts.

Work 10 rows.

Cast off.

Join yarn to rem 22 sts.

Dec at beg of next row, then at same edge in every row until 14 sts rem.

Work 2 rows.

Cast off.

RIGHT SLEEVE AND YOKE

Work as for Left Sleeve and Yoke to **.

Divide for neck - **Next row** - P26, cast off 4 sts, P22.

Cont on last 22 sts.
Dec at end of next row, then at same edge in every row until 14 sts rem.
Work 2 rows.
Cast off.
Join yarn to rem 26 sts.
Work 10 rows.
Cast off.

HOOD

Using 4.00mm Needles and C1, cast on 37 sts.
1st row - Knit.
2nd row - Purl to last 3 sts, K3.
Rep 1st and 2nd rows until work measures 35 cm

from beg, ending with a 2nd row.
Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join side seams to coloured threads. Join centre back yoke seam. Sew body to yoke gathering in fullness and matching centre front edges. Sew zipper in position, then using a flat seam join rem of centre front seam. Over sew lower edges of bag tog. Using back-stitch, join centre back hood seam, then using a flat seam, sew to neck edge casing in fullness.
Press seams. 

DOLL'S PRAM SUIT



As pictured on inside Back Cover

MEASUREMENTS

Doll

Height (approx)	cm	48
	ins	19
Fits chest (approx)	cm	37

MATERIALS

PATONS TOTEM 8 PLY 50g balls

Complete Set

Main Colour (M- red) 3

Contrast (C- white) 2

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 4.50mm (No 7), 4.00mm (No 8) and 3.25mm (No 10) Aero Knitting Needles, or sizes needed to give correct tension. 2 Stitch Holders and 5 Buttons for **Top**; 1 Button for **Hat**; Length of Round Elastic for **Leggings**.

ABBREVIATIONS - See page 32.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

TOP (worked in one piece to underarm)

Using 3.25mm Needles and M, cast on 103 sts.

Knit 11 rows garter st (1st row is wrong side).

Change to 4.50mm Needles.

NOTE - When working in Fair Isle, do not weave

colours but carry colour not in use loosely across on wrong side of work. Always carry colours to end of rows.

Using C, **1st row** - Knit.

2nd row - * P2C, P3M, P1C, rep from * to last st, P1C.

3rd row - K1C, * K5M, K1C, rep from * to end.

4th row - * P3M, P1C, P2M, rep from * to last st, P1M.

5th row - * K2M, (K1C, K1M) twice, rep from * to last st, K1M.

6th row - P1M, * P1C, P3M, P1C, P1M, rep from * to end.

7th row - As 5th row.

8th row - As 4th row.

Break off C.

Change to 4.00mm Needles.

Using M for rem, work 2 rows stocking st.

Work dec row - **Next row** - K16, K2tog, K20, sl 1, K1, psso, K23, K2tog, K20, sl 1, K1, psso, K16.

Work 3 rows stocking st, beg with a purl row.

Next row - K15, K2tog, K20, sl 1, K1, pssso, K21, K2tog, K20, sl 1, K1, pssso, K15.

Work 3 rows.

Next row - K15, K2tog, K18, sl 1, K1, pssso, K21, K2tog, K18, sl 1, K1, pssso, K15.

Work 3 rows.

Next row - K14, K2tog, K18, sl 1, K1, pssso, K19, K2tog, K18, sl 1, K1, pssso, K14.

Work 1 row.

Divide for Back and Fronts - 1st row - K20, cast off 4 sts, K39, cast off 4 sts, K20.

Cont on last 20 sts for **Right Back**.

**** Dec at raglan edge in alt rows until 9 sts rem.**

Work 1 row.

Cast off. ******

Join yarn to rem sts, **Next row** - P17, K5, P17, **turn**.

Cont on last 39 sts for **Front**.

Keeping garter st panel correct, dec at each end of next and alt rows until 27 sts rem.

Work 1 row.

Shape neck - **Next row** - K2tog, K8, **turn**.

***** Cont on last 9 sts.**

Dec at each end of alt rows 3 times, then at raglan edge only in foll alt row ... 2 sts.

Next row - P2, **turn**, K2tog.

Fasten off. *******

Leave next 7 sts on a stitch-holder, join yarn to rem sts, knit to last 2 sts, K2tog.

Rep from ******* to *******.

Join yarn to rem 20 sts for **Left Back**.

Rep from ****** to ******.

SLEEVES

Using 3.25mm Needles and M, cast on 31 sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 4.50mm Needles.

Work rows 1 to 8 incl as for **Top**.

Break off C.

Change to 4.00mm Needles.

Using M for rem, work in stocking st, inc at each end of next row and foll 4th row ... 35 sts.

Cont until work measures 8 cm from beg, ending with a purl row.

Shape raglan - Cast off 3 sts at beg of next 2 rows ... 29 sts.

Dec at each end of next 3 rows, then in foll alt rows until 5 sts rem.

Work 1 row. Cast off.

RIGHT BACK BAND

Using 3.25mm Needles and M, cast on 6 sts.

Knit 17 rows garter st (1st row is wrong side).

18th row - K3, yfwd, K2tog (buttonhole), K1.

Knit 15 rows.

Rep last 16 rows twice, then buttonhole row once ... 4 buttonholes.

Knit 13 rows.

Break off yarn. Leave sts on a stitch-holder.

LEFT BACK BAND

Using 3.25mm Needles and M, cast on 6 sts.

Knit 80 rows garter st (1st row is wrong side).

Do not break off yarn. Leave sts on needle.

NECKBAND

Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. Sew on back bands.

With right side facing, using 3.25mm Needle holding left back band sts and M, knit up 43 sts evenly around neckline incl sts from front stitch-holder, knit across right back band sts ... 55 sts.

Knit 6 rows garter st, working a buttonhole (as before) in 2nd row.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch join sleeve seams. Using C and foll Graph (see page 25), embroider knitting st around garter st panel on front. Press seams.

LEGGINGS

LEFT LEG

Using 4.00mm Needles and C, cast on 21 sts.

1st row - Inc in first st, K8, inc in next st, K1, inc in next st, K8, inc in last st.

2nd and alt rows - K1, purl to last st, K1.

3rd row - Inc in first st, K10, inc in next st, K1, inc in next st, K10, inc in last st ... 29 sts.

Work 5 rows.

Shape instep - **1st row** - K16, sl 1, K1, pssso, **turn**.

2nd row - P4, P2tog, **turn**.

3rd row - K4, sl 1, K1, pssso, **turn**.

Rep 2nd and 3rd rows twice, then 2nd row once.

Next row - Knit to end ... 21 sts

Work 1 row.

Inc at each end of next row and foll 4th rows until there are 43 sts.

Work 1 row.

Inc at each end of next 4 rows ... 51 sts.

Shape crotch - Dec at each end of next row and foll alt row.

Dec at each end of foll 4th rows until 41 sts rem.

Work 3 rows.

Change to 3.25mm Needles.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 3 times.

Cast off loosely in rib.

RIGHT LEG

Work as for Left Leg.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join back and front seams. Using a flat seam, join leg and foot seams. Press seams.

HAT

RIGHT STRAP AND EAR FLAP

Using 3.25mm Needles and M, cast on 3 sts.

Knit 3 rows garter st (1st row is wrong side).

4th row - K1, yfwd, K2tog (buttonhole).

Knit 5 rows garter st.

Inc at each end of next row and foll alt row ... 7 sts.

Knit 9 rows.

Break off yarn and leave sts on a stitch-holder.

LEFT STRAP AND EAR FLAP

Work as for Right Strap and Ear Flap, omitting buttonhole.

CROWN

Using 3.25mm Needles and M, cast on 11 sts, **turn**, knit across left ear flap sts, **turn**, cast on 43 sts, **turn**, knit across right ear flap sts, **turn**, cast on 11 sts ... 79 sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

Working in stocking st, work 1 row C and 7 rows M.

Shape crown - Using M for rem, **1st row** - (K11, K2tog) 6 times, K1.

Work 1 row.

3rd row - (K10, K2tog) 6 times, K1.

Work 1 row.

5th row - (K9, K2tog) 6 times, K1.

Cont dec in this manner until 13 sts rem.

Next row - P1, * P2tog, rep from * to end ... 7 sts.

Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join seam. Sew on button. Press seam. 

BABY DOLL'S LAYETTE



As pictured on inside Back Cover

MEASUREMENTS

Doll Height (approx)	cm	48
	ins	19
Fits chest (approx)	cm	37

MATERIALS

PATONS FEATHERSOFT 3 PLY 25g balls

Complete Set 5

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.25mm (No 10) and 2.75mm (No 12) Aero Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders for **Dress and Jacket**; 8 Buttons for **Dress**; 3 Buttons for **Jacket**; Anchor Stranded Cotton for embroidery.

ABBREVIATIONS - See page 32.

TENSION - 32 sts and 41 rows to 10 cm over stocking st, using 3.25mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

DRESS

FRONT

Using 2.75mm Needles, cast on 75 sts.

Knit 11 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

1st row - K5, * yfwd, sl 1, K1, pssso, K6, rep from * ending last rep with K4 instead of K6.

2nd and alt rows - Purl.

3rd row - K3, * K2tog, yfwd, K1, yfwd, sl 1, K1, pssso, K3, rep from * to end.

5th row - K2, * K2tog, yfwd, K3, yfwd, sl 1, K1, pssso, K1, rep from * to last st, K1.

7th row - K1, K2tog, * yfwd, K5, yfwd, sl 1, K2tog, pssso, rep from * to last 8 sts, yfwd, K5, yfwd, sl 1,

RIGHT LEG

Work as for Left Leg.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join back and front seams. Using a flat seam, join leg and foot seams. Press seams.

HAT

RIGHT STRAP AND EAR FLAP

Using 3.25mm Needles and M, cast on 3 sts.

Knit 3 rows garter st (1st row is wrong side).

4th row - K1, yfwd, K2tog (buttonhole).

Knit 5 rows garter st.

Inc at each end of next row and foll alt row ... 7 sts.

Knit 9 rows.

Break off yarn and leave sts on a stitch-holder.

LEFT STRAP AND EAR FLAP

Work as for Right Strap and Ear Flap, omitting buttonhole.

CROWN

Using 3.25mm Needles and M, cast on 11 sts, **turn**, knit across left ear flap sts, **turn**, cast on 43 sts, **turn**, knit across right ear flap sts, **turn**, cast on 11 sts ... 79 sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

Working in stocking st, work 1 row C and 7 rows M.

Shape crown - Using M for rem, **1st row** - (K11, K2tog) 6 times, K1.

Work 1 row.

3rd row - (K10, K2tog) 6 times, K1.

Work 1 row.

5th row - (K9, K2tog) 6 times, K1.

Cont dec in this manner until 13 sts rem.

Next row - P1, * P2tog, rep from * to end ... 7 sts.

Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join seam. Sew on button. Press seam. 

BABY DOLL'S LAYETTE



As pictured on inside Back Cover

MEASUREMENTS

Doll Height (approx)	cm	48
	ins	19
Fits chest (approx)	cm	37

MATERIALS

PATONS FEATHERSOFT 3 PLY 25g balls

Complete Set

5

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair each 3.25mm (No 10) and 2.75mm (No 12) Aero Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders for **Dress** and **Jacket**; 8 Buttons for **Dress**; 3 Buttons for **Jacket**; Anchor Stranded Cotton for embroidery.

ABBREVIATIONS - See page 32.

TENSION - 32 sts and 41 rows to 10 cm over stocking st, using 3.25mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

DRESS

FRONT

Using 2.75mm Needles, cast on 75 sts.

Knit 11 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

1st row - K5, * yfwd, sl 1, K1, pssso, K6, rep from * ending last rep with K4 instead of K6.

2nd and alt rows - Purl.

3rd row - K3, * K2tog, yfwd, K1, yfwd, sl 1, K1, pssso, K3, rep from * to end.

5th row - K2, * K2tog, yfwd, K3, yfwd, sl 1, K1, pssso, K1, rep from * to last st, K1.

7th row - K1, K2tog, * yfwd, K5, yfwd, sl 1, K2tog, pssso, rep from * to last 8 sts, yfwd, K5, yfwd, sl 1,

SLEEVES

Using 2.75mm Needles, cast on 27 sts.
Knit 7 rows garter st (1st row is wrong side).
Change to 3.25mm Needles.
Work 18 rows patt as for Front.
Work inc row - Next row - K6, M1, (K1, M1) 15 times, K6 ... 43 sts.
Next row - Purl.
Shape top - Working in stocking st, cast off 3 sts at beg of next 2 rows ... 37 sts.
Dec at each end of next and alt rows until 17 sts rem, then in every row until 7 sts rem.
Cast off.

NECKBAND

Using back-stitch, join shoulder seams. With right side facing and using 2.75mm Needles, knit up 69 sts evenly around neck, incl sts from stitch-holders.
Knit 6 rows garter st, working a buttonhole (as before) in 4th row.
Cast off.

MAKE UP

DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew in sleeves. Sew on buttons.
Using stranded cotton, embroider flowers as pictured.

JACKET (worked in one piece to underarm)

Using 2.75mm Needles, cast on 139 sts.
Knit 10 rows garter st (1st row is wrong side).
Next row - K5, leave these 5 sts on a stitch-holder, inc in next st, knit to last 6 sts, inc in next st, turn. (Leave last 5 sts on a stitch-holder).
Cont on these 131 sts.
Change to 3.25mm Needles.
Work rows 1 to 16 incl as for Front of Dress.
Rep rows 1 to 16 incl once, then 1st and 2nd rows once.
Work dec row - Next row - K2, K2tog, (K12, K2tog) 9 times, K1 ... 121 sts.
Next row - P1, * yrn, P2tog, rep from * to end.
Divide for Back and Fronts - 1st row - K5, yfwd, sl 1, K1, psso, K18, cast off 9 sts, K53, cast off 9 sts, K19, yfwd, sl 1, K1, psso, K4.
Cont on last 25 sts for **Left Front**.
2nd row - Purl.
3rd row - K2tog, knit to last 8 sts, K2tog, yfwd, K1, yfwd, K1, yfwd, sl 1, K1, psso, K3.
Keeping patt panel correct as set, dec at armhole edge in alt rows until 20 sts rem.
Work 8 rows.
Shape neck - Cast off 4 sts at beg of next row ... 16 sts.
Dec at neck edge in next and alt rows until 11 sts rem.

Work 7 rows.

Shape shoulder - Cast off 5 sts at beg of next row.
Work 1 row.
Cast off rem 6 sts.
Join yarn to rem sts, K53, **turn.**
Cont on these 53 sts for **Back.**
Working in stocking st, dec at each end of alt rows until 43 sts rem.
Work 25 rows.
Shape shoulders - Cast off 5 sts at beg of next 2 rows, then 6 sts at beg of foll 2 rows.
Cast off rem 21 sts.
Join yarn to rem sts.
Cont on last 25 sts for **Right Front.**

2nd row - Purl.

3rd row - K3, K2tog, yfwd, K1, yfwd, sl 1, K1, psso, knit to last 2 sts, sl 1, K1, psso.

Keeping patt panel correct as set, dec at armhole edge in alt rows until 20 sts rem.

Work 7 rows.

Shape neck - Cast off 4 sts at beg of next row ... 16 sts.

Dec at neck edge in alt rows until 11 sts rem.

Work 8 rows.

Shape shoulder - Complete as for other shoulder.

SLEEVES

Using 2.75mm Needles, cast on 27 sts.
Knit 6 rows garter st, (1st row is wrong side).
Next row - K3, M1, (K3, M1) 7 times, K3 ... 35 sts.
Change to 3.25mm Needles.
Work 18 rows patt as for Front of Dress.
Next row - K5, M1, (K2, M1) 13 times, K4 ... 49 sts.
Work in stocking st, beg with a purl row until work measures 8 cm from beg, ending with a purl row.
Shape top - Cast off 3 sts at beg of next 2 rows ... 43 sts.
Dec at each end of next and alt rows until 29 sts rem, then in every row until 7 sts rem.
Cast off.

LEFT FRONT BAND

Using 2.75mm Needles, join yarn to inside edge sts left on stitch-holder.

1st row - Inc in first st, K4.

Knit 77 rows garter st.

Break off yarn and leave sts on a stitch-holder.

RIGHT FRONT BAND

Using 2.75mm Needles, join yarn to inside edge of sts left on stitch-holder.

1st row - Inc in first st, K4.

Knit 60 rows garter st.

Next row - K2, yfwd, K2tog (buttonhole), K2.
 Knit 16 rows, working a buttonhole (as before) in 10th row.
Do not break off yarn. Leave sts on needle.

NECKBAND

Using back-stitch, join shoulder seams and sew front bands in position. With right side facing and using needle holding right front band sts, knit up 61 sts evenly around neckline, knit across left front band sts ... 73 sts.

Knit 6 rows garter st, working a buttonhole (as before) in 4th row.
 Cast off loosely.

MAKE UP

DO NOT PRESS. Using back-stitch, join sleeve seams and sew in sleeves. Sew on buttons. Using 4 strands of yarn 180 cm long, make a twisted cord (see page 32). Thread through eyelet row at beg of yoke and tie in a bow at front. Using stranded cotton, embroider flowers as pictured.

BONNET

Using 2.75mm Needles, cast on 75 sts.

Knit 7 rows garter st (1st row is wrong side).
 Change to 3.25mm Needles.

Work 18 rows patt as for Front of **Dress**.

Next row - K5, M1, (K6, M1) 11 times, K4 ... 87 sts.

Work 17 rows stocking st, beg with a purl row.

Shape crown - 1st row - K7, (K2tog, K8) 8 times ... 79 sts.

2nd and alt rows - Purl.

3rd row - K7, (K2tog, K7) 8 times ... 71 sts.

Cont dec in this manner until 31 sts rem.

Next row - P1, * P2tog, rep from * to end ... 16 sts.
 Break off yarn, run end through rem sts, draw up and fasten off securely.

MAKE UP

DO NOT PRESS. Using back-stitch, join crown seam for 6 cm. With right side facing and using 2.75mm Needles, knit up 57 sts evenly along neck edge.

Knit 6 rows garter st.

Cast off.

Using 4 strands of yarn 45 cm long for each, make 2 twisted cords (see page 32). Sew securely to bonnet. Using stranded cotton, embroider as pictured. 

BABY DOLL'S CROCHET LAYETTE



As pictured on inside Back Cover

MEASUREMENTS

Fits Doll (approx)	cm	48
	ins	19
Fits chest (approx)	cm	37

MATERIALS

PATONS FEATHERSOFT 3 PLY 25g balls

Complete Set

6

Quantities are approximate as they vary between crochet workers.

IMPORTANT! Use only the yarn specified for these garments.

Other yarns may give unsatisfactory results.

ACCESSORIES - A 3.00mm (No 10-11) Aero Crochet Hook or size needed to give correct tension.
 3 Buttons for **Jacket**; 8 Buttons for **Dress**.

ABBREVIATIONS - See page 32.

SPECIAL ABBREVIATIONS - Dec=(draw up a loop in next st) twice, yoh and draw through all 3 loops on hook.

TENSION - 24.5 tr and 13.75 rows to (approx) 10 cm over tr fabric, using 3.00mm Hook, AND

3 patts to (approx) 10 cm in width and 14 rows to (approx) 10 cm in depth over patt.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller hook, if more sts use bigger hook.

JACKET

YOKE

Using 3.00mm Hook, make 35 ch.

1st row - Miss 3ch, * 2tr in next ch, 1tr in each of next 2ch, rep from * to last 2ch, 2tr in next ch, 1tr in

last ch ... 44 tr, counting turning ch as 1tr.

2nd row - (1dc, 1ch) in first tr, * 2tr in next tr, 1tr in each of next 3tr, rep from * to last 3 sts, 2tr in next tr, 1tr in each of next 2 sts.

3rd row - (1dc, 1ch) in first tr, 1tr in next tr, * 2tr in next tr, 1tr in each of next 4tr, rep from * to last 3 sts, 2tr in next tr, 1tr in each of last 2 sts.

4th row - (1dc, 1ch) in first tr, 1tr in next tr, * 2tr in next tr, 1tr in each of next 5tr, rep from * to last 4 sts, 2tr in next tr, 1tr in each of last 3 sts.

Work 3 more rows, inc in this manner ... 110 sts.

8th row - 1ch, 1dc in each of first 10tr, (2dc in next tr, 1dc in each of next 21tr) 4 times, 2dc in next tr, 1dc in each st to end ... 115 dc.

9th row - 1ch, 1dc in first dc, * miss 2dc, 5tr in next dc, miss 2dc, 1dc in next dc, rep from * to end.

Fasten off.

BACK (worked downwards).

Using 3.00mm Hook, make 50 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 24 loops.

**** 2nd row** - (1dc, 1ch) in first dc, 1ch, 1dc in first 4ch loop, * (3tr, 3ch, 3tr) in next 4ch loop, 1dc in next 4ch loop, 4ch, 1dc in next 4ch loop, rep from * to last two 4ch loops, (3tr, 3ch, 3tr) in next 4ch loop, 1dc in next 4ch loop, 1ch, 1tr in last dc.

3rd row - 1ch, 1dc in first tr, 4ch, miss (1ch, 1dc and 3tr), * (1dc, 4ch, 1dc) in next 3ch sp, 4ch, miss 3tr and 1dc, 1dc in next 4ch loop, 4ch, miss 1dc and 3tr, rep from * to last 3ch sp, (1dc, 4ch, 1dc) in last 3ch sp, 4ch, miss (3tr, 1dc and 1ch), 1dc in 2nd ch of turning ch loop.

Last 2 rows form patt.

Rep 2nd and 3rd row once. ***

Tie a coloured thread at each end of last row. **

**** Cont in patt until work measures 7.5 cm from coloured threads, ending with a 2nd patt row.

Fasten off.

LEFT FRONT

Using 3.00mm Hook, make 26 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 12 loops.

Work as for Back from ** to ***.

Tie a coloured thread at beg of last row.

Work as for Back from **** to end.

RIGHT FRONT

Work as for Left Front, tying a coloured thread at end of row instead of beg.

SLEEVES

Using 3.00mm Hook, make 32 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 15 loops.

Work as for Back from ** to **.

Cont in patt until work measures 7 cm from coloured threads, ending with a 2nd patt row.

Fasten off.

MAKE UP

DO NOT PRESS. Using a flat seam, join raglan seams to coloured threads, noting that tops of sleeves form part of yoke edge. Sew skirt and sleeves to yoke, behind shell edging, leaving shell edging free and easing in fullness. Join side and sleeve seams. With right side facing, work 2 rounds dc around lower edge of sleeves. Fasten off. With right side facing, work 1 row dc around neck edge. Fasten off. ** With wrong side facing, work 1 row dc along left front edge, having a number divisible by 6, plus 1.

2nd row - As 9th row of Yoke.

Fasten off.

Work same edging along right front edge, working three 2ch buttonholes along yoke edge in 1st row. Fasten off. Sew on buttons.

DRESS

YOKE

Work as for Yoke of Jacket.

FRONT (worked downwards)

Using 3.00mm Hook, make 62 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 30 loops.

Work as for Back of Jacket from ** to **.

Cont in patt until work measures 26.5 cm from coloured threads, ending with a 2nd patt row.

Fasten off.

LEFT BACK

Using 3.00mm Hook, make 32 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 15 loops.

Work as for Back of Jacket from ** to ***.

Tie a coloured thread at beg of last row.

Complete as for Front.

RIGHT BACK

Work as for Left Back, tying a coloured thread at end of row instead of beg.

SLEEVES

Using 3.00mm Hook, make 26 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 1ch, 1dc in next ch, rep from * to end ... 12 loops.

Work as for Back of **Jacket** from ** to **.

Cont in patt until work measures 4 cm from coloured threads, ending with a 2nd patt row.

Fasten off.

MAKE UP

Work as for Make Up of **Jacket** to **.

Work 2 rows dc along back edges, working eight 2ch buttonloops evenly along Right Back edge in 1st row. Fasten off. Sew on buttons.

BONNET

Using 3.00mm Hook, make 110 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 3ch, 1dc in next ch, rep from * to end ... 27 loops.

Work 6 rows patt as for Back of **Jacket**.

Next row - Sl st across first 9 loops, (1dc, 1ch) in next dc, 1ch, 1dc in next loop, patt to last 10 loops, 1dc in next loop, 1ch, 1tr in next dc, turn.

Work 12 rows patt.

Next row - Sl st across (1tr, 1ch, 1dc, 3tr and 2ch) 1ch, 1dc in same loop as last sl st, * 3ch, 1dc in next 4ch loop, 3ch, 1dc in next 3ch loop, rep from * once. Fasten off.

MAKE UP

Using a flat seam, join back seams. With right side facing, work 1 row dc around neck edge. Fasten off. With wrong side facing, work 1 row dc around face edge, having a number divisible by 6 plus 1.

2nd row - As 9th row of Yoke of **Jacket**.

Fasten off.

Using 4 strands of yarn 50 cm long for each, make 2 twisted cords (see page 32). Attach to bonnet.

BOOTEES

Using 3.00mm Hook, make 50 ch.

1st row (wrong side) - Miss 1ch, 1dc in next ch, * 4ch, miss 3ch, 1dc in next ch, rep from * to end ... 12 loops.

Work 4 rows patt as for Back of **Jacket**.

6th row - (1dc, 1ch) in first dc, * 2tr in next loop, 3tr in next loop, 2tr in next loop, rep from * to end, 1tr in last dc ... 30 tr, counting turning ch as 1tr.

Fasten off.

With wrong side facing, miss first 12 tr, join yarn with a sl st in next st.

Next row - (1dc, 1ch) in same place as sl st, 1tr in each of next 5tr, turn.

Next row - (1dc, 1ch) in first tr, 1tr in each st to end. Rep last row twice.

Fasten off.

With wrong side facing, join yarn with a sl st in last st of 6th row.

Next row - (1dc, 1ch) in same place as sl st, 1tr in each of next 11 tr, 4tr along side of instep, 1tr in each of 6 sts of instep, 4tr along other side of instep, 1tr in each of last 12 sts ... 38 sts.

Work 1 row tr.

Shape foot - 1st row - 1ch, **Dec**, 1dc in each of next 15 sts, (**Dec**) twice, 1dc in each of next 15 sts, **Dec**.

2nd row - 1ch, **Dec**, 1dc in each of next 13 sts, (**Dec**) twice, 1dc in each of next 13 sts, **Dec**.

Work 2 more rows, dec in this manner.

Fasten off.


MAKE UP

With wrong side facing, work 1 row dc along ankle edge of bootie, having a number divisible by 6, plus 1.

2nd row - As 9th row of Yoke of **Jacket**.

Fasten off.

Using a flat seam, join foot and leg seams. Using 4 strands of yarn 75 cm long for each, make 2 twisted cords (see page 32). Thread through fabric of 6th row and tie in a bow. 



GRAPH A PRAM SUIT

KEY FOR KNITTING
STITCH EMBROIDERY

 = C1

SWAGMAN TEDDY OUTFIT



As pictured on Back Cover

MEASUREMENTS

Fits Teddy (height approx)	cm	30
	ins	12
Fits chest (approx)	cm	20

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Main Colour (M-dark grey) 2

1st Contrast (C1-oyster) 1

2nd Contrast (C2-navy) 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 3.75mm (No 9) Aero Knitting Needles, A 3.50mm (No 9) Aero Crochet Hook or sizes needed to give correct tension. A Safety Pin for Coat; Small corks for Hat.

ABBREVIATIONS - See page 32.

TENSION - 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

TROUSER

RIGHT LEG

Using 3.75mm Needles and M, cast on 42 sts.

Work 2 rows stocking st.

3rd row - * K2, yfwd, K2tog, K2, rep from * to end.

Working in stocking st, beg with a purl row, inc at each end of 4th and foll 6th rows until there are 48 sts, then in alt rows until there are 54 sts.

Work 1 row.

Shape leg - Cast off 3 sts at beg of next 2 rows ... 48 sts.

Dec at each end of next and alt rows until 42 sts rem.
**

Work 11 rows, beg with a purl row.

Cast off.

LEFT LEG

Work as for **Right Leg** to **.

Work 19 rows, beg with a purl row.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join front, back and leg seams. Using 2 strands of C1, 153 cm long, make a twisted cord (see page 32), and thread through holes at waist. Press seams.

Fringe - Wind M around a piece of cardboard 4 cm wide and cut along one side. With wrong side facing and using 2 strands of yarn, fold yarn in half and draw a loop through a st at lower edge of left leg, pull ends through this loop and tighten. Rep in alt sts around lower edge of right leg.

COAT (worked in one piece to underarm)

Using 3.75mm Needles and C1, cast on 68 sts.

Work 2 rows stocking st.

3rd row - Knit to last 3 sts, yfwd, K2tog, K1 ... buttonhole.

Work 19 rows stocking st, beg with a purl row, working a buttonhole (as before) in foll 10th row.

Divide for armholes - **Next row** - K15, cast off 4 sts, K30, cast off 4 sts, K12, yfwd, K2tog, K1 ... buttonhole.

Cont on last 15 sts for **Left Front**.

Dec at armhole edge in alt rows until 12 sts rem.

Work 6 rows, working a buttonhole (as before) in 4th row.

Shape neck - **Next row** - Cast off 3 sts, purl to end ... 9 sts.

Dec at neck edge in next row and foll alt row ... 7 sts.

Work 5 rows.

Cast off.

Join C1 to next 30 sts for **Back**.

Dec at each end of alt rows until 24 sts rem.

Work 11 rows, beg with a purl row.

Shape neck - Next row - K9, cast off 6 sts, K9.
Cont on last 9 sts and dec at neck edge in next 2 rows.

Work 1 row.

Cast off rem 7 sts.

Join C1 to rem 9 sts at neck edge, dec at neck edge in next 2 rows.

Work 1 row.

Cast off rem 7 sts.

Join C1 to rem 15 sts at armhole edge for **Right Front**.

Dec at armhole edge in alt rows until 12 sts rem.

Work 5 rows.

Shape neck - Next row - Cast off 3 sts, knit to end ... 9 sts.

Dec at neck edge in alt rows twice... 7 sts.

Work 5 rows.

Cast off.

SLEEVES

Using 3.75mm Needles and C1, cast on 30 sts.

Work 22 rows stocking st.

Shape top - Dec at each end of every row until 6 sts rem.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join shoulder and sleeve seams. Sew in sleeves. With right side facing, using 3.50mm hook and C1, work 1 row dc around all outside edges. Fasten with safety pin. Press seams.

SINGLET (Back and Front both alike)

Using 3.75mm Needles and C2, cast on 30 sts.

Knit 2 rows garter st (1st row is wrong side).

Work 7 rows stocking st, beg with a purl row.

10th row - K8, sl 1, K1, psso, (yfwd) twice, K2tog, K18.

11th row - As 3rd row, working (P1, K1) in double loop formed by (yfwd) twice of previous row.

Rep 2nd and 3rd rows twice.

16th row - K18, sl 1, K1, psso, (yfwd) twice, K2tog, K8.

17th row - As 11th row.

Rep 2nd and 3rd rows 3 times.

24th row - K12, sl 1, K1, psso, (yfwd) twice, K2tog, K14.

25th row - As 11th row.

Shape armholes - Cast off 3 sts at beg of next 2 rows ... 24 sts.

28th row - K2tog, knit to last 2 sts, sl 1, K1, psso ... 22 sts.

29th row - Purl.

Shape neck - 30th row - K2tog, K6, cast off 6 sts, K6, sl 1, K1, psso.

Cont on last 7 sts.

31st row - K1, P5, K1.

32nd row - As 28th row.

33rd row - K1, P3, K1.

34th row - As 28th row.

35th row - K1, P1, K1.

36th row - K3.

Rep 35th and 36th rows 3 times, then 35th row once.

Cast off.

Join C2 to rem 7 sts.

31st row - K1, P5, K1.

32nd row - As 28th row.

33rd row - K1, P3, K1.

34th row - As 28th row.

35th row - K1, P1, K1.

36th row - K3.

Rep 35th and 36th rows 3 times, then 35th row once.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using a flat seam, join side and shoulder seams. Press seams.

HAT

Using 3.50mm Hook and M, make 2 ch.

1st round - Miss 1 ch, 6 dc in last ch, sl st in first dc.

2nd round - 1 ch, (2 dc in next dc) 6 times, sl st in first dc.

3rd round - 1 ch, (1 dc in next dc, 2 dc in next dc) 6 times, sl st in first dc.

4th round - 1 ch, (1 dc in each of next 2 dc, 2 dc in next dc) 6 times, sl st in first dc.

5th round - 1 ch, (1 dc in each of next 3 dc, 2 dc in next dc) 6 times, sl st in first dc.

Cont inc in this manner in every round until there are 72 dc.

Work 10 rounds.

23rd round - 1 ch, (1 dc in each of next 5 dc, 2 dc in next dc) 12 times, sl st in first dc.

24th round - 1 ch, 1 dc in each dc to end, sl st in first dc.

25th round - 1 ch, (1 dc in each of next 6 dc, 2 dc in next dc) 12 times, sl st in first dc.

Cont inc in this manner in alt rounds until there are 120 dc.

Work 1 round, sl st in next dc.

Fasten off.

Attach small corks around edge of brim. 

TEDDY'S COAT, CAP AND SCARF

As pictured on Back Cover

MEASUREMENTS

Teddy Height (approx)	cm	42
	ins	16.5
Waist (approx)	cm	37

MATERIALS**PATONS TOTEM 8 PLY 50g balls****Coat****Main Colour (M-red)** 4**1st Contrast (C1-mixed)** 3**2nd Contrast (C2-green)** 1**Cap****Main Colour (M)** 1**1st Contrast (C1)** 1**2nd Contrast (C2)** 1**Scarf****2nd Contrast (C2)** 1

Quantities are approximate as they vary between crochet workers.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - A 4.00mm (No 8) Aero Crochet

Hook or size needed to give correct tension.

3 Buttons for **Coat**; 1 Button for **Cap**.**ABBREVIATIONS** - See page 32.**SPECIAL ABBREVIATIONS** - **TrB**=1 tr in next st 1 row below; **Dec**=draw up loop in each of next 2 sts, yoh and draw through all 3 loops on hook.**TENSION** - 18 sts and 21.5 rows to 10 cm over patt.**FIRST - CHECK YOUR TENSION.**

Please check your tension carefully. If less sts use smaller hook, if more sts use bigger hook.

COAT**BACK**

Using 4.00mm Hook, make 52 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 51dc.**2nd row** - 1 ch, 1 dc, in each st to end.Using C1, **3rd row** - 1 ch, 1 dc in each of next 2 dc, * **TrB**, 1 dc in next dc, rep from * to last dc, 1 dc in last dc.Using C1, **4th row** - As 2nd row.Using M, **5th row** - 1 ch, 1 dc in first dc, * **TrB**, 1 dc in next dc, rep from * to end.

Rows 2 to 5 incl form patt.

6th row - 1 ch, **Dec**, patt to last 2 sts, **Dec**.

Keeping patt correct, dec at each end of foll 4th rows until 39 sts rem, then in foll alt row once ... 37 sts.

Shape raglan armholes - **1st row** - Sl st across first 2 sts, 1 ch, 1 dc in next st, patt to last 3 sts, 1 dc in next st, **turn**.

Dec at each end of next and alt rows until 15 sts rem.

Fasten off.

RIGHT FRONT

Using 4.00mm Hook and M, make 28 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 27 dc.

Work 4 rows patt as for Back. **

6th row - 1 ch, **Dec**, patt to end.

Keeping patt correct, dec at beg of 4th rows until 22 sts rem.

Next row - Patt across first 3 ch, 1ch, miss one st, patt to end ... buttonhole.

Work 2 rows.

Dec at beg of next row and foll alt row ... 20 sts.

Shape raglan armhole - **1st row** - Patt to last 3 sts, 1 dc in next st, **turn**.Dec at raglan edge in next and foll alt rows 7 times in all, **AT SAME TIME** working a buttonhole (as before) in 8th rows from previous buttonhole ... 11 sts and 3 buttonholes.**Shape neck** - **1st row** - Sl st across first 5 sts, 1 ch,

1 dc in next st, patt to end.

Dec at each end of next row and alt row ... 2 sts.

Work 1 row.

Next row - 1 ch, draw up loop in each st, yoh and draw through all 3 loops on hook.

Fasten off.

LEFT FRONT

Work as for Right Front to **.

6th row - Patt to last 2 sts, **Dec**.

Keeping patt correct, dec at end of 4th rows until 21 sts rem, then in foll alt row once ... 20 sts.

Shape raglan armhole - 1st row - Sl st across first 2 sts, 1 ch, 1 dc in next st, patt to end.

Dec at raglan edge in next and alt rows 7 times in all ... 11 sts.

Shape neck - 1st row - Patt to last 6 sts, 1 dc in next st, **turn**.

Complete as for Right Front.

SLEEVES

Using 4.00mm Hook and M, make 38 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 37 dc. Work 13 rows patt as for Back.

Shape raglan - 1st row - Sl st across first 2 sts, 1 ch, 1 dc in next st, patt to last 3 sts, 1 dc in next st, **turn**.

Keeping patt correct, dec at each end of next 3 rows. Work 1 row.

Rep last 4 rows twice ... 15 sts.

Dec at each end of every row until 5 sts rem.

Fasten off.

CAPE

Using 4.00mm Hook and M, make 55 ch.

1st row - Miss 3 ch, 1 tr in each of next 2 ch, (2 tr in next ch, 1 tr in each of next 8 ch) 5 times, 2 tr in next ch, 1 tr in each ch to end ... 59 tr counting turning ch as 1 tr.

2nd row - (1 dc, 1 ch) in first tr, 1 tr in each of next 2 tr, (2 tr in next st, 1 tr in each of next 9 sts) 5 times, 2 tr in next st, 1 tr in each st to end.

3rd row - (1 dc, 1 ch) in first st, 1 tr in each of next 3 sts, (2 tr in next st, 1 tr in each of next 10 sts) 5 times, 2 tr in next st, 1 tr in each st to end.

Work 4 more rows inc in this manner ... 95 sts.

Fasten off.

MAKE UP

Owing to the textured patt we do not recommend pressing this item. Using a flat seam, join raglan seams, noting that tops of sleeves form part of neckline. Join side and sleeve seams. Using M, work 1 row dc along front edges and first 5 sts of neck, inc where necessary to keep work flat. Sew cape to

neckline beg and ending within 5 sts of front edge and easing in fullness. With right side facing and using C2, work 1 round dc around all edges of cape, working through both thicknesses around neckline. Fasten off. Sew on buttons.

CAP

BACK AND FRONT (both alike)

Using 4.00mm Hook and M, make 16 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 15 dc. Working in patt as for Back of Coat, dec at each end of next and alt rows until 11 sts rem, then in every row until 3 sts rem.

Next row - 1 ch, (draw up loop in next st) 3 times, yoh and draw through all loops on hook.

Fasten off.

SIDES (make 2)

Using 4.00mm Hook and M, make 12 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 11 dc. Working in patt as for Back of Coat, dec at each end of next and alt rows until 3 sts rem.

Work 1 row.

Next row - 1 ch, (draw up a loop in next st) 3 times, yoh and draw through all loops on hook.

Fasten off.

PEAK

Using 4.00mm Hook and M, make 18 ch.

1st row - Miss 1 ch, 1 dc in each ch to end ... 17 dc. Working in patt as for Back of Coat, dec at each end of alt rows twice, then in every row until 9 sts rem.

Fasten off.

MAKE UP

Owing to the textured patt we do not recommend pressing this item. Using a flat seam, join crown seams. Sew peak to front of cap. With right side facing and using C2, work 1 round dc around lower edge of cap and edge of peak. Fasten off. Sew button to centre of cap. If desired attach elastic to fit around ears and under muzzle.

SCARF

Using 4.00mm Needles and M, make 11 ch.

1st row - Miss 3 ch, 1 tr in each ch to end ... 9 tr, counting turning ch as 1 tr.

2nd row - (1 dc, 1 ch) in first tr, 1 tr in each tr to end, 1 tr in top of turning ch.

Rep 2nd row until scarf measures 60 cm from beg. Fasten off.

FRINGE

Wind yarn around a piece of cardboard 4 cm wide

and cut along one edge. With wrong side facing and using hook, fold 2 strands of yarn in half and draw

loop through a st at end of scarf. Draw end through loop and tighten.

Rep in alt sts at both ends of scarf. 

TEDDY'S JUMPER AND OVERALLS



As pictured on Back Cover

MEASUREMENTS

Teddy Height (approx)	cm	42
	ins	16.5

Waist (approx)	cm	37
----------------	----	----

MATERIALS

PATONS BLUEBELL 5 PLY 50g balls

Jumper

Main Colour (M-red) 1

1st Contrast (C1- white) 1

Small quantity of M and C1 for Overalls

AND PATONS TOTEM 8 PLY 50g balls

Overalls

Main Colour (C2-blue) 1

Quantities are approximate as they vary between knitters.

IMPORTANT! Use only the yarn specified for these items.

Other yarns may give unsatisfactory results.

ACCESSORIES - 1 pair 4.00mm (No 8), 3.75mm (No 9), 3.25mm (No 10) and 3.00mm (No 11) Aero Knitting Needles, or sizes needed to give correct tension. 1 Stitch Holder and 5 Buttons for **Jumper**; 2 Buttons for **Overalls**.

ABBREVIATIONS - See page 32.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles and Totem 8 Ply, and 26 sts and 35 rows to 10 cm over stocking st, using 3.75mm Needles and Bluebell 5 Ply.

FIRST - CHECK YOUR TENSION.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JUMPER (worked in Bluebell 5 Ply throughout)
FRONT

Using 3.00mm Needles and M, cast on 55 sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows once ... 4 rows rib in all.

Change to 3.75mm Needles.

Working in stocking st, work 2 rows C1 and 2 rows M.

Last 4 rows form stripe patt.

Keeping stripes correct for rem, work 4 rows.

Shape armholes - Cast off 6 sts at beg of next 2 rows ... 43 sts.

Dec at each end of next and alt rows until 35 sts rem.

Work 15 rows.

Shape neck - 1st row - K10, turn.

** Cont on these 10 sts.

Dec at neck edge in every row until 3 sts rem.

Cast off. **

Leave next 15 sts on stitch-holder, join yarn to rem sts and knit to end.

Rep from ** to **.

RIGHT BACK

Using 3.00mm Needles and M, cast on 23 sts.

Work 4 rows rib as for Front.

Change to 3.75mm Needles.

Work 8 rows in stripes as for Front.

Shape armhole - Keeping stripes correct, cast off 6 sts at beg of next row ... 17 sts.

Dec at armhole edge in alt rows until 13 sts rem.
Work 23 rows.

Shape shoulder - Cast off 3 sts at beg of next row.
Work 1 row.
Cast off rem 10 sts.

LEFT BACK

Using 3.00mm Needles and M, cast on 23 sts.
Work 4 rows rib as for Front.
Change to 3.75mm Needles.
Work 9 rows in stripes as for Front.

Shape armhole - Keeping stripes correct, cast off 6 sts at beg of next row ... 17 sts.

Dec at armhole edge in next and alt rows until 13 sts rem.

Work 24 rows.

Shape shoulder - Complete as for other shoulder.

SLEEVES

Using 3.00mm Needles and M, cast on 49 sts.

Work 4 rows rib as for Front.

Change to 3.75mm Needles.

Working in stripes as for Front, inc at each end of 5th and foll 6th rows until there are 55 sts.

Cont until work measures (approx) 7 cm from beg, ending with 2 rows of C.

Shape top - Keeping stripes correct, cast off 3 sts at beg of next 2 rows ... 49 sts.

Dec at each end of next and alt rows until 43 sts rem, then in every row until 13 sts rem. Cast off.

RIGHT BACK BAND

Using 3.00mm Needles and M, cast on 5 sts.

Knit 3 rows garter st (1st row is wrong side).

4th row - K2, yfwd, K2tog (buttonhole), K1.

Knit 13 rows.

Rep last 14 rows 3 times, then buttonhole row once ... 5 buttonholes.

Knit 2 rows. Cast off.

LEFT BACK BAND

Work as for Right Back Band, omitting buttonholes.

NECKBAND

Using back-stitch, join shoulder seams. With right side facing, using 3.00mm Needles and M, knit up 49 sts evenly around neck, incl sts from stitch-holder.

Work 3 rows rib as for Front, beg with a 2nd row.

Cast off loosely in rib.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join side and sleeve seams. Sew in sleeves. Sew back bands in position.

Sew on buttons. Press seams.

OVERALLS (worked in Totem 8 Ply and Bluebell 5 ply)

RIGHT LEG

Using 3.25mm Needles and C2 in **Totem**, cast on 51 sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles.

Working in stocking st, inc at each end of 3rd and foll 6th rows until there are 59 sts.

Work 3 rows.

Shape for crotch - Inc at each end of next row and foll alt row ... 63 sts.

Dec at each end of alt rows until 47 sts rem, then in foll 4th rows until 43 sts rem.

Work 1 row.

Change to 3.25mm Needles.

Work 4 rows rib as for Front of **Jumper**.

LEFT LEG

Work as for Right Leg.

BIB AND STRAPS

Using 3.25mm Needles and C2 in **Totem**, cast on 15 sts.

1st row - Knit.

2nd row - K3, P9, K3.

Rep last 2 rows 6 times.

Knit 3 rows garter st.

Next row - K3, cast off 9 sts, K3.

Cont on last 3 sts.

Knit 71 rows garter st.

Next row - K1, yfwd, K2tog (buttonhole).

Knit 2 rows.

Cast off.

Join yarn to rem 3 sts and work other strap in same manner.

POCKET

Using 3.00mm Needles and C1 in **Bluebell**, cast on 14 sts.

Knit 3 rows garter st (1st row is wrong side).

Working in stripes of 2 rows M, 2 rows C1, work 12 rows stocking st.

Cast off.

MAKE UP

With a slightly damp cloth and warm iron, press lightly on wrong side. Using back-stitch, join front and back, then leg seams. Using a flat seam, sew bib in position. Sew on pocket. Sew on buttons. Press seams.



KNITTING AND CROCHET ABBREVIATIONS

K = knit; **P** = purl; **sl** = slip; **psso** = pass slipped stitch(es) over; **tbl** = through back of loop(s); **y bk** = yarn back – take yarn under needle from purling position into knitting position; **y ft** = yarn front – bring yarn under needle from knitting position into purling position; **y fwd** = bring yarn under needle, then over into knitting position again, thus making a stitch; **yon** = yarn over needle – take yarn over top of needle into knitting position, thus making a stitch; **yrn** = yarn round needle – take yarn right around needle into purling position, thus making a stitch; **“M1”** = Make 1 – pick up loop which lies before next stitch, place on left-hand needle and knit (or purl) into back of loop; **garter st** = every row knit; **stocking st** = 1 row knit, 1 row purl;

Reverse stocking st = 1 row purl, 1 row knit (purl side is right side).

When instructions read – “Cast off 2 sts, K2” (or similar stitches), the stitch left on the right-hand needle, after casting off, is counted as one stitch.


ch = chain; **sp** = space; **sl st** = slip stitch; **dc** = double crochet – draw a loop through next st, draw a loop through both loops on hook; **yoh** = yarn over hook; **h tr** = half treble – pass yarn round hook, draw a loop through next stitch, draw a loop through all 3 loops on hook; **tr** = treble – pass yarn round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops; **t tr** = triple treble – pass yarn three times round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, another through next 2 loops, then another through last 2 loops.

alt = alternate; **beg** = begin or beginning; **cont** = continue; **dec** = decrease, decreased, decreases or decreasing; **fol** = following or follows; **inc** = increase, increased, increases or increasing; **incl** = including or inclusive; **O** = no rows, stitches or times; **patt** = pattern; **rem** = remain, remains, remainder or remaining; **rep** = repeat; **st, sts** = stitch, stitches; **tog** = together; **cm** = centimetre(s); **mm** = millimetre(s); **ins** = inches.

The first row is always the right side of the work unless otherwise stated.

TO MAKE A TWISTED CORD


Method requires two people. Take as many strands of yarn as required, approximately three times the length required for the finished cord. Knot each end and slip a pencil between strands. Each person holds yarn just below pencil with one hand and twists pencil clockwise with other hand, keeping yarn taut. When yarn begins to kink, catch centre over door-knob or back of chair. Bring pencils together for one person to hold, while other grasps centre of yarn, sliding hand down and releasing at short intervals, letting yarn twist. Knot ends to prevent unravelling.



FLAT SEAM


This method is sometimes used for knitted garments but more often for crochet garments. A flat seam may be worked from either the right or wrong side of the work. Place the 2 pieces of fabric evenly together and sew stitch by stitch, always bringing the needle up from underneath to the top through the centre of the stitch, then in the same manner through corresponding stitch on second piece.

Note – Diagram shows knitted fabric, but method is the same for knitting or crochet. Always keep work elastic – there should be as much stretch in your seam as there is in the rest of your garment.




LAZY DAISY STITCH

Work in the same way as Chain Stitch (A), but fasten each loop at the foot with a small stitch (B). This stitch may be worked singly or in groups to form flower petals.




STEM STITCH

Work from left to right, taking regular small stitches along the line of the design. The thread always emerges on the left side of the previous stitch.






CHAIN STITCH

Bring the thread out at the top of the line and hold it down with left thumb. Insert the needle where it last emerged and bring the point out a short distance away. Pull the thread through, keeping the working thread under the needle point.




FRINGES

Plain Fringe – Wind yarn round a piece of cardboard 40 cm wide (or desired width) and cut along one edge. With wrong side facing, using crochet hook and two or more strands of yarn (diagram shows 3 strands), fold yarn in half and draw loop through a stitch on garment (diagram A), draw ends through this loop (diagram B), and pull lightly to form knot. Diagram C shows right side of knot.



BACK-STITCH SEAM

This is the method most commonly used for joining knitted garments. Hold the pieces together with right sides inside. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn after sewing seams.



POM-PONS

To make a pom-pom, cut two circles of cardboard, the diameter depends on the size of the pom-pom to be made, and should be equal to the size of the finished pom-pom plus approximately 1.25 cm for trimming, plus the diameter of the centre hole, e.g. for a pom-pom 4 cm across, the circles would be 4 cm, plus 1.25 cm, plus 1.25 cm for centre hole, equals 6.5 cm. Cut a round hole in the centre, the size of the hole is approximately a quarter of the finished pom-pom. Wind the yarn round and round the cardboard until the centre hole is completely filled up.

Place the point of a pair of scissors between the two circles of cardboard and cut around, keeping the scissors between the cardboard all the time. Using a double strand of yarn, wrap round between the two circles of cardboard, knot firmly, and take away cardboard. Trim pom-pom.



FAIR ISLE KNITTING

Fair Isle is quite easy to do, as long as you stick to a few basic guidelines.

Most Fair Isle designs are worked from graphs. The graph is like a picture of your work, with each square representing a stitch. You work in stocking stitch, reading the knit rows from right to left and the purl rows from left to right (unless otherwise stated). If you are working in rounds (e.g. on a circular yoke), you should read every round from right to left. You may find it helpful to colour in your graph before beginning, using colours similar to those in your knitting.

There are two methods of working Fair Isle – Stranding and Weaving. Stranding gives a ‘cleaner’ shape to the pattern, but it sometimes leaves you with fairly long threads on the wrong side. Weaving gives a neater finish on the wrong side, but it can make the right side look uneven. We recommend Stranding, catching the loose threads into the work at the center if they pass over more than about seven stitches.

Stranding means carrying the colour(s) not in use loosely on the wrong side. Most knitters find their own method of holding the yarns, but the following suggestion, once mastered, is very easy and saves having to put down and pick up the colours all the time.


Hold one colour in your right hand and the other in your left. Knit the first colour stitches in the normal way, but with the second colour stitches, insert the needle into the stitch and hook yarn through with the point of the needle. Diagrams A and B.

For an even finish, one colour should always be kept above and the other below. Usually the background colour is carried above (held in the right hand) and the pattern colour(s) below (held in the left hand). Diagram C shows the wrong side of knitting correctly stranded.


Take care not to pull the yarn tightly across on the wrong side. The strand of yarn should actually be **looser** than the stitches across which it is carried, to allow some elasticity in the finished fabric. When using the stranded yarn again, it is advisable to **s-t-r-e-t-c-h** the preceding few stitches along on your right-hand needle, thus forcing extra length into the stranded yarn. This is particularly important when working with a circular needle (e.g. on a circular yoke) as the stitches tend to bunch together on the thin flexible part of the needle.

Weaving means carrying the colour(s) not in use under and over the colour in use on alternate stitches. Knit one stitch normally, holding the colour(s) not in use in the left hand, **underneath** the point of the right-hand needle; for the next stitch hold the colour(s) in the left hand **above** the point of the right-hand needle as you knit the stitch (Diagram D), but take care not to pull it through with the stitch. Repeat these two movements. Diagram E shows the wrong side of knitting correctly woven.


Whichever method you use, take the time to untangle your colours after every row. Don't unwind too much yarn at once. You may find it helpful to slip an elastic band round each ball to prevent further unwinding.




A




B



C



D



E

The colours of the yarns illustrated have been reproduced as accurately as possible.

Printed in Australia for

Coats Spencer Crafts, Private Bag No. 15, Mulgrave North, Australia. 3170

Coats Spencer Crafts Limited. A.R.B.N 078 631 393

Incorporated in New Zealand.

Consumer Hotline - Aust - 1 800 333 642 - N.Z. - 0800 107 999

Bk 0067



