

m
Patons

KNITTING BOOK NO. 330



"MARINA"—See page 10.



Featuring Crochet Designs

1/6^{d.}



Mitzi

PATONS BEEHIVE
LADY BETTY, 2-Ply
—"PATONISED"

Quantity Required — 14 ozs.

MATERIALS:—

PATONS BEEHIVE
LADY BETTY, 2-Ply—
"PATONISED" . . 14 ozs.

"Parfrey" Crochet Hook,
No. 11.

MEASUREMENTS:—

50 ins. x 50 ins.

ABBREVIATIONS:—

See page 17.

d.tr. = Double Treble.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 shells to $1\frac{1}{4}$ inches in width. **Check tension—**see page 17.

Make 323 chain (loosely).

1st row.—4 tr. in 4th ch., * miss 3 ch., 1 d.c. in next ch., 5 tr. in next ch., repeat from * to last 4 ch., 1 d.c. in last ch., 3 ch., turn.

2nd row.—4 tr. in 1st d.c., * 1 d.c. in 4th tr. of next group, 5 tr. in next d.c., repeat from * to end of row, finishing with 1 d.c. in turning ch. of last row.

STOP! Have you checked your tension?

Repeat last row until work is square.

Fasten off.

THE BORDER.—Join in wool at last d.c. and working down side of shawl, make 4 tr. in d.c., then 4 tr. in top of tr. of each 5 tr. group.

Work one 4 tr. group in each d.c. between 5 tr. groups

along foundation ch., work 4 tr. groups along 3rd side the same as 1st side.

Work 4 tr. in each centre tr. of 5 tr. group along 4th side.

Join with s.s. to 1st 4 tr. group.

2nd round.—4 ch., 6 double tr., (i.e., wool over hook twice) in same place, * miss 1 group, 1 d.c. in last tr. of next group, 4 ch., 6 d.tr. in same st., repeat from * to end of 1st side.

2nd side.—* 4 ch., 6 d.tr. in same st., miss 1 group, 1 d.c. in 3rd tr. of next group, 4 ch., 6 d.tr. in same st., miss 1 group, 1 d.c. in 1st tr. of next group, repeat from * to end of 2nd side.

3rd side.—Same as 1st side.

4th side.—Same as 2nd side. Fasten off.

With a slightly damp cloth and warm iron, press lightly.

Ann

PATONS BEEHIVE
LADY BETTY, 2-Ply
—"PATONISED"

Complete Layette takes 7 ozs.

THE MATINEE JACKET

MATERIALS:—

PATONS BEEHIVE

LADY BETTY, 2-Ply—

"PATONISED" . . . 2 ozs.

"Parfrey" Crochet Hook,
No. 11.

Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder,
. 10½ ins.

Width all round at under-
arm 20 ins.

Length of sleeve from under-
arm 5½ ins.

ABBREVIATIONS:— See
page 17.

TENSION:—To get these
measurements it is abso-
lutely necessary to work
at a tension to produce 2
blocks to 1 inch in width.
Check tension—see page
17.

THE BACK.—Make 76 chain loosely.

1st row.—Miss 3 ch., 3 tr. in next ch., miss 3 ch., 1 d.c. in next ch., * 3 ch., 3 tr., in same stitch as last d.c., miss 3 ch., 1 d.c. in next st., repeat from * to end of row, turn (18 patterns).

2nd row.—3 ch., 3 tr. in first d.c., 1 d.c. into ch. loop of next block, * 3 ch., 3 tr. in same ch. loop, 1 d.c. in ch. loop of next block, repeat from * to end of row, turn.

Repeat 2nd row until there are 16 rows.

STOP! Have you checked your tension?

17th row.—3 ch., 1 d.c. in ch. loop of 1st block, continue in pattern to end of row.

18th row.—Like 17th row.

Continue in pattern for 4 rows (22 rows). Fasten off.
Make 35 ch., join to left side of work and break off wool.

Join wool to right side of work, make 38 ch., turn and begin pattern as 1st row, continue in pattern right across back and 35 ch. on opposite side.

Continue in pattern as 2nd row for 9 rows.

THE SHOULDER:

1st and 3rd rows.—Work 14 blocks in pattern, 1 d.c. in ch. of next block, turn.

2nd and 4th rows.—Work in pattern to end of row.

THE LEFT FRONT:

Make 19 ch., turn.

1st row.—Miss 3 ch., 3 tr. in next ch., * miss 3 ch., 1 d.c. in next ch., 3 ch., 3 tr. in same st. as last d.c., repeat from * once, miss 3 ch., 1 d.c. in last d.c. or previous row, 3 ch., 3 tr. in same d.c., continue in pattern to end of row.

[Continued on page 12





Lexie

PATONS BEEHIVE LADY BETTY, 2-Ply — "PATONISED"

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-ply—"PATONISED"

White 2 ozs.
Small Quantity Beehive Fingering, 2-ply, Pink.
"Parfrey" Crochet Hooks, Nos. 11 and 13. Four Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 9 ins.
Width all round at underarm 21 ins.
Length of sleeve from underarm 5 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 3 treble blocks to 1 inch in width. **Check tension—see page 17.**

Commencing at back and using No. 11 Crochet Hook, make 68 chain.

1st row.—1 tr. into each of first 3 ch., 1 ch., miss 1 ch., * 1 tr. into each of next 3 ch., 1 ch., miss 1 ch., repeat from * to end of row.

You will now have 17 blocks of 3 tr. with 1 ch. between each block.

2nd row.—3 ch., 1 d.c. into ch. between each block. Repeat to end of row.

3rd row.—As 1st row, going over the 3 ch with 3 tr.

STOP! Have you checked your tension?

Repeat pattern until 17 block (treble) rows have been completed, 34 rows in all, finishing with chain row.

This forms centre back of Jacket.

Without breaking off wool, commence right half front:

1st row.—3 tr., 1 ch. into each 3 ch., repeat this pattern for 6 tr. blocks, turn.

Work the chain row as above, continue as in back pattern, making 6 blocks only until 17 block rows have been completed. Break off wool.

Left Front is worked in the same manner, allowing a space of five treble blocks for neck.

Commencing at centre back. Join in Pink Wool and keeping neck shaping round, work evenly around whole garment with 3 ch., 1 d.c. between blocks of tr., making an extra ch. and 1 d.c. at lower corners to form bottom of garment. Break off wool.

[Continued on page 8

Roslie

PATONS BEEHIVE
BABY WOOL—
"PATONISED"

Quantity Required — 3 ozs.

MATERIALS:—

PATONS BEEHIVE BABY
WOOL—"PATONISED," 3 ozs.

Knitting Needles, 1 pair No. 12,
measured on a Beehive Needle
Gauge.

"Parfrey" Crochet Hook, No. 11.
Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder, $11\frac{1}{2}$ ins.
Width all round at underarm, 20
ins.

Length of sleeve from underarm,
2 ins.

ABBREVIATIONS:— See page 17.

TENSION:—To get these measure-
ments it is absolutely necessary to
work at a tension to produce 7
d.c. to the inch in width. Check
tension—see page 17.

THE BACK.—Cast on 80 stitches.

Knit in rib of K.2, P.2, for 2 ins. (25 rows). Cast off in
rib. Do not break off wool.

1st row.—Crochet: Make 77 d.c. along cast-off row

2nd row.—1 d.c. in front loop of first st., * 1 d.c. in
back loop of next st., 1 d.c. in front loop of next st.,
repeat from * to end of row, 1 ch., turn.

Repeat 2nd row until work measures $7\frac{1}{2}$ ins. from begin-
ning. To produce the correct pattern it is necessary to
begin and finish each row on a front loop.

STOP! Have you checked your tension?

To shape armholes:—

1st row.—Sl. st. over 2 sts., 1 ch., work in pattern to
last 2 sts., turn.

Repeat 1st row twice (65 d.c. in row).

Continue in pattern until armhole measures 3 ins. from
first shaping.

To shape neck:—

1st row.—Work 22 sts. in pattern, turn.

2nd row.—Sl. st. over first st., 1 ch., work in pattern to
end of row, 1 ch., turn.

3rd row.—Work 20 sts. in pattern, 1 ch., turn.

4th row.—Work in pattern to end of row. Fasten off.

Miss 21 sts., join in wool and proceed as follows:—

1st row.—Work 22 sts. in pattern to end of row, turn.

2nd row.—Work 21 sts. in pattern, 1 ch., turn.



3rd row.—Sl. st. over first st., work 20 sts. in pattern,
1 ch., turn.

4th row.—Work in pattern to end of row. Fasten off.

THE FRONT.—Work exactly as given for Back until
armhole measures $2\frac{1}{2}$ ins. from first shaping.

TO SHAPE NECK.—

1st row.—Work 28 sts. in pattern, turn.

2nd row.—Sl. st. over first 2 sts., 1 ch., begin on back
loop, work in pattern to end of row, finish on front loop.

3rd row.—Work 24 sts. in pattern, turn.

4th row.—Like 2nd row.

5th row.—Work 20 sts. in pattern, 1 ch., turn.

Continue in pattern until armhole measures 4 ins. from
1st shaping, beginning each row at armhole edge on
front loop and each row at neck edge on back loop.
Fasten off.

Miss 9 sts., join in wool, work other side to match.
Fasten off.

THE SLEEVES.—

1st row.—Cast on 64 stitches.

Work in rib of K.2, P.2 for 1 inch. Cast off in rib.

Do not break off wool.

[Continued on page 14



Judy

PATONS BEEHIVE
LADY BETTY, 3-ply
"PATONISED"

Quantity Required — 4 ozs.

MATERIALS:—

PATONS BEEHIVE LADY
BETTY, 3-Ply—"PATONISED"
4 ozs.

"Parfrey" Crochet Hooks, Nos. 11
and 13.

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder, 11 ins.

Width all round at underarm, 22
ins.

Length of sleeve from underarm, 6½
ins.

ABBREVIATIONS.—See page 17.

TENSION.—To get these measure-
ments, it is absolutely necessary
to work at a tension to produce
7 d.c. to the inch in width. Check
tension—see page 17.

Commencing at Neck edge, and using No. 13 Crochet
Hook, make 12 chain.

1st row.—1 d.c. into each of first 14 chain, (1 d.c., 1 ch.,
1 d.c.) into next ch., 1 d.c. into each of next 6 ch.,
(1 d.c., 1 ch., 1 d.c.) into next ch., 1 d.c. into each of
next 28 ch., (1 d.c., 1 ch., 1 d.c.) into next ch., 1 d.c.
into each of next 6 ch., (1 d.c., 1 ch., 1 d.c.) into next
ch., 1 d.c. into next 14 ch.

Repeat 1st row 20 times.

STOP! Have you checked your tension?

22nd row.—1 d.c. into each d.c. until corner of yoke is
reached, make 12 ch. and join to back corner, 1 d.c.
into each d.c. across back of yoke; make 12 ch. and
join to front corner, 1 d.c. into each d.c. to end of row
This completes yoke.

SHELL PATTERN—Using No. 11 Hook:—

1st row.—1 ch., turn. * 4 tr. into 2nd d.c., miss 1 d.c.,
1 d.c., miss 1 d.c., 4 tr into next d.c., 1 d.c. Repeat from

*, continuing across 12 ch. along back, next 12 ch. and
other side front.

2nd row.—Turn, 4 tr. into first d.c., 1 d.c. into middle
of 4 tr., 4 tr. into next d.c. This forms the shell. Con-
tinue in this pattern for 32 rows or longer if desired.

Without breaking wool, take No. 13 Hook and work
shell pattern up each side of Front to the neck. Fasten
off wool.

THE SLEEVES.—Using No. 11 Hook, join wool at
underarm and work round armhole in shell pattern for
24 rows.

THE CUFFS.—Using No. 13 Hook:—

1st row.—1 d.c. into each st.

2nd row.—1 d.c. into each d.c., missing every 3rd d.c.

3rd row.—1 d.c. into each d.c.

Repeat 3rd row for 5 rows.

9th row.—Shell pattern.

[Continued on page 14]

Becky

PATONS BEEHIVE
BABY WOOL—
"PATONISED"

Complete Layette takes 10 ozs.

THE FROCK.

MATERIALS:—

PATONS BEEHIVE BABY
WOOL—"PATONISED," 4 ozs.
"Parfrey" Crochet Hook, No. 10.
A Fine Crochet Hook for Silk Edging.
Pearsall's Fibrone Crochet No. 20.
Length of Ribbon.
Three Small Buttons.
Pearsall's Filoselle Silk for Embroidery.

MEASUREMENTS:—

Length from top of shoulder, 16 ins.
Width all round at underarm, 19 ins.
Length of sleeve from underarm, 2½ ins.

ABBREVIATIONS.—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 6 trebles to the inch in width. **Check tension—see page 17.**

THE FRONT.—Make a foundation of 113 chain loosely.

1st row.—Miss 1 ch, * 1 d.c. into next ch., repeat from * to end of row, 2 ch., turn.

2nd row.—112 tr., 1 ch., turn.

3rd row.—112 d.c., 2 ch., turn.

Repeat 2nd and 3rd rows twenty-three times.

STOP! Have you checked your tension?

Proceed as follows:—

1st row.—* Take 2 tr. together thus—wool round hook, insert into d.c., draw through, wool round hook, draw through 2 loops leaving 2 on hook, wool round hook, insert into next d.c., wool round hook, draw through wool round hook, draw through 2 loops, wool round hook, draw through remaining loops, repeat from * to end of row, 1 ch., turn.

2nd row.—56 d.c., 2 ch., turn.

3rd row.—1 tr., * 1 ch., miss 1 d.c., 1 tr. into next d.c., repeat from * to end of row, 1 ch., turn.

4th row.—1 d.c. into 1st tr., * 1 d.c. into ch., 1 d.c. into next tr., repeat from * to end of row, 1 ch., turn.

5th row.—56 d.c., 1 ch., turn.

6th row.—Like 5th row.

7th row.—Sl. st. over 3 d.c., 50 d.c., 1 ch., turn.

8th row.—Sl. st. over 1 d.c., 48 d.c., 1 ch., turn.

9th row.—48 d.c., 1 ch., turn.

Repeat 9th row eighteen times.

Proceed as follows:—

1st row.—15 d.c., 1 ch., turn.

2nd row.—Sl. st. over 1 d.c., 14 d.c., 1 ch., turn.

3rd row.—14 d.c., 1 ch., turn.

4th row.—Sl. st. over 1 d.c., 13 d.c., 1 ch., turn.

5th row.—13 d.c., 1 ch., turn.

[Continued on page 15



PATONS & BALDWIN'S



Jennie

PATONS
BLANKET WOOL—
"PATONISED"

MATERIALS:—

PATONS BLANKET WOOL—
"PATONISED," 24 ozs.

"Kuller-sKeme" Crochet Hook, No. 6.
Length of Ribbon.

MEASUREMENTS:—30 ins. x 40 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 4 trebles to 1 inch in width. Check tension—see page 17.

Make 80 chain loosely.

1st row.—1 tr into 3rd ch. from hook, 1 tr. into each ch. to end of row, 1 ch., turn.

2nd row.—* 1 d.c. into each tr., repeat from * to end of row, 2 ch., turn.

3rd row.—* 1 tr. into each d.c., repeat from * to end of row, 1 ch., turn.

STOP! Have you checked your tension?

Repeat 2nd and 3rd rows until work measures 32 ins. With right side of work facing, work round outer edge in d.c. through both loops for 4 ins., working 3 d.c. into each corner st.

TO MAKE UP COT COVER:—With a slightly damp cloth and warm iron, press lightly. Make bow and sew in position on right corner.

Lexie (continued from page 4)

Join in White Wool and continue in pattern round garment, working (1 block, 2 ch, 1 block) into each corner formed in previous row. Keep corners flat.

After 3 rows of blocks, break off White and join in Pink Wool, and work around garment as in 1st Pink row. Break off Pink Wool.

Join in White Wool and work three block rows around garment. This completes body of garment.

THE SLEEVES.—Fold garment in two at shoulder line, taking care to keep bottom edges level.

From shoulder line, count down 10 tr. blocks in front and ten at back, making 20 in all. Fasten the two tenth blocks together. This forms the armhole.

Join in White Wool and work round armhole in pattern until 10 block rows have been completed.

Using No. 13 Crochet Hook, work 1 round of d.c., missing every 3rd st.

Work 6 rounds in d.c.

7th round.—* 3 tr. in 1st d.c., miss 1 d.c., 1 d.c. in next d.c., miss 1 d.c., repeat from * to end of round.

8th round.—Like 7th round, only working d.c. into top of shell, and shell into top of d.c.

9th round.—Like 7th round.

Work another Sleeve in same manner.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side seams. Fold neck edge back at first pink line to form roll collar. Using No. 13 Crochet Hook, work around garment and Sleeves with edging of 3 ch., 1 d.c. into every 2nd stitch. Sew on buttons as illustrated in position on Left Front. Buttonholes not needed, as buttons go easily through crochet.

Andrena

PATONS BEEHIVE
LADY BETTY, 3-Ply—
"PATONISED"

MATERIALS:—

PATONS BEEHIVE LADY BETTY
3-ply—"PATONISED," 11 ozs.

"Parfrey" Crochet Hook, No. 12.

MEASUREMENTS:—46 ins. x 46 ins.

ABBREVIATIONS:—See page 17. d.tr. =
Double Treble.

TENSION:—To get these measurements it
is absolutely necessary to work at a ten-
sion to produce 5 trebles to the inch in
width. Check tension—see page 17.

Make 162 chain loosely.

1st row.—1 tr. into 4th ch. from hook, *
1 tr. into next ch., repeat from * to end of
row.

NOTE.—Turn each row with 3 ch. to
stand for 1st tr.

2nd row.—1 tr. into top of each tr.

3rd row.—Like 2nd row.

4th row.—3 tr. into next 3 tr., * miss 1 tr. (1 tr., 1 ch.,
1 tr.) into top of next tr., repeat from * to last 4 tr.
1 tr. into each tr.

5th row.—3 tr., * (1 tr., 1 ch., 1 tr.) into group of
previous row, repeat from * to last 3 tr., 1 tr. into each
tr., 1 tr. into 3 ch. of turning ch.

STOP! Have you checked your tension?

Repeat 5th row one hundred and ten (110) times.

116th row.—Like 2nd row. Repeat 116th row twice.

THE BORDER.—

1st round.—7 ch., 1 d.c. into 1 tr., * miss 2 tr., 7 ch.,
1 d.c. into next tr., repeat from * to end of round, work-
ing 7 ch., 1 d.c. into turning ch. at corner or corner tr.,
sl. st. to first 7 ch.

2nd round.—7 ch., 1 d.c. into 1st 7 ch. loop, * 7 ch.,
1 d.c. into next loop, repeat from * to end of round.

3rd round.—Like 2nd round.

4th round.—* (1 tr., 3 ch., 1 tr.) into centre of 7 ch. of
previous round, repeat from * to end of round.

*** 5th round.—(1 tr., 3 ch., 1 tr.) into next four 3 ch.
spaces, make 3 ch., miss one 3 ch. space, ** 1 d.tr., draw
wool through first 2 sts., wool over hook, draw through
next 2 sts., leaving 2 sts. on Hook, 1 d.tr., draw wool
through first 2 sts., * wool over hook, draw through
next 2 sts., repeat from * once, leaving 2 sts. on Hook,
wool over Hook, draw through last 2 sts., 2 ch. ** re-
peat from ** to ** three times, ending with 3 ch., miss
1 space, *** repeat from *** to *** to end of round.

6th round.—* (1 tr., 3 ch., 1 tr.) into next four 3 ch.
spaces (3 ch., 2 d.tr., 3 ch., 2 d.tr., 3 ch.) into next 3
spaces of fan, repeat from * to end of round.

7th round.—* (1 tr., 3 ch., 1 tr.) four times, 3 ch., 1 d.c.
into top of d.tr., (7 tr. into 3 ch. space, 1 d.c. on top of
next 2 d.tr.) five times, 3 ch., repeat from * to end of
round.

8th round.—3 ch., * 1 d.c. into 1st tr., 3 ch., sl. st. into
1st ch. (this will be termed picot throughout), (1 d.c.
into 3 ch. space, 1 d.c. into next tr., picot, 1 d.c. into
next tr.) five times, 1 d.c. into 3 ch. space, 1 d.c., picot
into 1st tr., 1 d.c. into next tr., (1 d.c. picot into next
tr., 1 d.c. into next tr.) sixteen times, 1 d.c. picot into
next tr., 1 d.c. into 3 ch. space, repeat from * to end
of round. Fasten off.



Marina

(ILLUSTRATED ON FRONT COVER)

PATONS BEEHIVE LADY BETTY, 2-Ply — PATONISED"

(The Complete Set requires 8 ozs. of Wool)

THE FROCK:—

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-ply—"PATONISED"

4 ozs.

"Parfrey" Crochet Hook, No. 13.

Two Buttons.

MEASUREMENTS:—

Length from top of shoulder

15½ ins.

Width all round at underarm

20 ins.

Length of sleeve from underarm

3 ins.

ABBREVIATIONS:—See page 17. h.tr. = half treble.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 shells to 1½ inches in width. Check tension—see page 17.

THE FRONT.—Make 184 chain.

1st row.—4 tr. in 4th ch. from hook, * miss 2 ch., 1 d.c. in next st., miss 2 ch., 5 tr. in next st., repeat from * to end of row, 3 ch., turn.

2nd row.—2 tr. in first tr., miss 1 tr., 1 d.c. in next st., * 5 tr. in d.c., miss 2 tr., 1 d.c. in next tr., repeat from * to end of row, 3 tr. in turning ch., 1 ch., turn.

** 3rd row.—* 5 tr. in d.c., miss 2 tr., 1 d.c. in next tr., repeat from * to end of row, 3 ch., turn.

4th row.—2 tr. in first d.c., miss 2 tr., 1 d.c. in next tr., * 5 tr. in d.c., miss 2 tr., 1 d.c. in next tr., repeat from * to end of row, 3 tr. in last d.c., 1 ch., turn. **

STOP! Have you checked your tension?

Repeat from ** to ** until work measures 12 inches from commencement, ending with 3rd row.

Proceed as follows:—

1st row.—3 ch., 1 d.c. in 3rd tr. of shell, * 1 ch., 1 d.c. in 3rd tr. of next shell, repeat from * to end of row, 1 ch., 1 d.c. into last d.c., 3 ch., turn.

2nd row.—1 h.tr. into each of first 3 ch., 1 h.tr. in d.c., (picking up front loop only), * 1 h.tr. in ch., 1 h.tr. in d.c., repeat from * to end of row, 1 h.tr. into each of 3 turning ch. (68 h.tr.), 2 ch., turn.

3rd row.—1 h.tr. in each h.tr. (picking up back loop only).

4th row.—Sl. st. over 4 h.tr., 2 ch., 1 h.tr. on h.tr. (picking up front loop only) to last 4 h.tr., 2 ch., turn.

Work 8 rows in h.tr., picking up back loop only on right side, and front loop only on wrong side of work.

Shape for shoulders as follows:—

1st row.—Work 21 h.tr., 2 ch., turn.

Repeat this row once. Fasten off.

Miss 14 h.tr., join in wool at neck edge and work other side to correspond.

THE BACK.—Work exactly as given for Front.

THE SLEEVES.—Make 82 chain.

1st row.—4 tr. in 4th ch. from hook, * miss 2 ch., 1 d.c. in next st., miss 2 ch., 5 tr. in next st., repeat from * to end of row, 3 ch., turn.

2nd row.—2 tr. in first tr., miss 1 tr., 1 d.c. in next st., * 5 tr. in d.c., miss 2 tr., 1 d.c. in next tr., repeat from * to end of row, 3 tr. in turning ch., 1 ch., turn.

Repeat from ** to ** as given for Front, until work measures 2 inches from commencement. Proceed as follows:—

1st row.—1 ch., 1 d.c. in 3rd tr. of shell, * 1 d.c. in d.c., 1 d.c. in 3rd tr. of next shell, repeat from * to end of row, 2 ch., turn.

2nd row.—1 h.tr. into each d.c., 1 h.tr. into turning ch., 2 ch., turn.

[Continued on page 17]



Patty

(ILLUSTRATED ON BACK COVER)

PATONS BEEHIVE LADY BETTY, 3-Ply, "PATONISED"

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply—"PATONISED"

13 ozs.

"Parfrey" Crochet Hook, No. 10.

MEASUREMENT:—

Centre to outer edge

34 ins.

ABBREVIATIONS:—See page 17. pt. = picot.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 4
trebles to 1 inch in width. **Check tension—see page 17.**

1st round.—Into a ring of 10 chain, work 22 d.c.

2nd round.—3 ch., 1 tr. into each d.c. of previous round, join with a sl. st. (23 tr. including 3 ch).

Join each round with a sl. st. and work 3 ch., to stand for first tr. of each round.

3rd round.—1 tr. into each tr., working 1 ch. between each tr. to end of round.

4th round.—1 tr. into each tr., working 2 ch. between each tr. to end of round.

5th round.—1 tr., 1 ch., 1 tr. into first tr., * 1 tr., 1 ch., 1 tr. into next tr., repeat from * to end of round.

6th round.—1 tr. into each tr., working 1 ch. between each tr. to end of round.

7th round.—1 tr. into each tr., working 2 ch. between each tr. to end of round.

STOP! Have you checked your tension?

8th and 9th rounds.—Like 7th round.

10th round.—1 tr., 1 ch., 1 tr. into first tr., * 1 tr., 1 ch., 1 tr. into next tr., repeat from * to end of round.

11th round.—1 tr. into each tr., working 1 ch. between each tr. to end of round.

Repeat 11th round three times.

15th round.—1 tr., 1 ch., 1 tr. into first tr., * 1 tr., 1 ch., 1 tr. into next tr., repeat from * to end of round.

16th round.—1 tr. into each tr., working 1 ch. between each tr. to end of round.

17th and 18th rounds.—Like 16th round.

19th round.—Commence Godet.—1 tr. into 8 tr., working 1 ch. between each tr., * (1 ch., 1 tr., 1 ch., 1 tr.) into next tr., work 45 more trs. with 1 ch. between each tr., repeat from * twice, (1 ch., 1 tr., 1 ch., 1 tr.) into next tr., 1 ch., continue working 1 tr. into every tr. with 1 ch. between each tr. to end of round.

20th round.—1 tr. into 8 tr., with 1 ch. between each tr., * (1 ch., 1 tr.) twice into centre of (1 tr., 1 ch.,

1 tr.) of previous round, 45 tr., with 1 ch. between each tr., repeat from * twice (1 ch., 1 tr.) twice, into centre of (1 tr., 1 ch., 1 tr.) of previous round.

Continue working 1 tr. into every tr., with 1 ch. in between to end of round.

21st round.—Work 8 tr. with 1 ch. between each tr., 1 ch., 1 tr. into next tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. into next tr., 1 ch., * 45 tr. with 1 ch. between each tr., 1 ch., 1 tr. into next tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. into next tr., 1 ch., repeat from * twice.

Continue working 1 tr. into every tr. with 1 ch. between to end of round.

22nd round.—8 tr. with 1 ch. between each tr., * 1 ch., 1 tr. into each of next 2 tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. on each of next 2 tr., 1 ch., 1 tr. in next 45 tr., with 1 ch. between, repeat from * twice, 1 ch., 1 tr. into each of next 2 tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. into next 2 tr., 1 tr. into every tr., with 1 ch. in between, to end of round.

23rd round.—8 tr. into each tr., with 1 ch. between each tr., * 1 ch., 1 tr. on each of next 3 tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. on each of next 3 tr., 1 ch., 1 tr., on next 45 tr., with 1 ch. in between, repeat from * to end of round.

24th round.—8 tr. into each tr., with 1 ch. between each tr., * 1 ch., 1 tr. on each of next 4 tr., (1 tr., 1 ch., 1 tr.) into next sp., 1 tr. on next 4 tr., 1 ch., 1 tr. on next 45 tr., repeat from * to end of round.

Continue working in this manner for 33 more rounds, increasing with (1 tr., 1 ch., 1 tr.) in centre sp. of each godet.

THE LACE BORDER.

1st round.—3 ch. for 1st tr., 1 ch., 1 tr. into next 7 tr., * 1 ch., miss 1 tr., 1 tr. into tr. all round godet, 1 ch., 1 tr. between godet. Repeat from * to end of round.

2nd round.—3 ch., * wool over hook into first sp., draw wool up to $\frac{1}{2}$ inch loop, wool over hook into first sp., wool over hook three times more, (11 loops on hook), wool over hook, draw through all loops, 1 ch., repeat from * to end of round.

3rd round.—4 ch., 1 d.c. into first ch. between 11 loops of previous round, (4 ch., 1 d.c. into next 1 ch.) twice, * 4 ch., 2 tr., 2 ch., 2 tr., into next 1 ch. below (4 ch., 1 d.c. into next 1 ch.) four times, repeat from * to end of round.

4th round.—(slip stitch to centre of 4 ch. of last round) (4 ch., 1 d.c. into centre of 4 ch. of previous round) twice, * 4 ch., miss next 4 ch., 4 tr. into centre of shell of previous round, (4 ch., miss 4 ch., 1 d.c. into centre of next 4 ch.) three times, repeat from * to end of round.

5th round.—(Sl. st. to centre of 4 ch. of previous round), 5 ch., 1 d.c. into centre of 4 ch., miss 3 ch., 5 ch., * 1 tr. into 4th ch., 1 tr. into each treble of shell, 1 tr. into next ch. (six treble altogether), 5 ch., miss 3 ch., 1 d.c. into next 4 ch., 5 ch., 1 d.c. into next 4 ch., 5 ch., repeat from * to end of round.

6th round.—Slip st. into centre of 5 ch. of previous round, * 5 ch., miss 4 ch., 1 tr. into 5th ch., 1 tr. into each tr., 1 tr. into next ch. (eight tr. altogether), 5 ch., miss 4 ch., 1 d.c. into next 5 ch., repeat from * to end of round.

7th round.—Sl. st. to centre of 5 ch. of previous round, * 4 ch., 1 d.c. into next tr., 4 ch., miss 1 tr., 1 d.c. into next tr., 4 ch., miss 2 tr., 1 d.c. into next tr., 4 ch., miss 1 tr., 1 d.c. into last tr., 4 ch., 1 d.c. into centre of 5 ch., 5 ch., 1 d.c. into centre of next 5 ch., repeat from * to end of round.

8th round.—Turn, sl. st. to centre of 5 ch. loop of previous round, turn, 3 ch., 5 tr. into centre of 5 ch. of previous round, * (4 ch., 1 d.c. into centre of next 4 ch.) five times, 4 ch., 6 tr. into centre of next 5 ch., repeat from * to end of round.

9th round.—Sl. st. to first tr., * 4 ch., 1 d.c. into centre of 6 tr. of previous round, 4 ch., 1 d.c. on last tr., 4 ch., miss 4 ch., 1 d.c. into next 4 ch., (4 ch., 1 d.c.) into next 3 loops, 4 ch., miss next 4 ch., 1 d.c. into first tr., repeat from * to end of round.

10th round.—Sl. st. in centre of 4 ch. of previous round, 4 ch., 1 d.c. into centre of 4 ch., * 4 ch., 1 d.c. into next 4 ch., repeat from * to end of round.

11th and 12th rounds.—Like 10th round.

13th round.—3 ch., 3 tr. into 4 ch. of previous round, * 4 tr. into next 4 ch., repeat from * to end of round, join to top of 3 ch.

14th round.—3 ch. to stand for tr., * 2 ch., 1 tr. between groups of 4 tr., repeat from * to end of round, join to top of 3 ch.

15th round.—Sl. st. into 1st space, 4 ch., 1 d.c. into every space to end of round.

16th round.—Sl. st. into centre of 4 ch. of previous round, 5 ch., 1 d.c. into next 4 ch., 5 ch., 9 tr. into centre of next 4 ch., * (5 ch., 1 d.c. into next 4 ch.) six times, 5 ch., 9 tr. into next 4 ch., repeat from * to end of round.

17th round.—Sl. st. to centre of 5 ch. of previous round, * 5 ch., miss 5 ch., (1 tr., 1 ch., 1 tr.) into 2nd tr., miss 1 tr., (1 tr., 1 ch., 1 tr.) three times, 5 ch., miss 5 ch., 1 d.c. in next 5 ch. (5 ch., 1 d.c. in next 5 ch.) four times, repeat from * to end of round.

18th round.—Turn, sl. st. to centre of 5 ch. of previous round, turn, ** 5 ch., miss 5 ch., * 1 tr. in 1st tr., 1 tr. in 1 ch., 1 tr. in next tr., 1 ch., repeat from * three times, 5 ch., miss 5 ch., 1 d.c. in next 5 ch. (5 ch., 1 d.c. in next 5 ch.) three times, repeat from ** to end of round.

19th round.—Turn, sl. st. to centre of 5 ch. of previous round, turn, ** 5 ch., miss 5 ch., * 1 tr. into 1st tr., 2 tr. in next 2 tr., 1 tr. in last ch. of group, 2 ch., repeat from * twice, 4 tr. in last group, miss 5 ch. (5 ch., 1 d.c. in next 5 ch.) three times, repeat from ** to end of round.

20th round.—Sl. st. to centre of loop, * 3 ch. to form pt., 1 ch., 1 d.c. in 2nd tr. (1 tr., 1 pt., 1 tr., 1 pt., 1 tr., 1 pt., 1 tr.) in space between 4 tr. groups, 3 times, miss 2 tr., 1 d.c. in next tr. (1 pt., 1 ch., 1 d.c. in 3rd ch. of next loop) four times, repeat from * to end of round. Fasten off.

Ann (continued from page 3)

Continue in pattern until there are 23 rows in sleeve.

Next row.—3 ch., 1 d.c. in first ch. loop, * 2 ch., 1 d.c. in next d.c., 2 ch., 1 d.c. in next ch. loop. Repeat from * over 9 blocks, continue in pattern to end of row. Continue working over these 9 blocks until there are 5 rows from underarm.

6th row.—Work in pattern to end of row, increase by making 1 block in ch. loop at end of row.

7th row.—3 ch., 3 tr. in first st., continue in pattern to end of row (10 blocks).

Continue in pattern until there are 22 rows from underarm. Fasten off.

THE RIGHT FRONT.—Miss 5 blocks, join wool in ch. loop of 6th block. Proceed as for Left Front, making shapings at opposite side.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve

seams. Begin at right hand seam lower edge on wrong side and make 1 row in pattern all round garment. Make 1 row in pattern round cuffs. Turn sleeves back 1 inch to form cuff. Sew ribbon at each side of neck.

THE FROCK ("ANN")

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-Ply—
"PATONISED," 3 ozs.

"Parfrey" Crochet Hook, No. 11.

Four Small Buttons. Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder 17 ins.

Width all round at underarm 19 ins.

Length of sleeve from underarm 2½ ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 blocks to 1 inch in width. **Check tension—see page 17.**

THE FROCK.

THE FRONT.—Make 124 chain. Work in pattern as for Jacket for 12 ins.

44th row.—3 ch., 1 d.c. in 1st ch. loop, * 2 ch., 1 d.c. in next ch. loop, repeat from * to end of row.

45th row.—Work 2 d.c. in each 2 ch. to end of row.

46th row.—5 ch., * miss 1 d.c., 1 tr. in next d.c., 1 ch., repeat from * to end of row.

47th row.—3 ch., * 2 d.c. in each ch., repeat from * to end of row.

THE YOKE:

1st row.—Miss first d.c., s.s. over next 3 sts., 3 ch., 1 tr. in next d.c., * 1 d.c. in each of next 2 d.c., 2 tr. on next 2 d.c., repeat from * to last 3 d.c., turn.

2nd row.—Working so that 2 tr. comes on top of 2 d.c. and 2 d.c. on top of 2 tr., miss 1 tr., 1 d.c. in next tr., * 2 tr. in next 2 d.c., 2 d.c. in next 2 tr., repeat from * to end of row, 3 ch., turn.

3rd row.—Miss first d.c., 1 tr. in second d.c., * 2 d.c. in next 2 tr., 2 tr. in next 2 d.c., repeat from * to end of row, 1 ch., turn.

Repeat 2nd and 3rd rows till there are 14 rows from beginning of yoke.

THE RIGHT SHOULDER:

1st row.—Work in pattern five times (i.e., 2 tr., 2 d.c.), 3 ch., turn, repeat this row three times. Fasten off.

THE LEFT SHOULDER: Miss 3 patterns, join in wool at next tr. Work shoulder to correspond with right side. Fasten off.

THE BACK.—Make 124 chain. Work the same as for Front until 1st row of yoke (decreasing for armholes as in front). Work in pattern as Front Yoke for 15 rows. Fasten off.

THE SLEEVES.—Make 76 chain. Work in block pattern for 8 rows.

9th row.—3 ch., 1 d.c. in 1st ch. loop, * 1 ch., 1 d.c. in next ch. loop, repeat from * to last ch loop, 4 ch., turn.

10th row.—Miss first ch. loop, 1 tr. on next d.c., * 1 ch., miss 1 ch., 1 tr. on next d.c., repeat from * to end of row, 1 ch., turn.

11th row.—Miss first tr., * 1 d.c. in 1 ch. loop, 1 d.c. on next tr., repeat from * to end of row, making last 2 d.c. in turning ch. of previous row.

12th and 13th rows.—1 ch., 1 d.c. in each st. Fasten off. Work another Sleeve in same manner.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew up shoulder seams for 1 inch. Sew in sleeves, placing seam to seam. Beginning at back of yoke, work 3 rows d.c. across back. Fasten off. Beginning at front, work 2 rows d.c. across front shoulder opening, round neck and across other front opening, 1 ch., turn.

3rd row.—Work 1 d.c., 3 ch., miss 3 d.c., 5 d.c., 3 ch., miss 3 d.c., 1 d.c., 2 d.c. in next st., d.c. round front of neck to opposite shoulder opening, 2 d.c. in first d.c., 1 d.c. in next st. 3 ch., miss 3 d.c., 5 d.c., 3 ch., miss 3 d.c., 1 d.c. **Fasten off.** Work 1 row of pattern round lower edge. Sew on buttons to correspond with loops. Thread ribbon through holes at waist.

THE BONNET ("ANN")

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-ply—
"PATONISED," 1 oz.

"Parfrey" Crochet Hook, No. 11.

Length of Ribbon.

MEASUREMENT:—

Width all round face 11 ins.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 2 blocks to 1 inch in width. **Check tension—see page 17.**

THE BACK.—Make 24 chain. Work in pattern as for Jacket for 7 rows (5 patterns).

8th row.—Decrease one pattern by making first block in first ch. loop. Continue in pattern to end of row.

9th row.—Like 8th row (3 patterns). Fasten off.

THE FRONT.—With right side facing, begin at lower right edge. Work in pattern of 9 blocks along right side, 4 blocks across top, then 9 blocks down left side, turn. Continue in pattern for 15 rows.

Without breaking off wool, work 1 row in pattern along lower edge of Bonnet. Fasten off.

TO MAKE UP BONNET.—With a slightly damp cloth and warm iron, press lightly. Make rosettes with ribbon and sew in position.

THE BOOTEES ("ANN")

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-Ply—
"PATONISED," 1 oz.

"Parfrey" Crochet Hook, No. 13.

Length of Ribbon.

MEASUREMENT:—Length of foot 4 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 7 stitches to the inch in width. **Check tension**—see page 17.

Make 42 chain, turn.

1st row.—1 tr. into 3rd ch. (1 d.c. into next ch., 1 tr. into next ch.) nine times, (1 d.c., 1 tr.) into next 2 ch., (1 d.c. into next, 1 tr. into next) nine times, 1 d.c. into last ch., 1 ch., turn.

2nd and 3rd rows.—Keeping to pattern (so that 1 d.c. comes on top of 1 tr. and 1 tr. on top of d.c. of previous row) work, * 1 tr. in first st., 1 d.c. in next st., repeat from * to end of row, 1 ch., turn.

4th row.—1 tr., 1 d.c. in first st., (1 tr. in next, 1 d.c. in next) eight times, (1 tr., 1 d.c., 1 tr.) in next, (1 d.c. in next, 1 tr. in next) twice, (1 d.c., 1 tr., 1 d.c.) in next, (1 tr. in next, 1 d.c. in next) eight times, 1 tr. in next, (1 d.c., 1 tr.) in next, 1 ch., turn.

5th and 6th rows.—Like 2nd row.

7th row.—1 tr., 1 d.c. in first st., (1 tr. in next, 1 d.c. in next) nine times, 1 tr. in next, (1 d.c., 1 tr., 1 d.c.) in next, (1 tr. in next, 1 d.c. in next) three times, 1 tr. in next, (1 d.c., 1 tr., 1 d.c.) in next, (1 tr. in next, 1 d.c. in next) nine times, 1 tr., 1 d.c., in last st., 1 ch., turn.

8th and 9th rows.—Like 5th and 6th rows.

10th row.—1 tr., 1 d.c. in first st., (1 tr. in next, 1 d.c. in next) ten times, 1 tr. in next, (1 d.c., 1 tr., 1 d.c.) in next, (1 tr. in next, 1 d.c. in next) four times, 1 tr. in next, (1 d.c., 1 tr., 1 d.c.) in next, (1 tr. in next, 1 d.c. in next) ten times, 1 tr. in next, 1 d.c., 1 tr. in last st., 1 ch., turn.

11th and 12th rows.—Like 8th and 9th rows. Fasten off. Join in wool $1\frac{1}{2}$ ins. from back and proceed as follows:—Keeping to pattern, work (1 tr. in 1st st., 1 d.c. in next st.) five times, 1 tr. in next, * miss 1 st., 1 d.c. in next st., repeat from * four times, (1 tr. in next, 1 d.c. in next) five times, 1 tr. in next, 1 ch., turn.

2nd row.—(1 d.c. in 1st st., 1 tr. in next st.) five times, (1 d.c. in next st.) six times, (1 d.c. in next, 1 tr. in next) five times, 1 ch., turn.

3rd row.—Keeping to pattern, work (1 d.c. in 1st st., 1 tr. in next) four times, * miss 1 st., 1 d.c. in next st., repeat from * five times, (1 tr. in next st., 1 d.c. in next) four times, 1 tr. in next, 1 ch., turn.

4th row.—* 1 d.c. in 1st st., 1 tr. in next st., repeat from * to end of row. Fasten off.

Sew up front of Bootee.

Joining in wool at back, work 4 ch., * miss 1 st., work 1 tr. in next st., 1 ch., repeat from * to end of row, working evenly over front of Bootee, 1 ch., turn.

1st row.—Work 3 ch., 3 tr. in 1st sp., * 1 d.c. in next sp., 3 ch., 3 tr. in next sp., repeat from * to last st., 1 d.c., turn.

2nd row.—In 1st d.c., work 3 ch., 3 tr., * 1 d.c. into ch. loop of next block, 3 ch., 3 tr. in same ch. loop, repeat from * to end of row, finishing with 1 d.c. in last block, turn.

Repeat 2nd row six times. Fasten off.

Work another Bootee in same manner.

Sew up back and sole of Bootee. Thread ribbon through holes at ankle.

Roslie *(continued from page 5)*

1st row.—Crochet: Make 67 d.c. along cast-off row.

Continue in pattern as for Back until work measures 2 ins. from beginning.

1st row.—Sl. st. over 2 sts., 1 ch., work in pattern to last 2 sts., turn.

2nd row.—Work in pattern.

Repeat these 2 rows until there are 23 d.c. in row. Fasten off.

Work another Sleeve in same manner.

THE NECK BAND.—Using a flat seam sew up right shoulder seam. Knit up 88 sts. evenly round neck and work 7 rows in rib. Cast off in rib.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam sew up side and sleeve seams. Sew up left shoulder seam for $\frac{1}{2}$ an inch. Sew in sleeves, placing seam to seam. Using Crochet Hook work 1 row of d.c. along front of shoulder opening, making 3 buttonhole loops. Work 1 row of treble along back of shoulder opening. Sew underlap in position. Sew on buttons to correspond with loops. Finally, press all seams.

Judy *(Continued from page 6)*

NECK EDGING.—Using No. 13 Hook, work 1 row of d.c. along neck, turn.

2nd row.—4 tr. into 1st d.c., * miss 1 d.c., 1 d.c. into next d.c., miss 1 d.c., 4 tr. into next d.c., repeat from * to end of row. Break off wool.

Work around garment sleeves and neck with edging of 3 ch., 1 d.c. into each st. Fasten off.

Sew buttons on left side of yoke, using loop of shell edge on right side for buttonholes.

Becky *(continued from page 7)*

6th row.—13 d.c. Fasten off.

Join wool at 15th d.c. from other end and work to correspond with other side.

THE BACK.—Work exactly as given for Front until neck is reached. Work 6 more rows of d.c.

7th row.—13 d.c., sl. st. over 22 d.c., 13 d.c., 1 ch., turn.

THE SLEEVES.—Make a foundation of 31 ch. loosely.

8th row.—13 d.c., 1 ch., turn.

Repeat 8th row twice. Fasten off.

1st row.—Miss 1 ch., 30 d.c., 1 ch., turn.

2nd row.—30 d.c., 1 ch., turn.

3rd row.—Like 2nd row.

4th row.—6 d.c., 2 d.c. into next 18 d.c., 6 d.c., 1 ch., turn.

5th row.—48 d.c., 2 ch., turn.

6th row.—48 tr., 1 ch., turn.

Repeat 5th and 6th rows twice.

Decrease once at both ends of next 9 rows. Fasten off.

Make another Sleeve in same manner.

THE NECK BAND.—Join right shoulder.

With the right side of work facing, work 56 d.c. around neck, 1 ch., turn.

2nd row.—56 d.c., continue across shoulder, * 3 ch., miss 2 d.c., 2 d.c., repeat from * twice. Fasten off.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Join left shoulder at armhole end overlapping for $\frac{1}{4}$ of an inch and sew up shoulder seam for $\frac{1}{4}$ of an inch. Sew in sleeves, placing seam to seam. Work around lower edge of Frock, neck and sleeves as follows:—

With right side of work facing and using fine Crochet Hook, join in silk at left side seam, 2 d.c., * 3 ch., slip stitch into 1st ch. to form a picot, 2 d.c., repeat from * to end of round. Thread ribbon through holes at the waist. Sew on buttons to correspond with loops. Embroider with grub roses and leaves.

THE JACKET ("BECKY")

MATERIALS:—

PATONS BEEHIVE BABY WOOL—
"PATONISED," 3 ozs.

"Parfrey" Crochet Hook, No. 10.

A Fine Crochet Hook for silk edging.

Pearsall's Fibrone Crochet, No. 20.

Length of Ribbon.

Three Small Buttons.

Pearsall's Filoselle Silk for Embroidery.

MEASUREMENTS:—

Length from top of shoulder 11 ins.

Width all round at underarm 20 ins.

Length of sleeve from underarm $6\frac{1}{2}$ ins.

ABBREVIATIONS:—See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 6 trebles to the inch in width. **Check tension**—see page 17.

THE JACKET (Worked in one piece to the armholes). Make a foundation of 181 chain loosely.

1st row.—Miss the 1st ch., * 1 d.c. into next ch., repeat from * to end of row, 2 ch., turn.

2nd row.—180 tr., 1 ch., turn.

3rd row.—180 d.c., 2 ch., turn.

Repeat 2nd and 3rd rows thirteen times.

STOP! Have you checked your tension?

30th row.—1 tr., * take together 2 tr. thus—wool round hook, insert into next d.c., wool round hook, draw through, wool round hook, draw through 2 loops, wool round hook, insert into next d.c., wool round hook, draw through, wool round hook, draw through 2 loops, wool round hook, draw through remaining loops, 1 tr. into next d.c., repeat from * to the last 2 d.c., 2 tr., 1 ch., turn.

31st row.—121 d.c., 2 ch., turn.

32nd row.—1 tr., * 1 ch., miss 1 d.c., 1 tr. into next d.c., repeat from * to end of row, 1 ch., turn.

33rd row.—Like 31st row.

34th row.—Like 33rd row.

Proceed as follows:—

1st row.—31 d.c., turn.

2nd row.—Sl. st. over 1 d.c., 30 d.c., 1 ch., turn.

3rd row.—30 d.c.

4th row.—Sl. st. over 1 d.c., 29 d.c., 1 ch., turn.

5th row.—29 d.c., 1 ch., turn.

Repeat 5th row eighteen times.

24th row.—18 d.c., turn.

25th row.—Sl. st. over 1 d.c., 17 d.c., 1 ch., turn.

26th row.—16 d.c., turn.

27th row.—Sl. st. over 1 d.c., 15 d.c., 1 ch., turn.

28th row.—15 d.c. Fasten off.

Join wool at underarm and work Back as follows:—

1st row.—59 d.c., turn.

2nd row.—Sl. st. over 1 d.c., 57 d.c., turn.

3rd row.—Sl. st. over 1 d.c., 55 d.c., turn.

4th row.—55 d.c., 1 ch., turn.

Repeat 4th row twenty-four times. Fasten off.

Join wool at underarm and work Left Front to correspond with Right Front.

THE SLEEVES:

Make a foundation of 32 ch. loosely.

1st row.—Miss 1 ch., * 1 d.c. into next ch., repeat from * to end of row, 1 ch., turn.

2nd row.—31 d.c., 1 ch., turn.

Repeat 2nd row twice.

5th row.—3 tr., * 2 tr. into next d.c., 4 tr., repeat from * to last 3 d.c., 2 tr. in next d.c., 2 tr., 1 ch., turn.

6th row.—37 d.c., 2 ch., turn.

7th row.—37 tr., 1 ch., turn.

Repeat 6th and 7th rows nine times, increasing once at each end of next and every alternate row four times.

Decrease one st. at both ends of next eight rows.

Fasten off.

Make another Sleeve in same manner.

THE COLLAR.—Join shoulder.

With wrong side of work facing, join wool at edge of front and work 56 d.c. around neck, 1 ch., turn.

1st row.—56 d.c., 1 ch., turn.

Repeat 1st row nine times. Fasten off.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up sleeve seams and sew in sleeves. Using wool, work a row of d.c. round lower edge and fronts, making three buttonhole loops on right front. Using a fine Crochet Hook and Silk, work a picot edge around sleeves and collar as follows: 2 d.c., * 3 ch., sl. st. to 1st ch., 2 d.c., repeat from * to the end. Sew on buttons to correspond with loops. Thread ribbon through holes at waist. Embroider with grub roses and leaves as illustrated.

THE BONNET ("BECKY")

MATERIALS:—

PATONS BEEHIVE BABY WOOL—
"PATONISED," 1 oz.

"Parfrey" Crochet Hook, No. 10.

Length of Ribbon.

Pearsall's Fibrone Crochet, No. 20.

Pearsall's Filoselle Silk for Embroidery.

MEASUREMENT:— Width around face . . . 11 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 6 trebles to the inch in width. **Check tension—see page 17.**

Make 5 ch., sl. st. to 1st ch. to form a ring.

1st row.—2 ch. (for 1st tr.), 11 tr. into ring, sl. st. to 1st tr., 1 ch., turn.

2nd row.—1 d.c. into 1st tr., * 2 d.c. into next tr., repeat from * to end of row, sl. st. to 1st d.c., 2 ch., turn.

3rd row.—* 1 tr. into 1st d.c., 2 tr. into next d.c., repeat from * to end of row, sl. st. to 1st tr., 1 ch., turn (36 tr.).

4th row.—35 d.c., sl. st. to 1st d.c., 2 ch., turn.

5th row.—* 2 tr., 2 tr. into next d.c., repeat from * to end of row, sl. st. to 1st tr., 1 ch., turn (48 tr.).

6th row.—47 d.c., sl. st. to 1st d.c., 2 ch., turn.

7th row.—Like 5th row (64 tr.).

8th row.—63 d.c., 2 ch., turn.

9th row.—63 tr., 1 ch., turn.

Repeat 8th and 9th rows seven times then 8th row eleven times. Fasten off.

Using Crochet Silk and Fine Hook, work a picot edge around Bonnet as follows:—

2 d.c., * 3 ch., sl. st. into 1st ch., 2 d.c., repeat from * to end of row.

With a slightly damp cloth and warm iron, press lightly. Turn back front d.c. border and sew on ribbon. Embroider with grub roses and leaves.

THE MITTS ("BECKY")

MATERIALS:—

PATONS BEEHIVE BABY WOOL—
"PATONISED," 1 oz.

"Parfrey" Crochet Hook, No. 10.

Length of Ribbon.

Pearsall's Fibrone Crochet, No. 20.

MEASUREMENT:—Around the hand 5 ins.

ABBREVIATIONS:—See page 17.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 6 trebles to the inch in width. **Check tension—see page 17.**

Make a foundation of 4 ch., join with a sl. st. to 1st ch. to form a ring.

1st round.—1 ch. (for 1st d.c.), 8 d.c. into ring, join with sl. st. to 1st d.c., 2 ch., turn.

2nd round.—1 tr. into 1st d.c., * 2 tr. into next d.c., repeat from * to end of round, sl. st. to 1st tr., 1 ch., turn.

3rd round.—17 d.c., sl. st. to 1st d.c., 2 ch., turn.

4th round.—Like 2nd round.

5th round.—35 d.c., sl. st. to 1st d.c., 2 ch., turn.

6th round.—35 tr., sl. st. to 1st tr., 1 ch., turn.

Repeat 5th and 6th rounds three times then 5th round once.

14th round.—* 1 ch., miss 1 d.c., 1 tr. into next d.c., repeat from * to end of round, sl. st. to 1st ch., turn.

15th round.—1 d.c. into 1st tr., * 1 d.c. into next ch., 1 d.c. into next tr., repeat from * to end of round, sl. st. to 1st d.c., 2 ch., turn.

16th round.—Like 6th round.

17th round.—Like 5th round.

18th round.—Like 6th round. Fasten off. Join in Crochet Silk.

19th round.—2 d.c., * 3 ch., sl. st. to 1st of these 3 ch. to form a picot, 2 d.c., repeat from * to end of round, sl. st. to 1st d.c. Fasten off.

Make another Mitt in same manner.

Using a slightly damp cloth and warm iron, press lightly. Thread ribbon through holes at wrist.

THE BOOTEES ("BECKY")

MATERIALS:—

PATONS BEEHIVE BABY WOOL—
"PATONISED," 1 oz.

"Parfrey" Crochet Hook, No. 10.

A Fine Crochet Hook for Silk Edging.

Pearsall's Fibrone Crochet, No. 20.

Length of Ribbon.

MEASUREMENT: Length of foot, 4 ins.

ABBREVIATIONS.—See page 17.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 6 trebles to the inch in width. **Check tension**—see page 17.

Make 7 chain.

1st row.—1 d.c. into 2nd ch. from hook, 1 d.c. into each ch., 1 ch., turn.

2nd to 4th rows.—1 d.c. into each d.c., 1 ch., turn.

5th row.—1 d.c. into each d.c., 40 ch., join with a sl. st. to end of toe piece.

6th round.—1 d.c. into each d.c. of toe piece, making 3 d.c. into each outer corner, 1 d.c. into each ch., sl. st. into first d.c.

7th round.—3 ch., 1 tr. into sl. st., 2 tr. into each d.c. round toe piece, then 1 tr. into each d.c.

8th and 10th rounds.—1 d.c. into each tr.

9th round.—1 tr. into each d.c.

11th round.—Work off 2 sts. as 1 st. all along toe end of Bootee, then 1 d.c. into each tr.

12th round.—1 d.c. into each d.c.

13th and 14th rounds.—1 d.c. into each d.c., decrease 5 d.c. at toe and heel ends. Fasten off.

Sew together the 2 halves of the last round to complete sole.

THE CUFF.—**1st round.**—Join in wool at centre back of ankle, work 1 d.c. into each ch. and 1 d.c. into each d.c. of toe, 1 d.c. into each ch., join with sl. st.

2nd round.—3 ch., 1 tr. into 1 d.c., * 1 ch., miss 1 d.c., 1 tr. into next 2 d.c., repeat from * to end of round. Join with a sl. st. to 3 ch.

3rd round.—1 d.c. into sl. st., 1 d.c. into next tr., * 1 d.c. into next sp., 1 d.c. into next 2 tr., repeat from * to end of round.

4th and 6th rounds.—Work 1 d.c. into each st.

5th round.—Work 1 tr. into each d.c. Fasten off.

Using a fine Crochet Hook and Silk, work edging round top of Bootee as given for Frock.

Work another Bootee in same manner.

Thread ribbon through holes at ankle.

Marina *(continued from page 10)*

3rd row.—1 h.tr. in ch., * 1 h.tr. in h.tr., repeat from * to end of row, 3 ch., turn.

4th row.—1 h.tr. into each h.tr., 1 h.tr. into turning ch., 3 ch., turn.

5th row.—4 tr. in h.tr., * 1 d.c. in h.tr., 5 tr. in next h.tr., repeat from * to end of row. Fasten off.

Work another Sleeve in same manner.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam, sew up side and sleeve seams. Sew up shoulder seams, leaving 1 inch open on each side. Sew in sleeves, placing seam to seam.

Join in wool at neck opening, work 1 row of d.c. along opening, 1 ch., 5 tr. into side of last tr. in row, 1 ch., 1 d.c. in corner, 1 ch., miss 1 h.tr., * 5 tr. between next 2 h.tr., miss 2 sts., 1 ch., 1 d.c. between next two h.tr., 1 ch., miss 2 h.tr., repeat from * round front of neck, working 5 tr. into side of last tr. Work in d.c. round neck opening. Work round back of neck as given for Front, work 1 row of d.c. round remainder of neck opening. Sew a button in position at each side of neck. Work an edging round lower edge of Frock, commencing at seam, as follows:—

1 d.c. into base of first shell, 1 ch., * 5 tr. into base of next shell, 1 ch., 1 d.c. in next shell, 1 ch., repeat from * all round frock. Fasten off.



SOME IMPORTANT INFORMATION



Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. Before commencing work, always check your tension by knitting a small square, using wool and size of needles given in the recipe. If the correct tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:

K. = Knit plain	w.o.n. = wool over needle	dec. = decrease	ch. = chain
P. = Purl	w.r.n. = wool round needle	alt. = alternate	tr. = treble
sts. = stitches	t.b.l. = through the back of the loop	rep. = repeat	s.c. = single crochet
ins. = inches	tog. = together	patt. = pattern	d.c. = double crochet
wl. fwd. = wool forward	beg. = beginning	incl. = inclusive	l.tr. = long treble (wool over hook twice)
p.s.s.o. = pass slip stitch over	inc. = increase	Garter Stitch = every row plain	sl. st. = slip stitch
			sp. = space

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Patons

KNITTING BOOK NO. 330



"PATTY"—See page 11.

$1\frac{1}{6}$ ^{d.}

Featuring Crochet Designs

P&B
WOOLS