

 **Patons**

PBN D 5344
One size to fit
0 - 9 months
18 in



3 PLY

Christening Robe and Shawl

To fit age, approx
0-9 months

Christening Robe

To fit chest
46 cm
18 in

Actual size, at underarm

86 cm
34 in

Width, across back yoke

16 cm
6 1/2 in

Finished length, approx

58 cm
23 in

Sleeve, measured down centre

4 cm
1 1/2 in

Shawl

Finished size

136 x 136 cm
53 1/2 x 53 1/2 in

Christening Robe

Patons Fairytale 3 ply

4 50 gram balls

or Patons Baby Pure Wool 3 ply

8 25 gram balls

Shawl

Patons Fairytale 3 ply

10 50 gram balls

or Patons Baby Pure Wool 3 ply

18 25 gram balls

Quantities of yarn are approximate as they are based on average requirements.

Check actual yarn colour - as printing may not match yarn exactly.

Christening Robe: Pair each Milward 2 1/4 mm (UK 13/USA 1) and 3 mm (UK 11/USA 3) needles. 3 buttons and 50 cm shirring elastic.

Shawl: Pair Milward 4 mm (UK 8/USA 6) needles. Milward 4 mm (UK 8/USA 6) circular needle (length 80 cm).

Tension

Christening Robe: 32 sts and 40 rows to 10 cm (stocking st) on 3 mm needles or size needed to achieve stated tension.

Shawl: 22 sts and 31 rows to 10 cm (stocking st) on 4 mm needles or size required to achieve stated tension.

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the

finished product if any yarn other than the specified yarn is used.

Abbreviations

K=knit; **P**=purl; **st**=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **inc**=increase by working into front and back of st; **dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **fol**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **in**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **sL2K**=slip next 2 sts one at a time knitways; **yfwd**=yarn forward; **pssso**=pass slip st over; **p2sso**=pass 2 slipped sts over; **ssk**=slip 1 knitways, K1, pass slip st over; **KB**=K into back of st; **patt**=pattern; **0**=no st, row or time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Note

Where a number of sts is given this refers to the basic number and does not include those made in the pattern.

PANEL PATT (19 sts)

Row 1 - (RS), K2, yfwd, K4, K2tog, yfwd, sL2K, K1, p2sso, yfwd, ssk, K4, yfwd, K2.

Row 2 and every foll alt row - P.

Row 3 - K3, yfwd, K2, K3tog, yfwd, K3, yfwd, sL1K, K2tog, pssso, K2, yfwd, K3.

Row 5 - K4, yfwd, K1, K2tog, yfwd, K1, sL2K, K1, p2sso, K1, yfwd, ssk, K1, yfwd, K4.

Row 7 - K5, yfwd, K2tog, yfwd, K1, sL2K, K1, p2sso, K1, yfwd, ssk, yfwd, K5.

Row 9 - K3, K2tog, yfwd, K1, yfwd, K2, sL2K, K1, p2sso, K2, yfwd, K1, yfwd, ssk, K3.

Row 11 - K2, K2tog, yfwd, K3, yfwd, K1, sL2K, K1, p2sso, K1, yfwd, K3, yfwd, ssk, K2.

Row 13 - K1, K2tog, yfwd, K5, yfwd, sL2K, K1, p2sso, yfwd, K5, yfwd, ssk, K1.

Row 14 - P.

These 14 rows form panel patt.

CHRISTENING ROBE

FRONT

**With 3 mm needles, cast on 187 sts loosely.

Row 1 - (WS), K.

Border patt thus:

Row 1 - (RS), *K1, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd; rep from * to last st, K1 (199 sts).

Row 2 - P1, *P6, (K2, P1) 6 times, K2, P7; rep from * to end.

Row 3 - *K2, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K1; rep from * to last st, K1 (211 sts).

Row 4 - P1, *P7, (K2, P1) 6 times, K2, P8; rep from * to end.

Row 5 - *K3, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K2; rep from * to last st, K1 (223 sts).

Row 6 - P1, *P8, (K2, P1) 6 times, K2, P9; rep from * to end.

Row 7 - *K4, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K3; rep from * to last st, K1 (235 sts).

Row 8 - P1, *P9, (K2, P1) 6 times, K2, P10; rep from * to end.

Row 9 - *K5, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K4; rep from * to last st, K1 (247 sts).

Row 10 - P1, *P10, (K2, P1) 6 times, K2, P11; rep from * to end.

Row 11 - *K6, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K5; rep from * to last st, K1 (259 sts).

Row 12 - P1, *P11, (K2, P1) 6 times, K2, P12; rep from * to end.

Row 13 - *K7, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, K6; rep from * to last st, K1 (271 sts).

Row 14 - P1, *P12, (K2, P1) 6 times, K2, P13; rep from * to end.

Row 15 - *K9, yfwd, sL1K, K2tog, pssso, yfwd, K1, (K3tog) 7 times, yfwd, sL1K, K2tog, pssso, yfwd, K8; rep from * to last st, K1 (187 sts).

Row 16 - P.

These 16 rows form border patt.

Rep rows 1 to 16 once more, and then rows 1 to 15 again, thus ending with **WS** facing for next row (187 sts).

Row 48 - (WS), P to last 3 sts, P2tog, P1 (186 sts).

Place panel patts thus:

Row 1 - (RS), K6, *panel patt 19 sts as row 1, K12; rep from * to last 25 sts, panel patt 19 sts as row 1, K6.

Row 2 - P6, *panel patt 19 sts as row 2, P12; rep from * to last 25 sts, panel patt 19 sts as row 2, P6.

These 2 rows place panel patts.

Working appropriate rows of panel patts, work a further 26 rows, thus ending after

panel patt row 14 and with RS facing for next row.

Next row - (RS), K2tog, K4, *panel patt 19 sts as row 1, K4, ssk, K2tog, K4; rep from * to last 25 sts, panel patt 19 sts as row 1, K4, ssk (174 sts).

Keeping panel patts correct, work a further 27 rows, thus ending after panel patt row 14 and with RS facing for next row.

Next row - (RS), K2tog, K3, *panel patt 19 sts as row 1, K3, ssk, K2tog, K3; rep from * to last 24 sts, panel patt 19 sts as row 1, K3, ssk (162 sts).

Keeping panel patts correct, work a further 27 rows, thus ending after panel patt row 14 and with RS facing for next row.

Next row - (RS), K2tog, K2, *panel patt 19 sts as row 1, K2, ssk, K2tog, K2; rep from * to last 23 sts, panel patt 19 sts as row 1, K2, ssk (150 sts).

Keeping panel patts correct, work a further 27 rows, thus ending after panel patt row 14 and with RS facing for next row.

Next row - (RS), K2tog, K1, *panel patt 19 sts as row 1, K1, ssk, K2tog, K1; rep from * to last 22 sts, panel patt 19 sts as row 1, K1, ssk (138 sts).

Keeping panel patts correct, work straight until Front meas approx 48 cm, ending after panel patt row 2 and with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 6 sts at beg of next 2 rows (126 sts). Dec 1 st at each end of next 10 rows, thus ending after panel patt row 14 and with RS facing for next row (106 sts).

Shape yoke

Next row - (RS), (K2tog) 53 times (53 sts).**

Starting with a P row, work in stocking st for 17 rows, thus ending with RS facing for next row.

Shape neck

Next row - K18, turn and work this side first.

Dec 1 st at neck edge on next 5 rows (13 sts). Cont straight until armhole meas 10 cm, ending with RS facing for next row.

Shape shoulder

Cast off 4 sts at beg of next and foll alt row. Work 1 row. Cast off rem 5 sts.

With RS facing, slip centre 17 sts on a spare needle, K to end. Work to match first side, reversing shapings, working an extra row before shaping shoulder.

BACK

Work as Front from ** to **.

Next row - P.

Divide for back opening

Next row - (RS), K26, turn and work this side first.

Next row - Inc in first st, K1, P to end (27 sts).

Next row - K.

Next row - K3, P to end.

Rep last 2 rows until armhole meas 10 cm, ending with RS facing for next row.

Shape shoulder

Cast off 4 sts at beg of next and foll alt row. Work 1 row. Cast off 5 sts at beg of next row. Work 1 row. Break yarn and leave rem 14 sts on a spare needle.

With RS facing, rejoin yarn to rem sts, K to end.

Next row - (WS), P to last 3 sts, K3.

Next row - K.

Rep last 2 rows until armhole meas 10 cm, ending with **WS** facing for next row.

Shape shoulder

Cast off 4 sts at beg of next and foll alt row. Work 1 row. Cast off 5 sts at beg of next row. Break yarn and leave rem 14 sts on a spare needle.

SLEEVES

With 2 1/4 mm needles, cast on 62 sts **loosely**.

Row 1 - (WS), K.

Row 2 - P2, *KB1, P2; rep from * to end.

Row 3 - K2, *P1, K2; rep from * to end.

Rep rows 2 and 3, 3 times more.

Change to 3 mm needles.

Row 10 - (RS), (K3tog) 20 times, K2tog (21 sts).

Row 11 - *Inc purlways in next st, M1 (**by picking up horizontal loop lying before next st and working into back of it**); rep from * to last st, inc purlways in last st (62 sts).

Row 12 - K3, *M1, K4; rep from * to last 3 sts, M1, K3 (77 sts).

Starting with a **P** row, work in stocking st for 7 rows, thus ending with RS facing for next row.

Shape top

Cast off 6 sts at beg of next 2 rows (65 sts). Dec 1 st at each end of next and every foll alt row until 47 sts rem, thus ending with **WS** facing for next row. Dec 1 st at each end of next 5 rows. Cast off rem 37 sts.

MAKE UP

Fairytale 3 ply - Press lightly under a **dry** cloth using a cool iron.

Pure Wool 3 ply - Press lightly under a **dry** cloth using a warm iron.

Both yarns - Join shoulder seams.

Neck Border

With RS facing and 2 1/4 mm needles, K14 from left back, **knit up** 11 sts down left front neck slope, K17 from front, **knit up** 11 sts up

right front neck slope, then K14 from right back (67 sts).

Work in garter st for 4 rows, thus ending **WS** facing. Cast off knitways.

Thread shirring elastic through WS of row 10 of Sleeves and secure ends, ensuring that elastic is not too tight.

Place centre of shaped edge of sleeve top to shoulder seams, then sew sleeve tops in place to Front and Back. Join side and sleeve seams.

Make 3 buttonloops along one back opening edge by forming a loop with 2 strands of yarn and working buttonhole stitch around the loop - top buttonloop to be 1 cm below neck edge, lowest buttonloop to be 2 cm above base of opening and remaining buttonloop midway between. Sew on buttons securely.

Fairytale 3 ply - You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover. Dry flat if garment is not tumble dried.

Pure Wool 3 ply - Handwash, taking care to support garment when wet. Do not tumble dry. Dry flat.

Both yarns - Do not dry handknits in harsh sunlight as fading or yellowing may occur.

SHAWL

CENTRE SECTION

With 4 mm needles, cast on 232 sts and P 1 row.

Place panel patts thus:

Row 1 - (RS), K5, *panel patt 19 sts as row 1, K10; rep from * to last 24 sts, panel patt 19 sts as row 1, K5.

Row 2 - P5, *panel patt 19 sts as row 2, P10; rep from * to last 24 sts, panel patt 19 sts as row 2, P5.

These 2 rows place panel patts.

Working appropriate rows of panel patts, cont thus until all 14 rows of panel patts have been worked 23 times in all.

Cast off **loosely**.

SIDE SECTIONS (make 4)

With 4 mm circular needle, cast on 352 sts **loosely** and work backwards and forwards in rows thus:

Row 1 - (WS), K.

Patt, shaping sides thus:

Row 1 - (RS), K1, yfwd, sL1K, K2tog, pssso, K32, *K1, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd; rep from * 8 times more, K33, sL1K, K2tog, pssso, yfwd, K1.

Row 2 - K36, *K5, P1, (K2, P1) 7 times, K6; rep from * 8 times more, K35.

Row 3 - K1, yfwd, sL1K, K2tog, psso, K31, *K2, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K1; rep from * 8 times more, K32, sL1K, K2tog, psso, yfwd, K1.

Row 4 - K2, K2tog, K31, *K6, P1, (K2, P1) 7 times, K7; rep from * 8 times more, K30, K2tog, K2.

Row 5 - K1, yfwd, K2tog, K30, *K3, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K2; rep from * 8 times more, K31, K2tog, yfwd, K1.

Row 6 - K2, K2tog, K30, *K7, P1, (K2, P1) 7 times, K8; rep from * 8 times more, K29, K2tog, K2.

Row 7 - K1, yfwd, sL1K, K2tog, psso, K28, *K4, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K3; rep from * 8 times more, K29, sL1K, K2tog, psso, yfwd, K1.

Row 8 - K32, *K8, P1, (K2, P1) 7 times, K9; rep from * 8 times more, K31.

Row 9 - K1, yfwd, sL1K, K2tog, psso, K27, *K5, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K4; rep from * 8 times more, K28, sL1K, K2tog, psso, yfwd, K1.

Row 10 - K2, K2tog, K27, *K9, P1, (K2, P1) 7 times, K10; rep from * 8 times more, K26, K2tog, K2.

Row 11 - K1, yfwd, K2tog, K26, *K6, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7

times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K5; rep from * 8 times more, K27, K2tog, yfwd, K1.

Row 12 - K2, K2tog, K26, *K10, P1, (K2, P1) 7 times, K11; rep from * 8 times more, K25, K2tog, K2.

Row 13 - K1, yfwd, sL1K, K2tog, psso, K24, *K7, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, (KB1, P2) 7 times, KB1, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, K6; rep from * 8 times more, K25, sL1K, K2tog, psso, yfwd, K1.

Row 14 - K28, *K11, P1, (K2, P1) 7 times, K12; rep from * 8 times more, K27.

Row 15 - K1, yfwd, sL1K, K2tog, psso, K23, *K9, yfwd, sL1K, K2tog, psso, yfwd, K1, (K3tog) 7 times, yfwd, sL1K, K2tog, psso, yfwd, K8; rep from * 8 times more, K24, sL1K, K2tog, psso, yfwd, K1.

Row 16 - K2, K2tog, K to last 4 sts, K2tog, K2 (330 sts).

These 16 rows form patt.

Keeping patt correct over centre section, cont to shape sides thus:

Row 17 - (RS), K1, yfwd, K2tog, patt to last 3 sts, K2tog, yfwd, K1.

Row 18 - K2, K2tog, patt to last 4 sts, K2tog, K2.

Row 19 - K1, yfwd, sL1K, K2tog, psso, patt to last 4 sts, sL1K, K2tog, psso, yfwd, K1.

Row 20 - Patt to end.

Row 21 - As row 19.

Row 22 - As row 18.

Rows 23 to 26 - As rows 17 to 20.

Row 27 - As row 19.

Row 28 - As row 18.

Rep rows 17 to 28 once more, and then rows 17 to 26 again, thus ending after patt row 16 and with RS facing for next row (288 sts).

Row 49 - (RS), K1, yfwd, sL1K, K2tog, psso, K to last 4 sts, sL1K, K2tog, psso, yfwd, K1 (286 sts).

Row 50 - K.

Cast off loosely.

MAKE UP

Do not press. Block out shawl pieces and cover with a damp cloth. After 30 minutes remove cloth and allow pieces to dry flat before commencing make up.

Sew cast-off edges of side sections to sides of centre section. Join shaped row end edges of side sections at corners.

Fairytale 3 ply - You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover. Dry flat if garment is not tumble dried.

Pure Wool 3 ply - Handwash, taking care to support garment when wet. Do not tumble dry. Dry flat.

Both yarns - Do not dry handknits in harsh sunlight as fading or yellowing may occur.

Choose **MILWARD** for the widest selection of quality knitting and crochet accessories.



Coats
Crafts UK

