


 **PATONS**

Baby Quickerknit Pure Wool

One size to fit 18-19 inch chest, up to six months

6004

PRICE
CODE **B**



Three coats in Patons Baby Quickerknit Pure Wool

Raglan matinee coat

First size – first class! To fit 18 to 19 inch chest

Before knitting this design, please refer to page 8.

To fit chest	ins.	18–19
Length	ins.	9½
Sleeve seam (adjustable)	ins.	5
Patons Baby Quickerknit Pure Wool	× 25 gram balls	4

You must use the Patons brand recommended above to be sure of a successful result.

Two No. 11 and two No. 9 BEEHIVE or MILWARD DISC needles. Two buttons.

Tension

13 sts. and 17 rows to two square inches on No. 9 needles measured over stocking stitch.

See page 8 for how to check your Tension and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.

BACK

Using No. 9 needles, cast on 83 sts. and proceed in patt. as follows:—

1st row—K.4, * P.3, K.3, rep. from * to last st., K.1.

2nd row—K.1, * P.3, K.3, rep. from * to last 4 sts., P.3, K.1.

3rd row—K.1, y.fwd., * sl.1, K.2 tog., p.s.s.o., y.r.n., P.3, y.o.n., rep. from * to last 4 sts., sl.1, K.2 tog., p.s.s.o., y.fwd., K.1.

4th row—K.1, P. to last st., K.1.

5th row—As 2nd row.

6th row—As 1st row.

7th row—K.1, * P.3, y.o.n., sl.1, K.2 tog., p.s.s.o., y.r.n., rep. from * to last 4 sts., P.3, K.1.

8th row—K.1, P. to last st., K.1.

These 8 rows form the patt.

Continue in patt. until work measures approx. 4½ ins. from beg., finishing at end of a 6th row of patt.

Next row—K.1, P.3, K.3, * P.3, sl.1, K.2 tog., p.s.s.o., rep. from * to last 10 sts., P.3, K.3, P.3, K.1 (61 sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.

Next row—K.1, P. to last st., K.1.

BOOKLET 6004 PAGE 2



Shape raglan as follows:—

1st and 2nd rows—Cast off 2, work to end.

3rd row—K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1.

Needle sizes quoted throughout this booklet are UK: equivalent Metric sizes are Nos. 3 mm for 11 and 3½ mm for 9.

4th row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows until 21 sts. remain, finishing at end of a 3rd row.

Cast off.

RIGHT FRONT

Using No. 9 needles, cast on 48 sts.

Proceed in **patt. with garter stitch border** as follows:—

1st row—K.5, * P.3, K.3, rep. from * to last st., K.1.

2nd row—K.1, * P.3, K.3, rep. from * to last 5 sts., K.5.

3rd row—K.5, P.3, * y.o.n., sl.1, K.2 tog., p.s.s.o., y.r.n., P.3, rep. from * to last 4 sts., y.o.n., sl.1, K.2 tog., p.s.s.o., y.fwd., K.1.

4th row—K.1, P. to last 5 sts., K.5.

5th row—K.5, * K.3, P.3, rep. from *, K.1.

6th row—K.1, * K.3, P.3, rep. from *, K.5.

7th row—K.5, y.fwd., sl.1, K.2 tog., p.s.s.o., * y.r.n., P.3, y.o.n., sl.1, K.2 tog., p.s.s.o., rep. from *, y.r.n., P.3, K.1.

8th row—K.1, P. to last 5 sts., K.5.

These 8 rows form the **patt.**

Continue in **patt.** until work measures approx. 4½ ins. from beg., finishing at end of a 6th row of **patt.**

Next row—K.2, y.fwd., K.2 tog., K.1, * sl.1, K.2 tog., p.s.s.o., P.3, rep. from * to last st., K.1 (34 sts.).

Next row—K.1, P. to last 5 sts., K.5.

Next row—K.

Rep. last 2 rows once more, thus finishing at side edge.

Shape raglan and front slope as follows:—

1st row—Cast off 2; P. to last 5 sts., K.5.

2nd row—K.2, y.fwd., K.2 tog., K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last 5 sts., K.5.

4th row—K.5, K.2 tog., K. to last 3 sts., K.2 tog., K.1.

5th row—K.1, P. to last 5 sts., K.5.

Dec. 1 st. at front edge on 3rd row following and every following 4th row until 8 dec. have been worked at front edge, at the same time continue dec. at armhole edge on every alt. row as before until 5 sts. remain.

Continue on these 5 sts. for 2 ins.

Cast off.

LEFT FRONT

Using No. 9 needles, cast on 48 sts.

Proceed in **patt.** with garter stitch border as follows:—

1st row—K.1, * K.3, P.3, rep. from * to last 5 sts., K.5.

2nd row—K.5, * K.3, P.3, rep. from * to last st., K.1.

3rd row—K.1, y.fwd., sl.1, K.2 tog., p.s.s.o., * y.r.n., P.3, y.o.n., sl.1, K.2 tog., p.s.s.o., rep. from * to last 8 sts., y.r.n., P.3, K.5.

4th row—K.5, P. to last st., K.1.

5th row—K.1, * P.3, K.3, rep. from *, K.5.

6th row—K.5, * P.3, K.3, rep. from *, K.1.

7th row—K.1, P.3, * y.o.n., sl.1, K.2 tog., p.s.s.o., y.r.n., P.3, rep. from * y.o.n., sl.1, K.2 tog., p.s.s.o., y.fwd., K.5.

8th row—K.5, P. to last st., K.1.

These 8 rows form the **patt.**

Continue in **patt.** until work measures approx. 4½ ins. from beg., finishing at end of a 6th row of **patt.**

Next row—K.1, * P.3, sl.1, K.2 tog., p.s.s.o., rep. from *, K.5.

Omitting buttonholes, complete to match First Half, reversing all shapings **noting** that tog. **t.b.l.** will be worked in place of tog. at raglan shaping.

SLEEVES

Using No. 11 needles, cast on 34 sts.

K. 7 rows.

Next row—K.3, (inc. in next st., K.8) 3 times, inc. in next st., K. to end (38 sts.).

Change to No. 9 needles and knitting st. at both ends of every row, proceed in stocking stitch, inc. 1 st. in first and last but one st. on 5th row following and every following 6th row until there are 48 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row (adjust length at this point).

Shape top by working 1st to 4th row of raglan shaping as on Back, then rep. 3rd and 4th rows until 8 sts. remain, finishing at end of a 3rd row. Cast off.

TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges and press following instructions on the ball band. Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Join ends of Neckband and stitch into position round back of neck. Attach buttons. Press seams.

Coat with round yoke

So smart with a semi-raglan, 18 to 19 inch chest

Before knitting this design, please refer to page 8

To fit chest	ins.	18-19
Length (including neckband)	ins.	9½
Sleeve seam (adjustable)	ins.	5
Patons Baby Quickerknit Pure Wool	× 25 gram balls	4

Two No. 11 and two No. 9 BEEHIVE or MILWARD DISC needles. Four buttons.

Tension

13 sts. and 17 rows to two square inches on No. 9 needles measured over stocking stitch.

See page 8 for how to check your Tension and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.

RIGHT FRONT

Using No. 11 needles, cast on 36 sts.

K. 6 rows.

Change to No. 9 needles and proceed in stocking stitch with front border as follows:—

1st row—K.5, Tw.2F., Tw.2B., K. to end.

2nd row—K.1, P. to last 5 sts., K.5.

3rd row—K.5, Tw.2B., Tw.2F., K. to end.

4th row—K.1, P. to last 9 sts., K.9.

These 4 rows form border patt.

Rep. 1st to 4th row until work measures approx. 4½ ins. finishing at end of a 3rd row of patt.

Keeping border patt. correct shape semi-raglan as follows:—

1st row—Cast off 4, P. to last 9 sts., patt. 9.

2nd row—Work to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last 9 sts., patt. 9.

Rep. 2nd and 3rd rows until 25 sts. remain, finishing at end of a 2nd row.

Slip sts. on to a length of yarn.



LEFT FRONT

Work to match Right Front reversing all shapings, noting that tog. t.b.l. will be worked in place of tog. at raglan shaping, and placing border as follows:—

1st row—K. to last 9 sts., Tw.2F., Tw.2B., K.5.

2nd row—K.5, P. to last st., K.1.

3rd row—K. to last 9 sts., Tw.2B., Tw.2F., K.5.

4th row—K.9, P. to last st., K.1.

BACK

Using No. 11 needles, cast on 66 sts.

K. 6 rows.

Change to No. 9 needles and knitting st. at both ends of every row, proceed in stocking stitch until work measures same as Fronts to raglan shaping, finishing at end of a P. row.

Shape semi-raglan as follows:—

1st and 2nd rows—Cast off 4, work to end.

3rd row—K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. 3rd and 4th rows until 44 sts. remain, finishing at end of a 3rd row.

Slip sts. on to a length of yarn.

SLEEVES

Using No. 11 needles, cast on 34 sts.

K. 5 rows.

Next row—K.2 (inc. in next st., K.3) 7 times, inc. in next st., K. to end (42 sts.).

Change to No. 9 needles and proceed as follows:—

1st row—K.

2nd row—K.

3rd row—K.1, * Tw. 2F., Tw.2B., rep. from * to last st., K.1.

4th and 6th rows—K.1, P. to last st., K.1.

5th row—K.1, * Tw.2B., Tw.2F., rep. from * K.1.

7th and 8th rows—K.

Rep. 1st to 6th row once more.

Knitting st. at both ends of every row, proceed in stocking stitch inc. 1 st. in first and last but one st. on next row and every following 4th row until there are 52 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row. (adjust length at this point).

Shape top by working 1st to 4th row of raglan shaping as on Back, then rep. 3rd and 4th rows until 30 sts. remain, finishing at end of a 3rd row.

Slip sts. on to a length of yarn.

YOKE

Holding a No. 9 needle in left hand, with wrong side of work facing, slip sts. on to this needle in the following order, Right Front, 1st Sleeve, Back, 2nd Sleeve and Left Front (154 sts.).

Next row—K.5, P. to last 5 sts., K.5.

Proceed in **yoke patt.** as follows:—

1st row—K.2, y.fwd., K.2 tog., K.1, Tw.2B., Tw.2F., K. to last 9 sts., Tw.2B., Tw.2F., K.5.

2nd row—K.

3rd row—K.5, * Tw.2F., Tw.2B., rep. from * to last 5 sts., K.5.

4th row—K.5, P. to last 5 sts., K.5.

5th row—K.5, * Tw.2B., Tw.2F., rep. from * to last 5 sts., K.5.

6th row—K.9, P. to last 9 sts., K.9.

7th row—K.5, Tw.2F., Tw.2B., K.3 tog., K.2 * K.2 tog., K.2, rep. from * to last 12 sts., K.3 tog., Tw.2F., Tw.2B., K.5 (118 sts.).

8th row—K.5, P.4, K. to last 9 sts., P.4, K.5.

Rep. 1st to 6th row once more.

Next row—K.5, Tw.2F., Tw.2B., K.2 * K.1, K.2 tog., rep. from * to last 11 sts., K.2, Tw.2F., Tw.2B., K.5 (86 sts.).

Next row—K.5, P.4, K. to last 9 sts., P.4, K.5.

Rep. 1st to 6th row once more.

Change to No. 11 needles

Next row—K.5, Tw.2F., Tw.2B., K.1, * K.2 tog., K.1, rep. from * to last 10 sts., K.1, Tw.2F., Tw.2B., K.5 (64 sts.).

Keeping border patt. correct K. 6 rows working a buttonhole as before on 2nd row.

Cast off knitwise.

TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges and press following instructions on the ball band. Using a flat seam join side and sleeve seams and stitch Sleeves into position. Attach buttons. Press seams.

Double moss stitch—doubly warm

Raglan sleeves make for easy fitting, 18 to 19 inch chest

Before knitting this design, please refer to page 8

To fit chest	ins.	18-19
Length	ins.	11
Sleeve seam (adjustable)	ins.	5
Patons Baby Quickerknit Pure Wool	× 25 gram balls	5

Two No. 11 and two No. 9 BEEHIVE or MILWARD DISC needles. Four buttons.

Tension

13 sts. and 17 rows to two square inches on No. 9 needles measured over stocking stitch.

See page 8 for how to check your Tension and Abbreviations.

This garment has been specially designed for the size given and it is regretted that no other adaptations are available.

BACK

Using No. 11 needles, cast on 95 sts.

Work 8 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

Change to No. 9 needles and knitting st. at both ends of every row, proceed in stocking stitch until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a K. row.

Next row—K.1, * P.2 tog., P.2, rep. from * to last 2 sts., K.2 tog. (71 sts.).

Proceed in patt. as follows:—

1st row—* K.2, P.1, rep. from * to last 2 sts., K.2.

2nd row—K.1, P.1, * K.1, P.2, rep. from * to last 3 sts., K.1, P.1, K.1.

3rd row—K.1, P. to last st., K.1.

4th row—As 2nd row.

5th row—As 1st row.

6th row—K.

These 6 rows form the patt.

Work 1st to 4th row once more.

Shape raglan as follows:—

1st and 2nd rows—Cast off 3, patt. to end.



3rd row—K.1, K.2 tog. t.b.l., patt. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P.1, patt. to last 2 sts., P.1, K.1. Rep. 3rd and 4th rows until 23 sts. remain, finishing at end of a 3rd row.

Cast off.

RIGHT FRONT

Using No. 11 needles, cast on 47 sts.

Work 8 rows in moss stitch.

Change to No. 9 needles and proceed in stocking stitch with **moss stitch border** as follows:—

1st row—(K.1, P.1) twice, K. to end.

2nd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Continue as on these 2 rows until work measures 5½ ins. from beg., finishing at end of a 1st row.

Next row—K.1, * P.2, P.2 tog., rep. from * to last 6 sts., (P.1, K.1) 3 times, (37 sts.).

Proceed in patt. as follows:—

1st row—(On which a buttonhole is commenced) K.1, P.1, y.r.n., P.2 tog., K.1, * K.2, P.1, rep. from * to last 2 sts., K.2.

2nd row—K.1, P.1, * K.1, P.2 rep. from * to last 5 sts., (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

4th row—As 2nd row.

5th row—(K.1, P.1) twice, K.1, * K.2, P.1, rep. from *, K.2.

6th row—K. to last 4 sts., (P.1, K.1) twice.

Omitting buttonhole rep. 1st to 5th row once more.

Shape raglan as follows:—

1st row—Cast off 3, patt. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, patt. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P.1, patt. to last 5 sts., (K.1, P.1) twice, K.1.

4th row—K.1, P.1, y.r.n., P.2 tog., K.1, patt. to last 3 sts., K.2 tog., K.1.

5th row—K.1, P.1 patt. to last 5 sts., (K.1, P.1) twice, K.1.

Working a buttonhole as on last 2 rows on following 13th and 14th rows, at the same time continue dec. at armhole edge on every alt. row as before until 22 sts. remain, finishing at front edge.

Shape neck as follows:—

Next row—(K.1, P.1) twice, K.1, slip these 5 sts. on to a safety pin and leave, cast off 3, patt. to last 3 sts., K.2 tog., K.1.

Dec. 1 st. at neck edge on next and every alt. row until 4 dec. have been worked at neck edge, **at the same time** continue dec. at armhole edge on every alt. row as before until 1 st. remains. Fasten off.

LEFT FRONT

Using No. 11 needles, cast on 47 sts.

Work 8 rows in moss stitch.

Change to No. 9 needles and proceed in stocking stitch with moss stitch border as follows:—

1st row—K. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Continue as on these 2 rows until work measures 5½ ins. from beg., finishing at end of a 1st row.

Next row—(K.1, P.1) 3 times, * P.2 tog., P.2, rep from * to last st., K.1 (37 sts.).

Proceed in patt. as follows:—

1st row—*K.2, P.1, rep. from * to last 7 sts., K.3, (P.1, K.1) twice.

2nd row—(K.1, P.1) twice, * K.1, P.2, rep. from * to last 3 sts., K.1, P.1, K.1.

3rd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

4th row—As 2nd row.

5th row—As 1st row.

6th row—(K.1, P.1) twice, K. to end.

These 6 rows form the patt.

Rep. 1st to 4th row once more.

Shape raglan as follows:—

1st row—Cast off 3, patt. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, patt. to last 2 sts., P.1, K.1.

3rd row—K.1, K.2 tog. t.b.l., patt. to last 5 sts., (K.1, P.1) twice, K.1.

Rep. 2nd and 3rd rows until 22 sts. remain, finishing at front edge.

Complete to match Right Front, reversing all shapings.

SLEEVES

Using No. 11 needles, cast on 35 sts.

Work 7 rows in moss stitch.

Next row—Moss stitch 1, (inc. in next st., moss stitch 3) 8 times, inc. in next st., moss stitch 1 (44 sts.).

Change to No. 9 needles and proceed in patt. as on Back, inc. 1 st. in first and last but one st. on 5th row following and every following 7th row until there are 54 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing with right side facing for next row (adjust length at this point).

Shape top by working 1st to 4th row of raglan shaping as on Back, then rep. 3rd and 4th rows until 6 sts. remain.

Cast off.

TO MAKE UP AND NECKBAND

With wrong side of work facing block each piece

by pinning out round edges and press following instructions on the ball band. Using a flat seam, join side and sleeve seams and stitch sleeves into position. With right side facing slip sts. from safety pin on to No. 11 needle, using same needle **knit up** 59 sts. round neck (K.1, P.1) twice, K.1 across sts. on second safety pin (69 sts.). Work 8 rows in moss stitch working a buttonhole as before on 6th and 7th rows. Cast off. Attach buttons. Press seams.

PLEASE READ THIS FIRST

Abbreviations


K.=knit; P.=purl; st.=stitch; sl.=slip; y.fwd.=yarn forward; y.r.n.=yarn round needle; y.o.n.=yarn on needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; ins.=inches; mm=millimetres; Tw.2F.=Twist 2 Front by knitting into front of 2nd st., then front of first st. on left-hand needle and slipping 2 sts. off needle together; Tw.2B.=Twist 2 Back by knitting into back of 2nd st., then back of first st. on left-hand needle and slipping 2 sts. off needle together.

How to check your tension

Before you knit these designs check your tension carefully. Take a pair of No. 9 needles, cast on 13 stitches and work in stocking stitch—1 row knit; 1 row purl—for 17 rows. Cast off; press lightly on wrong side. The tension should be 13 sts. and 17 rows to two square inches and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

stitchcraft

The monthly fashion and homecraft magazine packed full of exciting new designs for the home and family—ideal for knitting, crochet, tapestry, embroidery and rug making enthusiasts.



Please address knitting enquiries concerning this booklet to Sarah Bell, Patons & Baldwins Limited
Alloa, Scotland.

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

15144