



46 56 cm 18-22 in

PRICE
CODE **B** 7282

Patons FAIRYTALE DK

Takes only one

**Magic
Value**

100g ball.

KNITTING MACHINE LADY
(V. & A. Hotchin)

**KNITTING AND
SEWING CENTRE**

276 ASHBY HIGH STREET

SCUNTHORPE DN16 2RX

Telephone: (0724) 861858



New 'Magic Value' design

The Patons Fairytale 100g 'Magic Value' ball
shows you big savings—ask your retailer

(illustrated in Fairytale DK Courtelle/Bri-Nylon, Shades 6304 and 6316)

To fit chest	cm	46	51	56
	(approx) in	18	20	22
Garment measures	cm	48	54	58
	(approx) in	19	21½	23
Length from top of shoulders	cm	26	28	33
	(approx) in	10	11	13
Sleeve seam	cm	5	6	6
	(approx) in	2	2½	2½
Patons Fairytale Double Knitting Courtelle/Bri-Nylon				
Version without Collar				
	100 gram 'Magic Value' ball	1*	1*	1*
* This will leave approximately 10 [0, 0] g for more baby knitting				
Version with Collar				
	100 gram 'Magic Value' balls	2*	2*	2*
* This will leave approximately 90 [85, 80] g for more baby knitting				
Patons Fairytale Double Knitting Courtelle/Bri-Nylon, Patons Fairytale with Lambswool Double Knitting or Patons Fairytale Misty Double Knitting				
Version without Collar	20 gram balls	5	5	5
Version with Collar	20 gram balls	6	6	6

Quantities of yarn are approximate as they are based on average requirements. Check the actual yarn colour – as printing may not match yarn exactly.

Pair each Nos 3¼ mm and 4 mm Milward needles.

6 buttons.

Tension

On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarns is used.

Abbreviations

K=knit; P=purl; st=stitch; sL1K=slip 1 knitways; yfwd=yarn forward; pssso=pass slip stitch over; tog=together.

inc=increase by working into front and back of stitch; dec=decrease by working 2 stitches together.

beg=beginning; alt=alternate; rep=repeat; patt=pattern; cm=centimetres; in=inches; mm=millimetres.

M1=make a stitch by picking up horizontal loop lying before next stitch and working into back of it.

PANEL PATT (11 sts)

1st row—(Right side), P2, K3, yfwd, sL1K, K1, pssso, K2, P2. **2nd and every alt row**—K2, P7, K2. **3rd row**—P2, K1, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K1, P2.

5th row—P2, K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, P2. **7th row**—P2, K1, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K1, P2. **9th row**—As 7th.

11th and 13th rows—P2, K7, P2. **14th row**—As 2nd.

These 14 rows form panel patt.

Version without Collar

BACK

With No 3¼ mm needles, cast on 49 [55, 59] sts and work in rib as follows:

1st row—K1, * P1, K1; rep from * to end. **2nd row**—P1, * K1, P1; rep from * to end.

Rep these 2 rows until work measures 3 cm, ending with a 1st row.

Next row—Rib 6 [8, 8], M1, * rib 12 [13, 14], M1; rep from * to last 7 [8, 9] sts, rib to end (53 [59, 63] sts).

Change to No 4 mm needles and starting with a K row, work in stocking stitch until Back measures 16 [17, 21] cm, ending with a P row.

Shape armholes by casting off 2 sts at beg of next 2 rows.

Dec 1 st at each end of next 3 rows, then following 2 alt rows (39 [45, 49] sts).

Work straight until Back measures 26 [28, 33] cm, ending with a P row.

Shape shoulders by casting off 4 sts at beg of next 4 rows, then 3 [3, 5] sts at beg of following 2 rows.

Leave remaining 17 [23, 23] sts on a spare needle.

LEFT FRONT

** With No 3¼ mm needles, cast on 21 [25, 27] sts and work in rib as on Back for 3 cm, ending with a 1st row.

Next row—Rib 5 [6, 6], M1, rib 10 [12, 14], M1, rib to end (23 [27, 29] sts).

Change to No 4 mm needles and work in stocking stitch, **placing panel patt** as follows: **

1st row—K12 [16, 18], panel patt 11 as 1st row.

2nd row—Panel patt 11 as 2nd row, P to end.

Continue thus, working appropriate rows of panel patt until Front matches Back to start of armhole shaping, ending with right side facing for next row.

Keeping continuity of patt, **shape armhole** by casting off 2 sts at beg of next row. Work 1 row.

Dec 1 st at armhole edge on next 3 rows, then following 2 alt rows (16 [20, 22] sts).

Work straight until Front measures approx 23 [24, 29] cm, ending with a 5th [9th, 9th] row of panel patt.

Shape neck as follows: **Next row**—Cast off 2 [3, 3], patt to end.

Dec 1 st at neck edge on every row until 11 [11, 13] sts remain.

Work straight until Front matches Back to start of shoulder shaping, ending with right side facing for next row.

Shape shoulder by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off remaining 3 [3, 5] sts.

RIGHT FRONT

Work as for Left Front from ** to **.

1st row—Panel patt 11 as 1st row, K to end. **2nd row**—P12 [16, 18], panel patt 11 as 2nd row.

Work to match Left Front, reversing shapings.

SLEEVES

With No 3¼ mm needles, cast on 37 [41, 43] sts and work in rib as on Back for 3 cm, ending with a 1st row.

Next row—Rib 5, M1, * rib 9 [10, 11], M1; rep from * to last 5 [6, 5] sts, rib to end (41 [45, 47] sts).

Change to No 4 mm needles and work in stocking stitch, **placing panel patt** as follows:

1st row—K15 [17, 18], panel patt 11 as 1st row, K to end. **2nd row**—P15 [17, 18], panel patt 11 sts as 2nd row, P to end.

Continue thus, working appropriate rows of panel patt and work a further 4 [8, 8] rows.

Shape top by casting off 2 sts at beg of next 2 rows.

Dec 1 st at each end of next row. Work 3 rows.

Dec 1 st at each end of next and following 4th row 1 [1, 2] times. Work 1 row.

Now dec 1 st at each end of next and every alt row until 19 [21, 25] sts remain, then at each end of every row until 13 [15, 15] sts remain. Cast off remaining sts.

MAKE UP AND BORDERS

Do not press.

Join shoulder, side and sleeve seams.

Insert Sleeves, gathering extra fullness across top.

Neck Border: With right side facing and No 3¼ mm needles, **knit up** 13 [16, 16] sts up right front, K17 [23, 23] from back, **knit up** 13 [16, 16] sts down left front (43 [55, 55] sts).

Starting with a 2nd row, work in rib as on Back for 6 cm, ending with a 2nd row. Using a No 4 mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Button Border: With No 3¼ mm needles, cast on 9 sts and work in rib as follows: **1st row**—(Right side), K2, (P1, K1) 3 times, K1. **2nd row**—K1, (P1, K1) 4 times.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front to top of Neck Border. Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: Work as for Button Border with the addition of 6 buttonholes, first to come 1 cm up from lower edge, last to come 1 cm from top of Neck Border, remainder spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 4, cast off 2, rib to end and back casting on 2 over those cast off.

Sew on buttons.

Version with Collar

BACK, FRONT AND SLEEVES

Work as for Version without Collar, casting off sts at back of neck.

MAKE UP, BORDERS AND COLLAR

Do not press.

Join shoulder, side and sleeve seams.

Button and Buttonhole Borders: Work as for Version without Collar.

Collar: With No 3¼ mm needles, cast on 19 [21, 23] sts and starting with a 1st row, **noting** that 1st row is **wrong** side, work 2 rows in rib as on Back of Version without Collar.

Keeping continuity of rib, **shape Collar** by casting on 4 sts at beg of next 8 rows, then 2 sts at beg of following 12 rows (75 [77, 79] sts).

Continue in rib until Collar measures 9 cm measured at centre, ending with **wrong** side facing. Cast off evenly in rib.

Stitch shaped edge of Collar to neck edge, starting and ending at centre of each front border.

Sew on buttons.

To help you keep your handknits looking their best, we recommend Dreft. Dreft is safer than soap powders because it's so gentle.



WASHING AND CARING FOR PATONS YARNS

Hand washing is always best. For yarns made mainly of wool use warm water, a warm rinse, squeeze out between towels or spin-dry (normal cycle), then dry flat after easing into shape. Do not dry in direct heat (radiators or fires). Do not dry white handknits in direct sunlight. For yarns made mainly of acrylics it is important that you rinse in cold water and if you spin-dry use the short cycle.

A great many people now use washing machines. The ball band will show whether the yarn you have chosen is suitable for machine-washing: if it is, follow these four "golden rules".

1. Make sure the garment is knitted correctly according to the Patons pattern, on the correct needles to the correct tension.
2. Don't have the water hotter than the recommended temperature.
3. Use the machine on a gentle cycle.
4. Don't leave the garment in the machine too long.

The wrappers on all Patons yarns show the appropriate International Textile Care Labelling Code symbols for the yarn. Examples are shown here. The latest automatic machines have these International Care Symbols, and provided your machine is not connected to the domestic hot water supply (when you need to be careful about the heat) all you have to

do is match the programme to our symbols. Older types of machine will not have these controls and it may be more difficult to ensure the correct combination of temperature, agitation and time.

If you are in any way unsure about the application of the symbols to your machine it is safest to hand-wash.

WASH SYMBOLS

	Machine	Hand wash
	Warm (40°C) Maximum wash	Warm (40°C)
	Normal rinse and spin Do not rub or hand-wring Dry flat	
	Warm (40°C) Minimum wash	Warm (40°C)
	Cold rinse Short spin Do not wring	
	Warm (40°C) Minimum wash	Warm (40°C) Do not rub
	Spin Do not rub or hand-wring Dry flat	

	Hand wash only	
	Warm (40°C)	Do not rub or hand-wring
	Warm rinse	Do not rub or hand-wring
	Dry flat	
BLEACH SYMBOLS		Household bleach can be used
		Do not bleach
IRONING SYMBOLS		Cool Iron (120°C)
		Warm Iron (160°C)
		Do not iron
DRY CLEANING SYMBOLS		Dry cleanable in all solvents
		Dry cleanable in certain solvents
		Consult cleaner
		Do not dry clean

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWIN'S LIMITED