

FAIRYTALE 4PLY

Patons

PRICE
CODE

B 8553

41-61 cm

16-24 in

★ ★ ★



Garter and Eyelet Stitch Sweater


(illustrated in Shade 4300)

★★★ For knitters with some experience

To fit chest	cm	41	46	51	56	61
	(approx) in	16	18	20	22	24

Patons Fairytale 4 ply Courtelle/Bri-Nylon

50 gram balls	2	2	3	3	3
or 100 gram 'Magic Value' balls	1	1	2	2	2



Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarns other than the specified yarn is used.

Quantities of yarn are approximate as they are based on average requirements. Check the actual yarn colour—as printing may not match yarn exactly.

We recommend Milward or Susan Bates knitting needles.

Pair each Nos 2¾ mm and 3¼ mm needles.
4 buttons.

Tension

On No 3¼ mm needles, 25 sts and 40 rows to 10 cm (patt), 28 sts and 36 rows to 10 cm (stocking st).

Important

It is essential to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

Abbreviations

K = knit; P = purl; st = stitch; tog = together;

inc = increase by working into front and back of stitch; dec = decrease by working 2 stitches together; beg = beginning; alt = alternate; rep = repeat; cm = centimetres; in = inches; mm = millimetres; sL1K = slip 1 knitways; yfwd = yarn forward; yrn = yarn round needle; psso = pass slip stitch over; patt = pattern; 0 = no st or time.

M1 = make a stitch by picking up horizontal loop lying before next stitch and working into back of it.

BACK

**With No 2¾ mm needles, cast on 57 [65, 71, 77, 85] sts and work in rib as follows:

1st row—(Right side), K1, * P1, K1; rep from * to end.

2nd row—P1, * K1, P1; rep from * to end.

Rep these 2 rows until work measures 3 [3, 4, 4, 5] cm, ending with a 1st row.

Next row—P5 [6, 7, 18, 20], (P2tog, P13 [15, 16, 37, 41]) 3 [3, 3, 1, 1] times, P2tog, P to end (53 [61, 67, 75, 83] sts).

Change to No 3¼ mm needles and work in **patt** as follows:

1st row—(Right side), K2 [1, 0, 2, 3], (K2tog, yfwd, K1) 0 [1, 0, 0, 1] time, (yfwd, sL1K, K1, psso) 0 [1, 0, 1, 1] time, * K4, K2tog, yfwd, K1, yfwd, sL1K, K1, psso; rep from * to last 6 [1, 4, 8, 3] sts, K6 [1, 4, 4, 3], (K2tog, yfwd, K2) 0 [0, 0, 1, 0] time.

2nd row—K1 [2, 5, 0, 4], P0 [3, 3, 3, 3], * K6, P3; rep from * to last 7 [2, 5, 0, 4] sts, K7 [2, 5, 0, 4].

3rd row—K1 [0, 3, 3, 2], (K2tog, yfwd, K3) 0 [1, 1, 0, 1] time, * yfwd, sL1K, K1, psso, K2, K2tog, yfwd, K3; rep from * to last 7 [2, 5, 0, 4] sts, (yfwd, sL1K, K1, psso) 1 [1, 1, 0, 1] time, K2 [0, 3, 0, 2], (K2tog, yfwd, K1) 1 [0, 0, 0, 0] time.

4th row—K0 [1, 0, 0, 3], P2 [5, 0, 4, 5], * K4, P5; rep from * to last 6 [1, 4, 8, 3] sts, K4 [1, 4, 4, 3], P2 [0, 0, 4, 0].

5th row—K2 [6, 2, 4, 1], (K2tog, yfwd, K5) 0 [0, 1, 0, 1] time, * yfwd, sL1K, K1, psso, K2tog, yfwd, K5; rep from * to last 6 [1, 4, 8, 3] sts, (yfwd, sL1K, K1, psso) 1 [0, 1, 1, 1] time, (K2tog, yfwd) 1 [0, 0, 1, 0] time, K2 [1, 2, 4, 1].

6th row—P3 [7, 2, 5, 1], (K1, P7) 0 [0, 1, 0, 1] time, * K2, P7; rep from * to last 5 [0, 3, 7, 2] sts, K2 [0, 1, 2, 1], P3 [0, 2, 5, 1].

These 6 rows form patt. **

Continue in patt until Back measures 11 [13, 14, 15, 18] cm, ending with right side facing for next row.

Keeping continuity of patt, **divide for back opening** as follows:

Next row—Patt 24 [28, 31, 35, 39], turn and leave remaining sts on a spare needle.

Continue on these sts for first side until Back measures 20 [23, 25, 28, 32] cm, ending with right side facing for next row.

Shape shoulder by casting off 5 [7, 7, 8, 9] sts at beg of next and following alt row, then 6 [6, 7, 9, 10] sts at beg of following alt row.

Work 1 row.

Leave remaining 8 [8, 10, 10, 11] sts on a safety-pin.

With right side facing, slip next 5 sts on a safety-pin, rejoin yarn to remaining sts, patt to end.

Work to match first side, reversing shapings, **noting** that an extra row will have to be worked before start of shoulder shaping.

FRONT

Work as for Back from ** to **.

Continue in patt until 12 [12, 16, 16, 16] rows less than on Back have been worked before start of shoulder shaping, thus ending with right side facing for next row.

Keeping continuity of patt, **divide for neck** as follows:

Next row—Patt 22 [26, 28, 32, 35], turn and leave remaining sts on a spare needle.

Continue on these sts for first side dec 1 st at neck edge on next 6 [6, 7, 7, 7] rows (16 [20, 21, 25, 28] sts).

Work 5 [5, 8, 8, 8] rows, thus ending with right side facing for next row.

Shape shoulder by casting off 5 [7, 7, 8, 9] sts at beg of next and following alt row.

Work 1 row.

Cast off remaining 6 [6, 7, 9, 10] sts.

With right side facing, slip centre 9 [9, 11, 11, 13] sts on a spare needle, rejoin yarn to remaining sts, patt to end.

Work to match first side, reversing shapings, **noting** that an extra row will have to be worked before start of shoulder shaping.

SLEEVES

With No 2¼ mm needles, cast on 29 [37, 39, 43, 45] sts and work in rib as on Back for 3 [3, 4, 4, 4] cm, ending with a 1st row.

1st, 2nd, 3rd and 5th sizes: Next row—Rib 7 [9, 4, 4], (M1, rib 15 [19, 10, 12]) 1 [1, 3, 3], times, M1, rib to end (31 [39, 43, 49] sts).

All sizes: Change to No 3¼ mm needles and work in patt as on 3rd [4th, 2nd, 2nd, 3rd] size of Back, shaping sides by inc 1 st at each end of 7th [7th, 11th, 11th, 9th] and every following 5th [8th, 10th, 7th, 9th] row until there are 45 [51, 55, 65, 71] sts, taking inc sts into patt.

Work 3 [5, 7, 7, 5] rows, thus ending with right side facing.

Cast off **loosely**.

MAKE UP AND BORDERS

Do not press.

Join shoulder seams.

Place centre of cast off edge of sleeves to shoulder seams and sew Sleeves in position to Back and Front.

Join side and sleeve seams.

Neck Border: With right side facing and No 2¼ mm needles, starting at top of left back opening, K8 [5, 10, 10, 11] from safety-pin inc 1 st at centre, **knit up** 13 [13, 15, 15, 15] sts down left side of neck, K9 [9, 11, 11, 13] from front inc 2 sts evenly, **knit up** 13 [13, 15, 15, 15] sts up right side of neck, then K8 [8, 10, 10, 11] from safety-pin inc 1 st at centre (55, [55, 65, 65, 69] sts).

Starting with a 2nd row, work in rib as on Back for 4cm.

Using a No 3¼ mm needle, cast off loosely in rib. Fold Neck Border in half to wrong side and slip-hem loosely in position.

Button Border: With No 2¼ mm needles, cast on 7 sts and work in rib as follows:

1st row—(Right side), K2, (P1, K1) twice, K1.

2nd row—K1, (P1, K1) 3 times.

Rep these 2 rows until Border, when slightly stretched, fits up left back opening to top of Neck Border.

Sew in position as you go along.

Cast off evenly in rib

Buttonhole Border: With right side facing and No 2¼ mm needles, K5 from safety-pin inc 2 sts evenly (7 sts).

Starting with a 2nd row, work in rib as on Button Border with the addition of 4 buttonholes, first to come 1 cm up from division, last to come at centre of Neck Border and remainder spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end.

Neatly stitch Button Border at base of opening on wrong side.

Sew on Buttons.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWIN'S LIMITED

WARNING – COPYRIGHT All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Patons & Baldwins Limited to whom applications for commercial licences should be addressed.