

crochet for young cuties

\$1-00



Crochet
something a little
different for baby
to wear.

Easy to do, too, in
these Patons yarns—
Feathersoft,
Swifta'Knit,
Baby Wool with Nylon,
3 Ply
and Totem.

Bundle up
your young cuties
in these Patons
crochet designs.

1

Jacket — Sizes 16 to 20

PATONS SWIFTa'KNIT BRI-NYLON

A—Fits 16 underarm	25 g balls 4 or 1 oz. balls 3
B—Fits 18 underarm	25 g balls 5 or 1 oz. balls 4
C—Fits 20 underarm	25 g balls 6 or 1 oz. balls 5
Length from shoulder top	A 9, B 10, C 11 ins.
Sleeve seam	A 5, B 6, C 7 ins.

HOOKS—"Milwards" or "Phantom".

Loose Workers	1 No. 10
Average Workers	1 No. 9
Tight Workers	1 No. 8

Hook in instructions is for Average Workers.

TENSION—8 patts to $3\frac{1}{2}$ inches in width and 8 rows to $2\frac{1}{2}$ inches in depth.

Milwards Tapestry Needle for sewing seams.

Length of Ribbon.

ABBREVIATIONS: See page 19.

Instructions are for size A. Sizes B and C are shown [B . . .] [C . . .]. Where one set of figures is given, this applies to all sizes.

JACKET (Worked in One Piece, commencing at Neck Edge)—

Using No. 9 Hook, make 57 chain loosely.

1st row.—Miss 5 ch., 2 tr. in next ch., (1 ch., miss 2 ch., 2 tr. in next ch.) twice, * 1 ch., miss 2 ch., (2 tr., 2 ch., 2 tr.) in next ch., 1 ch., miss 2 ch., 2 tr. in next ch., 1 ch., miss 2 ch., (2 tr., 2 ch., 2 tr.) in next ch., * (1 ch., miss 2 ch., 2 tr. in next ch.) six times, rep. from * to * once, (1 ch., miss 2 ch., 2 tr. in next ch.) three times.)

2nd row.—3 ch., (2 tr., 1 ch.) in each of first 3 sps., * (2 tr., 2 ch., 2 tr.) in 2 ch. sp. (corner st.), 1 ch., (2 tr., 1 ch.) in each of next 2 sps., (2 tr., 2 ch., 2 tr.) in 2 ch. sp. (corner st.), 1 ch., * (2 tr., 1 ch.) in each of next 7 sps., rep. from * to * once, (2 tr., 1 ch.) in each of next 3 sps., 2 tr. in sp. formed by turning ch.

3rd row.—3 ch., (2 tr., 1 ch.) in each 1 ch. sp., and (2 tr., 2 ch., 2 tr., 1 ch.) in each 2 ch. sp. at corners, to end of row, working 2 tr. in sp. formed by turning ch. at end of row.


Rep. 3rd row nine [B eleven] [C thirteen] times.

Divide work as follows:

Next row.—3 ch., (2 tr., 1 ch.) in each of first 9 [B 10] [C 11] sps., * 2 tr. in 2 ch. sp. at corner, 1 ch., miss next 13 [B 15] [C 17] sps. for sleeve, 2 tr. in 2 ch. sp. at next corner, 1 ch., * (2 tr., 1 ch.) in each of next 18 [B 20] [C 22] sps., rep. from * to * once, (2 tr., 1 ch.) in each of next 8 [B 9] [C 10] sps., 2 tr. in sp. formed by turning ch. (40 [B 44] [C 48] patts.)

Next row.—3 ch., (2 tr., 1 ch.) in each ch. sp. to end of row, 2 tr. in sp. formed by turning ch.

Rep. last row until work measures $4\frac{1}{2}$ [B 5] [C $5\frac{1}{2}$] ins from armholes. Fasten off.



Swifta'Knit jacket is in treble stitch, has raglan sleeves and shell edging around all edges. Ribbon tie at neck.

SLEEVES—

With right side of work facing, join yarn to first 2 ch. sp., 3 ch., (2 tr., 1 ch.) in each of next 13 [B 15] [C 17] sps., 2 tr. in next 2 ch. sp. (14 [B 16] [C 18] patts.)

Next row.—3 ch., (2 tr., 1 ch.) in each sp. to end of row, 2 tr. in sp. formed by turning ch.

Rep. last row twice [B four times] [C four times].

Work shaping as follows:

1st row.—3 ch., 1 tr. in first sp., 1 ch., (2 tr., 1 ch.) in each sp. to end of row, 1 tr. in sp. formed by turning ch.

2nd row.—As 1st row.

3rd row.—3 ch., miss first sp., (2 tr., 1 ch.) in each sp. to last 1 ch. sp., 2 tr. in last sp., miss sp. formed by turning ch.

4th row.—Work in patt.

Rep. rows 1 to 4 incl. once. (10 [B 12] [C 14] patts.)

Continue without shaping until side edge measures 4½ [B 5½] [C 6½] ins.

Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up sleeve seams. With right side of work facing, work 1 round of d.c. evenly around outside edges of Jacket. **2nd round.**—* 4 ch., miss 3 of these ch., 3 l.tr. in next ch., miss 3 d.c., 1 d.c. in next d.c., rep. from * to end of round. Fasten off.

Work same edging around lower edges of sleeves. Thread ribbon through first row of holes at neck.

Cape — Sizes 18 and 20

PATONS SWIFTa'KNIT BRI-NYLON

A—Fits 18 underarm 25 g balls or 1 oz. balls	Main Colour 8 7	Contrast 1 1
B—Fits 20 underarm 25 g balls or 1 oz. balls	9 8	1 1

HOOKS—"Milwards" or "Phantom".

Loose Workers	1 No. 10
Average Workers	1 No. 9
Tight Workers	1 No. 8

Hook in instructions is for Average Workers.

TENSION—10½ trs. to 2 inches in width and 6 rows to 2 inches in depth.

Milwards Tapestry Needle for sewing seams.

Eight Small Buttons.

ABBREVIATIONS: See page 19. M = Main Colour, C. = Contrast Colour. "Dec." = (y.o.h., draw up a loop in next st., y.o.h., and draw through 2 loops) twice, y.o.h. and draw through 3 loops on hook.

Instructions are for size A. Size B is shown [B...]. Where one set of figures is given, this applies to both sizes.

CAPE—

Using No. 9 Hook and M., make 180 [B 192] chain loosely.

1st row.—Miss 3 ch., 1 tr. in each ch. to end of row. (178 [B 190] tr., counting 3 ch. as 1 tr.)

2nd row.—Sl.st. in first tr., 2 ch. (to stand for 1 tr.), 1 tr. in each tr. to end of row, 1 tr. in top of turning ch.

Rep. 2nd row until work measures 6 ins. from commencement, finishing so that right side of work will be facing when working next row.

Divide for slits as follows:

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in each of next 36 [B 37] tr., turn.

Next row.—As 2nd row.

Rep. last row twice [B four times].

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in next tr., 1 ch., miss 1 tr., 1 tr. in each of next 12 tr., 1 ch., miss 1 tr., 1 tr. in each tr. to end of row, 1 tr. in top of turning ch.

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in each tr. and ch. to end of row, 1 tr. in top of turning ch. Rep. 2nd row three times [B once], then make 4 ch. Fasten off.

Miss next 4 tr., join yarn to next tr. with a sl.st., 2 ch., 1 tr. in each tr. to last 40 [B 41] tr. and turning ch., turn.

Work 8 rows over these 96 [B 106] tr., then make 4 ch.

Fasten off.

Miss next 4 tr., join yarn to next tr. with a sl.st., 2 ch., 1 tr. in each tr. to end of row, 1 tr. in top of turning ch.

Work 8 rows over these 37 [B 38] tr.

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in each of next 35 [B 36] tr., 1 tr. in top of turning ch., 1 tr. in each of next 4 ch., 1 tr. in each of next 95 [B 105] tr., 1 tr. in top of turning ch., 1 tr. in each of next 4 ch., 1 tr. in each of last 36 [B 37] tr., 1 tr. in top of turning ch. (178 [B 190] tr., counting turning ch.)

Work 2 [B 4] rows without shaping.

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in next tr., 1 ch., miss 1 tr., 1 tr. in each of next 12 tr., 1 ch., miss 1 tr., 1 tr. in each of next 5 [B 6] tr., * "Dec.", 1 tr. in each of next 3 tr., rep. from * to last 16 [B 17] tr. and turning ch., 1 tr. in each of next 16 [B 17] tr., 1 tr. in top of turning ch. (150 [B 160] tr.)

Work 5 rows without shaping.

Next row.—Sl.st. in first tr., 2 ch., 1 tr. in each of next 19 [B 20] tr., * "Dec.", 1 tr. in each of next 2 tr., rep. from * to last 17 [B 18] tr. and turning ch., 1 tr. in each of next 17 [B 18] tr., 1 tr. in top of turning ch. (122 [B 130] tr.)

Work 1 row.

Shape shoulders and neck as follows:

1st row.—Sl.st. in first tr., 2 ch., 1 tr. in next tr., 1 ch., miss 1 tr., 1 tr. in each of next 12 tr., 1 ch., miss 1 tr., 1 tr. in each of next 4 [B 5] tr., * "Dec.", 1 tr. in each of next 3 tr., "Dec.", 1 tr. in each of next 6 [B 7] tr., ("Dec.") twice, 1 tr. in each of next 6 [B 7] tr., "Dec.", 1 tr. in each of next 3 tr., "Dec.", * 1 tr. in each of next 22 [B 24] tr., rep. from * to * once, 1 tr. in each of next 19 [B 20] tr., 1 tr. in top of turning ch.

2nd row.—Sl.st. in first tr., 2 ch., 1 tr. in each of next 29 [B 31] tr., ("Dec.") twice, 1 tr. in each of next 42 [B 46] tr., ("Dec.") twice, 1 tr. in each of next 29 [B 31] tr. (or ch.), 1 tr. in top of turning ch.

3rd row.—Sl.st. across first 13 tr., 2 ch., "Dec.", 1 tr. in each of next 4 [B 5] tr., * "Dec.", 1 tr. in each of next 2 tr., "Dec.", 1 tr. in each of next 4 [B 5] tr., ("Dec.") twice, 1 tr. in each of next 4 [B 5] tr., "Dec.", 1 tr. in each of next 2 tr., "Dec.", * 1 tr. in each of next 20 [B 22] tr., rep. from * to * once, 1 tr. in each of next 4 [B 5] tr., "Dec.", 1 tr. in next tr., turn.

4th row.—Sl.st. in first tr., 2 ch., "Dec.", 1 tr. in each of next 10 [B 12] tr., ("Dec.") twice, 1 tr. in each of next 34 [B 38] tr., ("Dec.") twice, 1 tr. in each of next 10 [B 12] tr., "Dec.", 1 tr. in top of turning ch.

5th row.—Sl.st. in first tr., 2 ch., "Dec.", 1 tr. in each of next 1 [B 2] tr., * "Dec.", 1 tr. in next tr., "Dec.", 1 tr. in each of next 2 [B 3] tr., ("Dec.") twice, 1 tr. in each of next 2 [B 3] tr., "Dec.", 1 tr. in next tr., "Dec.", * 1 tr. in each of next 18 [B 20] tr., rep. from * to * once, 1 tr. in each of next 1 [B 2] tr., "Dec.", 1 tr. in top of turning ch.

6th row.—Sl.st. in first tr., 2 ch., "Dec.", 1 tr. in each of next 4 [B 6] tr., ("Dec.") twice, 1 tr. in each of next 26 [B 30] tr., ("Dec.") twice, 1 tr. in each of next 4 [B 6] tr., "Dec.", 1 tr. in top of turning ch.

A only—7th row.—Sl.st. in first tr., 2 ch., ("Dec.") six times, 1 tr. in each of next 16 tr., ("Dec.") six times, 1 tr. in top of turning ch. Fasten off.

[B only—7th row.]—Sl.st. in first tr., 2 ch., 1 tr. in next tr., * ("Dec.") twice, 1 tr. in next tr., ("Dec.") twice, 1 tr. in next tr., ("Dec.") twice, * 1 tr. in each of next 18 tr., rep. from * to * once, "Dec." over next tr. and turning ch.

8th row.—Sl.st. in first tr., 2 ch., ("Dec.") four times, 1 tr. in each of next 18 tr., ("Dec.") four times, 1 tr. in top of turning ch. Fasten off]



Cold weather cape and hood is worked in Swifta'Knit in treble stitch all over. Shoulders have tabs, and edges are finished in contrasting colour.

HOOD—

Using No. 9 Hook and M., make 92 [B 98] chain loosely.

1st row.—Miss 3 ch., 1 tr. in each ch. to end of row. (90 [B 96] tr., counting 3 ch. as 1 tr.)

2nd row.—Sl.st. in first tr., 2 ch., 1 tr. in each tr. to end of row, 1 tr. in top of turning ch.

Rep. 2nd row twelve [B fourteen] times.

Next row.—Sl.st. across first 6 tr., 2 ch., 1 tr. in each tr. to last 4 tr. and turning ch., turn.

Rep. last row five times. Fasten off.

SHOULDER TABS (Make 2)—

Using No. 9 Hook and M., make 14 [B 16] chain loosely.

1st row.—Miss 3 ch., 1 tr. in each of next 10 [B 12] ch., 7 tr. in last ch., 1 tr. in each of next 11 [B 13] ch. along other side of ch., turn.

2nd row.—Sl.st. in first tr., 2 ch., 1 tr. in each of next 11 [B 13] tr., 2 tr., in each of next 5 tr., 1 tr. in each of next 11 [B 13] tr., 1 tr. in top of turning ch., break off M.

3rd row.—Using C., 1 ch., 1 d.c. in each tr. to end of row, 1 d.c. in top of turning ch.


4th row.—1 ch., 1 d.c. in each of first 12 [B 14] d.c., (2 d.c. in next d.c., 1 d.c. in each of next 2 d.c.) three times, 2 d.c. in next d.c., 1 d.c. in each d.c. to end of row. Fasten off.

HOOD EDGING—

With right side of work facing, using No. 9 Hook and C., work 90 [B 96] d.c. evenly along foundation chain of hood.

1st row.—1 ch., 1 d.c. in each d.c. to end of row. Rep. 1st row fourteen times. Fasten off.

[Continued on page 19]



3

Layette — Size 18

PATONS FEATHERSOFT

BABY NYLON

Comprising Dress, Carrying Coat, Matinee Jacket, Bonnet and Bootees.

Quantities and measurements for individual garments are given throughout instructions.

Complete Layette 25 g balls 22
or 1 oz. balls 19

HOOKS—"Milwards" or Phantom".

Loose Workers 1 No. 10
Average Workers 1 No. 9
Tight Workers 1 No. 8

Hook in instructions is for Average Workers.

TENSION—7 d.c. to 1 inch in width and 17 rows to 2 inches in depth.

ABBREVIATIONS: See page 19. "Dec". = (draw up a loop in next d.c.) twice, y.o.h. and draw through 3 loops on hook.

DRESS—

Fits 18 underarm 25 g balls 6
or 1 oz. balls 5

Length from shoulder top 16 ins.

Sleeve seam 1½ ins.

3 Small Buttons. Length of Ribbon.

FRONT YOKE—

Using No. 9 Hook, make 67 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row. (66 d.c.)

2nd row.—2 ch., miss 1 d.c., 1 d.c. in next d.c., * 1 ch., miss 1 d.c., 1 d.c. in next d.c., rep. from * to end of row.

3rd row.—1 ch., * 1 d.c. in next d.c., 1 d.c. in ch. sp., rep. from * to end of row.

Shape armholes as follows:

4th row.—Sl.st. across first 3 d.c., 1 d.c. in each d.c. to last 3 d.c., turn. **

5th row.—1 ch., 1 d.c. in each d.c. to end of row.

6th row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec."

Rep. 5th and 6th rows three times. (52 d.c.)

Work 7 rows without shaping.

Shape neck as follows:

Next row.—1 ch., 1 d.c. in each of first 19 d.c., "Dec.", turn.



Coat, dress, bonnet,
jacket and bootees.
Coat has patterned skirt
with d.c. yoke and
sleeves. Picot edging
finishes collar and
sleeve. Yoke is finished
with ribbon trim.
Dress is the same as the
coat but with a back
opening. Bonnet is in
d.c. with ribbon tie.
Bootees have ribbon
tie at ankles.

Continue on these 20 d.c., "Dec." once at neck edge
in every alt. row until 16 d.c. remain.

Work 5 rows without shaping.

Shape shoulder as follows:

Next row.—Sl.st. across first 8 d.c., 1 d.c. in each d.c.
to end of row. Fasten off.

Miss next 10 d.c. at neck edge, join in yarn and work
on remaining d.c. to correspond with other side.

BACK YOKE—

Work as given for Front Yoke to **.

Divide for back opening as follows:

5th row.—1 ch., 1 d.c. in each of first 30 d.c., turn.

Continue on these 30 d.c., "Dec." once at armhole
edge in next and every alt. row until 26 d.c. remain.

Work 21 rows without shaping.

Shape shoulder as follows:

Next row.—1 ch., 1 d.c. in each d.c. to last 8 d.c.,
sl.st. across last 8 d.c. Fasten off.

Join in yarn at centre back and work on remaining
d.c. to correspond with other side.

FRONT SKIRT—

With wrong side of work facing, join yarn to first
foundation ch. of front yoke and work 1 d.c. in first
ch., * miss 1 ch., 6 tr. in next ch., miss 1 ch., 1 d.c.
in next ch., rep. from * to last 5 ch., miss 1 ch., 6 tr.
in next ch., miss 2 ch., 1 d.c. in last ch. (16 patts.)

*** **2nd row.**—2 ch., * miss 1 d.c., 1 d.c. in back
loop of each of next 3 tr., 1 ch., 1 d.c. in back loop of
each of next 3 tr., rep. from * to last d.c., 1 d.c. in
last d.c.

3rd row.—1 ch., 1 d.c. in first d.c., * miss 3 d.c.,
6 tr. in 1 ch. space, miss 3 d.c., 1 d.c. in sp. before
next d.c., rep. from * to end of row, working last d.c.
in sp. formed by turning ch. ***

Rep. 2nd and 3rd rows until work measures 16 ins.
from shoulder, ending with a 3rd row.

Fasten off.

BACK SKIRT—

Work exactly as given for Front Skirt.

SLEEVES—

Using No. 9 Hook, make 43 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in
each ch. to end of row. (42 d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

3rd row.—As 2nd row.

4th row.—1 ch., 1 d.c. in each of first 2 d.c., * 2 d.c.
in next d.c., 1 d.c. in each of next 3 d.c., rep. from *
to end of row. (52 d.c.)

Rep. 2nd row nine times.

Shape top as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each d.c. to last
2 d.c., "Dec."

[Continued on page 17]

Dress and Jacket — Sizes 16 to 20

PATONS BABY WOOL with NYLON, 3 Ply

DRESS—

A—Fits 16 underarm	25 g balls 6
	or 1 oz. balls 5
B—Fits 18 underarm	25 g balls 7
	or 1 oz. balls 6
C—Fits 20 underarm	25 g balls 7
	or 1 oz. balls 6

Length from shoulder top ... **A** 15, **B** 16, **C** 17 ins.
Sleeve seam—All Sizes ... 1½ ins.

JACKET—

A—Fits 16 underarm	25 g balls 4
	or 1 oz. balls 3
B—Fits 18 underarm	25 g balls 5
	or 1 oz. balls 4
C—Fits 20 underarm	25 g balls 5
	or 1 oz. balls 4

Length from shoulder top ... **A** 9, **B** 10, **C** 11 ins.
Sleeve seam ... **A** 5, **B** 6, **C** 7 ins.

HOOKS—"Milwards" or "Phantom".

Loose Workers	1 No. 11
Average Workers	1 No. 10
Tight Workers	1 No. 9

Hook in instructions is for Average Workers.

TENSION—7 d.c. to 1 inch in width and 17 rows to 2 inches in depth.

Milwards Tapestry Needle for sewing seams.

Three Small Buttons for each garment.

ABBREVIATIONS: See page 19. "Puff" = (y.o.h., draw up a loop to ½ inch in height) three times in next st., y.o.h. and draw through all 7 loops on hook, 1 ch. to fasten. "Dec." = draw up a loop in each of next 2 d.c., y.o.h. and draw through all 3 loops on hook.

Instructions are for size **A**. Sizes **B** and **C** are shown [**B**...] [**C**...]. Where one set of figures is given, this applies to all sizes.

DRESS—

FRONT—

Using No. 10 Hook, make 151 [**B** 171] [**C** 186] ch. loosely.

**** 1st row.**—Miss 3 ch., "Puff" in next ch., miss 1 ch., 1 d.c. in next ch., * miss 2 ch., "Puff" in next ch., miss 1 ch., 1 d.c. in next ch., rep. from * to end of row.

2nd row.—2 ch., * "Puff" in next d.c., 1 d.c. in fastening ch. of "Puff", rep. from * to end of row. ******
Rep. 2nd row until work measures 10½ [**B** 11] [**C** 11½] ins. from commencement, finishing so that right side of work will be facing when working next row.

Next row.—1 ch., * 1 d.c. in d.c., 1 d.c. in fastening ch. of "Puff", rep. from * to end of row. **A** and **C** only—1 d.c. in last "Puff". (61 [**B** 68] [**C** 75] d.c.)

Next row.—1 ch., 1 d.c. in each d.c. to end of row. Rep. last row six times.

Shape raglan armholes as follows:

***** 1st row.**—Sl.st. across first 2 [**B** 3] [**C** 4] d.c., 1 d.c. in each d.c. to last 2 [**B** 3] [**C** 4] d.c., turn.

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

3rd row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec." ********

Rep. 2nd and 3rd rows seven [**B** nine] [**C** eleven] times, then 2nd row once. (41 [**B** 42] [**C** 43] d.c.)

Shape neck as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each of next 12 d.c., "Dec.", turn.

Continue on these 14 d.c., "Dec." once at neck edge in next 4 rows, whilst at same time "Dec." once at armhole edge in every alt. row twice. (8 d.c.).

"Dec." once at armhole edge only in every row until 1 d.c. remains. Fasten off.

Miss next 9 [**B** 10] [**C** 11] d.c. at neck edge, join in yarn and work on remaining d.c. to correspond with other side.

BACK—

Work as given for Front to ********.

Rep. 2nd and 3rd rows once [**B** three times] [**C** five times], then 2nd row once. (53 [**B** 54] [**C** 55] d.c.)

Divide for back opening as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each of next 25 [**B** 25] [**C** 26] d.c., turn.

Continue on these 26 [**B** 26] [**C** 27] d.c., "Dec." once at armhole edge in every alt. row until 18 [**B** 18] [**C** 19] d.c. remain, then in every row until 11 [**B** 11] [**C** 12] d.c. remain. Fasten off.

A and C only—Join yarn to same d.c. where last d.c. was worked at centre back and work on remaining d.c. to correspond with other side.

[B only]—Join yarn to next d.c. at centre back and work on remaining d.c. to correspond with other side.]

SLEEVES—

Using No. 10 Hook, make 38 [**B** 41] [**C** 44] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row.

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

3rd row.—As 2nd row.

4th row.—1 ch., * 1 d.c. in each of next 2 d.c., 2 d.c. in next d.c., rep. from * to last d.c., 1 d.c. in last d.c. (49 [**B** 53] [**C** 57] d.c.)

Rep. 2nd row eight times.

Shape top as follows:

Work as given from ******* to ******** for Front once.

Rep. 2nd and 3rd rows eight [**B** eleven] [**C** fourteen] times, then 3rd row eleven [**B** nine] [**C** seven] times. (5 d.c.) Fasten off.

MAKE UP—Using a flat seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Sew up side and sleeve seams.

Commencing with right side of work facing, work 3 rows of d.c. along left side of back opening for underlap, continuing 3rd row around neck and down right side of opening, working 3 buttonloops on right side of opening. Fasten off. With right side of work facing, join yarn at top of left side of opening and work (1 d.c., 3 ch., 1 tr.) in first d.c., * miss 2 d.c., (1 d.c., 3 ch., 1 tr.) in next d.c., rep. from * to last 3 d.c., miss 2 d.c., 1 d.c. in last d.c. Fasten off.

Work edging around sleeves in same manner.

Sew underlap in position. Sew on buttons to correspond with loops. Press seams.

JACKET—(Worked in one piece to underarm)—

Using No. 10 Hook, make 266 [**B** 291] [**C** 316] chain loosely.


Work as given from ****** to ****** for Front of Dress once. Rep. 2nd row six times.

9th row.—1 ch., * 1 d.c. in d.c., 1 d.c. in fastening ch. of "Puff", 1 d.c. in "Puff", rep. from * to end of row. (159 [**B** 174] [**C** 189] d.c.)



Here's a cute dress and jacket in 3-ply Baby Wool with Nylon. Dress has a patterned skirt, double crochet yoke and raglan sleeves. Sleeves and neck are finished with shell edging. Back opening.

Matching jacket is crochet all over with pattern around lower edge and sleeves. Front edges and neck are finished with shell edging.



10th row.—1 ch., 1 d.c. in each d.c. to end of row.
Rep. 10th row four [B six] [C eight] times.

Next row.—1 ch., 1 d.c. in each of first 7 [B 8] [C 10] d.c., * "Dec.", 1 d.c. in each of next 10 [B 11] [C 12] d.c., rep. from * to last 8 [B 10] [C 11] d.c., "Dec.", 1 d.c. in each of last 6 [B 8] [C 9] d.c.

Rep. 10th row eleven times.

Next row.—1 ch., 1 d.c. in each of first 6 [B 7] [C 9] d.c., * "Dec.", 1 d.c. in each of next 9 [B 10] [C 11] d.c., rep. from * to last 8 [B 10] [C 11] d.c., "Dec.", 1 d.c. in each of last 6 [B 8] [C 9] d.c. (133 [B 148] [C 163] d.c.).

Continue without shaping until work measures 5 [B 5½] [C 6] ins. from commencement, finishing so that right side of work will be facing when working next row.

Divide work as follows:

Next row.—1 ch., 1 d.c. in each of first 2 d.c., 1 ch., miss 1 d.c., 1 d.c. in each of next 29 [B 32] [C 35] d.c., turn.

RIGHT FRONT—

Continue on these 32 [B 35] [C 38] sts. as follows:

1st row.—1 ch., 1 d.c. in each d.c. (or ch.) to end of row.

2nd row.—1 ch., 1 d.c. in each d.c. to last 2 d.c., "Dec."

Rep. 1st and 2nd rows nine [B eleven] [C thirteen] times, then 1st row once, whilst at same time working a buttonhole (as before) in every 10th [B 12th] [C 14th] row from previous buttonhole twice. (22 [B 23] [C 24] d.c.)

Shape neck as follows:

Next row.—Sl.st. across first 6 [B 7] [C 8] d.c., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec."

"Dec." once at neck edge in next 4 rows, whilst at same time "Dec." once at armhole edge in every alt. row twice. (8 d.c.)

"Dec." once at armhole edge only in every row until 1 d.c. remains. Fasten off.

BACK—

Miss next 4 [B 6] [C 8] d.c. at underarm, join in yarn and work 1 d.c. in each of next 61 [B 66] [C 71] d.c., turn.

Continue on these 61 [B 66] [C 71] d.c., "Dec." once at each end of every alt. row until 35 [B 36] [C 37] d.c. remain, then in every row until 21 [B 22] [C 23] d.c. remain. Fasten off.

LEFT FRONT—

Miss next 4 [B 6] [C 8] d.c. at underarm, join in yarn and work on remaining 32 [B 35] [C 38] d.c. to correspond with Right Front, omitting buttonholes.

SLEEVES—

Using No. 10 Hook, make 66 [B 71] [C 76] chain loosely.

Work as given from ** to ** for Front of Dress once.
Rep. 2nd row four times.

7th row.—1 ch., * 1 d.c. in d.c., 1 d.c. in fastening ch. of "Puff", 1 d.c. in "Puff", rep. from * to end of row. (39 [B 42] [C 45] d.c.)

8th row.—1 ch., 1 d.c. in each d.c. to end of row.

Continue in d.c., inc. once (by working 2 d.c. in 1 d.c.) at each end of next and every following 4th row until there are 51 [B 56] [C 61] d.c.

Continue without shaping until side edge measures 5 [B 6] [C 7] ins. from commencement, finishing so that right side of work will be facing when working next row.

[Continued on page 19]

Jumper and Jacket — Sizes 16 to 20

PATONS FEATHERSOFT

BABY NYLON

JUMPER—

A—Fits 16 underarm	25 g balls 4
	or 1 oz. balls 3
B—Fits 18 underarm	25 g balls 5
	or 1 oz. balls 4
C—Fits 20 underarm	25 g balls 6
	or 1 oz. balls 5
Length from shoulder top	A 9, B 10, C 11 ins.
Sleeve seam	A 5, B 6, C 7 ins.

JACKET—

A—Fits 16 underarm	25 g balls 5
	or 1 oz. balls 4
B—Fits 18 underarm	25 g balls 5
	or 1 oz. balls 4
C—Fits 20 underarm	25 g balls 6
	or 1 oz. balls 5
Length from shoulder top	A 10, B 11, C 12 ins.
Sleeve seam	A 5, B 6, C 7 ins.

HOOKS—"Milwards" or "Phantom".

Loose Workers	1 No. 10
Average Workers	1 No. 9
Tight Workers	1 No. 8

Hook in instructions is for Average Workers.

TENSION—7 d.c. to 1 inch in width and 17 rows to 2 inches in depth.

Milwards Tapestry Needle for sewing seams.

Three Small Buttons for each Garment.

ABBREVIATIONS: See page 19. "Dec." = (draw a loop through next st.) twice, y.o.h., and draw through all 3 loops on hook.

Instructions are for size A. Sizes B and C are shown [B...] [C...]. Where one set of figures is given, this applies to all sizes.

JUMPER—

FRONT YOKE—

Using No. 9 Hook, make 61 [B 68] [C 75] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row. (60 [B 67] [C 74] d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Shape raglan armholes as follows:

**** 3rd row.**—Sl.st. across first 2 [B 3] [C 4] d.c., 1 ch., 1 d.c. in each d.c. to last 2 [B 3] [C 4] d.c., turn.

4th row.—As 2nd row.

5th row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec." ***

Rep. 4th and 5th rows seven [B eight] [C eight] times, then 4th row once. (40 [B 43] [C 48] d.c.)

Shape neck as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each of next 13 [B 14] [C 17] d.c., turn.

Continue on these 14 [B 15] [C 18] d.c., "Dec." once at each end of every alt. row four [B three] [C three] times. (6 [B 9] [C 12] d.c.)

"Dec." once at armhole edge in next 4 [B 6] [C 8] rows, [B and C only]—whilst at same time "Dec." once at neck edge in [B 2nd] [C 2nd and 4th] row/s]. (2 d.c.)

Next row.—1 ch., "Dec." Fasten off.

Miss next 10 [B 11] [C 10] d.c. at neck edge, join yarn and work on remaining d.c. to correspond with other side.

BACK YOKE—

Work as given for Front Yoke to ***.

Rep. 4th and 5th rows once [B twice] [C three times], then 4th row once. (52 [B 55] [C 58] d.c.)

Divide for back opening as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each of next 24 [B 26] [C 27] d.c., turn.

Continue on these 25 [B 27] [C 28] d.c.. "Dec." once at armhole edge in every alt. row until 15 [B 18] [C 20] d.c. remain, then in every row until 10 [B 11] [C 11] d.c. remain. Fasten off.

A and C only—Join yarn to next d.c. at centre back.

[B only]—Join yarn to same d.c. into which last d.c. at centre back was worked.]

All Sizes—Work on remaining d.c. to correspond with other side.

LOWER FRONT—

With right side of work facing and using No. 9 Hook, work along other side of foundation ch. of Front Yoke as follows: 1 d.c. in first ch., (miss 2 ch., 5 tr. in next ch., miss 1 ch., 1 d.c. in next ch.) twice [B three times] [C five times], (miss 1 ch., 5 tr. in next ch., miss 1 ch., 1 d.c. in next ch.) eleven [B nine] [C seven] times, (miss 1 ch., 5 tr. in next ch., miss 2 ch., 1 d.c. in next ch.) once [B three times] [C four times]. (14 [B 15] [C 16] patts.)

****** 2nd row.**—3 ch., 2 tr. in front loop of first d.c., * 1 d.c. in front loop of 3rd tr. of shell, 5 tr. in front loop of d.c., rep. from * to last shell, 1 d.c. in front loop of 3rd tr. of shell, 3 tr. in front loop of last d.c.

3rd row.—1 ch., 1 d.c. in back loop of first tr., * 5 tr. in back loop of d.c., 1 d.c. in back loop of 3rd tr. of shell, rep. from * to end of row, working last d.c. in top of turning ch. ****

Rep. 2nd and 3rd rows until work measures 4½ [B 5½] [C 6½] ins. from foundation ch. Fasten off.

LOWER BACK—

Work as given for Lower Front.

SLEEVES—

Using No. 9 Hook, make 36 [B 38] [C 40] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row (35 [B 37] [C 39] d.c.)


2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Rep. 2nd row twice.

5th row.—1 ch., 1 d.c. in first d.c., 2 d.c. in next d.c., 1 d.c. in each d.c. to last 2 d.c., 2 d.c. in next d.c., 1 d.c. in last d.c.

Continue in d.c., inc. once at each end of work in this manner in every following 5th row until there are 49 [B 53] [C 57] d.c.

Continue without shaping until side edge measures 5 [B 6] [C 7] ins. from commencement, finishing so that right side of work will be facing when working next row.



Front Cover—This Feathersoft jacket has a patterned body with double crochet yoke and sleeves. Sleeves are raglan, all edges finished in shell stitch. The jumper is worked in the same stitch, with back opening.

Shape raglan as follows:

Work as given from ** to *** for Front Yoke.

Rep. 4th and 5th rows eleven [B twelve] [C thirteen] times, then 5th row seven times. (7 d.c.) Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Sew up side and sleeve seams.

NECK EDGING—

With right side of work facing and using No. 9 Hook, work 61 [B 64] [C 70] d.c. evenly around neck, then work evenly in d.c. around back opening, working 3 buttonloops on right side.

2nd row.—(worked around neck edge only)—(1 d.c., 3 ch., 1 tr.) in first d.c., * miss 2 d.c., (1 d.c., 3 ch., 1 tr.) in next d.c., rep. from * to last 3 d.c., miss 2 d.c., 1 d.c. in last d.c. Fasten off.

Work same edging around lower edge of sleeves, working 34 [B 37] [C 40] d.c. in first round.

Sew on buttons to correspond with loops.

JACKET—

YOKE (Worked in one piece to underarm)—

Using No. 9 Hook, make 134 [B 146] [C 158] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row. (133 [B 145] [C 157] d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Divide for raglan armholes as follows:

3rd row.—1 ch., 1 d.c. in first d.c., 1 ch., miss 1 d.c. (for buttonhole), 1 d.c. in each of next 30 [B 32] [C 34] d.c., turn.

Continue on these d.c. for Right Front.

4th row.—1 ch., 1 d.c. in each d.c. (or ch.) to end of row.

5th row.—1 ch., 1 d.c. in each d.c. to last 2 d.c., "Dec."

Rep. 4th and 5th rows eight [B nine] [C nine] times, then 4th row once, whilst at same time working a buttonhole in every 9th [B 10th] [C 10th] row from previous buttonhole twice—**A only**—working next buttonhole row "1 ch., 1 d.c. in each d.c. to last 2 d.c., 1 ch., miss 1 d.c., 1 d.c. in last d.c.," (23 [B 24] [C 26] d.c.)

Shape neck as follows:

[Continued on next page

Next row.—Sl.st. across first 7 d.c., 1 ch., 1 d.c. in each d.c. to last 2 d.c., "Dec."

Continue on these d.c., "Dec." once at each end of every alt. row three times [B twice] [C three times]. (9 [B 12] [C 12] d.c.)

"Dec." once at armhole edge in next 6 [B 8] [C 8] rows, whilst at same time "Dec." once at neck edge in 2nd [B 2nd and 4th] [C 2nd and 4th] row/s. (2 d.c.)

Next row.—1 ch., "Dec." Fasten off.

BACK—

Miss next 4 [B 6] [C 8] d.c., join yarn and work 1 d.c. in each of next 61 [B 65] [C 69] d.c., turn.

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

3rd row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec."

Rep. 2nd and 3rd rows twelve [B twelve] [C thirteen] times, then 3rd row seven [B nine] [C nine] times. (21 [B 21] [C 23] d.c.) Fasten off.

LEFT FRONT—

Miss next 4 [B 6] [C 8] d.c., join yarn and work on remaining 32 [B 34] [C 36] d.c. to correspond with Right Front, working shapings at opposite ends of work and omitting buttonholes.

SKIRT—

With right side of work facing and using No. 9 Hook, work along other side of foundation ch. of Yoke as follows: 1 d.c. in first ch., * miss 1 ch., 5 tr. in next ch., miss 1 ch., 1 d.c. in next ch., rep. from * to end of row. (33 [B 36] [C 39] patts.)

Work as given from **** to **** for Lower Front of Jumper until work measures 5 [B 5½] [C 6½] ins. from foundation ch. Fasten off.

SLEEVES—

Using No. 9 Hook, make 39 [B 41] [C 43] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row. (38 [B 40] [C 42] d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Rep. 2nd row twice.

5th row.—1 ch., 1 d.c. in first d.c., 2 d.c. in next d.c., 1 d.c. in each d.c. to last 2 d.c., 2 d.c. in next d.c., 1 d.c. in last d.c.

Continue in d.c., inc. once at each end of work in this manner in every following 5th row until there are 52 [B 56] [C 60] d.c.

Continue without shaping until side edge measures 5 [B 6] [C 7] ins. from commencement, finishing so that right side of work will be facing when working next row.

Shape raglan as follows:

Work as given from ** to *** for Front Yoke of Jumper.

Rep. 4th and 5th rows twelve [B thirteen] [C fourteen] times, then 5th row seven times. (8 d.c.) Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up sleeve seams, then sew sleeves to fronts and back, noting that tops of sleeves form part of neckline.

FRONT EDGING—

With right side of work facing and using No. 9 Hook, work 172 [B 190] [C 208] d.c. evenly along fronts and around neck, working 3 d.c. in corners. Fasten off.

2nd row.—With right side of work facing, join yarn to beg. of row and work (1 d.c., 3 ch., 1 tr.) in first d.c., * miss 2 d.c., (1 d.c., 3 ch., 1 tr.) in next d.c., rep. from * to last 3 d.c., miss 2 d.c., 1 d.c. in last d.c.

Fasten off. Work same edging around lower edge of sleeves, working 37 [B 40] [C 43] d.c. in first round.

Sew on buttons to correspond with buttonholes.



Dress — Sizes 16 to 20

PATONS BABY WOOL with NYLON, 3 Ply

A—Fits	16 underarm	25 g balls	Main Colour	Contrast
	or 1 oz. balls		5	1
			4	1
B—Fits	18 underarm	25 g balls		
	or 1 oz. balls		6	1
			5	1
C—Fits	20 underarm	25 g balls		
	or 1 oz. balls		6	1
			5	1
Length from shoulder top .. A 15½, B 16, C 17 ins.				
Sleeve seams—All Sizes .. 1½ ins.				

HOOKS—"Milwards" or "Phantom".

Loose Workers	1 No. 11
Average Workers	1 No. 10
Tight Workers	1 No. 9

Hook in instructions is for Average Workers.

TENSION—12½ h.tr.s. to 2 inches in width and 9 rows to 2 inches in depth.

Milwards Tapestry Needle for sewing seams.

Six Small Buttons.

ABBREVIATIONS: See page 19. M. = Main Colour, C. = Contrast Colour. "Dec." = (y.o.h., draw a loop through next st.) twice, y.o.h. and draw through all 5 loops on hook.

Instructions are for size A. Sizes B and C are shown [B ...] [C ...]. Where one set of figures is given, this applies to all sizes.

FRONT—

Using No. 10 Hook and M., make 98 [B 110] [C 122] chain loosely.

1st row.—Miss 2 ch., 1 h.tr. in each ch. to end of row. (96 [B 108] [C 120] h.tr.)

2nd row.—2 ch., 1 h.tr. in each h.tr. to end of row.

Rep. 2nd row once. Break off M.

Using C., rep. 2nd row once. Break off C.

Using M., rep. 2nd row until work measures 11½ [B 12] [C 12½] ins. from commencement, finishing so that right side of work will be facing when working next row.



Back Cover—
 3-ply Baby Wool with
 Nylon dress is
 worked in half
 trebles all over.
 Neck is round,
 sleeves are set-in.
 Contrast shell edging
 runs around yoke,
 hem and sleeves.
 Shoulder opening.

Shape armholes as follows:

Next row.—Sl.st. across first 5 h.tr., 2 ch., * "Dec.", rep. from * to last 5 h.tr., turn. (43 [B 49] [C 55] h.tr.)

Next 4 rows.—As 2nd row. Break off M.

Using C., rep. 2nd row once. Break off C. **

Using M., rep. 2nd row twice [B four times] [C four times].

Shape neck as follows:

Next row.—2 ch., 1 h.tr. in each of first 17 [B 19] [C 22] h.tr., turn.

Continue on these 17 [B 19] [C 22] h.tr., "Dec." once at neck edge in next 4 [B 4] [C 5] rows.

Work 1 [B 1] [C 2] row/s without shaping.

Shape shoulder as follows:

Next row.—Sl.st. across first 4 [B 5] [C 6] h.tr., 1 d.c. in each of next 4 [B 5] [C 6] h.tr., 1 h.tr. in each of last 5 h.tr. Fasten off.

Miss next 9 [B 11] [C 11] h.tr. at centre front, join M. to next h.tr. and work to correspond with other side.

BACK—

Work as given for Front to **.

Using M., rep. 2nd row eight [B ten] [C twelve] times.

Shape shoulders as follows:

Next row.—Sl.st. across first 4 [B 5] [C 6] h.tr., 1 d.c. in each of next 4 [B 5] [C 6] h.tr., 1 h.tr. in each of next 27 [B 29] [C 31] h.tr., 1 d.c. in each of next 4 [B 5] [C 6] h.tr., sl.st. across last 4 [B 5] [C 6] h.tr. Fasten off.

SLEEVES—

Using No. 10 Hook and M., make 33 [B 39] [C 39] chain loosely.

1st row.—Miss 2 ch., 1 h.tr. in each ch. to end of row. (31 [B 37] [C 37] h.tr.)

2nd row.—2 ch., 1 h.tr. in each of first 2 [B 2] [C 3] h.tr., * 2 h.tr. in next h.tr., 1 h.tr. in next h.tr. [B in each of next 2 h.tr.,] [C in next h.tr.], rep. from * to last 3 [B 2] [C 4] h.tr., 2 h.tr. in next h.tr., 1 h.tr. in each h.tr. to end of row. (45 [B 49] [C 53] h.tr.)

3rd row.—2 ch., 1 h.tr. in each h.tr. to end of row.

Rep. 3rd row three times.

Shape top as follows:

Next row.—2 ch., "Dec.", 1 h.tr. in each h.tr. to last 2 h.tr., "Dec."

Rep. last row ten [B twelve] [C fourteen] times. (23 h.tr.)

[Continued on next page]

Next row.—2 ch., "Dec.", * 1 h.tr. in next h.tr., "Dec.", rep. from * to end of row. Fasten off.

MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam, sew up side and sleeve seams, and shoulder seams for $\frac{1}{2}$ inch. With right side of work facing, join C. to left side seam and work edging as follows:

1st round.—* Miss 1 ch., 5 tr. in next ch., miss 1 ch., 1 d.c. in next ch., rep. from * to end of round, join with a sl.st. Fasten off.

Using M., work 1 d.c. in each tr. and d.c. to end of round, join with a sl.st. Fasten off.

Work same edging around lower edges of sleeves, and in ridge of first h.tr. row after dec. row at armholes (working with top of dress facing so that scallops will lie downwards on dress.)

Using M., work 1 row of d.c. across front shoulders and around front of neck, working 3 buttonloops on each shoulder. Work edging as for lower edge around front neck and across back of neck.

Using M., work 3 rows of d.c. along back shoulder openings for underlaps. Using a fine back-stitch seam, sew in sleeves, placing seams to side seams. Sew underlaps in position. Sew on buttons to correspond with buttonloops. Press seams.

7

Dress — Sizes 16 and 18

PATONS FEATHERSOFT

BABY NYLON

A—Fits 16 underarm ... 25 g balls 5
or 1 oz. balls 4

B—Fits 18 underarm ... 25 g balls 6
or 1 oz. balls 5

Length from shoulder top ... A 15, B 16 ins.

Sleeve seam ... A 5, B 6 ins.

HOOKS—"Milwards" or "Phantom".

Loose Workers ... 1 No. 10

Average Workers ... 1 No. 9

Tight Workers ... 1 No. 8

Hook in instructions is for Average Workers.

TENSION—7 d.c. to 1 inch in width and 17 rows to 2 inches in depth.

Milwards Tapestry Needle for sewing seams.

Three Small Buttons.

ABBREVIATIONS: See page 19. "Dec." = (draw a loop through next d.c.) twice, y.o.h., and draw through all 3 loops on hook.

Instructions are for size A. Size B is shown [B ...]. Where one set of figures is given, this applies to both sizes.

FRONT YOKE—

Using No. 9 Hook, make 57 [B 65] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Shape armholes as follows:

3rd row.—Sl.st. across first 3 [B 4] d.c., 1 ch., 1 d.c. in each d.c. to last 3 [B 4] d.c., turn.

4th row.—As 2nd row. **

5th row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec."

Rep. 4th and 5th rows twice [B three times]. (44 [B 48] d.c.)

Work 7 rows without shaping.

Shape neck as follows:

Next row.—1 ch., 1 d.c. in each of first 16 [B 17] d.c., "Dec.", turn.

Continue on these 17 [B 18] d.c., "Dec." once at neck edge in every alt. row four times. (13 [B 14] d.c.)

Work 3 rows without shaping.

Shape shoulder as follows:

Next row.—Sl.st. across first 6 [B 7] d.c., 1 d.c. in each of next 7 d.c. Fasten off.

Miss next 8 [B 10] d.c. at neck edge, join yarn and work on remaining d.c. to correspond with other side.

BACK YOKE—

Work as given for Front Yoke to **.

Divide for back opening as follows:

5th row.—1 ch., "Dec.", 1 d.c. in each of next 25 [B 28] d.c., turn.

Continue on these 26 [B 29] d.c., "Dec." once at armhole edge in every alt. row twice [B three times]. (24 [B 26] d.c.)

Work 1 row without shaping.

Next row.—1 ch., 1 d.c. in each d.c. to last 3 d.c., 1 ch., miss 1 d.c. (for buttonhole), 1 d.c. in each of last 2 d.c.

Work 17 rows, working a buttonhole in this manner in 8th and 16th rows.

Shape shoulder as follows:


Next row.—Sl.st. across first 6 [B 7] d.c., 1 d.c. in each d.c. to end of row. Fasten off.

Join yarn at centre back, make 5 ch., miss 1 ch., 1 d.c. in each of next 4 ch. for underlap, 1 d.c. in each d.c. to last 2 d.c., "Dec." (26 [B 29] d.c.)

Complete to correspond with other side, omitting buttonholes.

FRONT SKIRT—

With right side of work facing and using No. 9 Hook, join yarn to beg. of foundation ch. of front yoke and work 3 ch., 1 tr. in same ch., * 2 ch., miss 3 ch., (2 tr., 1 ch., 2 tr.) in next ch., rep. from * to last 3 ch., 2 ch., miss 2 ch., 2 tr. in last ch. (13 [B 15] patts. and 2 half patts.)



Back Cover—
Feathersoft dress has
double crochet yoke
and set-in sleeves.
The complete outfit
for a young miss.

2nd row.—3 ch., 1 tr. in first tr., * 2 ch., (2 tr., 1 ch., 2 tr.) in 1 ch. sp. in centre of group, rep. from * to last half patt., 2 ch., 2 tr. in top of turning ch.

3rd row.—3 ch., 2 tr. in first tr., * 2 ch., (2 tr., 1 ch., 2 tr.) in next 1 ch. sp., 2 ch., (3 tr., 1 ch., 3 tr.) in next 1 ch. sp., rep. from * to last $1\frac{1}{2}$ patts., 2 ch., (2 tr., 1 ch., 2 tr.) in next 1 ch. sp., 2 ch., 3 tr. in top of turning ch.

Rep. 3rd row until work measures $5\frac{1}{2}$ [B 6] ins. from foundation ch.

Next row.—3 ch., 2 tr. in first tr., * 2 ch., (3 tr., 1 ch., 3 tr.) in 1 ch. sp., rep. from * to last half patt., 2 ch., 3 tr. in top of turning ch.

Rep. last row until work measures 11 [B 11 $\frac{1}{2}$] ins. from foundation ch. Fasten off.

BACK SKIRT—

Work as given for Front Skirt.

SLEEVES—

Using No. 9 Hook, make 33 [B 34] chain loosely.

1st row.—Miss 1 ch., 1 d.c. in each ch. to end of row. (32 [B 33] d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.
Rep. 2nd row twice.

5th row.—1 ch., 1 d.c. in next d.c., 2 d.c. in next d.c., 1 d.c. in each d.c. to last 2 d.c., 2 d.c. in next d.c., 1 d.c. in last d.c.

Continue in d.c., inc. in this manner in every following 4th row until there are 46 [B 49] d.c.

Continue without shaping until side edge measures 5 [B 6] ins. from commencement.

Shape top as follows:

Next row.—Sl.st. across first 2 d.c., 1 d.c. in each d.c. to last 2 d.c., turn.

Continue on these d.c., "Dec." once at each end of every alt. row until 36 [B 39] d.c. remain, then in every row until 12 [B 13] d.c. remain. Fasten off.

MAKE UP—

Using a flat seam, sew up side, shoulder and sleeve seams. Using a fine back-stitch seam, sew in sleeves. With right side of work facing, work 53 [B 56] d.c. evenly around neck.

2nd row.—1 ch., * 1 d.c. in each of next 3 d.c., 3 ch., sl.st. back into last d.c., rep. from * to last 2 d.c., 1 d.c. in each of last 2 d.c. Fasten off.

Work same edging around lower edge of sleeves. Sew underlap in position. Sew on buttons to correspond with buttonholes. Press seams.



Pretty pram and cot covers are worked in Totem, in two-colour motifs. 2nd Contrasting colour is used for smaller motifs and shell edging.

8

Pram and Cot Covers

PATONS TOTEM

"PATONISED"

A—Pram Cover—Length 22 ins. Width 18½ ins.

	Main Colour	1st Contrast	2nd Contrast
25 g balls	4	4	3
or 1 oz. balls	3	3	2

B—Cot Cover—Length 45 ins. Width 29 ins.

	Main Colour	1st Contrast	2nd Contrast
25 g balls	9	12	7
or 1 oz. balls	8	10	6

HOOKS—"Milwards" or "Phantom".

Loose Workers		1 No. 9
Average Workers		1 No. 8
Tight Workers		1 No. 7

Hook in instructions is for Average Workers.

TENSION—1 Motif measures 3½ ins. in diameter.

Milwards Tapestry Needle for sewing up.

ABBREVIATIONS: See page 19. M. = Main Colour, C.1 = 1st Contrast Colour, C.2 = 2nd Contrast Colour.

Instructions are for Pram Cover. Cot Cover is shown [B ...]. Where one set of figures is given, this applies to Pram and Cot Cover.

LARGE MOTIFS—Make 30 [B 96]

Using No. 8 Hook and M., make 8 chain, join with a sl.st. to form ring.

1st round.—3 ch., 16 tr. in ring, join with a sl.st. in 3rd ch.

2nd round.—3 ch., (2 tr. in back loop of next tr., 1 tr. in back loop of next tr.) eight times, 2 tr. in back loop of sl.st., join with a sl.st. in 3rd ch.

Break off M.

Join in C.1 to back loop of last tr. of previous round.

3rd round.—3 ch., 1 tr. in back loop of same tr., * 2 tr. in back loop of next tr., rep. from * to end of round, join with a sl.st. to 3rd ch.

Fasten off.

SMALL MOTIF—Make 20 [B 77]

Using No. 8 Hook and C.2, make 6 chain, join with a sl.st. to form ring.

1st round.—3 ch., 3 tr. in ring, (1 d.c. in ring, 4 tr. in ring) three times, 1 d.c. in ring, join with a sl.st. in 3rd ch. Fasten off.



3 Layette

(continued
from page 7)

Rep. last row until 12 d.c. remain. Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up side, shoulder and sleeve seams. Using a fine back-stitch seam, sew in sleeves, placing seams to side seams. With right side of work facing, work 1 row of d.c. around back opening and neck edge, working 3 buttonloops on right side of back opening. Fasten off. With right side of work facing, join yarn at neck edge and work * 1 d.c. in each of next 3 d.c., 3 ch., sl.st. back into last d.c., rep. from * around neck edge only. Fasten off. Work same edging around lower edges of sleeves. Sew on buttons to correspond with loops. Thread ribbon through holes at waist.

CARRYING COAT—

Fits 18 underarm 25 g balls 8
or 1 oz. balls 7

Length from shoulder top 16½ ins.

Sleeve seam 6 ins.

5 Small Buttons. Length of Ribbon.

YOKE (WORKED IN ONE PIECE TO UNDERARM)—

Using No. 9 Hook, make 137 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row. (136 d.c.)

2nd row.—2 ch., miss 1 d.c., 1 d.c. in next d.c., * 1 ch., miss 1 d.c., 1 d.c. in next d.c., rep. from * to end of row.

3rd row.—1 ch., * 1 d.c. in next d.c., 1 d.c. in ch. sp., rep. from * to end of row.

Divide for armholes as follows:

4th row.—1 ch., 1 d.c. in each of first 30 d.c., turn.

Continue on these 30 d.c. for Right Front, "Dec." once at armhole edge in every alt. row until 25 d.c. remain. Work 9 rows without shaping.

Shape neck as follows:

Next row.—Sl.st. across first 3 d.c., "Dec.", 1 d.c. in each d.c. to end of row.

MAKE UP—Join motifs together for ½-inch along each side, making 6 [B 12] rows of 5 [B 8] motifs. Sew a small motif in each space formed by large motifs.

Using C.2, commencing where large motifs were joined, work edging as follows: 1 d.c. in join, * miss 2 tr., 5 tr. in next tr. miss 2 tr., 1 d.c. in next tr., rep. from * to end of round, ending with a sl.st. in first d.c. Fasten off. Press lightly.

"Dec." once at neck edge in every alt. row until 17 d.c. remain.

Work 3 rows without shaping.

Shape shoulder as follows:

Next row.—1 ch., 1 d.c. in each of first 9 d.c., sl.st. across last 8 d.c. Fasten off.

BACK—

Miss next 6 d.c. at armhole edge, join in yarn and work 1 d.c. in each of next 64 d.c., turn.

Next row.—1 ch., 1 d.c. in each d.c. to end of row.

Next row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c. "Dec."

Rep. last 2 rows four times. (54 d.c.)

Work 21 rows without shaping.

Shape shoulders as follows:

Next row.—Sl.st. across first 8 d.c., 1 d.c. in each d.c. to last 8 d.c., sl.st. across last 8 d.c. Fasten off.

LEFT FRONT—

Miss next 6 d.c. at armhole edge, join in yarn and work on remaining 30 d.c. to correspond with Right Front, working shapings at opposite ends.

SKIRT—

With wrong side of work facing, join yarn to first foundation ch. of yoke and work 1 d.c. in first ch., * miss 1 ch., 6 tr. in next ch., miss 1 ch., 1 d.c. in next ch., rep. from * to last 3 ch., 6 tr. in next ch., miss 1 ch., 1 d.c. in last ch. (34 patts.)

Work as given from *** to *** for Front Skirt of Dress until work measures 16½ ins. from shoulders, ending with a 3rd row. Fasten off.

SLEEVES—

Using No. 9 Hook, make 43 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row.

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

3rd row.—As 2nd row.

4th row.—1 ch., 1 d.c. in first d.c., 2 d.c. in next d.c., 1 d.c. in each d.c. to last 2 d.c., 2 d.c. in next d.c., 1 d.c. in last d.c.

Continue in d.c., inc. in this manner at each end of every following 6th row until there are 56 d.c.

Continue without shaping until side edge measures 6 ins. from commencement.

Shape top as follows:

Next row.—1 ch., "Dec.", 1 d.c. in each d.c. to last 2 d.c., "Dec."

[Continued on next page

Rep. last row until 12 d.c. remain. Fasten off.

COLLAR—

Using No. 9 Hook, make 59 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row. (58 d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Rep. 2nd row nine times.

12th row.—1 ch., 1 d.c. in each of first 2 d.c., * "Dec.", 1 d.c. in each of next 2 d.c., rep. from * to end of row. (44 d.c.)

13th row.—Sl.st. over first 4 d.c., 1 d.c. in each d.c. to last 4 d.c., turn.

Rep. 13th row twice. Fasten off.

RIGHT FRONT BAND—

Commencing with right side of work facing, work 4 rows of d.c. evenly along right front edge of coat. Mark positions of 5 buttonholes before commencing next row, placing top marker $\frac{1}{2}$ inch from neck edge, 1 level with ribbon holes, 1 midway between these 2 markers and 2 more in skirt the same distance apart.

5th row.—1 ch. 1 d.c. in each d.c. to first marker, * 1 ch., miss 1 d.c., 1 d.c. in each d.c. to next marker, rep. from * to last marker, 1 ch., miss 1 d.c., 1 d.c. in each d.c. to end of row.

6th row.—1 ch., 1 d.c. in each d.c. and ch. to end of row.

Work 3 rows in d.c. Fasten off.

LEFT FRONT BAND—

Work as given for Right Front Band, omitting buttonholes.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up shoulder and sleeve seams. Using a fine back-stitch seam, sew in sleeves. Work picot edge as given for Dress around outside edges of collar and lower edges of sleeves. Using a flat seam, sew collar in position, commencing and finishing at centre front. Sew on buttons to correspond with buttonholes. Thread ribbon through holes at waist.

MATINEE JACKET—

Fits 18 underarm **25 g balls 6**
or **1 oz. balls 5**

Length from shoulder top **11 $\frac{1}{2}$ ins.**
Sleeve seam **6 ins.**

4 Small Buttons. Length of Ribbon.

Work as for Carrying Coat, making Jacket to measure 11 $\frac{1}{2}$ ins. long instead of 16 $\frac{1}{2}$ ins. and omitting first buttonhole in skirt.

BONNET—

Width all round face . . **12 ins** **1 ball**

Length of Ribbon.

Using No. 9 Hook, make 86 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row. (85 d.c.)

2nd row.—1 ch., 1 d.c. in each d.c. to end of row.

Rep. 2nd row thirty-five times.

Shape back as follows:

38th row.—1 ch., 1 d.c. in first d.c., * "Dec.", 1 d.c. in each of next 12 d.c., rep. from * to end of row

39th row.—1 ch., * 1 d.c. in each of next 11 d.c., "Dec.", rep. from * to last d.c., 1 d.c. in last d.c.

40th row.—1 ch., 1 d.c. in first d.c., * "Dec.", 1 d.c. in each of next 10 d.c., rep. from * to end of row.

41st row.—1 ch., * 1 d.c. in each of next 9 d.c., "Dec.", rep. from * to last d.c., 1 d.c. in last d.c.

Continue dec. in this manner in every row until 7 d.c. remain. Fasten off.

BRIM—

With right side of work facing, join yarn to first foundation ch. and work 1 d.c. in first ch., * miss 2 ch., 6 tr. in next ch., miss 2 ch., 1 d.c. in next ch., rep. from * to end of row. (14 patts.)

Work as given from *** to *** for Front Skirt of Dress three times. Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up back seam. Turn brim back on to right side and catch ends in position. Work picot edge as given for Dress around neck edge. Sew ribbon in position.

BOOTEES—

Length of foot . . **3 $\frac{3}{4}$ ins.** **1 ball**

Length of Ribbon.

Using No. 9 Hook, make 40 chain loosely.

1st row (wrong side of work).—Miss 1 ch., 1 d.c. in each ch. to end of row. (39 d.c.)

2nd row.—1 ch., 1 d.c. in first d.c. (2 d.c. in next d.c., 1 d.c. in each of next 16 d.c., 2 d.c. in next d.c., 1 d.c. in next d.c.) twice.

3rd row.—1 ch., 1 d.c. in first d.c. (2 d.c. in next d.c., 1 d.c. in each of next 18 d.c., 2 d.c. in next d.c., 1 d.c. in next d.c.) twice.

4th row.—1 ch., 1 d.c. in first d.c., (2 d.c. in next d.c., 1 d.c. in each of next 20 d.c., 2 d.c. in next d.c., 1 d.c. in next d.c.) twice.

5th row.—1 ch., 1 d.c. in each of first 24 d.c., 2 d.c. in next d.c., 1 d.c. in next d.c., 2 d.c. in next d.c., 1 d.c. in each of last 24 d.c.

6th row.—1 ch., 1 d.c. in each of first 25 d.c. 2 d.c. in next d.c., 1 d.c. in next d.c., 2 d.c. in next d.c., 1 d.c. in each of last 25 d.c. (55 d.c.)

7th row.—1 ch., 1 d.c. in each d.c. to end of row
Rep. 7th row six times.

14th row.—1 ch., 1 d.c. in each of first 32 d.c., "Dec.", turn.

15th row.—1 ch., 1 d.c. in each of first 10 d.c., "Dec.", turn.

Rep. 15th row sixteen times.

32nd row.—1 ch., 1 d.c. in each d.c. to end of row.

33rd row.—As 32nd row. (37 d.c.)

34th row.—1 ch., 1 d.c. in first d.c., * 1 ch., miss 1 d.c., 1 d.c. in next d.c., rep. from * to end of row.

35th row.—1 ch., 1 d.c. in first d.c., * 1 d.c. in ch., 1 d.c. in next d.c., rep. from * to end of row.

36th row.—1 ch., 1 d.c. in first d.c. * miss 2 d.c., 6 tr. in next d.c., miss 2 d.c., 1 d.c. in next d.c., rep. from * to end of row. (6 patts.)

Work as given from *** to *** for Front Skirt of Dress four times. Fasten off.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up leg and foot seams. Fold cuffs in half on to right side. Thread ribbon through holes at ankles



2

Cape

(continued
from page 5)

Turn back 12 rows of edging on to right side and catch ends in position.

CAPE EDGING—

Commencing with right side of work facing, using No. 9 Hook and C., work 2 rows of d.c. evenly around front and lower edges of cape, working 3 d.c. in corners. Fasten off.

Work same edging along each long side of slit openings.

MAKE UP—DO NOT PRESS—Using a flat seam, sew up back seam of hood, then sew hood to cape, commencing and finishing 9 sts. in from edges. Sew straight ends of shoulder tabs to neck seam, then catch curved ends in position with a button on each. Sew ends of split edgings in position. Sew on buttons to correspond with buttonholes.



4

Dress and Jacket

(continued
from page 9)

Shape top as follows:

Work as given from *** to **** for Front of Dress once.

Rep. 2nd and 3rd rows eleven [B fourteen] [C seventeen] times, then 3rd row nine [B seven] [C five] times. (5 [B 6] [C 7] d.c.) Fasten off.

MAKE UP—Using a flat seam, sew up sleeve seams, then sew in sleeves, placing seams to centre of underarm shaping and noting that tops of sleeves form part of neckline. With right side of work facing, work 1 row of d.c. evenly along front edges and around neck. Fasten off. With right side of work facing, join yarn at lower edge of right front and work shell edge as for Dress along front edges and around neck. Fasten off. Sew on buttons to correspond with buttonholes. Press seams.

SOME IMPORTANT HINTS

IMPORTANT — DYE LOTS!

Always buy enough of the same dye lot at the one time for a complete garment, as a variation between dye lots can occur.

Retain ball bands until the garment is completely knitted, and, in the event of an enquiry concerning the purchase, submit all ball bands.

SUCCESSFUL RESULTS DEPEND ON CORRECT TENSION!

To knit garments you'll be proud of, always make a Tension Test. Correct tension brings out a further benefit of Patons exclusive Patonising process. You'll find your knitteds have maximum resistance to pilling as well as shrinkage. So you're sure of knitteds looking fresh and new through wash after wash.

Tension Test: Before you start knitting take the yarn and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain smooth fabric. Lightly press work. Check the tension by placing an inch tape across the stitches. Count the exact number of stitches to 2 ins. and compare with the tension given in the instructions. If your tension is too loose, try a size finer needle. If it's too tight, try a size larger needle. If more than one size of needle is recommended in the knitting instructions, and you have altered your needles to correct the tension, corresponding alterations must be made to needles throughout the instructions.

ABBREVIATIONS used in KNITTING

K. — Knit. **P.** — Purl. **sts.** — stitches. **tog.** — together. **alt.** — alternate. **p.s.s.o.** — pass slip stitch over. **ins.** — inches. **rep.** — repeat. **inc.** — increase or increasing. **patt.** — pattern. **t.b.l.** — through back of loop. **beg.** — beginning. **dec.** — decrease or decreasing. **incl.** — inclusive. **y.fwd.** — yarn forward. **y.r.n.** — yarn round needle. **y.o.n.** — yarn over needle. **y.bk.** — yarn back.

Garter Stitch — every row knit. When instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

ABBREVIATIONS used in CROCHET

Ch. — chain. **sp.** — space. **s.c.** — single crochet. **sl.st.** — slip stitch. **d.c.** — double crochet. **y.o.h.** — yarn over hook. **h.tr.** — half treble—pass yarn round hook, draw a loop through next ch., draw a loop through all 3 loops on hook. **tr.** — treble—pass yarn round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, then draw another loop through 2 remaining loops. **l.tr.** — long treble—pass yarn twice round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops. **ll.tr.** — long long treble—pass yarn three times round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through next 2 loops, then another through last 2 loops.

PUBLISHED WITH ALL RIGHTS RESERVED BY **COATS PATONS (AUSTRALIA) LTD.**

Makers of Coats Sewing Threads and Patons Knitting Yarns

REGISTERED OFFICE: FERN TREE GULLY ROAD, MT. WAVERLEY, VICTORIA, 3149. P.O. BOX 110

Wholly set up and printed in Australia

Trade Marks registered in Australia

crochet for young cuties



40c

Page 14

Page 12