

pretty poppets

IN CROCHET

Patons


Book 995

Patonyle,
Easycare
and Gem

E. Jugg.



40c



Patons promise no shrinking for a long life

Why knit something beautiful if it's only that way till you've washed it? You give a lot of yourself when you knit. A lot of time and effort and love. So be sure to use Patons quality yarns to avoid disappointment. By carefully following all instructions in your Patons pattern book, you'll be sure every garment you make—knitted or crocheted—will wash without a whisper of shrinking and wear beautifully through a long and lovely life.



Patons Gem is a soft, smooth knitting and crochet cotton in ten colour fast shades. Gem is just right for summer knitting and crochet, trims, and many other things.

No. 1—Sun Frock (opposite)

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 20 underarm (measures 21 ins.)

Main Colour—3 balls.

Contrast—1 ball.

B—Fits 23 underarm (measures 24½ ins.)

Main Colour—4 balls.

Contrast—1 ball.

Length from shoulder top A 14, B 15¾ ins.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 3 M/M (No. 11), 2½ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each 3½ M/M (No. 9), 3 M/M (No. 11) and 2½ M/M (No. 12).

Tight Workers—

1 each 4 M/M (No. 8), 3½ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—7 patts. to 3 ins. in width and 4 rows to 1¼ ins. in depth using 3 M/M (No. 11) Hook. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

2 Buttons.

ABBREVIATIONS—See page 19. M. = Main Colour. C. = Contrast. st. = any stitch.

"Dec." = (y.o.h., draw up a loop in next st., y.o.h. and draw through first 2 loops) 3 times, y.o.h. and draw through all 4 loops on hook.

Instructions are for size A. Size B is shown [B . . .]. Where one set of figures is given, this applies to both sizes.

BACK—

Using 3½ M/M (No. 9) Hook and C., make 75 [B 87] chain.

1st row (wrong side)—Miss 3 ch., 1 tr. in each ch. to end. (73 [B 85] tr. counting turning ch. as 1 tr.)

(NOTE: Do not weave colours but carry colour not in use loosely across wrong side of work.)

2nd row—(1 d.c., 1 ch.) C in first tr., 1 tr. C. in next tr., * 1 tr. M. in each of next 3 tr., 1 tr. C in each of next 3 tr., rep. from *, ending last rep. with 1 tr. C. in last tr. 1 tr. C. in top of turning ch.

3rd row—(1 d.c., 1 ch.) M. in first tr., * 1 tr. M. in next tr., 1 tr. C. in each of next 3 tr., 1 tr. M. in each of next 2 tr., rep. from * to end, working last tr. in top of turning ch.

4th row—As 2nd row.

Using C., **5th row**—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

Break off C.

Using M., **6th row**—(1 d.c., 1 ch.) in first tr., * 1 ch., miss 1 tr., 1 tr. in back loop of each of next 2 tr., rep. from * to end, working last tr. in top of turning ch.

7th row—(1 d.c., 1 ch.) in first tr., * 1 ch., 2 tr. in next ch. sp., rep. from * to turning ch., 1 tr. in top of turning ch.

Rep. 7th row until work measures 6 [B 6¾] ins. from commencement, working last row on wrong side.



Sun Frock. 2 colour fair-isle lower edge. Low cut back with 2 colour fair-isle straps crossing before buttoning on front.

Using 3 M/M (No. 11) Hook, rep. 7th row until work measures $10\frac{1}{4}$ [B $11\frac{1}{2}$] ins. from commencement, working last row on wrong side. **

Fasten off.

FRONT—

Work as given for Back to **.

Shape armholes as follows—

1st row—Sl.st. across first 16 sts., (1 d.c., 1 ch.) in next tr., 1 tr. in next 1 ch. sp., patt. to last 18 sts., 1 ch., miss 1 tr., 1 tr. in next tr., turn.

2nd row—(1 d.c., 1 ch.) in first tr., miss 3 sts., 2 tr. in next 1 ch. sp., patt. to last 1 ch. sp., 2 tr. in next 1 ch. sp., turn.

3rd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., patt. to last 2 tr. and turning ch., 1 tr. in next tr., turn.

4th row—(1 d.c., 1 ch.) in first tr., miss 2 tr., 2 tr. in next 1 ch. sp., patt. to last 1 ch. sp., 2 tr., in next 1 ch. sp., turn.

Work 2 rows in patt. Fasten off.

STRAPS (make 2)—

Using 3 M/M (No. 11) Hook and C., make 59 [B 65] chain.

1st row—Miss 3 ch., 1 tr. in each tr. to end. (57 [B 63] tr., counting turning ch., as 1 tr.

2nd row—(1 d.c., 1 ch.) C. in first tr. 1 tr. C. in each of next 2 tr., * 1 tr. M. in each of next 3 tr., 1 tr. C. in each of next 3 tr., rep. from * to end, working last tr. in top of turning ch. Break off M.

Using C., **3rd row**—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

Fasten off.

MAKE UP—

DO NOT PRESS. Using a flat seam, sew up side seams.

Using $2\frac{1}{2}$ M/M (No. 12) Hook and C., work 1 row tr. around armholes and across front and back. Sew on buttons. Attach straps to back, making allowance for straps to cross before buttoning.

No. 2—Jumper (opposite)

**PATONS GEM COTTON, PATONYLE or
EASYCARE BRI-NYLON**

A—Fits 20 underarm (measures 21 ins.)

Main Colour 3 balls.

1st Contrast—1 ball. 2nd Contrast—1 ball.

B—Fits 22 underarm (measures 23 ins.)

Main Colour 4 balls.

1st Contrast—1 ball. 2nd Contrast—1 ball.

C—Fits 24 underarm (measures 25 ins.)

Main Colour 4 balls.

1st Contrast—1 ball. 2nd Contrast—1 ball.

Length from shoulder top—A 10³/₄, B 12¹/₄, C 13³/₄ ins.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 3 M/M (No. 11), 2¹/₂ M/M (No. 12) and
2 M/M (No. 14).

Average Workers—

1 each 3¹/₂ M/M (No. 9), 3 M/M (No. 11) and
2¹/₂ M/M (No. 12).

Tight Workers—

1 each 4 M/M (No. 8), 3¹/₂ M/M (No. 9) and
3 M/M (No. 11).

Hooks in instructions are for Average Workers.

**TENSION—13 groups to 4 inches in width, 8 rows to
2 inches in depth on 3 M/M (No. 11) hook.** Check
your tension—see below.

Milwards Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. "Group" = 2 h.tr. in
next st. M. = Main Colour. C.1 = 1st Contrast.
C.2 = 2nd Contrast. st. = any stitch. "Dec." =
(y.o.h., draw up a loop in next h.tr.) twice, y.o.h.
and draw through all 5 loops on hook. "Picot" = 3
ch., sl.st. back into d.c. just worked.

*Instructions are for size A. Sizes B and C are shown
[B . . .] [C . . .]. Where one set of figures is given,
this applies to all sizes.*

CROCHET TENSION TEST

Before you start your garment, take the yarn and hook
specified in the instructions and make a chain 4 or 5
inches long. Work 1 square in whatever stitch is
mentioned in the Tension paragraph of your instruc-
tions. With pins, mark out the number of stitches
(or patterns) and rows quoted in the Tension. With
an inch tape, measure the distance between the pins
and compare with the tension given in the instruc-
tions. If your tension is too loose (i.e. if the piece
measures more than the measurement given), try a
size finer hook. If your tension is too tight (i.e. if the
piece measures less than the measurement given), try
a size larger hook. If more than one size of hook is
recommended in the instructions and you have altered
your hook to correct the tension, corresponding altera-
tions must be made to hooks throughout the instruc-
tions.

BACK—

Using 3 M/M (No. 11) Hook and M., make 68 [B 74]
[C 80] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr. in each of
next 2 ch., * miss 1 ch., "Group", rep. from * to end.
(66 [B 72] [C 78] h.tr.)

2nd row—2 ch., * miss 1 h.tr., "Group", rep. from *
to end.

Rep. 2nd row until work measures 5 [B 6] [C 7] ins.
from commencement, working last row on wrong side.

Using 3¹/₂ M/M (No. 9) Hook, proceed as follows—

1st row—1 ch., 1 d.c. in first h.tr., * miss 2 h.tr., 7 tr.
in next h.tr., miss 2 h.tr., 1 d.c. in next h.tr., rep. from *
to end, working last d.c. in top of turning ch.

Using C.1, **2nd row**—4 ch., (y.o.h., draw up a loop in
next st.) 3 times, y.o.h. and draw through all 7 loops on
hook, 1 ch. to fasten, * 2 ch., 1 d.c. in next tr., 2 ch.,
(y.o.h., draw up a loop in next st.) 7 times, y.o.h. and
draw through all 15 loops on hook, 1 ch. to fasten, rep.
from * to last 4 sts., 2 ch., (y.o.h., draw up a loop in next
st.) 3 times, y.o.h. and draw through all 7 loops on hook,
1 ch. to fasten, 1 tr. in last d.c.

3rd row—1 ch., 1 d.c. in first tr., * 7 tr. in next d.c.,
1 d.c. in fastening ch., rep. from * to end, working last
d.c. in 3rd ch. of turning ch. loop.

Using C.2, rep. 2nd and 3rd rows once.

Using M., rep. 2nd row once.

Next row—1 ch., 1 d.c. in first tr., * 2 d.c. in next
2 ch. loop, 1 d.c. in next d.c., 2 d.c. in next 2 ch. loop,
1 d.c. in fastening ch., rep. from * to end.

Using 3 M/M (No. 11) hook, proceed as follows—

1st row—2 ch., * miss 1 d.c., 2 h.tr. in next d.c., rep.
from * to last 3 d.c., miss 1 d.c., 1 h.tr. in each of next
2 d.c.

Shape armholes as follows—

1st row—Sl.st. across first 2 [B 3] [C 4] sts., 2 ch.,
patt. to last 2 [B 3] [C 4] sts., turn.

2nd row—2 ch., "Dec." patt. to last 2 sts., "Dec." **

Rep. 2nd row 4 [B 5] [C 6] times (52 [B 54] [C 56] sts.).

Work 4 [B 5] [C 6] rows.

Shape back neck as follows—

1st row—Patt. 18, turn.

2nd row—2 ch., "Dec.", patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd row once.

Shape shoulder as follows—

1st row—Sl.st. across first 8 sts., 2 ch., patt. to end.

Fasten off.

Miss next 16 [B 18] [C 20] sts.

Join yarn to remaining 18 sts. and complete to corre-
spond with other side.

FRONT—

Work as given for Back to **.

Rep. 2nd row 4 times. (52 [B 56] [C 60] sts.).



*Sleeveless Jumper with 2 colour contrasting panel below armholes.
"U" shaped neck with contrasting picot edges.*

Shape neck as follows—

A only—1st row—Patt. 19, turn.

2nd row—2 ch., "Dec.", patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd row once.

[B and C only—1st row—2 ch., "Dec.", patt. [B 19]
[C 21] turn.]

[B only—2nd row—2 ch., "Dec.", patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd and 3rd rows once.]

[C only—2nd row—2 ch., "Dec.", patt. to last 2 sts.,
"Dec.".

3rd row—Patt. to last 2 sts., "Dec.".

4th row—2 ch., "Dec.", patt. to end.

Rep. 3rd and 4th row once.]

All Sizes—(15 sts.)

Work 4 [B 5] [C 6] rows without shaping.

Shape shoulder as given for Back.

Miss next 14 sts.

Join yarn to next 19 [B 21] [C 23] sts. and complete to correspond with other side.

MAKE UP—

If making in **Patonyle** or **Gem**, with a slightly damp cloth and warm iron, press very lightly. If making in **Easycare**, **DO NOT PRESS**. Using a flat seam, sew up side and shoulder seams.

Using 2½ M/M (No. 12) Hook and M., work 1 round d.c. evenly around all edges.

Using C.I., **2nd round**—1 d.c. in first d.c., * "Picot", 1 d.c. in each of next 3 d.c., rep. from * to last d.c., "Picot", 1 d.c. in last d.c. Fasten off.

No. 3—Dress (opposite)

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 21 underarm (measures 22 ins.) . . . 6 balls.

B—Fits 24 underarm (measures 25 ins.) . . . 7 balls.

Length from shoulder top A 14, B 17½ ins.

Sleeve seam A 1¾, B 2¼ ins.

HOOK—Milwards "Disc".

Loose Workers 2½ M/M (No. 12).

Average Workers 3 M/M (No. 11).

Tight Workers 3½ M/M (No. 9).

Hook in instructions is for Average Workers.

TENSION—12 tr. to 2 ins. in width, 6 rows to 2 ins. in depth. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

6-inch 'Lightning' Zipper (Gold Pack).

ABBREVIATIONS—See page 19.

"Dec. 1" = (y.o.h., draw up a loop in next st., y.o.h. and draw through first 2 loops on hook) twice, y.o.h. and draw through all 3 loops on hook. "Dec. 2" = work as given for "Dec. 1" working portion in brackets 3 times instead of twice, y.o.h. and draw through all 4 loops on hook st. = any stitch.

Instructions are for size A. Size B is shown [B . . .]. Where one set of figures is given, this applies to both sizes.

DRESS (worked in one piece to underarm)—

Using 3 M/M (No. 11) Hook, make 184 [B 208] chain.

1st row—Miss 3 ch., 1 tr. in each of next 5 ch., * 4 ch., miss 2 ch., 1 tr. in each of next 10 ch., rep. from * to last 8 ch., 4 ch., miss 2 ch., 1 tr. in each of last 6 ch.

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 3 tr., * 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 6 tr., rep. from * to last 12 sts., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 3 tr., 1 tr. in top of turning ch.

3rd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next tr., * 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 5 ch., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 2 tr., rep. from * to end, working last tr. in top of turning ch.

4th row—(1 d.c., 1 ch.) in first tr., 1 tr. in next tr., * 2 tr. in next 4 ch. loop, 4 ch., miss 1 d.c., 1 d.c. in next 5 ch. loop, 4 ch., 2 tr. in next 4 ch. loop, 1 tr. in each of next 2 tr., rep. from * to end, working last tr. in top of turning ch.

5th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 3 tr., * 2 tr. in next 4 ch. loop, 4 ch., miss 1 d.c., 2 tr. in next 4 ch. loop, 1 tr. in each of next 6 tr., rep. from * to last 12 sts., 2 tr. in next 4 ch. loop, 4 ch., 2 tr. in next 4 ch. loop, 1 tr. in each of last 3 tr., 1 tr. in top of turning ch.

6th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 5 tr., (2 tr. in next 4 ch. loop, 1 tr. in each of next 10 tr.) 6 [B 7] times, 2 tr. in next 4 ch. loop, 1 tr. in each of next 8 tr., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 8 tr., 2 tr. in next 4 ch. loop, (1 tr. in each of next 10 tr., 2 tr. in next 4 ch. loop) 6 [B 7] times, 1 tr. in each of next 5 tr., 1 tr. in top of turning ch.

7th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 21 [B 24] tr., "Dec. 2", 1 tr. in each of next 41 [B 47] tr., "Dec. 2", 1 tr. in each of next 17 [B 20] tr., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 5 ch., miss 1 d.c., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 17 [B 20] tr., "Dec. 2", 1 tr. in each of next 41 [B 47] tr., "Dec. 2", 1 tr. in each of next 21 [B 24] tr., 1 tr. in top of turning ch.

8th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 81 [B 92] sts., 2 tr. in next 4 ch. loop, 4 ch., 1 d.c. in next 5 ch. loop, 4 ch., 2 tr. in next 4 ch. loop, 1 tr. in each st. to end, working last tr. in top of turning ch.

9th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 83 [B 94] sts., 2 tr. in next 4 ch. loop, 4 ch., 2 tr. in next 4 ch. loop, 1 tr. in each st. to end, working last tr. in top of turning ch.

10th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 83 [B 94] tr., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

11th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 20 [B 23] tr., "Dec. 2", 1 tr. in each of next 39 [B 45] tr., "Dec. 2", 1 tr. in each of next 16 [B 19] tr., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 5 ch., miss 1 d.c., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 16 [B 19] tr., "Dec. 2", 1 tr. in each of next 39 [B 45] tr., "Dec. 2", 1 tr. in each of next 20 [B 23] tr., 1 tr. in top of turning ch.

Keeping continuity of centre panel, dec. (as before) in every 4th row 4 [B 5] times. (124 [B 140] tr. and patt. panel).

Continue until work measures approx. 9¾ [B 12¼] ins. from commencement, ending with an 11th patt. row.

Divide for Front and Backs as follows—

1st row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 29 [B 33] tr., turn.

Continue on these sts. for Left Back as follows—

1st row—(1 d.c., 2 ch.) in first st., "Dec. 2", patt. to end.

2nd row—Patt. to last 4 sts., "Dec. 2", 1 d.tr. in last st. Rep. 1st and 2nd rows 3 [B 2] times. [B only—then 1st row once.]

A only—Next row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to end.

Next row—Patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

[B only—Next row—Patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

Next row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to end.

Rep. last 2 rows twice.]

Both Sizes—Next row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to end. (10 [B 12] sts.)

Fasten off.

Miss next 7 sts., join yarn in next st. and work Front as follows—

1st row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 24 [B 28] sts., 4 ch., miss 2 tr., 1 d.c. in next 4 ch. loop, 5 ch., miss 1 d.c., 1 d.c. in next 4 ch. loop, 4 ch., miss 2 tr., 1 tr. in each of next 25 [B 29] tr., turn.



Dress with short raglan sleeves. Diamond pattern around lower edge and up centre front to round neck. Zip opening at centre back.

2nd row—(1 d.c., 2 ch.) in first st., "Dec. 2", patt. to last 4 sts., "Dec. 2", 1 d.tr. in last st.

Rep. 2nd row 5 [B 7] times.

A only—Shape neck as follows—

1st row—(1 d.c., 2 ch.) in first st., "Dec. 2", patt. 7, turn.

2nd row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to last 4 sts., "Dec. 2", 1 d.tr. in last st.

3rd row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

4th row—3 ch., "Dec. 2".

5th row—1 d.c. in first st., 1 tr. in top of turning ch. Fasten off.

[B only]—**Next row**—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

Shape neck as follows—

1st row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. 8, turn.

2nd row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

Rep. 2nd row once.

4th row—(1 d.c., 2 ch.) in first st., "Dec. 2", 1 d.tr. in last st.

5th row—3 ch., "Dec. 2".

6th row—1 d.c. in first st., 1 tr. in top of turning ch. Fasten off.]

Both Sizes—Miss next 14 [B 16] sts., join yarn to remaining sts. and work to correspond with other side.

Miss next 7 sts., join yarn to remaining sts. and work Right Back to correspond with Left Back.

SLEEVES—

Using 3 M/M (No. 11) Hook, make 46 [B 54] chain.

[continued on next page

No. 3 (continued)

1st row—Miss 3 ch., 1 tr. in each ch. to end. (44 [B 52] tr., counting 3 ch. as 1 tr.).

2nd row—(1 d.c., 1 ch.) in first tr., 2 tr. in next tr., 1 tr. in each tr. to last 2 sts., 2 tr. in next tr., 1 tr. in top of turning ch.

Rep. 2nd row twice.

Next row—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to turning ch., 1 tr. in top of turning ch.

Rep. last row until side edge measures $1\frac{3}{4}$ [B $2\frac{1}{4}$] ins. from commencement, working last row on wrong side.

Shape top as follows—

1st row—Sl.st. across first 3 sts., (1 d.c., 1 ch.) in next tr., patt. to last 3 sts., turn.

2nd row—(1 d.c., 2 ch.) in first st., "Dec. 2", patt. to last 4 sts., "Dec. 2", 1 d.tr. in last st.

Rep. 2nd row 5 [B 6] times.

Next row—(1 d.c., 2 ch.) in first st., "Dec. 1", patt. to last 3 sts., "Dec. 1", 1 d.tr. in last st.

Rep. last row 4 [B 6] times. (10 sts.)

Fasten off.

MAKE UP—

DO NOT PRESS. Using a flat seam sew up sleeve seams, then sew sleeves to front and back noting that tops of sleeves form part of neckline. Using a flat seam, sew up back seam leaving a $5\frac{1}{2}$ in. opening at neck edge. With right side facing, work edging around all edges except back opening as follows—

1st row—Work in d.c.

2nd row—(1 d.c., 1 ch.) in first st., 1 tr. in next st., * 2 ch., miss 2 sts., 1 tr. in each of next 2 sts., rep. from * to end.

3rd row—1 ch., 1 d.c. in each of first 2 tr., * 2 d.c. in next 2 ch. sp., 1 d.c. in each of next 2 tr., rep. from * to end.

4th row—Without turning, work in "Crab St.".

"Crab St." = Work as given for d.c. but work from left to right so that sts. are worked backwards. See page 19. Sew zip in position.

No. 4—Vest (opposite)

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 22 underarm (measures 23 ins.) . . . 5 balls.

B—Fits 25 underarm (measures $26\frac{1}{2}$ ins.) . . 6 balls.

Length from shoulder top A 14, B $16\frac{1}{4}$ ins.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 3 M/M (No. 11), $2\frac{1}{2}$ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each $3\frac{1}{2}$ M/M (No. 9), 3 M/M (No. 11) and $2\frac{1}{2}$ M/M (No. 12).

Tight Workers—

1 each 4 M/M (No. 8), $3\frac{1}{2}$ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—4 patts. to $1\frac{3}{4}$ ins. in width, and 2 patts. to $1\frac{3}{4}$ ins. in depth, using 3 M/M (No. 11) Hook. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

ABBREVIATIONS—See page 19. st. = any stitch.

"Cross" = y.o.h. and draw up a loop in same st. as st. just worked, y.o.h. and draw through first 2 loops, miss 2 h.tr., y.o.h. and draw up a loop in next st., y.o.h. and draw through first 2 loops, y.o.h. and draw through all 3 loops on hook, 1 ch. to fasten.

"Dec. 2" = (y.o.h. and draw up a loop in next st.) 3 times, y.o.h. and draw through all 7 loops on hook.

Instructions are for size A. Size B is shown [B . . .]. Where one set of figures is given, this applies to both sizes.

VEST (worked in one piece to underarm)—

Using $3\frac{1}{2}$ M/M (No. 9) Hook, make 162 [B 171] chain.

1st row—Miss 2 ch., 1 h.tr. in each ch. to end. (160 [B 169] h.tr.).

**** 2nd row**—(1 d.c., 2 ch.) in first h.tr., * "Cross", 2 ch., rep. from * to end (working 1 ch. in place of 2 ch. in last rep.), 1 tr. in same place as last "Cross".

3rd row—2 ch., 1 h.tr. in first tr., * 1 h.tr. in fastening ch. of Cross, 2 h.tr. in 2 ch. sp., rep. from * to last Cross and turning ch. loop, 1 h.tr. in fastening ch., 2 h.tr. in turning ch. loop.

4th row—2 ch., 1 h.tr. in each h.tr. to end. **

Rep. from ** to ** until work measures 6 [B $7\frac{1}{2}$] ins. from commencement, working last row on wrong side.

Using 3 M/M (No. 11) Hook, rep. from ** to ** until work measures $10\frac{1}{4}$ [B $11\frac{3}{4}$] ins. from commencement, ending with a 3rd row and with wrong side facing.

Divide for Back and Fronts as follows—

1st row—2 ch., 1 h.tr. in each of next 31 [B 34] h.tr., turn.

Continue on these 31 [B 34] sts. for Right Front as follows—

2nd row—Work in patt.

3rd row—Patt. to last 4 sts., "Dec. 2", 1 h.tr. in last st.

4th row—2 ch., "Dec. 2", patt. to end.

5th row—Patt. to end.

Work 3 rows in patt.

Shape neck as follows—

1st row—Sl.st. across first 3 sts., 2 ch., patt. to end.



Sleeveless Vest. Round Neck. $\frac{3}{4}$ length with tie at neck. Edging in d.c. and "crab stitch".

2nd row—Patt. to last 4 sts., "Dec. 2", 1 h.tr. in last st.

3rd row—Work in patt.

4th row—As 2nd row.

5th row—2 ch., "Dec. 2", patt. to end.

[**B only**—Work 2 rows in patt.]

Both Sizes—Shape shoulder as follows—

1st row—Sl.st. across first 9 sts., 1 ch., 1 h.tr. in each st. to end.

Fasten off.

Miss next 16 sts., join yarn in next st. and work Back as follows—

1st row—Patt. 64 [B 69], turn.

2nd row—Work in patt.

3rd row—2 ch., "Dec. 2", patt. to last 4 sts., "Dec. 2", 1 h.tr. in last st.

Rep. 3rd row once. (56 [B 61] sts.)

Work 9 [B 11] rows.

Shape shoulders as follows—

1st row—Sl.st. across first 9 sts., 1 ch., 1 h.tr. in each st. to last 9 sts., turn.

Fasten off.

Miss next 16 sts., join yarn in next st. and work Left Front to correspond with Right Front.

MAKE UP—

DO NOT PRESS. Using a flat seam, join shoulder seams. With right side facing, using $2\frac{1}{2}$ M/M (No. 12) Hook, work 2 rows d.c. evenly around all edges, working 2 d.c. in corners to keep work flat.

Work 1 row "Crab St." evenly along all edges as shown.

"Crab St." = Work as given for d.c. but work from left to right so that sts. are worked backwards. See page 19.

Using 2 strands of yarn 35 inches long make 2 twisted cords and sew at neck edge to tie.

No. 5—Bikini (opposite)

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 20 underarm (measures 20½ ins.).

Top—Main Colour—2 balls. Contrast—1 ball.

Briefs—Main Colour—2 balls. Contrast—1 ball.

B—Fits 22 underarm (measures 22½ ins.).

Top—Main Colour—3 balls. Contrast—1 ball.

Briefs—Main Colour—2 balls. Contrast—1 ball.

C—Fits 24 underarm (measures 24½ ins.).

Top—Main Colour—3 balls. Contrast—1 ball.

Briefs—Main Colour—2 balls. Contrast—1 ball.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 2½ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each 3 M/M (No. 11) and 2½ M/M (No. 12).

Tight Workers—

1 each 3½ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—13 groups to 4 inches in width, 8 rows to 2 inches in depth using a 3 M/M (No. 11) Hook. Check your tension—see page 4.

7 [B 7½] [C 8] yards Round Elastic.

Milwards Tapestry Needle for sewing seams.

3 Small Buttons.

ABBREVIATIONS—See page 19. "Group" = 2 h.tr. in next st. M. = Main Colour. C. = Contrast. st. = any stitch. "Dec." = (y.o.h. draw up a loop in next h.tr.) twice, y.o.h. and draw through all 5 loops on hook.

Instructions are for size A. Sizes B and C are shown [B . . .] [C . . .]. Where one set of figures is given, this applies to all sizes.

TOP:

BACK—

Using 3 M/M (No. 11) Hook and M., make 68 [B 74] [C 80] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr. in each of next 2 ch., * miss 1 ch., "Group", rep. from * to end. (66 [B 72] [C 78] h.tr.).

2nd row—2 ch., * miss 1 h.tr., "Group", rep. from * to end.

Rep. 2nd row 10 times.

Pressing Crochet

It is not necessary to press most crochet stitches, as pressing tends to flatten the appearance of the stitch. However, if pressing should be necessary, this should be done very carefully, from the wrong side of the work. Use a damp cloth and warm iron, and do not let the full weight of the iron fall on the garment—steam, rather than press. **Synthetic yarns should not be pressed at all.**

Shape armholes as follows—

1st row—Sl.st. across first 2 [B 3] [C 4] sts., 2 ch., patt. to last 2 [B 3] [C 4] sts., turn.

2nd row—2 ch., "Dec.", patt. to last 2 sts., "Dec.". **

Rep. 2nd row 4 [B 5] [C 6] times. (52 [B 54] [C 56] sts.). Work 4 [B 5] [C 6] rows.

Shape back neck as follows—

1st row—Patt. 16, 1 h.tr. in next h.tr., turn.

2nd row—2 ch., "Dec.", patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd and 3rd rows once, then 2nd row once.

Shape shoulder as follows—

1st row—Sl.st. across first 6 sts., 2 ch., patt. to end.

Fasten off.

Miss next 18 [B 20] [C 22] sts.

Join yarn to remaining 17 sts. and complete to correspond with other side.

FRONT—

Work as given for Back to **.

Rep. 2nd row 4 times. (52 [B 56] [C 60] sts.)

Shape neck as follows—

A only—1st row—Patt. 18, turn.

2nd row—2 ch. "Dec." patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd and 3rd rows once, then 2nd row once.

[B and C only—1st row—2 ch., "Dec.", patt. [B 17] [C 18] turn).

[B only—2nd row—2 ch., "Dec.", patt. to end.

3rd row—Patt. to last 2 sts., "Dec.".

Rep. 2nd and 3rd rows twice.]

[C only—2nd row—2 ch., "Dec.", patt. to last 2 sts., "Dec.".

3rd row—Patt. to last 2 sts., "Dec.".

4th row—2 ch., "Dec.", patt. to end.

Rep. 3rd and 4th rows once, then 3rd row once].

All Sizes—(12 sts.)

Work 3 [B 5] [C 5] rows without shaping.

Shape shoulder as given for Back.

Miss next 16 [B 18] [C 20] sts.

Join yarn to remaining 18 [B 19] [C 20] sts. and complete to correspond with other side.

MAKE UP—

DO NOT PRESS. Using a flat seam, sew up shoulder and side seams. With right side facing, using 2½ M/M (No. 12) Hook and M., work 2 rounds of d.c. evenly around all edges, working over elastic to keep edges firm.

With right side facing, using 3 M/M (No. 11) Hook and C., work frills around all edges (½ inch in from edges) as follows—

Join yarn in a h.tr., missed in patt., * 3 ch., 1 d.c. in next h.tr. missed in patt., rep. from * to end.

Fasten off.

Work same frill in two vertical lines each ¾ inch* from centre front. Sew buttons in centre of vertical lines.



Bikini Bathers in "h.tr." with low scooped neck. Frills around all edges with 2 vertical frills centre front of top. Briefs feature same frill around all edges and in rows across entire back.

BRIEFS:

FRONT—

Using 3 M/M (No. 11) Hook and M., make 74 [B 80] [C 86] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr., in each of next 2 ch., * miss 1 ch., "Group", rep. from * to end. (72 [B 78] [C 84] h.tr.).

2nd row—2 ch., * miss 1 h.tr., "Group", rep. from * to end.

Rep. 2nd row 10 [B 12] [C 14] times. **

Shape legs as follows—

1st row—Sl.st. across first 7 [B 8] [C 9] sts., patt. to last 7 [B 8] [C 9] sts., turn.

Rep. 1st row twice.

Next row—Sl.st. across first 8 sts., patt. to last 8 sts., turn. (14 sts.)

Work 2 rows in patt. Fasten off.

BACK—

Work as given for Front to **.

Shape legs as follows—

1st row—Sl.st. across first 4 [B 4] [C 5] sts., patt. to last 4 [B 4] [C 5] sts., turn.

Rep. 1st row 4 [B 7] [C 2] times.

[A and C only—Next row]—Sl.st. across first 3 [C 4] sts., patt. to last 3 [C 4] sts., turn.

Rep. last row 2 [C 4] times].

All Sizes—(14 sts.). Fasten off.

MAKE UP—

DO NOT PRESS. Using a flat seam, sew up side and lower seams. With right side facing, using 2½ M/M (No. 12) Hook and M., work 2 rounds d.c. evenly around all edges, working over elastic to keep edges firm. With right side facing, using 3 M/M (No. 11) Hook and C., work frill as for top around all edges, then fill in entire back with frills, 2 rows apart.

No. 6—Dress (opposite)

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 20 underarm (measures 21 ins.) . . . 6 balls.

B—Fits 22 underarm (measures 23 ins.) . . . 8 balls.

C—Fits 24 underarm (measures 25 ins.) . . . 9 balls.

Length from shoulder top . . . **A 14, B 15, C 17 ins.**

Sleeve seam **A 1¾, B 2, C 2¼ ins.**

HOOKS—Milwards "Disc".

Loose Workers—

1 each 2½ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each 3 M/M (No. 11) and 2½ M/M (No. 12).

Tight Workers—

1 each 3½ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—11½ h.tr. to 2 ins. in width, 8½ rows in depth, using a 3 M/M (No. 11) Hook. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

Length of Round Elastic.

4 Small Buttons. Length of Ribbon.

ABBREVIATIONS—See page 19. "Dec." = (y.o.h., draw up a loop in next st.) twice, y.o.h. and draw through all 5 loops on hook. "Picot" = 3 ch., sl.st. back into d.c. just worked. st. = any stitch.

Instructions are for size A. Sizes B and C are shown [B . . .] [C . . .]. Where one set of figures is given, this applies to all sizes.

RIGHT BACK YOKE—

Using 3 M/M (No. 11) Hook, make 31 [B 33] [C 35] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr. in each ch. to end.

2nd row—Sl.st. across first 2 h.tr., 2 ch., 1 h.tr. in each h.tr. to end.

3rd row—2 ch., 1 h.tr. in each h.tr. to last 2 h.tr., "Dec."

4th row—2 ch., "Dec.", 1 h.tr. in each h.tr. to end.

Rep. 3rd and 4th rows once. (23 [B 25] [C 27] h.tr.)

7th row—2 ch., 1 h.tr. in each h.tr. to end.

Rep. 7th row 8 [B 10] [C 12] times.

Shape shoulder as follows—

1st row—Sl.st. across first 7 [B 8] [C 8] h.tr., 1 d.c. in each of next 7 [B 7] [C 8] h.tr., 1 h.tr. in each h.tr. to end.

Fasten off.

LEFT BACK YOKE—

Work to correspond with Right Back Yoke.

FRONT YOKE—

Using 3 M/M (No. 11) Hook, make 60 [B 64] [C 68] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr. in each ch. to end.

2nd row—Sl.st. across first 2 h.tr., 1 h.tr. in each h.tr. to last 2 h.tr., turn.

3rd row—2 ch., "Dec.", 1 h.tr. in each h.tr. to last 2 h.tr., "Dec."

Rep. 3rd row 3 times. (46 [B 50] [C 54] h.tr.).

7th row—2 ch., 1 h.tr. in each h.tr. to end.

Rep. 7th row 2 [B 2] [C 3] times.

Shape neck as follows—

1st row—2 ch., 1 h.tr. in each of next 19 [B 20] [C 21] h.tr., turn.

Continue on these 19 [B 20] [C 21] h.tr.

2nd row—2 ch., "Dec.", 1 h.tr. in each h.tr. to end.

3rd row—2 ch., 1 h.tr. in each h.tr. to last 2 h.tr., "Dec."

Rep. 2nd and 3rd rows once [B once] [C twice].

Next row—2 ch., 1 h.tr. in each h.tr. to end.

[B and C only—Rep. last row [B twice] [C once].]

All Sizes—Shape shoulder as follows—

1st row—2 ch., 1 d.c. in each of next 8 h.tr.

Fasten off.

Miss next 8 [B 10] [C 12] h.tr.

Join yarn to remaining 19 [B 20] [C 21] h.tr. and complete to correspond with other side.

SKIRT:

BACK—

With right side facing, using 3 M/M (No. 11) Hook, joining Left and Right Backs together, work into foundation ch. as follows—

1st row—1 ch., 1 d.c. in first ch., (4 ch., miss 1 ch., 1 d.c. in next ch.) 14 [B 15] [C 16] times, 4 ch., 1 d.c. in next ch., (4 ch., miss 1 ch., 1 d.c. in next ch.) 14 [B 15] [C 16] times.

2nd row—1 ch., 1 d.c. in first d.c., 1 d.c. in next 4 ch. loop, 11 tr. in next 4 ch. loop, * 3 d.c. in next 4 ch. loop, 11 tr. in next 4 ch. loop, rep. from * to last 4 ch. loop, 1 d.c. in next 4 ch. loop, 1 d.c. in last d.c.

3rd row—6 ch., miss next 2 d.c. and 4 tr., 1 d.c. in each of next 3 tr., * 3 ch., miss 4 tr. and 1 d.c., 1 tr. in next d.c., 3 ch., miss 1 d.c. and 4 tr., 1 d.c. in each of next 3 tr., rep. from * to last 4 tr. and 2 d.c., 3 ch., miss 4 tr. and 1 d.c., 1 tr. in next d.c.

4th row—1 ch., 1 d.c. in first tr., 3 ch., 1 d.c. in next 3 ch. loop, * 4 ch., miss 3 d.c., 1 d.c. in next 3 ch. loop, 4 ch., miss next tr., 1 d.c. in next 3 ch. loop, rep. from * to last 3 d.c. and turning ch. loop, 3 ch., miss 3 d.c., 1 d.c. in turning ch. loop, 3 ch., 1 d.c. in 3rd ch. of 6 ch. loop.

5th row—3 ch., 5 tr. in next 3 ch. loop, 3 d.c. in next 3 ch. loop, * 11 tr. in next 4 ch. loop, 3 d.c. in next 4 ch. loop, rep. from * to last 3 ch. loop, 6 tr. in next 3 ch. loop.

6th row—1 ch., 1 d.c. in each of first 2 tr., 3 ch., miss 4 tr. and 1 d.c., 1 tr. in next d.c., * 3 ch., miss 1 d.c. and 4 tr., 1 d.c. in each of next 3 tr., 3 ch., miss 4 tr. and 1 d.c., 1 tr. in next d.c., rep. from * to last 6 tr. and 1 d.c., 3 ch., miss 1 d.c. and 4 tr., 1 d.c. in next tr., 1 d.c. in top of turning ch.

7th row—1 ch., 1 d.c. in first d.c., * 4 ch., 1 d.c. in next 3 ch. loop, rep. from * to last 2 d.c., 4 ch., miss 1 d.c., 1 d.c. in last d.c.

Rows 2 to 7 incl. form patt.

Continue in patt. until work measures approx. 14 [B 15] [C 17] ins. from shoulder top, ending with a 2nd row.

Fasten off.



Back Cover—Dress with "h.tr." yoke and short sleeves edged with picot. Skirt of shells. Garment is finished with ribbon around underarm.

FRONT SKIRT—

Work as given for Back Skirt.

SLEEVES—

Using 3 M/M (No. 11) Hook, make 42 [B 46] [C 50] chain.

1st row (wrong side)—Miss 2 ch., 1 h.tr. in each ch. to end. (40 [B 44] [C 48] h.tr.).

2nd row—2 ch., 2 h.tr. in next h.tr., 1 h.tr. in each h.tr. to last h.tr., 2 h.tr. in last h.tr.

Rep. 2nd row twice.

Continue until side edge measures $1\frac{3}{4}$ [B 2] [C $2\frac{1}{4}$] ins. from commencement, working last row on wrong side.

Shape top as follows—

1st row—Sl.st. across first 4 [B 5] [C 6] h.tr., 2 ch., 1 h.tr. in each h.tr. to last 4 [B 5] [C 6] h.tr., turn. (38 [B 40] [C 42] h.tr.).

2nd row—Sl.st. across first 2 h.tr., 2 ch., 1 h.tr. in each h.tr. to last 2 h.tr., turn.

Rep. 2nd row 6 times. (10 [B 12] [C 14] h.tr.).

Fasten off.

MAKE UP—

DO NOT PRESS.

Using a flat seam, sew up shoulder, side and sleeve seams. Sew sleeves to front and backs, placing seams to side seams. Using $2\frac{1}{2}$ M/M (No. 12) Hook, work 1 round d.c. evenly along back opening and around neck, working four 2 ch. buttonloops evenly along right side of back opening.

Work picot edge around neck as follows—

2nd row—1 d.c. in first d.c., * "Picot" 1 d.c. in each of next 3 sts., rep. from * to last st., "Picot", 1 d.c. in last d.c. Fasten off. Work same edging around lower edge of sleeves working over elastic in first round. Sew on buttons.

No. 7—Jumper (opposite)

**PATONS GEM COTTON, PATONYLE or
EASYCARE BRI-NYLON**

A—Fits 20 underarm (measures 22 ins.) . . . 4 balls.

B—Fits 22 underarm (measures 24 ins.) . . . 5 balls.

C—Fits 24 underarm (measures 26 ins.) . . . 7 balls.

Length from shoulder top . . **A** 10 $\frac{3}{4}$, **B** 12 $\frac{1}{4}$, **C** 13 $\frac{3}{4}$ ins.

Sleeve seam **A** 1 $\frac{3}{4}$, **B** 2, **C** 2 ins.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 2 $\frac{1}{2}$ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each 3 M/M (No. 11) and 2 $\frac{1}{2}$ M/M (No. 12).

Tight Workers—

1 each 3 $\frac{1}{2}$ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—6 patts. to 2 $\frac{1}{2}$ ins. in width and 6 $\frac{1}{2}$ rows to 2 inches in depth. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

3 Small Buttons.

ABBREVIATIONS—See page 19. st. = any stitch.

Instructions are for size A. Sizes B and C are shown [B . . .] [C . . .]. Where one set of figures is given, this applies to all sizes.

BACK—

Using 3 M/M (No. 11) Hook, make 82 [B 88] [C 94] chain.

1st row—Miss 4 ch., * (1 tr., 1 ch., 1 tr.) in next ch., miss 2 ch., rep. from * to last 3 ch., (1 tr., 1 ch., 1 tr.) in next ch., miss 1 ch., 1 tr. in last ch.

2nd row—(1 d.c., 1 ch.) in first tr., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to turning ch. loop, 1 tr. in 2nd ch. of 4 ch. loop.

3rd row—(1 d.c., 1 ch.) in first tr., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to turning ch. loop, 1 tr. in top of turning ch. **

Rep. 3rd row until work measures 6 $\frac{1}{2}$ [B 7 $\frac{1}{2}$] [C 8 $\frac{1}{2}$] ins. from commencement, working last row on wrong side.

Shape raglan armholes as follows—

1st row—Sl.st. across first 5 sts., 3 ch., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last two 1 ch. sps., 1 tr. in next 1 ch. sp., 1 tr. in next tr., turn.

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 1 ch. sp., 2 tr. in next 1 ch. sp., turn.

3rd row—(1 d.c., 1 ch.) in first tr., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 3 sts., miss 2 tr., 1 tr. in top of turning ch.

Rep. 2nd and 3rd rows 6 [B 6] [C 7] times, then 2nd row once. (26 [B 32] [C 32] sts.)

Fasten off.

FRONT—

Work as given for Back to **.

Rep. 3rd row until there are 7 rows less than Back to underarm.

Divide for front opening as follows—

1st row—Patt. 41 [B 44] [C 47], turn.

Work 6 rows on these 41 [B 44] [C 47] sts.

Shape raglan as follows—

1st row—Patt. to last two 1 ch. sps., 1 tr. in next 1 ch. sp., 1 tr. in next tr., turn.

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to end.

3rd row—Patt. to last 3 sts., miss 2 tr., 1 tr. in top of turning ch.

Rep. 2nd and 3rd row 2 [B 2] [C 3] times, then 2nd row once.

Shape neck as follows—

1st row—Sl.st. across first 3 [B 6] [C 6] sts., (1 d.c., 1 ch.) in next tr., patt. to last 3 sts., miss 2 tr., 1 tr. in top of turning ch.

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 1 ch. sp., 1 tr. in next 1 ch. sp., 1 tr. in top of turning ch., turn.

3rd row—(1 d.c., 1 ch.) in first tr., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 3 sts., miss 2 tr., 1 tr. in top of turning ch.

4th row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 1 ch. sp., 2 tr. in next 1 ch. sp., turn.

5th row—(1 d.c., 1 ch.) in first tr., miss 1 tr., (1 tr., 1 ch., 1 tr.) in each of next two 1 ch. sps., miss 2 tr., 1 tr. in top of turning ch.

6th row—(1 d.c., 1 ch.) in first tr., miss 1 tr., 1 tr. in each of next two 1 ch. sps., 1 tr. in top of turning ch., turn.

7th row—(1 d.c., 1 ch.) in first tr., miss 1 tr., 1 tr. in next tr., 1 tr. in top of turning ch.

8th row—(1 d.c., 1 ch.) in first tr., miss 1 tr., 1 tr. in top of turning ch.

Fasten off.

All Sizes—Join yarn to remaining sts., make 7 ch. (3 ch. for turning ch.), and complete to correspond with other side.

SLEEVES—

Using 3 M/M (No. 11) Hook, make 49 [B 52] [C 58] chain.

1st row—Miss 4 ch., * (1 tr., 1 ch., 1 tr.) in next ch., miss 2 ch., rep. from * to last 3 sts., (1 tr., 1 ch., 1 tr.) in next ch., miss 1 ch., 1 tr. in last ch.

2nd row—4 ch., 1 tr. in first tr., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to turning ch. loop, (1 tr., 1 ch., 1 tr.) in 2nd ch. of 4 ch. loop.

3rd row—4 ch., 1 tr. in ch. sp., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to end, working last rep. in turning ch. loop.



Back Cover — Short-sleeved shirt with scooped neckline buttoning down front. "Crab stitch" edging and raglan sleeves.

4th row—3 ch., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to end, working last rep. in turning ch. loop, 1 tr. in 2nd ch. of 4 ch. loop.

5th row—(1 d.c., 1 ch.) in first tr., * (1 tr., 1 ch., 1 tr.) in next ch. sp., rep. from * to end, 1 tr. in top of turning ch.

Continue until side edge measures $1\frac{3}{4}$ [B 2] [C 2] ins. from commencement, working last row on wrong side.

Shape top as follows—

1st row—Sl.st. across first 5 sts., 3 ch. (to stand as 1 tr.), 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last two 1 ch. sps., 1 tr. in next 1 ch. sp., 1 tr. in next tr., turn.

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in next 1 ch. sp., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 1 ch. sp., 2 tr. in next 1 ch. sp., turn.

3rd row—(1 d.c., 1 ch.) in first tr., (1 tr., 1 ch., 1 tr.) in next 1 ch. sp., patt. to last 3 sts., miss 2 tr., 1 tr. in top of turning ch.

Rep. 2nd and 3rd rows 6 [B 6] [C 7] times, then 2nd row once. (3 [B 6] [C 6] sts.)

Fasten off.

MAKE UP—

DO NOT PRESS. Using a flat seam, sew sleeves to front and back, noting that tops of sleeves form part of neckline. Sew up side and sleeve seams. With right side facing and using $2\frac{1}{2}$ M/M (No. 12) Hook, work 1 row d.c. evenly around neck and front opening and along lower and sleeve edges, working 3 d.c. in corners. Work 1 row "Crab St." evenly along all edges as shown. "Crab St." = Work as given for d.c. but work from left to right so that sts. are worked backwards. See page 19. Sew underlap in position. Sew on buttons to button through patt.

No. 8—Jumper (opposite)

**PATONS GEM COTTON, PATONYLE or
EASYCARE BRI-NYLON**

A—Fits 20 underarm (measures 22 ins.) . . . 5 balls.

B—Fits 22 underarm (measures 24 ins.) . . . 5 balls.

C—Fits 24 underarm (measures 26 ins.) . . . 6 balls.

Length from shoulder top—**A** 11¾, **B** 12¼, **C** 14½ ins.

Sleeve seam **A** 1¾, **B** 2, **C** 2¼ ins.

HOOKS—Milwards "Disc".

Loose Workers—

1 each 2½ M/M (No. 12) and 2 M/M (No. 14).

Average Workers—

1 each 3 M/M (No. 11) and 2½ M/M (No. 12).

Tight Workers—

1 each 3½ M/M (No. 9) and 3 M/M (No. 11).

Hooks in instructions are for Average Workers.

TENSION—1 patt. to 1 inch in width and 2¼ ins. in depth, using a 3 M/M (No. 11) Hook. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

6 Small Buttons.

ABBREVIATIONS—See page 19.

"Star" = (y.o.h.) twice, draw up a loop in same st. as that in which last st. was worked, (y.o.h. and draw through 2 loops on hook) twice, * miss 2 sts., (y.o.h.) twice, draw up a loop in next st., (y.o.h. and draw through 2 loops on hook) twice *, rep. from * to * once, y.o.h. and draw through all 4 loops on hook, 1 ch. to fasten.

"Half Star" = work as given for "Star" but work section from * to * once, instead of twice, y.o.h. and draw through all 3 loops on hook, 1 ch. to fasten.

"Dec." = (y.o.h., draw up a loop in next st., y.o.h. and draw through first 2 loops) twice, y.o.h. and draw through all 3 loops on hook.

"Picot" = 3 ch., sl.st. back into d.c. just worked.
st. = any stitch.

Instructions are for size A. Sizes B and C are shown [B . . .] [C . . .]. Where one set of figures is given, this applies to all sizes.

BACK—

Using 3 M/M (No. 11) Hook, make 69 [B 75] [C 81] chain.

1st row—Miss 3 ch., 1 tr. in each ch. to end. (67 [B 73] [C 79] tr. counting turning ch. as 1 tr.).

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

3rd row—As 2nd row.

**** 4th row**—(1 d.c., 2 ch.) in first tr., * 2 ch., "Star", 2 ch., 1 d.tr. in same st. as that in which last leg of "Star" was worked, rep. from * to end.

5th row—(1 d.c., 1 ch.) in first d.tr. 1 d.tr. in fastening ch. of "Star" (this forms first "Half Star"), * 2 ch., 1 d.tr. in same fastening ch., 2 ch., "Star", (working legs in same fastening ch., next d.tr. and next fastening ch.), rep. from * to turning ch. loop, 2 ch., 1 d.tr. in same fastening ch., 2 ch., "Half Star", (working over same fastening ch. and 3rd ch. of turning ch. loop).

6th row—(1 d.c., 1 ch.) in first fastening ch., * 2 tr. in 2 ch. sp., 1 tr. in d.tr., 2 tr. in 2 ch. sp., 1 tr. in fastening ch., rep. from * to end, working last tr. in top of turning ch.

Rep. 2nd row 3 times. **

Rep. from ** to ** 2 [B 2] [C 3] times.

Keeping continuity of patt., shape armholes as follows—

1st row—Sl.st. across first 4 tr., 2 ch., miss 2 sts., 1 d.tr. in next tr., (to stand as first "Half Star"), patt. to last 6 sts., "Half Star", turn.

2nd row—3 ch., "Half Star" (working legs in next d.tr. and next fastening ch.), patt. to last d.tr., 2 ch., "Half Star", (working legs in same "Star" and last d.tr.), turn.

3rd row—(1 d.c., 1 ch.) in first fastening ch., "Dec." in next 2 ch. sp., patt. to last 2 ch. sp., "Dec." in next 2 ch. sp., 1 tr. in last fastening ch., turn.

4th row—(1 d.c., 1 ch.) in first tr., "Dec.", 1 tr. in each tr. to last 3 sts., "Dec.", 1 tr. in top of turning ch.

Rep. 4th row once. ***

Work 3 rows in patt. without shaping.

Work 3 [B 4] [C 5] rows in tr.

Shape shoulders as follows—

1st row—Sl.st. across first 3 [B 4] [C 5] sts., 1 d.c. in each of next 2 tr., 1 h.tr., in each of next 3 tr., 1 tr. in each tr. to last 8 [B 9] [C 10] sts., 1 h.tr. in each of next 3 tr., 1 d.c., in each of next 2 tr.

Fasten off.

FRONT—

Work as given for Back to ***.

Shape neck as follows—

1st row—(1 d.c., 1 ch.) in first tr., 1 tr. in each of next 18 [B 20] [C 22] tr., turn.

A only—2nd row—(1 d.c., 3 ch.) in first tr., miss 2 tr., 1 d.tr. in next tr., 2 ch., patt. to end.

3rd row—Patt. to last d.tr. and turning ch., "Half Star" (working legs in same place as last d.tr. and next d.tr.), turn.

4th row—(1 d.c., 1 ch.) in first fastening ch., patt. to end.
Work 2 rows in tr.

Shape shoulder as follows—

1st row—Sl.st. across first 3 tr., 1 d.c. in each of next 2 tr., 1 h.tr. in each of next 3 tr., 1 tr. in each tr. to end.

Fasten off.

[B only—2nd row—(1 d.c., 2 ch.) in first tr., miss 1 tr., "Half Star", patt. to end.

3rd row—Patt. to last fastening ch., 1 d.tr. in fastening ch.

4th row—(1 d.c., 1 ch.) in first d.tr., patt. to end.

Work 3 rows in tr.



Front Cover — Short sleeved Jumper with plain treble sleeves and horizontal bands of "star stitch" on body. Garment is buttoned on shoulders and edged in picot.

Shape shoulder as follows—

1st row—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to last 9 tr., 1 h.tr. in each of next 3 tr., 1 d.c. in each of next 2 tr.

Fasten off.].

[C only—2nd row—(1 d.c., 2 ch.) in first tr., 2 ch., "Star", (working beg. in next tr.), patt. to end.

3rd row—Patt. to last fastening ch., 1 d.tr. in fastening ch., 1 d.tr. in top of turning ch., turn.

4th row—(1 d.c., 1 ch.) in first d.tr., patt. to end.

Work 4 rows in tr.

Shape shoulder as follows—

1st row—Sl.st. across first 5 tr., 1 d.c. in each of next 2 tr., 1 h.tr. in each of next 3 tr., 1 tr. in each tr. to end.

Fasten off.]

All Sizes—Miss next 11 [B 13] [C 15] sts.

Join in yarn to remaining sts. and complete to correspond with other side.

SLEEVES—

Using 3 M/M (No. 11) Hook, make 46 [B 48] [C 52] chain.

1st row—Miss 3 ch., 1 tr. in each ch. to end. (44 [B 46] [C 50] tr., counting turning ch. as 1 tr.)

2nd row—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

3rd row—(1 d.c., 1 ch.) in first tr., 2 tr. in next tr., 1 tr. in each tr. to last tr. and turning ch., 2 tr. in next tr., 1 tr. in top of turning ch.

Rep. 2nd and 3rd rows once. (48 [B 50] [C 54] tr.)

Rep. 2nd row until side edge measures $1\frac{3}{4}$ [B 2] [C $2\frac{1}{4}$] ins. from commencement, working last row on wrong side.

[continued on next page

Shape top as follows—(NOTE—Do not count sl.st. as one st.).

1st row—Sl.st. across first 2 tr., (1 d.c., 1 ch.) in next tr., 1 tr. in each tr. to last 2 sts., turn.

2nd row—Sl.st. in first st., 1 d.c. in next st., "Dec.", 1 tr. in each tr. to last 4 sts., "Dec.", 1 tr. in next st., turn.

Rep. 2nd row 2 [B 2] [C 3] times.

Next row—Sl.st. in first 2 sts., 1 d.c. in next st., "Dec.", 1 tr. in each tr. to last (3 tr., "Dec.", and 1 d.c.), "Dec.", 1 tr. in next st., turn.

Rep. last row 3 times. (8 [B 10] [C 10] sts.)

Fasten off.

MAKE UP—

If making in **Patonyle or Gem**, with a slightly damp cloth and warm iron, press very lightly. If making in **Easycare**, **DO NOT PRESS**. Using a flat seam, sew up side and sleeve seams and shoulder seams for $\frac{1}{2}$ inch. Using back-stitch, sew in sleeves, placing seams to side seams. With right side facing using $2\frac{1}{2}$ M/M (No. 12) Hook, work 1 round d.c. evenly around lower edge and sleeves.

2nd round—1 d.c. in first d.c., * "Picot" 1 d.c. in each of next 3 d.c., rep. from * to last d.c., "Picot", 1 d.c. in last d.c.

Fasten off.

Work same edging around neck (working 2 rows d.c. in place of 1 row d.c. 1 row picot on shoulders) working three 2 ch. buttonloops on each shoulder in 2nd row.

Sew on buttons.



Front Cover — Poncho in two colours.
Treble bands with contrasting pattern bands.
3 button opening on front.

No. 9—Poncho

PATONS GEM COTTON, PATONYLE or EASYCARE BRI-NYLON

A—Fits 20-22 inch underarm—

Main Colour—3 balls.

Contrast—3 balls.

B—Fits 23-25 inch underarm—

Main Colour—4 balls.

Contrast—3 balls.

Length at shortest point A $10\frac{1}{4}$, B $11\frac{3}{4}$ ins.

HOOK—Milwards "Disc".

Loose Workers $2\frac{1}{2}$ M/M (No. 12)

Average Workers 3 M/M (No. 11)

Tight Workers $3\frac{1}{2}$ M/M (No. 9).

Hook in instructions is for Average Workers.

TENSION—1 patt. to $1\frac{5}{8}$ inches in width and 1 patt. to $1\frac{1}{2}$ inches in depth. Check your tension—see page 4.

Milwards Tapestry Needle for sewing seams.

3 Small Buttons.

ABBREVIATIONS—See page 19.

Instructions are for size A. Size B is shown [B . . .]. Where one set of figures is given, this applies to both sizes.

PONCHO (Make 2 pieces)—

Using 3 M/M (No. 11) Hook and C., make 63 [B 73] chain.

1st row—Miss 1 ch., 1 d.c. in each of next 2 ch., * 4 ch., miss 3 ch., 1 tr. in each of next 2 ch., 4 ch., miss 3 ch., 1 d.c. in each of next 2 ch., rep. from * to end.

2nd row—(1 d.c., 1 ch.) in first d.c., 1 tr. in next d.c., * 4 ch., miss 4 ch., 1 d.c. in each of next 2 tr., 4 ch., miss 4 ch., 1 tr. in each of next 2 d.c., rep. from * to end.

3rd row—1 ch., 1 d.c. in each of next 2 tr., * 4 ch., miss 4 ch., 1 tr. in each of next 2 d.c., 4 ch., miss 4 ch., 1 d.c. in each of next 2 tr., rep. from * to end, working last d.c. in top of turning ch.

Rep. 2nd row once.

Using M., **5th row**—(1 d.c., 1 ch.) in first tr., 1 tr. in next tr., * 3 tr. in next 4 ch. loop, 1 tr. in each of next 2 d.c., 3 tr. in next 4 ch. loop, 1 tr. in each of next 2 tr., rep. from * to end.

6th row—(1 d.c., 1 ch.) in first tr., 1 tr. in each tr. to end, working last tr. in top of turning ch.

[continued opposite


Using C., **7th row**—1 ch., 1 d.c. in each of next 2 tr., * 4 ch., miss 3 tr., 1 tr. in each of next 2 tr., 4 ch., miss 3 tr., 1 d.c. in each of next 2 tr., rep. from * to end. Rep. rows 2 to 7 incl. 10 [B 11] times, then rows 2 to 6 incl. once. Fasten off.

MAKE UP—

DO NOT PRESS. Using a flat seam, join points A—B to C—D and G—H to E—F as in diagram at right, leaving an opening 3 ins. long at point A—C. Using M., work 2 rounds tr. evenly around lower edge, working 5 tr. in each corner in each round.


Using M., Work 2 rows tr. evenly around neck edge and right front edge of opening. Slip stitch opening in position. Sew on buttons and button through trebles.

FOUNDATION CH.




ABBREVIATIONS used in CROCHET

Ch. — chain. sp. — space. s.c. — single crochet. sl.st. — slip stitch. d.c. — double crochet. y.o.h. — yarn over hook. h.tr. — half treble—pass yarn round hook, draw a loop through next ch., draw a loop through all 3 loops on hook. tr. — treble—pass yarn round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops. d.tr. — double treble—pass yarn twice round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops. t.r. — triple treble—pass yarn three times round hook, draw a loop through next ch., draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops.



CRAB STITCH

TO MAKE A TWISTED CORD



Method requires two people. Take as many strands of yarn as required, approximately three times the length required for the finished cord. Knot each end and slip a pencil between strands. Each person holds yarn just below pencil with one hand and twists pencil clockwise with other hand, keeping yarn taut. When yarn begins to kink, catch centre over door-knob or back of chair. Bring pencils together for one person to hold, while other grasps centre of yarn, sliding hand down and releasing at short intervals, letting yarn twist.

IMPORTANT — DYE LOTS !

Always buy enough of the same dye lot at the one time for a complete garment, as a variation between dye lots can occur.

Retain ball bands until the garment is completely finished, and, in the event of an enquiry concerning the purchase, submit all ball bands.

PLEASE NOTE—Every effort is made to ensure that all Patons Knitting and Crochet instructions are correct in every way. If at any time you feel that an instruction is incorrect, or you have difficulty in interpreting it, please contact us, and we will do our best to clarify it for you. Our telephone numbers are—Mt. Waverley, 544-0666; Mascot, 67-0577; Brisbane, 51-5525; Adelaide, 23-4233; Perth, 21-9841. If unable to phone us, you can write to us at the address below.

PUBLISHED WITH ALL RIGHTS RESERVED BY **COATS PATONS (AUSTRALIA) LTD.**
Makers of Coats Sewing Threads and Patons Knitting Yarns

REGISTERED OFFICE: 321-355 FERNTREE GULLY ROAD, MT. WAVERLEY, VICTORIA, 3149. P.O. BOX 110

Wholly set up and printed in Australia

Trade Marks registered in Australia

Patons

Book 995

Patonyle,
Easycare
and Gem

NO KÄITÄCHUST

pretty poppets

IN CROCHET



40c