


46-51 cm 18-20 in

PRICE
CODE **B** 7176



Patons FAIRYTALE *Misty* DK



Lambswool DK

Baby's jacket, hat, leggings and mitts

JACKET			
To fit chest	cm	46	51
	(approx) in	18	20
Length from top of shoulders	cm	32	33
	(approx) in	12½	13
Sleeve seam	cm	15	18
	(approx) in	6	7
Patons Fairytale Misty Double Knitting or Patons Fairytale with Lambswool Double Knitting or Patons Fairytale Double Knitting Courtelle/Bri Nylon 20 gram balls 7 7			
LEGGINGS			
Inside leg seam	cm	19	21
	(approx) in	7½	8½
Length at centre front	cm	21	23
	(approx) in	8½	9
Patons Fairytale Misty Double Knitting or Patons Fairytale with Lambswool Double Knitting or Fairytale Double Knitting Courtelle/Bri-Nylon 20 gram balls 5 6			
HAT			
Width round head	cm	39	
	(approx) in	15½	
Patons Fairytale Misty Double Knitting or Patons Fairytale with Lambswool Double Knitting or Patons Fairytale Double Knitting Courtelle/Bri-Nylon 20 gram balls 2			
MITTS			
Patons Fairytale Misty Double Knitting or Patons Fairytale with Lambswool Double Knitting or Patons Fairytale Double Knitting Courtelle/Bri-Nylon 20 gram ball 1 1			

Quantities of yarn are approximate as they are based on average requirements.

Pair each Nos 3¼ mm and 4 mm Milward needles.

4 buttons for Jacket.

Length of elastic for Leggings.

Tension

On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarns is used.

Abbreviations

K=knit; P=purl; st=stitch; yfwd=yarn forward;
 tog=together; tbl=through back of loops;
 dec=decrease by working 2 stitches together.

alt=alternate; rep=repeat; patt=pattern;
cm=centimetres; in=inches; mm=millimetres; 0=no
sts or times.

M1=make a stitch by picking up horizontal loop lying
before next stitch and working into back of it.

Cr3=K3 then pass 3rd st from right hand needle over
first 2 sts.

Jacket

BACK

With No 3¼ mm needles, cast on 108 [122] sts and
work 4 rows in garter stitch (every row K, **noting** that
first row is **wrong** side).

Next row—K4, * P2, K12; rep from * to last 6 sts, P2,
K4.

Change to No 4 mm needles and work in **patt** as
follows: **1st row**—(Right side), P4, * K1, yfwd, K1, P12;
rep from * to last 6 sts, K1, yfwd, K1, P4.

2nd row—K4, * P3, K12; rep from * to last 7 sts, P3, K4.

3rd row—P4, * Cr3, P12; rep from * to last 7 sts, Cr3,
P4.

4th row—K4, * P12, K12; rep from * to last 6 sts, P2,
K4.

Rep these 4 rows twice more, then 1st and 2nd rows
again.

Shape as follows: **Next row**—P4, * Cr3, P5, P2tog, P5;
rep from * to last 7 sts, Cr3, P4 (101 [114] sts).

Next row—K4, * P2, K11; rep from * to last 6 sts, P2,
K4.

Continue in patt and work a further 18 rows.

Next row—P4, * Cr3, P4, P2tog, P5; rep from * to last 7
sts, Cr3, P4 (94 [106] sts). **Next row**—K4, * P2, K10;
rep from * to last 6 sts, P2, K4.

Work 14 rows more in patt.

Next row—P4, * Cr3, P2tog, (P3tog) twice, P2tog; rep
from * to last 7 sts, Cr3, P4 (52 [58] sts). **Next row**—K4,
* P2, K4; rep from * to end.

Shape armhole as follows: Cast off 2 sts, P2 (including
st on needle after cast off), * K2, P4; rep from * to end.

Next row—Cast off 2 sts, K2, (including st on needle
after cast off), * P2, K4; rep from * to last 4 sts, P2, K2
(48 [54] sts).

Leave these sts on a spare needle.

LEFT FRONT

With No 3¼ mm needles, cast on 50 [59] sts and work 4
rows in garter stitch.

Next row—K2 [11], * P2, K12; rep from * to last 6 sts,
P2, K4.

Change to No 4 mm needles and work in **patt** as
follows: **1st row**—(Right side), P4, * K1, yfwd, K1, P12;
rep from * to last 4 [13] sts, K1, yfwd, K1, P2 [11].

2nd row—K2 [11], * P3, K12; rep from * to last 7 sts,
P3, K4. **3rd row**—P4, * Cr3, P12; rep from * to last 5
[14] sts, Cr3, P2 [11].

4th row—K2 [11], * P2, K12; rep from * to last 6 sts, P2,
K4.

Rep these 4 rows twice more, then 1st and 2nd rows
again.

Shape as follows: **Next row**—P4, * Cr3, P5, P2tog, P5;
rep from * to last 5 [14] sts, Cr3, P2 [5], (P2tog, P4) 0 [1]
times (47 [55] sts). **Next row**—K2 [10], * P2, K11; rep
from * to last 6 sts, P2, K4.

Work 18 rows more in patt.

Next row—P4, * Cr3, P4, P3tog, P4; rep from * to last 5
[13] sts, Cr3, P2 [4], (P3tog, P3) 0 [1] times (41 [47]
sts).

Next row—K2 [8], * P2, K9; rep from * to last 6 sts, P2,
K4.

Work 14 rows more in patt.

Next row—P4, * Cr3, P2tog, P3tog, (P2tog) twice; rep
from * to last 5 [11] sts, Cr3, (P2tog) 0 [3] times, P2 (26
[29] sts).

Next row—K2 [5], * P2, K4; rep from * to end.

Shape armhole as follows: **Next row**—Cast off 2 sts,
P2 (including st on needle after cast off), * K2, P4; rep
from * to last 4 [7] sts, K2, P2 [5] (24 [27] sts).

Next row—K2 [5], P2, * K4, P2; rep from * to last 2 sts,
K2.

Leave these sts on a spare needle.

RIGHT FRONT

With No 3¼ mm needles, cast on 50 [59] sts and work 4
rows in garter stitch.

Next row—K4, * P2, K12; rep from * to last 4 [13] sts,
P2, K2 [11].

Change to No 4 mm needles and work in **patt** as
follows: **1st row**—(Right side), P2 [11], * K1, yfwd, K1,
P12; rep from * to last 6 sts, K1, yfwd, K1, P4.

2nd row—K4, * P3, K12; rep from * to last 5 [14] sts,
P3, K2 [11]. **3rd row**—P2 [11], * Cr3, P12; rep from * to
last 7 sts, Cr3, P4.

4th row—K4, * P2, K12; rep from * to last 4 [13] sts, P2,
K2 [11].

Rep these 4 rows twice more, then 1st and 2nd rows
again.

Next row—P2 [4], (P2tog, P5) 0 [1] times, * Cr3, P5,
P2tog, P5; rep from * to last 7 sts, Cr3, P4 (47 [55] sts).

Next row—K4, * P2, K11; rep from * to last 4 [12] sts,
P2, K2 [10].

Continue in patt and work 18 rows.

Next row—(P3, P3tog) 0 [1] times, P2 [4], * Cr3, P4,
P3tog, P4; rep from * to last 7 sts, Cr3, P4 (41 [47] sts).

Next row—K4, * P2, K9; rep from * to last 4 [10] sts,
P2, K2 [8].

Work 14 rows more in patt.

Next row—P2, (P2tog) 0 [3] times, * Cr3, (P2tog)
twice, P3tog, P2tog; rep from * to last 7 sts, Cr3, P4 (26
[29] sts).

Next row—* K4, P2; rep from * to last 2 [5] sts, K2 [5].

Next row—P2 [5], * K2, P4; rep from * to end.

Shape armhole as follows: **Next row**—Cast off 2 sts, K2 (including st on needle after cast off), * P2, K4; rep from * to last 4 [7] sts, P2, K2 [5] (24 [27] sts).

Leave these sts on a spare needle.

SLEEVES

With No 3¼ mm needles, cast on 29 [31] sts and work in K1, P1 rib for 3 cm, rows on right side having a K1 at each end and ending with right side facing for next row.

Next row—Rib 4 [1], * M1, rib 2; rep from * to last 5 [2] sts, M1, rib 5 [2] (40 [46] sts).

Next row—* K4, P2; rep from * to last 4 sts, K4.

Change to No 4 mm needles and work in **patt** as follows: **1st row**—(Right side), * P4, K1, yfwd, K1; rep from * to last 4 sts, P4.

2nd row—K4, * P3, K4; rep from * to end. **3rd row**—P4, * Cr3, P4; rep from * to end. **4th row**—K4, * P2, K4; rep from * to end.

These 4 rows form **patt**.

Continue in **patt** until Sleeve measures approx 15 [18] cm down centre, ending with a 4th row of **patt**.

Shape top as follows: **Next row**—cast off 2 sts, P2 (including st on needle after cast off), * K2, P4; rep from * to end.

Next row—Cast off 2 sts, K2 (including st on needle after cast off), * P2, K4; rep from * to last 4 sts, P2, K2 (36 [42] sts).

Leave these sts on a spare needle.

YOKE

With right side facing and No 4 mm needles, slip sts on to left-hand needle as follows: 24 [27] sts from left front, 36 [42] sts from left sleeve, 48 [54] from back, 36 [42] sts from right sleeve and 24 [27] sts from right front (168 [192] sts).

Rejoin yarn and work as follows: **Next row**—P2 [5], * K2, P4; rep from * to last 4 [7] sts, K2, P2 [5]. **Next row**—K2 [5], * P2, K4; rep from * to last 4 [7] sts, P2, K2 [5].

Next row—P2 [5], * K2tog, P4; rep from * to last 4 [7] sts, K2tog, P2 [5] (140 [161] sts). **Next row**—K2 [5], * P1, K4; rep from * to last 3 [6] sts, P1, K2 [5].

Next row—P2 [5], * K1, P4; rep from * to last 3 [6] sts, K1, P2 [5].

Continue in **patt** and work a further 7 [9] rows.

Next row—P2, (P2tog, P1) 0 [1] times, * K1, P1, P2tog, P1; rep from * to last 3 [6] sts, K1, (P1, P2tog) 0 [1] times, P2 (113 [129] sts).

Next row—K2 [4], * P1, K3; rep from * to last 3 [5] sts, P1, K2 [4]. **Next row**—P2 [4], * K1, P3; rep from * to last 3 [5] sts, K1, P2 [4].

Continue in **patt** and work a further 7 [9] rows.

Next row—P2, (P2tog) 0 [1] times, * K1, P1, P2tog; rep from * to last 3 [5] sts, K1, (P2tog) 0 [1] times, P2 (86 [97] sts).

Next row—K2 [3], * P1, K2; rep from * to last 3 [4] sts, P1, K2 [3]. **Next row**—P2 [3], * K1, P2; rep from * to last 0 [1] sts, P0 [1].

Continue in **patt** and work a further 5 rows.

Next row—P2 [1], (P2tog), 0 [1] times, * K1, P2tog; rep from * to last 3 [4] sts, K1, (P2tog) 0 [1] times, P2 [1] (59 [65] sts).

Next row—K2, * P1, K1; rep from * to last st, K1. **Next row**—P2, * K1, P1; rep from * to last st, P1.

Change to No 3¼ mm needles and rep last 2 rows twice, then first of these rows again.

Cast off evenly in rib.

MAKE UP AND BORDERS

Do not press. Join side and sleeve seams.

Button Border: With No 3¼ mm needles, cast on 7 sts and work in rib as follows: **1st row**—(Right side), K2, (P1, K1) twice, K1.

2nd row—K1, (P1, K1) 3 times.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front for Girl, Right Front for Boy to top of Neck Border, sewing in position as you go along. Cast off evenly in rib.

Buttonhole Border: Work as for Button Border with the addition of 4 buttonholes, first to come at start of Yoke, last to come in centre of Neck Border and remainder spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—Girl's Version: (Right side), rib 3, cast off 2, rib to end and back, casting on 2 over those cast off.

Boy's Version: (Right side), rib 2, cast off 2, rib to end and back, casting on 2 over those cast off.

Sew on buttons.

Leggings

PANEL PATT (8 sts)

1st row—(Right side), P3, K1, yfwd, K1, P3. **2nd row**—K3, P3, K3. **3rd row**—P3, Cr3, P3. **4th row**—K3, P2, K3.

These 4 rows form panel **patt**.

FRONT

** With No 3¼ mm needles, cast on 70 [74] sts and work in K1, P1 rib for 3 cm. **

Change to No 4 mm needles and work in stocking stitch, **placing panel patt** as follows: **1st row**—(Right side), K2, panel **patt** 8 as 1st row, K to last 10 sts, panel **patt** 8 as 1st row, K2.

2nd row—P2, panel **patt** 8 as 2nd row, P to last 10 sts, panel **patt** 8 as 2nd row, P2.

Continue thus, working appropriate rows of panel **patt** until Front measures 21 [23] cm, ending with right side facing for next row.

Divide for Legs as follows: **Next row**—K2, panel patt 8, K22 [24], turn and leave remaining sts on a spare needle.

Continue on these 32 [34] sts for first side and work 1 row.

Keeping continuity of patt, **shape inside leg** by dec 1 st at end of next and following 6 alt rows. Work 3 rows.

Now dec 1 st at end of next and every following 4th row until 18 [19] sts remain.

Work straight until Front measures approx 40 [44] cm, ending with a 4th [2nd] row of patt.

Leave these sts on a length of yarn.

With right side facing, rejoin yarn to remaining sts, cast off 6, patt to end.

Work to match first side, reversing shapings.

BACK

Work as for Front from ** to **.

Change to No 4 mm needles and starting with a K row, work in stocking stitch until Back measures 21 [23] cm, ending with a P row.

Divide for legs as follows: **Next row**—K32 [34], turn and leave remaining sts on a spare needle.

Continue on these 32 [34] sts for first side and work 1 row.

Shape inside leg by dec 1 st at end of next and following 6 alt rows. Work 3 rows.

Now dec 1 st at end of next and every following 4th row until 17 [18] sts remain.

Work a few rows straight until Back measures same as Front. Leave these sts on a length of yarn.

With right side facing, rejoin yarn to remaining sts, cast off 6, K to end.

Work to match first side, reversing shapings.

Join outside leg seams and work feet as follows: **Right Foot**—With right side facing and No 4 mm needles, work across the 35 [37] sts from right leg as follows:

1st row—K19 [20], panel patt 8, K1 [2], turn. **2nd row**—P1 [2], panel patt 8, P1 [2], turn. **3rd row**—K1 [2], panel patt 8, K1 [2].

Rep 2nd and 3rd rows 4 [5] times more, then 2nd row again. Break yarn.

With right side facing, rejoin yarn to inside edge where 18 sts were left, **knit up** 9 [11] sts along side of foot, K across 10 [12] sts, **knit up** 9 [11] sts from other side of foot, then K across remaining 7 sts (53 [59] sts).

Work 13 rows garter stitch (every row K).

Shape foot as follows: **1st row**—K3, K2tog, K1 [2], K2tog, K21 [23], K2tog, K2 [3], K2tog, K18 [20]. **2nd row**—K.

3rd row—K2, K2tog, K1 [2], K2tog, K19 [21], K2tog, K2 [3], K2tog, K17 [19]. **4th row**—K.

Cast off.

Left Foot: With right side facing and No 4 mm needles, work across the 35 [37] sts from left leg as follows:

1st row—K8 [9], panel patt 8, K1 [2], turn. **2nd row**—P1 [2], panel patt 8, P1 [2], turn. **3rd row**—K1 [2], panel patt 8, K1 [2].

Rep 2nd and 3rd rows 4 [5] times more, then 2nd row again. Break yarn.

With right side facing, rejoin yarn to inside edge where 7 sts were left, **knit up** 9 [11] sts along side of foot, K across 10 [12] sts, **knit up** 9 [11] sts from other side of foot, then K across remaining 18 sts (53 [59] sts).

Work 13 rows garter stitch.

Shape foot as follows: **1st row**—K18 [20], K2tog, K2 [3], K2tog, K21 [23], K2tog, K1 [2], K2tog, K3. **2nd row**—K.

3rd row—K17 [19], K2tog, K2 [3], K2tog, K19 [21], K2tog, K1 [2], K2tog, K2. **4th row**—K. Cast off.

TO MAKE UP

Do not press.

Join inside leg seams, join foot seam.

Join elastic in a ring and sew inside waist ribbing using herringbone stitch over elastic to form a casing.

Hat

With No 3¼ mm needles, cast on 86 sts and work 4 rows in garter stitch (every row K).

Next row—K3, * P2, K4; rep from * to last 5 sts, P2, K3.

Change to No 4 mm needles and work in **patt** as follows: **1st row**—(Right side), P3, * K1, yfwd, K1, P4; rep from * to last 5 sts, K1, yfwd, K1, P3.

2nd row—K3, * P3, K4; rep from * to last 6 sts, P3, K3.

3rd row—P3, * Cr3, P4; rep from * to last 6 sts, Cr3, P3.

4th row—K3, * P2, K4; rep from * to last 5 sts, P2, K3.

These 4 rows form patt.

Work a further 24 rows in patt.

Shape crown as follows: **1st row**—P3, * K2tog, P4; rep from * to last 5 sts, K2tog, P3 (72 sts).

2nd row—K3, * P1, K4; rep from * to last 4 sts, P1, K3.

3rd row—P1, P2tog, * K1, P1, P2tog, P1; rep from * to last 4 sts, K1, P3 (58 sts).

4th row—* K3, P1; rep from * to last 2 sts, K2. **5th row**—P2, * K1, P1, P2tog; rep from * to end (44 sts).

6th row—* K2, P1; rep from * to last 2 sts, K2.

7th row—P2tog, * K1, P2tog; rep from * to end (29 sts). **8th row**—* K1, P1; rep from * to last st, K1. **9th row**—P1, * K2tog; rep from * to end (15 sts).

Break yarn, thread through remaining sts, draw up tightly and fasten off securely.

Do not press.

Join back seam.

Mitts

With No 3¼ mm needles, cast on 28 [32] sts and work in K1, P1 rib for 4 cm.

Change to No 4 mm needles and starting with a K row, work in stocking stitch until Mitt measures 10 [11] cm, ending with a P row.

Shape top as follows: **1st row**—(K1, K2togtbl, K8 [10], K2tog, K1) twice. **2nd and 4th rows**—P. **3rd row**—(K1, K2togtbl, K6 [8], K2tog, K1) twice.

5th row—(K1, K2togtbl, K4 [6], K2tog, K1) twice. **6th row**—P. Cast off.

TO MAKE UP

Do not press.

Join seams.

To help you keep your handknits looking their best, we recommend Dreft. Dreft is safer than soap powders because it's so gentle.



WASHING AND CARING FOR PATONS YARNS

Hand washing is always best. For yarns made mainly of wool use warm water, a warm rinse, squeeze out between towels or spin-dry (normal cycle), then dry flat after easing into shape. Do not dry in direct heat (radiators or fires). Do not dry white handknits in direct sunlight. For yarns made mainly of acrylics it is important that you rinse in cold water and if you spin-dry use the short cycle.

A great many people now use washing machines. The ball band will show whether the yarn you have chosen is suitable for machine-washing: if it is, follow these four "golden rules".

1. Make sure the garment is knitted correctly according to the Patons pattern, on the correct needles to the correct tension.
2. Don't have the water hotter than the recommended temperature.
3. Use the machine on a gentle cycle.
4. Don't leave the garment in the machine too long.

The wrappers on all Patons yarns show the appropriate International Textile Care Labelling Code symbols for the yarn. Examples are shown here. The latest automatic machines have these International Care Symbols, and provided your machine is not connected to the domestic hot water supply (when you need to be careful about the heat) all you have to

do is match the programme to our symbols. Older types of machine will not have these controls and it may be more difficult to ensure the correct combination of temperature, agitation and time.

If you are in any way unsure about the application of the symbols to your machine it is safest to hand-wash.

WASH SYMBOLS

	Machine	Hand wash
	Warm (40°C) Maximum wash	Warm (40°C)
Normal rinse and spin Do not rub or hand-wring Dry flat		
	Machine	Hand wash
	Warm (40°C) Minimum wash	Warm (40°C)
Cold rinse Short spin Do not wring		
	Machine	Hand wash
	Warm (40°C) Minimum wash	Warm (40°C) Do not rub
Spin Do not rub or hand-wring Dry flat		

	Hand wash only	
	Warm (40°C)	
	Warm rinse	Do not rub or hand-wring
	Dry flat	
BLEACH SYMBOLS		Household bleach can be used
		Do not bleach
IRONING SYMBOLS		Cool Iron (120°C)
		Warm Iron (160°C)
		Do not Iron
DRY CLEANING SYMBOLS		Dry cleanable in all solvents
		Dry cleanable in certain solvents
		Consult cleaner
		Do not dry clean

CM

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWINS LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

19433

23