

1/6
SC 50

BEEHIVE BABY BOOK



knitting for the
first 6 months

P&B
WOOLS

Raglan in Quickerknit

traditional full-skirted matinee coat in a modern wool

MATERIALS: 4 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 7 and two No. 6 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two buttons. *You must use Quickerknit to be sure of a successful result.*

MEASUREMENTS: Width, 19 ins. Length at centre back (excluding band), 12½ ins. Sleeve seam, 4½ ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 5½ sts. and 7½ rows to one square inch on No. 7 needles, measured over stocking stitch.

See below for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 6 needles, cast on 45 sts. Work 6 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1.). Proceed in lace panels with moss stitch border as follows:—

1st row—(K.1, P.1) twice, K.4, * w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.7, rep. from * to last 7 sts., w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.4.

2nd and 4th rows—(K.1, P.9) 4 times, (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.2, * sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.3,

Please read this first

ABBREVIATIONS—K.=knit; P.=purl; st.=stitch; sl.=slip; w.f.=wool forward; w.r.n.=wool round needle; w.o.n.=wool on needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches; K.1B.=Knit one below by knitting through next st. one row below and at the same time slipping stitch above off needle, see diagram (page 22).

HOW TO CHECK YOUR TENSION—Before you knit these designs check your tension carefully. Take a pair of No. 11 needles and some Patons Beehive Baby Wool, Patonised. Cast on 16 stitches and work in stocking stitch—1 row knit; 1 row purl—for 20 rows. Cast off; press lightly on wrong side. The tension should be 8 stitches and 10 rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this book. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

SIZES—The figures in square brackets [] refer to the large size.

MAKING UP—Except where otherwise stated, a flat seam is used.

WASHING—As some of these designs use substantial weights of double knittings, special care in washing and drying is essential if they are to keep their shape. Remove surplus water as quickly and as thoroughly as possible (a light wringer is permissible); while the garments are wet they should be continually supported and should on no account be hung up to dry.

rep. from * to last 9 sts., sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.2.

5th row—As 3rd row.

6th row—As 2nd row.

Work these 6 rows 6 times more.

Next row—(K.1, P.1) twice, K.2,

*K.2 tog., sl.1, K.2 tog., p.s.s.o., rep. from * to last 4 sts., K.2 tog., K.2 (23 sts.).

Change to No. 7 needles and work 3 rows in moss stitch.

Next row—(on which a buttonhole is worked) K.1, P.2 tog., w.r.n., P.1, * K.1, P.1, rep. from * to last st., K.1

Work 2 rows in moss stitch.

Next row—(P.2, inc. in next st. purlwise) 6 times, (K.1, P.1) twice, K.1 (29 sts.).

Next row—(K.1, P.1) twice, K. to end.

Commence raglan shaping as follows:—

1st row—Cast off 3 sts., P. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

4th and 5th rows—As 2nd and 3rd.

6th row—K.1, P.2 tog., w.r.n., P.1, K. to last 3 sts., K.2 tog., K.1.

7th row—As 3rd row.

8th row—(on which front slope is commenced) (K.1, P.1) twice, K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1.

*** Continue dec. at armhole edge on every alt. row as before, **at the same time** dec. 1 st. at front edge on every 6th row from previous dec. until 4 dec. in all have been worked at front edge (9 sts.).

Continue dec. at armhole edge **only** as before until 7 sts. remain. ***

Next row—K.2 tog., (K.1, P.1) twice, K.1.

Next row—(K.1, P.1) twice, K.2 tog.

Work 13 rows in moss stitch on remaining 5 sts.

Cast off.

LEFT FRONT

Using No. 6 needles, cast on 45 sts.

Work 6 rows in moss stitch.

Proceed as follows:—


1st row—K.4, * w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.7, rep. from * to last 11 sts., w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.4, (P.1, K.1) twice.

2nd and 4th rows—(K.1, P.1) twice, (K.1, P.9) 4 times, K.1.

3rd row—K.2, * sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.3, rep. from * to last 13 sts., sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.2, (P.1, K.1) twice.

5th row—As 3rd row.

continued on page 43





RAGLANS ARE FAVOURITES!

* K.1, P.1, rep. from * to last st., K.1).

Divide for slot as follows:—

Next row—(K.1, P.1) twice, K.1, turn.

Work 2 rows in moss stitch on these 5 sts. Break off wool.

Rejoin wool to group of 42 [43] sts.

Next row—Cast off 1 st., moss stitch to end.

Work 2 rows in moss stitch.

Next row—Moss stitch to end, cast on 1 st., work in moss stitch across 5 sts. (47 [53] sts.).

Work 4 rows in moss stitch.

Next row—Moss stitch 3 [6], (inc. in next st., moss stitch 4) 8 times, inc. in next st., moss stitch to end (56 [62] sts.).

Proceed in stocking stitch with moss stitch border as follows:—

1st row—(K.1, P.1) twice, K.1 to end.

2nd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Work these 2 rows once more.

Next row—(On which shaping is commenced) (K.1, P.1) twice, K.1, K.2 tog.t.b.l., K.1 to end.

Next row—As 2nd row.

Continue dec. as on last 2 rows until 50 [52] sts. remain.

Shape raglan armhole as follows:—

1st row—Cast off 3 sts., P. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, K.2 tog.t.b.l., K.1 to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Rep. 2nd and 3rd rows 18 [19] times (9 [9] sts.).

Continue dec. at armhole edge **only** on next and every alt. row until 6 sts. remain. Work 1 row.

Next row—(K.1, P.1) twice, K.2 tog.

Work 23 rows in moss stitch on remaining 5 sts.

Cast off.

LEFT FRONT

Cast on 47 [53] sts.

Work 13 rows in moss stitch.

continued on page 42

Hug-me-tight

in Beehive Baby Wool

MATERIALS: 2 [2] oz. PATONS BEEHIVE Baby Wool, Patonised and oddments of coloured wool for embroidery. Two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. One yard of ribbon.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width, 18 [19] ins. Length, 7 [8] ins. Sleeve seam, 4½ [5½] ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Cast on 47 [53] sts.

Work 5 rows in moss stitch (every row

Cardigan in Quickerknit—with choice of

button-through or V neck—and booties to match

BUTTON-THROUGH MODEL

MATERIALS: 3 [3] oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10 and two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Seven [seven] Buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Width, 18 [20] ins. Length from shoulder to lower edge, 9 [10] ins. Sleeve seam, 5½ [6½] ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 10 needles, cast on 31 [33] sts.

1st row—(K.1, P.1) twice, K.1, * K.1, P.1, rep. from * to end.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd row—K.1, P.1, w.r.n., P.2 tog., K.1, * K.1, P.1, rep. from * to end.

4th row—As 2nd row.

5th to 10th rows—Rep. 1st and 2nd rows 3 times.

11th row—As 3rd row.

12th row—Work in rib and moss stitch as before, inc. 1 st. at beg. of row on large size only (31 [34] sts.).

Change to No. 8 needles and proceed in all-over patt. as follows:—

18 inch size

1st row—(K.1, P.1) twice, K.2, * P.2, K.4, rep. from * to last st., K.1.

2nd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.1, * K.4, P.2, rep. from * to last 2 sts., K.2.

4th row—As 2nd row.

These 4 rows form the patt.

20 inch size

1st row—(K.1, P.1) twice, K.1, * K.4, P.2, rep. from * to last 5 sts., K.5.

2nd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.2, * P.2, K.4, rep. from * to last 4 sts., P.2, K.2.

4th row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

These 4 rows form the patt.

Both sizes

Continue in patt., working a buttonhole on 3rd row following, and following 12th [14th] row.

Work 8 [10] rows, thus finishing at side edge.

continued on page 39



Cross-over Vest in 2 sizes

Cross-over Vest

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Length of ribbon.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: To fit 16 [18] inch chest. Length from top of shoulder, 9½ [10] ins. Sleeve seam, 2 [2½] ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 7½ sts. and 9½ rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Cast on 54 [59] sts.

K. 6 rows.

Next row—K.

Next row—K.1, P. to last 4 sts., K.4.

Work these 2 rows 22 [24] times more.

Commence front slope and shape sleeve as follows:—

1st row—K.4, K.2 tog., K. to last 2 sts., inc. in next st., K.1.

2nd row—K.1, P. to last 6 sts., P.2 tog., K.4.

Work these 2 rows 4 [4] times more.

Next row—K.4, K.2 tog., K. to end, cast on 11 [13] sts.

Next row—K.4, P. to last 6 sts., P.2 tog., K.4 (58 [65] sts.).

****** Knitting 4 sts. at both ends of every row and still dec. 1 st. at front edge on every row, continue until 38 [43] sts. remain.

Work 10 [10] rows without shaping. ****** Break off wool, slip sts. on to a length of wool and leave.

LEFT FRONT AND BACK

Cast on 54 [59] sts.

K. 6 rows.

Next row—K.

Next row—K.4, P. to last st., K.1.

Work these 2 rows 22 [24] times more.

Commence front slope and shape for Sleeve as follows:—

1st row—Inc. in first st., K. to last 6 sts., K.2 tog., K.4.

2nd row—K.4, P.2 tog., P. to last st., K.1.

Work these 2 rows 4 [4] times more, casting on 11 [13] sts. at end of last row.

Next row—K. to last 6 sts., K.2 tog., K.4.

Next row—K.4, P.2 tog., P. to last 4 sts., K.4 (58 [65] sts.).

Work as Right Front from ****** to ******.

Next row—K. to end, cast on 16 [18] sts. for back of neck, slip sts. of Right Front on to left-hand needle (neck edge at point of needle), K. across these sts. (92 [104] sts.).

Next row—K.4, P.30 [35], K.24 [26], P.30 [35], K.4.

Next row—K.

Work these 2 rows 3 [3] times more.

Knitting 4 sts. at both ends of every row and working remaining sts. in stocking stitch, work 23 [25] rows.

Shape Sleeves by casting off 11 [13] sts. at beg. of next 2 rows. Dec. 1 st. at both ends of 3rd and every alt. row until 60 [68] sts. remain.

Work 46 [50] rows in stocking stitch.

K. 5 rows. Cast off.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges. Press each piece using a warm iron and damp cloth. Join side and sleeve seams, leaving 1 inch open at right side below sleeve, through which to thread ribbon. Stitch a length of ribbon to each Front just below commencement of shaping. Press seams.

Garter-stitch Pilch

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENT: Length from top to lower edge at centre front, 8½ ins.

These instructions apply to the above measurement only; adaptations to other sizes are not available.

and Garter-stitch Pilch

TENSION: $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Commencing at Front, cast on 56 sts.

1st row—K.2, * P.1, K.1, rep. from * to end.

2nd to 4th rows—Rep. 1st row 3 times.

5th row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 2 sts., w.f., K.2 tog.

6th to 12th rows—Rep. 1st row 7 times.

13th row—K.6, * inc. in next st., K.13, rep. from * to last 8 sts., inc. in next st., K.7 (60 sts.).

K. 63 rows.

Divide sts. for legs as follows:—

1st row—K.19, turn.

2nd row—K.1, K.2 tog., K.16.

3rd row—K.15, K.2 tog., K.1.

4th row—K.1, K.2 tog., K.14.

Continue dec. in this manner until 2 sts. remain, K.2 tog. Fasten off. Rejoin wool and K. across 41 sts. on needle.

Proceed as follows:—

1st row—K.16, K.2 tog., K.1, turn.

2nd row—K.1, K.2 tog., K.15.

3rd row—K.14, K.2 tog., K.1.

4th row—K.1, K.2 tog., K.13.

Continue dec. in this manner until 2 sts. remain, K.2 tog. Fasten off. Rejoin wool and K.13 rows on remaining 22 sts.

Inc. once at both ends of next and every alt. row until there are 60 sts. K. 81 rows.

Shape back as follows:—

1st and 2nd rows—K. to last 3 sts., turn.

3rd and 4th rows—K. to last 6 sts., turn.

5th and 6th rows—K. to last 9 sts., turn.

7th and 8th rows—K. to last 12 sts., turn.

9th and 10th rows—K. to last 15 sts., turn.

11th and 12th rows—K. to last 18 sts., turn.

13th and 14th rows—K. to end.

15th row—K.6, * K.2 tog., K.13, rep. from * to last 9 sts., K.2 tog., K.7.

16th row—K.2, * P.1, K.1, rep. from * to end.

Work 16th row 6 times more.

Next row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 2 sts., w.f., K.2 tog.

Rep. 16th row 4 times.

Cast off.

TO MAKE UP

With wrong side of work facing press, using a warm iron and damp cloth. Join side seams as far as shapings.

Using 3 strands of wool 86 ins. long make a twisted cord and thread through holes at waist, attach a small tassel to each end.



Pull on Vest in 2 sizes and Pilch in Rib

Ribbed Vest

MATERIALS: 1 [2] oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. A crochet hook. *You must use the P & B brand recommended above to be sure of a successful result.*

MEASUREMENTS: To fit 16 [18] inch chest. Length, 10 [11] ins. Sleeve seam, $2\frac{1}{2}$ [$2\frac{1}{2}$] ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Commencing at Front, cast on 61 [69] sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, * P.1, K.1, rep. from * to end.

Rep. 1st and 2nd rows until work measures 9 [$9\frac{1}{2}$] ins. from beg., finishing at end of a 2nd row.

Next row—Rib 18 [20], cast off 25 [29], rib to end.

Work 2 [$2\frac{1}{2}$] ins. in rib on first 18 [20] sts., finishing at neck edge.

Break off wool.

Rejoin wool at neck edge to remaining group of 18 [20] sts. and work 2 [$2\frac{1}{2}$] ins. in rib, finishing at neck edge. Cast on 25 [29] sts. at end of last row, then work in rib across 18 [20] sts. that were left.

Complete Back to match Front.

Cast off in rib.

SLEEVES

Cast on 59 [65] sts.

Work rows 1 and 2 of rib as at commencement.

Continue in rib, dec. 1 st. at both ends of

next and every alt. row until 43 [47] sts. remain.

Work 1 row without shaping.

Cast off in rib.

TO MAKE UP

Using a warm iron and damp cloth press lightly on wrong side. Join side seams for $6\frac{1}{2}$ [$6\frac{1}{2}$] ins. Join sleeve seams. Stitch Sleeves into position.

Using crochet hook, work 1 treble, 2 chain evenly round neck. Using 3 strands of wool 60 ins. long, make a twisted cord and thread through holes at neck. Attach a small tassel to each end of cord. Press seams.

Ribbed Pilch

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

MEASUREMENTS: Length from top to lower edge at centre, $8\frac{1}{2}$ ins.

TENSION: As Vest opposite.

Commencing at Front, cast on 81 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—K.1, * P.1, K.1, rep. from * to end.

3rd and 4th rows—As 1st and 2nd.

5th row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 3 sts., w.f., K.2 tog., K.1.

6th to 8th rows—As 2nd to 4th.

9th row—K.2, * inc. in next st. purlwise, K.1, P.1, K.1, rep. from * to last 3 sts., inc. in next st. purlwise, K.2 (101 sts.).

10th row—K.1, * P.1, K.1, rep. from * to end.

Rep. 1st and 2nd rows 27 times.

Proceed as follows:—



5th row—K.1, * P.1, K.1, rep. from * to last 36 sts., turn.

6th row—P.1, * K.1, P.1, rep. from * to last 30 sts., turn.

Continue in this manner, working 6 sts. more on every row until all sts. are worked on to one needle again.

Work 52 rows without shaping.

Proceed as follows:—

1st row—K.2, * P.1, K.1, rep. from * to last 9 sts., P.1, turn.

2nd row—K.1, * P.1, K.1, rep. from * to last 8 sts., turn.

3rd row—* P.1, K.1, rep. from * to last 17 sts., P.1, turn.

4th row—K.1, * P.1, K.1, rep. from * to last 16 sts., turn.

Continue in this manner, working 8 sts. less at end of every row until 21 sts. remain in centre, turn.

Next row—Work in rib to end.

Next row—K.1, * P.1, K.1, rep. from * to end.

1st row—K.2, * P.1, K.1, rep. from * to last 7 sts., P.1, turn.

2nd row—K.1, * P.1, K.1, rep. from * to last 6 sts., turn.

3rd row—P.1, * K.1, P.1, rep. from * to last 12 sts., turn.

Continue in this manner, working 6 sts. less on every row until 29 sts. remain in centre, turn.

Next row—Work in rib to end.

Proceed as follows:—

1st row—Cast off 36 sts. loosely in rib, work in rib to end.

2nd row—Cast off 36 sts. loosely in rib, work in rib to end, cast on 36 sts. loosely.

3rd row—K.1, * P.1, K.1, rep. from * to end, cast on 36 sts. loosely.

4th row—K.2, * P.1, K.1, rep. from * to last 37 sts., P.1, turn.

Proceed as follows:—

1st row—K.2, * P.2 tog., P.1, K.1, P.1, K.2 tog., K.1, P.1, K.1, rep. from * to last 9 sts., P.2 tog., P.1, K.1, P.1, K.2 tog., K.2 (81 sts.).

2nd and 4th rows—K.1, * P.1, K.1, rep. from * to end.

3rd row—K.2, * P.1, K.1, rep. from * to last st., K.1.

5th row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 3 sts., w.f., K.2 tog., K.1. Rep. 2nd and 3rd rows twice.

Cast off.

TO MAKE UP

With wrong side of work facing, press lightly, using a warm iron and damp cloth. Join side seams. Using 3 strands of wool 86 ins. long make a twisted cord and thread through holes at waist. Attach a small tassel to each end.

All in One

simple rompers in Quickerknit

MATERIALS: 4 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 10 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Eight buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Width all round at underarm, 19 ins. Length at centre back, 15½ ins. Sleeve seam, 4½ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

FRONT

Using No. 9 needles, commencing at lower edge, cast on 17 sts.

1st row—K.

2nd and alt. rows—P. to end, cast on 4 sts.

3rd row—K. to end, cast on 4 sts.

5th row—K.8, K.2 tog.t.b.l., K.13, K.2 tog., K. to end, cast on 4 sts.

7th row—K.12, K.2 tog.t.b.l., K.11, K.2 tog., K. to end, cast on 4 sts.

Continue in this manner, casting on 4 sts. at end of every row and working 2 sts. less between dec. at centre until the row "K.32, K.2 tog.t.b.l., K.1, K.2 tog., K. to end, cast on 4 sts." has been worked.

Next row—P. to end, cast on 4 sts.

Next row—K.36, sl.1, K.2 tog., p.s.s.o., K. to end, cast on 4 sts.

Next row—P. to end, cast on 5 sts.

Next row—K. to end, cast on 5 sts. (83 sts.)

Next row—K.1, P. to last st., K.1.

Knitting 1 st. at both ends of every P. row work 26 rows in stocking stitch.

Proceed in fancy patt. as follows:—

1st row—K.1, * P.3, K.3, rep. from * to last 4 sts., P.3, K.1.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, * K.3, P.3, rep. from * to last 4 sts., K.4.

4th row—As 2nd row.

Work rows 1 to 4 incl. 3 times more, then 1st and 2nd rows once.

Proceed in stocking stitch until work measures 10 ins. from beg., measured at centre of work, finishing at end of a P. row.

Next row—K.1, (K.2 tog.), 41 times (42 sts.).

K. 7 rows **.

Next row—K.2, (inc. in next st., K.1) 19 times, K.2 (61 sts.).

Next row—K.1, P. to last st., K.1.

Place centre panel as follows:—

1st row—K.26, P.3, K.3, P.3, K.26.

2nd row—K.1, P. to last st., K.1.

3rd row—K.29, P.3, K.29.

4th row—As 2nd row.

Keeping centre panel correct as on these 4 rows, **shape armholes** by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of every row until 47 sts. remain.

Work 18 rows.

Divide for neck as follows:—

1st row—K.17, cast off 13, K. to end.

Continue on first group of 17 sts., dec. 1 st. at **neck edge** on next 3 rows (14 sts.).

Work 5 rows without shaping.

Shape shoulder by casting off 7 sts. at beg. of next and alt. row.

Rejoin wool to remaining group of sts. and complete to match first half **noting** that 4 rows in place of 5 should be worked before commencement of shoulder shaping.

BACK

Work as Front until ** is reached.

Next row—K.2, (inc. in next st., K.1) 20 times (62 sts.).

Next row—K.1, P. to last st., K.1.



Divide for back opening as follows:—

1st row—K.33, turn.

2nd row—K.4, P. to last st., K.1.

Rep. these 2 rows once.

Keeping garter stitch border correct, **shape armhole** by casting off 3 sts. at beg. of next row. Dec. 1 st. at **armhole edge** on next 3 rows (27 sts.).

Next row—(on which a buttonhole is worked) K.2 tog., K. to last 4 sts., K.2 tog., w.f., K.2.

Keeping border correct, work 27 rows, working a buttonhole as before on every 10th row from previous buttonhole.

Cast off.

Rejoin wool to sts. on needle.

Cast on 4 sts. for underflap, and knitting these 4 sts. on every row, work 5 rows.

Shape armhole by casting off 3 sts. at beg. of next row. Dec. 1 st. at **armhole edge** on every row until 26 sts. remain.

Work 27 rows.

Cast off.

SLEEVES

Using No. 10 needles, cast on 27 sts.

K. 11 rows. *continued at foot of page 12*

Body Belt

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Set of four No. 11 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge.


You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width all round (stretched), 13 ins. Length from top to lower edge, 5 ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.



Using **double wool**, cast on 78 sts., 26 on each of 3 needles.

Using **single wool**:—

1st round—* K.1, P.1, rep. from * to end of round.

Rep. this round for 5 ins.

Using **double wool**, cast off loosely.

ALL IN ONE—continued from page 11

Next row—K.2, (inc. in next st., K.1) 11 times, inc. in next st., K.2 (39 sts.).

Change to No. 9 needles and proceed in stocking stitch until work measures $4\frac{1}{2}$ ins. from beg., finishing at end of a P. row.

Shape top by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 19 sts. remain, both ends of every row until 9 sts. remain. Cast off.

NECKBAND

Using a back-stitch seam, join shoulders of Back and Front.

Using No. 10 needles, with right side of work facing **knit up** 56 sts. round neck.

K. 4 rows working a buttonhole as before on 2nd row.

Cast off.

TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges, taking care not to stretch waist.

Press each piece **very lightly** using a warm

iron and damp cloth. Join side and sleeve seams and stitch sleeves into position. Stitch down end of underflap.

LEG BANDS

Using No. 10 needles, with right side of work facing, omitting 17 cast on sts. **knit up** 66 sts. round leg.

1st row—(K.1, K.2 tog.) 22 times (44 sts.).

K. 5 rows.

Cast off.

LOWER EDGING

Using No. 10 needles, with right side of Front facing **knit up** 4 sts. from leg band, 17 sts. from cast on sts., 4 sts. from second leg band (25 sts.).

K. 1 row.

Next row—(on which buttonholes are worked) K.1, (K.2 tog., w.f., K.5) twice, w.f., K.2 tog., K.5, w.f., K.2 tog., K.1.

K. 2 rows.

Cast off.

Omitting buttonholes, complete Back to match.

Attach buttons. Press all seams.

Labour of Love

this 2-ply shawl—54 inches square
will be richly rewarding when finished

Shawl

MATERIALS: 9 oz. PATONS BEEHIVE Fingering 2-ply, Patonised. Two No. 7 and two No. 5 BEEHIVE needles, measured by BEEHIVE gauge.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Approx. 54 ins. square.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 7 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

CENTRE

Using No. 7 needles, cast on 3 sts.

1st row—W.o.n., K. to end (4 sts.).

Continue in garter stitch inc. as on last row until there are 121 loops up each side of work.

Next row—W.o.n., K.3 tog., K. to end.

Rep. the last row until 3 sts. remain. Cast off.

BORDER

** Using No. 5 needles, with **wrong** side of work facing **knit** up 121 sts. from loops at one side of centre.

1st row—W.o.n., K. to end.

2nd row—As 1st row.

3rd row—W.o.n., * K.2 tog. w.f., rep. from * to last st., K.1.

4th, 5th and 6th rows—As 1st row.

7th row—W.o.n., K.1, * w.f., K.2 tog., rep. from * to end.

8th row—As 1st row.

Work these 8 rows 5 times more, then rows 1 to 7 incl. once **.

Next row—K. to end, cast on 8 sts. for lace edging (184 sts.).

Work **lace edging** gradually using up border sts. as follows:—

1st row—K.8, turn.

2nd row—Sl.1, K.5, w.f., K.2.

3rd row—W.o.n., K.2 tog., K.6, K.2 tog., turn.

continued on page 39





TWO LITTLE COATS

This Lacy Raglan

is in
Beehive
Baby Wool

*See page 2 for how to
check your Tension,
and Abbreviations.*

FANCY LACE PATTERN USED ON BORDER OF COAT

1st row—* K.1, w.f.,
K.3, sl.1, K.2 tog.,
p.s.s.o., K.3, w.f., rep.
from * to last st., K.1.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—* K.2, w.f., K.2, sl.1, K.2 tog.,
p.s.s.o., K.2, w.f., K.1, rep. from * to last
st., K.1.

5th row—* K.3, w.f., K.1, sl.1, K.2 tog.,
p.s.s.o., K.1, w.f., K.2, rep. from * to last
st., K.1.

7th row—* K.4, w.f., sl.1, K.2 tog.,
p.s.s.o., w.f., K.3, rep. from * to last st.,
K.1.

8th row—K.

9th to 24th rows—Rep. rows 1 to 8 incl.
twice.

BACK

Using the **two** needle method, cast on
81 sts. *continued on page 19*

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width, 20 ins. Length at centre Back (excluding neckband), 9½ ins. Sleeve seam, 5 ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 7½ sts. and 9½ rows to one square inch on No. 10 needles, measured over stocking stitch.

EACH FROM TWO OUNCES OF WOOL

and this ***Dolman Jacket*** is in Quickerknit

MATERIALS: 2 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Width, $19\frac{1}{2}$ ins. Length, $7\frac{1}{4}$ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Using No. 10 needles, commencing at **Right Front edge** cast on 39 sts. Work 4 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

Next row—K.1, P.1, w.r.n., P.2 tog., moss stitch 9, w.f., K.2 tog., moss stitch 9, w.r.n., P.2 tog., moss stitch 9, w.f., K.2 tog., P.1, K.1.

Work 4 rows in moss stitch.

Next row—Cast off 8 sts., P. to last 5 sts., (K.1, P.1) twice, K.1.

Change to No. 9 needles and proceed in stocking stitch with moss stitch edge as follows:—

1st row—(K.1, P.1) twice, K. to end.

2nd row—P. to last 5 sts., (K.1, P.1) twice, K.1.

Work these 2 rows twice more.

continued on page 21



Featuring Footwear

in addition to these neat little garter-stitch slippers there are footwear patterns on the following pages:—

socks on page 31; Beehive Baby Wool Bootees page 34;

Quickerknit Bootees on page 41

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 13 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two small buttons.

You must use the P & B brand recommended above to be sure of a successful result.

TENSION: 9 sts. and 11 rows to one square inch on No. 13 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 22 sts.

Work in garter stitch (every row K.), inc. 1 st. at both ends of 1st and every alt. row until there are 38 sts. Dec. 1 st. at both ends of every alt. row until 22 sts. remain (this piece is for sole), casting on 8 sts. at end of last row for heel (30 sts.).

Continue in garter stitch, keeping heel edge straight and inc. 1 st. at other edge on every alt. row (this is for toe) until there are 38 sts.

Next row—Cast off 20 sts. at heel, K. to end.

K. 19 rows on remaining 18 sts., casting on 20 sts. at end of last row (38 sts.).

Continue in garter stitch, keeping heel edge straight and dec. 1 st. at toe edge on every alt. row until 30 sts. remain. Cast off.

Press lightly using a warm iron and damp cloth. Join two straight edges of heel and join together edges round sole, easing in fullness at toe.

STRAP

With right side of work facing **knit up** 18 sts. at heel (9 sts. at each side of joining), cast on 14 sts.; knit back, cast on 14 sts. at other end (46 sts.).

1st and 2nd rows—K.

3rd row—(On which buttonhole is commenced) K.2, cast off 3, K. to end.

4th row—K. to last 2 sts., cast on 3, K.2.

5th to 7th rows—K.

Cast off.

Work another Slipper in same manner, working buttonhole at opposite end of needle.

TO MAKE UP

Attach buttons to correspond with buttonholes. Make 2 small pom-poms and attach to front of slippers, as in photograph.





Mossy Borders and Flowers

there's a touch of
the garden about
this gay little dress

TENSION: $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on No. 10 needles, measured over stocking stitch.
See page 2 for how to check your Tension, and Abbreviations.

FRONT

Using No. 10 needles, cast on 135 sts.

Work edging as follows:—Work 12 rows in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

Knitting 1 st. at both ends of every row, work 4 rows in stocking stitch, 6 rows in moss stitch, 4 rows in stocking stitch, finally 2 rows in moss stitch.

Knitting 1 st. at both ends of every row throughout, proceed in stocking stitch until work measures 10 ins. from beg., finishing at end of a K. row.

Next row—K.1, (P.3 tog.) twice, (P.2 tog.) twice, * P.3 tog., (P.2 tog.) 4 times, rep. from * to last 14 sts., P.3 tog., (P.2 tog.) twice, (P.3 tog.) twice, K.1 (61 sts.).

Change to No. 11 needles and work 15 rows in moss stitch **.

Next row—Moss stitch 5, (inc. in next st. purlwise, moss stitch 4, inc. in next st. knitwise, moss stitch 4) 5 times, inc. in next st. purlwise, moss stitch to end (72 sts.).

Proceed in **yoke patt.** as follows:—

1st row—K.17, (P.1, K.2, w.f., K.2 tog., K.2, P.1, K.7) 3 times, K.10.

MATERIALS: 3 oz. PATONS BEEHIVE Baby Wool, Patonised, oddment of coloured wool for embroidery. Two No. 11 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width all round underarm, 18 ins. Length, 15 ins. Sleeve seam, $1\frac{3}{4}$ ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

2nd row—K.I, P.I, (K.I, P.I, K.I, P.I, w.r.n., P.2 tog., P.I, K.I, P.I, K.I, P.5) 3 times, P.10, K.I.

These 2 rows form the patt.

Rep. these 2 rows once.

Keeping yoke patt. correct, **shape armholes** by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of next 5 rows (56 sts.).

Work 19 rows without shaping.

Shape neck as follows:—

Next row—Work across 21 sts., cast off 14 sts., work to end.

Continue on first group of 21 sts., dec. 1 st. at neck edge on next 5 rows.

Work 5 rows.

Shape shoulder by casting off 8 sts. at beg. of next and alt. row.

Rejoin wool to sts. on needle and complete to match first half, **noting** that 4 rows in place of 5 should be worked before commencing shoulder shaping.

BACK

Work as Front until ** is reached.

Next row—Moss stitch 2, (inc. in next st. knitwise, moss stitch 4, inc. in next st. purlwise, moss stitch 4) 5 times, inc. in next st. knitwise, moss stitch 4, inc. in next st. purlwise, moss stitch to end (73 sts.).

Divide back as follows:—

1st row—K.35, (P.I, K.I) twice, turn.

2nd row—(K.I, P.I) twice, K.I, P. to last st., K.I.

Rep. these 2 rows once.

Keeping moss stitch border correct **shape armhole** by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on next 5 rows.

Work 2 rows.

Next row—(On which a buttonhole is worked) Work to last 3 sts., w.r.n., P.2 tog., K.I.

Working a buttonhole on 10th and 20th rows work 26 rows.

Next row—Moss stitch 5, slip these sts. on to a safety pin and leave, P. to last st., K.I.

Cast off.

Rejoin wool to sts. on needle, cast on 5 sts. for underflap.

1st row—(K.I, P.I) twice, K. to end.

2nd row—K.I, P. to last 5 sts., (K.I, P.I) twice, K.I.

Rep. these 2 rows once, then 1st row once.

Shape armhole as first half.

Work 29 rows without shaping.

Next row—Moss stitch 5, cast off remaining sts.

Slip 5 sts. on to a safety pin and leave.

SLEEVES

Using No. 11 needles, cast on 39 sts.

Work 9 rows in moss stitch.

Next row—K.I, (P.I, inc. in next st. knitwise) 18 times, P.I, K.I (57 sts.).

Proceed in stocking stitch until work measures 1 $\frac{3}{4}$ ins. from beg., finishing at end of a P. row.

Shape top by casting off 2 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 43 sts. remain, both ends of every row until 25 sts. remain.

Cast off working 2 tog. all across row to last st., cast off last st.

NECKBAND

Using a back-stitch seam join shoulders of Back and Front.

Slip 5 sts. left on second safety pin on to a No. 11 needle, using same needle **knit up** 55 sts. round neck, work in moss stitch across sts. from other safety pin (65 sts.).

Work 6 rows in moss stitch, working a buttonhole as before on 2nd row.

Cast off in moss stitch.

TO MAKE UP

Taking care not to stretch waistband, with wrong side of work facing block each piece by pinning out round edges.

Press each piece using a warm iron and damp cloth.

Using oddments, embroider panels on yoke as shown in diagram.

Join side and sleeve seams and stitch Sleeves into position. Stitch down end of underflap. Attach buttons. Press seams.



Work **picot hem** as follows:—

1st row—K.

2nd row—P.

3rd row—K.1, * w.f., K.2 tog., rep. from * to end.

4th row—P.

5th and 6th rows—As 1st and 2nd.

7th row—**Make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

8th row—K.

Work rows 1 to 24 incl. of fancy lace patt. as given at commencement.

Next row—(K.10, K.2 tog.) 6 times, K.9 (75 sts.).

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a P. row.

Shape raglan armholes as follows:—

1st row—Cast off 2 sts., K. to end.

2nd row—Cast off 2 sts., P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P.2 tog., P. to last 3 sts., P.2 tog.t.b.l., K.1.

5th row—K.

6th row—As 4th row.

7th row—As 3rd row.

8th row—K.1, P. to last st., K.1.

Rep. rows 3 to 8 incl. 5 times, then 3rd and 4th rows once (19 sts.).

Cast off.

RIGHT FRONT

Using the **two needle** method, cast on 45 sts.

Work rows 1 to 8 incl. of picot hem as on Back, inc. 1 st. at beg. of 8th row ** (46 sts.). Proceed in fancy lace patt. with moss stitch border as follows:—

1st row—(K.1, P.1) twice, K.1, work first row of fancy lace patt. as at commencement.

2nd row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

3rd row—(K.1, P.1) twice, K.1, work 3rd row of fancy lace patt.



4th row—As 2nd row.

Continue in this manner until 24th row of fancy lace patt. has been worked.

Next row—(K.1, P.1) twice, K.10, (K.2 tog., K.8) 3 times, K.2 (43 sts.).

Next row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Keeping moss stitch border correct throughout, continue in stocking stitch until work measures same as Back up to armhole shaping, finishing at side edge.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., work to end.

2nd row—Work to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P.2 tog., work to end.

4th row—Work all across.

5th row—As 3rd row.

6th row—As 2nd row.

7th row—As 4th row.

Rep. rows 2 to 7 incl. once.

Next row—(On which a buttonhole is worked) K.1, P.1, w.r.n., P.2 tog., K. to last 3 sts., K.2 tog., K.1.

Continue dec. at armhole edge as before until 22 sts. remain.

Shape neck as follows:—

Next row—(K.1, P.1) twice, K.1, slip these 5 sts. on to a safety pin and leave, cast off 4 sts., K. to last 3 sts., K.2 tog., K.1.

*** Continue dec. at armhole edge as before, **at the same time** dec. 1 st. at neck edge on next 4 rows.

Continue without further dec. at neck edge, but still dec. at armhole edge as before until 2 sts. remain.

Cast off.

LEFT FRONT

Work as Right Front until ** is reached (46 sts.).

Proceed in fancy lace patt. with moss stitch border as follows:—

1st row—Work 1st row of fancy lace patt. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Continue in this manner until 24th row of fancy lace patt. has been worked.

Next row—K.10, (K.2 tog., K.8) 3 times, K.2, (P.1, K.1) twice (43 sts.).

Next row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Keeping moss stitch border correct, proceed in stocking stitch until work measures same as Back up to armhole shaping, finishing at side edge.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., work to end.

2nd row—Work all across.

3rd row—K.1, K.2 tog.t.b.l., work to end.

4th row—Work to last 3 sts., P.2 tog.t.b.l. K.1.

5th row—As 2nd row.

6th row—As 4th row.

7th row—As 3rd row.

Rep. rows 2 to 7 incl. 3 times, then 2nd to 5th rows once (23 sts.).

Shape neck as follows:—

Next row—(K.1, P.1) twice, K.1, slip these 5 sts. on to a safety pin and leave, cast off 4 sts., P. to last 3 sts., P.2 tog.t.b.l., K.1.

Complete as Right Front, working from *** to end.

SLEEVES

Using the **two** needle method, cast on 31 sts.

Work rows 1 to 8 incl. of picot hem as on Back.

Work 14 rows in moss stitch.

Next row—Inc. in first st., (K.2, inc. in next st., K.1, inc. in next st.) 6 times (44 sts.).

Next row—K.1, P. to last st., K.1.

Proceed in stocking stitch, inc. 1 st. at both ends of 5th and every following 6th row until there are 52 sts.

Continue on these sts. until work measures 5 ins. from lower edge, finishing at end of a P. row.

Shape top by working rows 1 to 8 incl. of raglan shaping as on Back, then rep. 7th and 8th rows 16 times (8 sts.).

Cast off.

TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges. Press each piece using a warm iron and damp cloth. Join side and sleeve seams and stitch Sleeves into position.

NECKBAND

Slip sts. left at top of Right Front Band on to a needle, with right side of work facing, using same needle **knit up** 53 sts. round neck, work across sts. of Left Front Band (63 sts.).

Work 2 rows in moss stitch working a buttonhole as before on 2nd row.


Next row—K.

Work rows 1 to 4 incl. of picot hem as on Back.

Cast off.

Fold over neckband at row of holes and stitch down on wrong side to form picot hem.

Attach buttons. Press seams.



DOLMAN JACKET—*continued from page 15*

Break off wool, slip sts. on to a length of wool and leave.

Using No. 10 needles, commencing at **Left Sleeve**, cast on 37 sts.

Work 8 rows in moss stitch.

Next row—(K.1, P.1) twice, (inc. in next st. knitwise, P.1, K.1, inc. in next st. purlwise, K.1, P.1) 5 times, K.1, P.1, K.1 (47 sts.).

Next row—P.

Change to No. 9 needles and working in stocking stitch **shape Dolman** by inc. 1 st. at both ends of every row until there are 61 sts., then on following alt. row (63 sts.). Work 1 row.

Cast on 8 sts. at beg. of next 2 rows (79 sts.). Work 6 rows in stocking stitch.

Work **fancy panel** as follows:—

1st row—K. **2nd row**—K.

3rd row—K.1, * w.f., K.2 tog., rep. from * to end.

4th row—K. **5th row**—K.

6th row—P. **7th row**—K.

8th row—* K.1, P.1, rep. from * to last st., K.1.

9th and 10th rows—As 5th and 6th.

11th to 14th rows—As rows 1 to 4 incl.

Work 4 rows in stocking stitch.

Place neck edging as follows:—

1st row—K.35, (P.1, K.1) 9 times, K. to end.

2nd row—P.26, (K.1, P.1) 9 times, K.1, P.34. Work these 2 rows twice more.

Next row—K.34, moss stitch 5, cast off 9 (1 st. on needle after cast off), moss stitch 4, K. to end.

Proceed on this group of 31 sts. as follows:

Next row—P.26, moss stitch 5.

Keeping moss stitch border correct, work 6 rows.

Change to No. 10 needles.

Next row—Moss stitch 5, K. to end, cast on 8 sts. (39 sts.).

Work 8 rows in moss stitch.

Cast off in moss stitch.

Rejoin wool to sts. on needle and using **No. 9 needles** proceed as follows:—

Next row—Moss stitch 5, P. to end.

Keeping moss stitch border correct, work 18 rows.

Next row—K. to last 5 sts., moss stitch 5, cast on 9, slip sts. from length of wool on to left-hand needle, with right side of work facing work across these sts. (79 sts.).

Place neck edging as follows:—

1st row—P.26, (K.1, P.1) 9 times, K.1, P.34.

2nd row—K.35, (P.1, K.1) 9 times, K. to end. Work these 2 rows twice more.

Commencing with a P. row, work 3 rows in stocking stitch.

Work rows 1 to 14 incl. of fancy panel.

Work 7 rows in stocking stitch.

Cast off 8 sts. at beg. of next 2 rows.

Work 1 row.

Dec. 1 st. at both ends of next row.

Work 1 row.

Dec. 1 st. at both ends of every row until 47 sts. remain.

Change to No. 10 needles.

Next row—P.

Next row—(K.1, P.1) twice, K.1, (work 2 tog., moss stitch 2) 10 times, P.1, K.1 (37 sts.).

Work 8 rows in moss stitch.

Cast off loosely.

TO MAKE UP

With wrong side of work facing block fabric by pinning out round edges.

Press **very lightly** using a warm iron and damp cloth.

Join side and sleeve seams.

Using No. 10 needles, with right side of work facing, omitting moss stitch borders **knit up** 97 sts. along lower edge.

1st row—* K.1, P.1, rep. from * to last st., K.1.

2nd row—K.2, * P.1, K.1, rep. from * to last st., K.1.

Work these 2 rows 3 times more, then 1st row once.

Using No. 9 needle, cast off loosely in rib.

To complete Make Up

Stitch moss stitch borders into position.

Attach buttons. Press seams.

This Pram Set is a Honey

the coat, bonnet, cap and cover are in honeycomb stitch
the pull-ups and mitts in stocking stitch
Quickerknit is used throughout except for the cover

Pram Coat

MATERIALS: 6 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10, two No. 9 and two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: To fit, 18-19 inch chest. Length from shoulder to lower edge, 12 ins. Sleeve seam with cuff turned up, 5 ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

LEFT FRONT

Using No. 8 needles, cast on 37 sts.

**** 1st to 3rd rows—K.**

4th row—* K.1, P.1, rep. from * to last st., K.1.


Change to No. 9 needles and proceed in honeycomb patt. as follows:—

1st row—K.2, * K.1B. (see abbreviations), K.1, rep. from * to last st., K.1.

2nd row—K.

3rd row—K.1, * K.1B., K.1, rep. from * to end.

4th row—K.



Rep. these 4 rows until work measures 9½ ins. from beg., finishing at end of a 4th row of patt.

Break off wool, slip sts. on to a length of wool and leave. **

BACK

Using No. 8 needles, cast on 71 sts. Work as Left Front from ** to **.

SLEEVES

Using No. 9 needles, cast on 37 sts.


1st to 3rd rows—K.

4th row—* K.1, P.1, rep. from * to last st., K.1.

Work rows 1 to 4 incl. of honeycomb patt. 4 times.

Change to No. 10 needles.

1st row—* K.1, P.1, rep. from * to last st., K.1.





2nd row—K.2, * P.1, K.1, rep. from * to last st., K.1.

Work these 2 rows 6 times more, then 1st row once.

Change to No. 9 needles and work in honeycomb patt. until work measures 8½ ins. from cast-on edge, finishing at end of a 4th row.

Slip sts. on to a length of wool and leave.

RIGHT FRONT

Work as Left Front but do **not** slip sts. on to a length of wool.

Change to No. 10 needles.

Next row—K.3, (K.2 tog., K.1) 11 times, K.1 (26 sts.).

Slip 37 sts. for first Sleeve on to a No. 9 needle; using the needle holding the 26 sts., with right sides of work facing work across sleeve sts. as follows:—(K.1, K.2 tog.) 12 times, K.1 (51 sts. on needle), slip 71 sts. for Back on to a No. 9 needle, with right side of work facing using the needle holding 51 sts. work across these sts. as follows:—K.2 tog., (K.1, K.2 tog.) 23 times (98 sts. now on needle), work across second sleeve in same manner as first sleeve, and sts. of Left Front in same manner as Right Front (149 sts.).

Work Yoke as follows:—

1st row—K.1, P. to last st., K.1.

2nd row—K.

3rd row—K.1, P.4, (P.2 tog., P.4, P.2 tog., P.3) 13 times, K.1 (123 sts.).

*** **Change to No. 9 needles.**

4th row—P. (thus making a ridge).

5th row—* K.1, P.1, rep. from * to last st., K.1.

Work rows 1 to 4 incl. of honeycomb patt. once.

Change to No. 10 needles and work rows 1 to 4 incl. of honeycomb patt. once, then 1st and 2nd rows once ***.

Next row—K.

Next 2 rows—As rows 1 and 2 of Yoke.

Next row—K.1, P.1, * (P.2 tog.) twice, P.1, rep. from * to last st., K.1 (75 sts.).

Work from *** to ***.

Next row—K.2, * (K.2 tog.) 4 times, K.1, rep. from * to last st., K.1 (43 sts.).

Cast off.

COLLAR

Using No. 9 needles, cast on 45 sts.

1st row—* K.1, P.1, rep. from * to last st., K.1.

2nd row—K.2, * K.1B., K.1, rep. from * to last st., K.1.

3rd row—Inc. in first st., K. to last 2 sts., inc. in next st., K.1.

Rep. last 2 rows 6 times (59 sts.).

Next row—K.2, * P.1, K.1, rep. from * to last st., K.1.

Next row—* K.1, P.1, rep. from * to last st., K.1.

Keeping rib correct, cast off 6 sts. at beg. of next 6 rows. Cast off.

COLLAR EDGING

With right side of work facing, omitting cast-off edge of collar, using No. 8 needles **knit up** 11 sts. along shaped edge, 45 sts. from cast-on sts., 11 sts. from second shaped edge (67 sts.).
K. 2 rows. Cast off.

RIGHT FRONT EDGING

Using No. 10 needles, with right side of work facing **knit up** 55 sts. along patterned portion of Right Front, 17 sts. from Yoke (72 sts.).

K. 3 rows.

Next row—(On which buttonholes are worked) K. 48, (w.f., K.2 tog., K.5) 3 times, w.f., K.2 tog., K.1.

K. 2 rows.

Cast off.

LEFT FRONT EDGING

Omitting buttonholes, complete to match Right Front edging.

TO MAKE UP

Omitting Yoke, press each piece **very lightly** on wrong side using a warm iron and damp cloth.

Commencing at lower edge, join side seams for 7¼ ins.

Commencing at Yoke, stitch sleeve seam to remainder of side seams and complete Sleeve seam, taking care to reverse seam at cuff. Stitch Collar into position. Attach buttons. Press seams.

Bonnet

MATERIALS: 1 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles, Length of ribbon.

MEASUREMENT: Width all round Front edge, 12 ins.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 57 sts.

Work as Left Front of Coat (page 22) from ** to end of 4th row of honeycomb patt. Work 8 more rows in honeycomb patt.

Next row—* K.1, P.1, rep. from * to last st., K.1.

Next row—K.2, * P.1, K.1, rep. from * to last st., K.1.

Work 8 more rows in rib.

Next row—K.

Proceed in honeycomb patt. until work measures 7 ins. from cast-on edge, finishing at end of a K. row and decreasing 1 st. at end of last row (56 sts.).

Shape crown as on Cap (page 27) working from ** to end.

TO MAKE UP

With wrong side of work facing **press lightly** on wrong side. Join seam from



centre of crown to $1\frac{1}{2}$ ins. past crown shaping. Fold back brim.

Work edging as follows:—

With right side of work facing **knit up** 50 sts. round lower edge of Bonnet, working brim and ribbed portions together.

K. 2 rows.

Cast off.

Make rosettes and attach one to each side of bonnet.

Press seam.

Pull-ups

MATERIALS: 4 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Length of elastic.

You must use Quickerknit to be sure of a successful result.

MEASUREMENT: Length of Front seam, 8 ins.

These instructions apply to the above measurement only; adaptations to other sizes are not available.

TENSION: 6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT LEG

Cast on 65 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 3 sts., w.f., K.2 tog., K.1.

4th row—As 2nd row.

Work 4 more rows in rib, inc. 1 st. at both ends of last row (67 sts.).

Working in stocking stitch **shape back** as follows:—

1st row—K.18, turn.


2nd and alt. rows—P. to last st., K.1.

3rd row—K.24, turn.

5th row—K.30, turn.

continued on page 38

Pram Cover



MATERIALS: 11 oz. PATONS DOUBLE QUICK Knitting or 10 oz. PATONS MOORLAND Double Knitting. Two No. 8 and two No. 6 BEEHIVE or QUEEN BEE needles.

MEASUREMENTS: Width, $24\frac{1}{2}$ inches. Length, $30\frac{1}{2}$ inches.

TENSION: 5 sts. and $6\frac{1}{2}$ rows to one square inch on No. 6 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

CENTRE

Using No. 6 needles, cast on 89 sts.

1st row—* K.1, P.1, rep. from * to last st., K.1.

Work rows 1 to 4 incl. of honeycomb patt. as at commencement of Coat (page 22). Continue in honeycomb patt. until work measures 28 ins., finishing at end of a 1st row of patt. Cast off purlwise.

BORDERS

Side: Using No. 8 needles, cast on 150 sts. **1st row**—K.2 tog., K. to last 2 sts., K.2 tog. **2nd row**—K.

Rep. these 2 rows 4 times (140 sts.). Cast off.

End: Casting on 123 sts. in place of 150 sts., work to match side borders (113 sts.).

TO MAKE UP

Press work on wrong side using a warm iron and damp cloth.

Stitch borders into position. Press seams.

Mitts

MATERIALS: 1 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles.

MEASUREMENT: Length from top to lower edge, $4\frac{3}{4}$ ins.

TENSION: $6\frac{1}{2}$ sts. and $8\frac{1}{2}$ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 34 sts.

Work 10 rows in K.1, P.1 rib.

Next row—K.2, * w.f., K.2 tog., K.2, rep. from * to end.

Next row—K.1, P. to last st., K.1.

Proceed in stocking stitch until work

measures $3\frac{3}{4}$ ins. from beg., finishing at end of a P. row.

Shape top as follows:—

1st row—(K.1, K2 tog.t.b.l., K.11, K.2 tog., K.1) twice.

2nd row—K.1, P. to last st., K.1.

3rd row—(K.1, K.2 tog.t.b.l., K.9, K.2 tog., K.1) twice.

4th row—As 2nd row.

Continue dec. in this manner until 18 sts. remain.

Cast off.

TO MAKE UP

Omitting ribbing, press **very lightly**. Join seam. Press seam.

Using two strands of wool 40 ins. long, make a twisted cord and thread through holes at wrist. Attach a small tassel to each end of cord.

MATERIALS: 1 oz. PATONS QUICK-ERKNIT Baby Wool, Patonised. Two No. 9 and two No. 8 BEEHIVE or QUEEN BEE needles.

MEASUREMENT: Width all round brim, 14 ins.

TENSION: 6½ sts. and 8½ rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

EAR PIECES (two)

Using No. 9 needles, cast on 3 sts.

1st row—Inc. once in each of first 2 sts., K.1.

2nd row—K.

3rd row—K.2, K.1B., K.2.

4th row—Inc. in first st., K. to last st., inc. in last st.

5th row—K.2, * K.1B., K.1, rep. from * to last st., K.1.

6th row—K.

7th row—* K.1, K.1B., rep. from * to last st., K.1.

8th row—As 4th row.

9th row—K.3, * K.1B., K.1, rep. from * to last 2 sts., K.2.

10th row—K.

11th row—As 5th row.

12th to 18th rows—As rows 4 to 10 (13 sts.).

Break off wool, slip sts. on to a safety pin and leave.

MAIN PART

Using No. 9 needles, cast on 9 sts., slip first group of 13 sts. on to empty needle, with right side of work facing K.2, (K.1B., K.1) 5 times, K.1 across these sts., cast on 23 sts., work across second group of 13 sts., cast on 9 sts. (67 sts.).

Next row—K.

Proceed in **honeycomb patt.** as follows:—

1st row—K.2, * K.1B., K.1, rep. from * to last st., K.1.

2nd row—K.

3rd row—* K.1, K.1B., rep. from * to last st., K.1.

4th row—K.

Continue as on last 4 rows until work measures 3 ins. from where groups of sts. were cast on, finishing at end of a K. row.

Work Band as follows:—

1st row—K.

2nd row—K.1, P. to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—P.

6th row—* K.1, P.1, rep. from * to last st., K.1.

7th to 16th rows—Work rows 1 to 4 incl. of honeycomb patt. twice, then 1st and 2nd rows once.

Shape Crown as follows:—

1st row—(K.4, K.2 tog.) 11 times, K.1.

2nd row—K.1, P. to last st., K.1.

**** 3rd row**—(K.3, K.2 tog.) 11 times, K.1.

4th and every alt. row—K.1, P. to last st., K.1.

5th row—(K.2, K.2 tog.) 11 times, K.1.

7th row—(K.1, K.2 tog.) 11 times, K.1.

9th row—(K.2 tog.) 11 times, K.1.

10th row—(P.2 tog.) 6 times.

Thread wool through remaining sts. and fasten off securely.

EDGING

Using No. 8 needles, with right side of work facing **knit up** 9 sts. from cast-on sts., 11 sts. along one side of ear piece, 11 sts. along second side of ear piece, 23 sts. from centre, 11 sts. from first side of second ear piece, 11 sts. from other side, finally 9 sts. from cast-on sts. (85 sts.).

K. 2 rows.

Cast off.

TO MAKE UP

With wrong side of work facing press **very lightly**. Join seam. Press seam.

Attach a length of twisted cord to each ear piece and attach a tassel to end of each cord.

Stocking and Moss

are the elementary stitches used for this classic matinee coat in Quickerknit

MATERIALS: 4 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 7 and two No. 6 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use Quickerknit to be sure of a successful result.

MEASUREMENTS: Width, 19 ins. Sleeve seam, 5 ins.

TENSION: 5 sts. and 7 rows to one square inch on No. 6 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 6 needles, cast on 45 sts.

1st to 8th rows—Work in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1).

9th row—(K.1, P.1) 3 times, K to end.

10th row—K.1, P. to last 7 sts., (K.1, P.1) 3 times, K.1.

11th to 14th rows—Rep. 9th and 10th rows twice.

15th row—(K.1, P.1) 3 times, K.7, * P.1, K.1, rep. from * to end.

16th row—* K.1, P.1, rep. from * to last 13 sts., K.1, P.5, (K.1, P.1) 3 times, K.1.

17th to 20th rows—Rep. 15th and 16th rows twice.

21st row—(K.1, P.1) 3 times, K.7, P.1, K.1, P.1, K. to end.

22nd row—K.1, P. to last 17 sts., (K.1, P.1) twice, K.1, P.5, (K.1, P.1) 3 times, K.1.

Continue as on last 2 rows until work measures 7 ins from beg., finishing at end of a 21st row.

Next row—K.1, (P.2 tog., P.3 tog.) 5 times, P.2 tog., K.1, P.3 tog., K.1, P.2 tog., P.1, P.2 tog., K.1, P.1, K.3 tog., P.1, K.1 (23 sts.).

Change to No. 7 needles and work 2 rows in moss stitch.

Next row—(on which a buttonhole is worked) K.1, P.1, w.r.n., P.2 tog., * K.1, P.1, rep. from * to last st., K.1.

Work 3 rows in moss stitch.

Next row—(K.1, P.1) twice, K.1, (inc. in next st., K.2) 6 times (29 sts.).

Next row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Next row—(K.1, P.1) twice, K. to end.

Shape armhole as follows:—

1st row—Cast off 3 sts., P. to last 5 sts., moss stitch 5.

Next row—K.1, P.1, w.r.n., P.2 tog., K. to last 2 sts., K.2 tog.

Continue dec. at armhole edge on every alt. row until 23 sts. remain.

Work 7 rows, working a buttonhole as before on 4th row.

Place edging for square neck as follows:—

1st row—(K.1, P.1) 7 times, K to end.

2nd row—K.1, P. to last 15 sts., (K.1, P.1) 7 times, K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—K.1, P.1, w.r.n., P.2 tog., (K.1, P.1) 5 times, K. to end.

6th row—As 2nd row.

Shape neck as follows:—

Next row—Cast off 10 sts., work 4 sts. in moss stitch, K. to end.

** Keeping 5 stitch border of moss stitch at neck edge correct, continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row—Cast off 6 sts., work to end.

2nd row—Work all across.

Cast off.

LEFT FRONT

Using No. 6 needles, cast on 45 sts.

1st to 8th rows—Work in moss stitch.

9th row—K. to last 6 sts., (P.1, K.1) 3 times.

10th row—(K.1, P.1) 4 times, P. to last st., K.1.

11th to 14th rows—Rep. 9th and 10th rows twice.

15th row—* K.1, P.1, rep. from * to last 13 sts., K.7, (P.1, K.1) 3 times.

16th row—(K.1, P.1) 4 times, P.4, * K.1, P.1, rep. from * to last st., K.1.

17th to 20th rows—Rep. 15th and 16th rows twice.

21st row—K. to last 16 sts., P.1, K.1, P.1, K.7, (P.1, K.1) 3 times.

22nd row—(K.1, P.1) 4 times, P.4, (K.1, P.1) twice, K.1, P. to last st., K.1.

Continue as on last 2 rows until work measures 7 ins. from beg., finishing at end of a 21st row.

Next row—K.1, P.1, K.3 tog., P.1, K.1, P.2 tog., P.1, P.2 tog., K.1, P.3 tog., K.1, P.2 tog., (P.2 tog., P.3 tog.) 5 times, K.1 (23 sts.).


Change to No. 7 needles and work 6 rows in moss stitch.

Next row—(K.2, inc. in next st.) 6 times, K.1, (P.1, K.1) twice (29 sts.).

Next row—(K.1, P.1) twice, K.1, P. to last st., K.1.

continued on page 37





Garter Stitch, Round Yoke and Picot Edges

that's the simple formula for a captivating coat

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 12 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. A No. 13 crochet hook. Length of ribbon. Two buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: To fit 17-19 inch chest. Length from top of shoulder, 9 ins. Sleeve seam $4\frac{1}{2}$ ins.

TENSION: 7 sts. and 9 rows to one square inch on No. 9 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Using No. 9 needles, commencing at **Left Front** edge, cast on 57 sts.

The first st. on every row should be slipped throughout.

K. 10 rows.

Work **yoke shaping** as follows:—

1st row—K.43, turn.

2nd row—K. to end.

3rd row—K.52, turn.

4th row—As 2nd row.

5th and 6th rows—K.

Work rows 1 to 6 incl. 10 times more, then rows 1 to 4 incl. once.

**** Next row**—K. to end.

Next row—K.24, slip remaining 33 sts. on to a length of wool and leave, cast on 30 sts. for **Sleeve**.

Work **Sleeve** as follows:—

1st row—K.40, turn.

2nd row—K. to end.

3rd row—K.49, turn.

4th row—K.43, turn.

5th and 6th rows—K. to end.

7th row—K.40, turn.

8th row—K.34, turn.

9th row—K.43, turn.

10th and 11th rows—K. to end.

12th row—K.48, turn.

13th row—K.34, turn.

14th row—K. to end.

Work rows 3 to 14 incl. 5 times more.

Next row—Cast off 30 sts., K.18 (19 sts. on needle after cast-off), turn.

Next row—K. to end, slip 33 sts. left on wool on to left-hand needle, K. across these sts. ******.

Work **Back** as follows:—

1st and 2nd rows—K. to end.

Work rows 1 to 6 incl. as on Left Front 20 times, then rows 1 to 4 incl. once.

Work **Second Sleeve**, working from ****** to ******.

Work **Right Front** as follows:—

1st and 2nd rows—K.

Work rows 1 to 6 incl. as on Left Front 11 times, then rows 1 to 4 incl. once.

Next row—K.43, turn.

Next row—K. to end.

K. 4 rows.

Next row—(on which buttonholes are worked) K.43, w.f., K.2 tog., K.7, w.f., K.2 tog., K.3.

K. 2 rows. Cast off knitwise.

NECKBAND

Using No. 12 needles, with right side of work facing **knit up** 80 sts. round neck (1 st. from every ridge).

1st row—K.5, * K.2 tog., K.2, rep. from * to last 3 sts., K.3 (62 sts.).

2nd row—K.1, * K.1, w.f., K.2 tog., rep. from * to last st., K.1.

3rd row—K.

Cast off.

PICOT EDGE

Using crochet hook work picot edge round all edges of Coat as follows:—* 3 chain, 1 single crochet into 3rd chain from hook (thus forming a picot), 1 double crochet into edge of coat, rep. from * to end.

TO MAKE UP

Press lightly on wrong side. Join sleeve seams. Attach buttons. Thread ribbon through holes at neck.

Socks to Knit

there are slippers on page 16 and booties on pages 34 and 41

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Set of four No. 13 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge. *You must use the P & B brand recommended above to be sure of a successful result.*

MEASUREMENTS: Length from top to base of heel, 6 ins. Length of foot, 4½ ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 9 sts. and 11 rows to one square inch on No. 13 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations. continued on page 36



MATERIALS: 4 [4] oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two buttons. *You must use Quickerknit to be sure of a successful result.*

MEASUREMENTS: To fit 17-19 [19-21] inch chest. Length from shoulder to lower edge, 10½ [10½] ins. Sleeve seam, 5 [5½] ins. *These instructions apply to the above measurements only; adaptations to other sizes are not available.*

TENSION: 6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

RIGHT FRONT

Cast on 39 [42] sts. K. 6 rows. Proceed in all-over patt. with garter stitch border as follows:—
1st row—K.
2nd row—K.1, P. to last 5 sts., K.5.
3rd and 4th rows—As 1st and 2nd.
5th row—K.6, * P.2, K.1, rep. from * to end.
6th row—K.1, * K.2, P.1, rep. from * to last 5 sts., K.5.
 Work these 6 rows 6 times more, then 1st row once.

Keeping border and patt. correct, **shape raglan armhole** as follows:—

1st row—Cast off 3 [3] sts., patt. to end.
2nd row—Patt. to last 3 sts., K.2 tog., K.1.
3rd row—K.1, P.1, patt. to end.
4th row—Work to last 2 sts., K.2.

continued on page 35

RAGLANS AGAIN!

This Coat has a Ribbed Round Yoke





and This has a Bramble Stitch Border with booties to match

MATERIALS: 2 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 11 BEEHIVE or QUEEN BEE needles. Five buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS: Width, 18½ ins. Length at Centre back (excluding Band), 9½ ins. Sleeve seam, 5½ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

RIGHT FRONT

Cast on 28 sts.

Work 14 rows in K.1, P.1 rib.

Next row—Rib 4, (inc. in next st., rib 3) 6 times (34 sts.).

Work **Bramble stitch border** as follows:
1st to 6th rows—P.

7th row—K.1, * P.3 tog., (K.1, P.1, K.1) into next st., rep. from * to last st., K.1.

8th row—P.

9th row—K.1, * (K.1, P.1, K.1) into next st., P.3 tog., rep. from * to last st., K.1.

10th row—P.

11th to 13th rows—As 7th to 9th.

14th to 18th rows—K.

19th row—K.1, P. to last st., K.1.

Continue in stocking stitch as on last 2 rows until work measures 5 ins. from beg., finishing at side edge **.

Shape raglan armhole as follows:—

1st row—Cast off 3 sts., P. to end.

2nd row—K. to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P. to last st., K.1.

Commence Front slope as follows:—

Next row—K.2 tog., K. to last 3 sts., K.2 tog., K.1.

*** Continue in this manner, dec. 1 st. at armhole edge on every alt. row throughout, **at the same time** dec. 1 st. at front edge on every following 6th row until 2 sts. remain.

Work 1 row. Cast off.

LEFT FRONT

Work as Right Front until ** is reached.

Shape raglan armhole as follows:—

1st row—Cast off 3 sts., K. to end.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to end.

4th row—As 2nd row.

Commence Front slope as follows:—

Next row—K.1, K.2 tog.t.b.l., K. to last 2 sts., K.2 tog.

Complete as Right Front working from *** to end.

BACK

Cast on 64 sts.

Work 14 rows in K.1, P.1 rib.

Next row—Rib 5, (inc. in next st., rib 5) 9 times, inc. in next st., rib to end (74 sts.).

Work rows 1 to 19 incl. of bramble stitch border as on Right Front.

Continue in stocking stitch as on last 2 rows until work measures same as Fronts up to armhole shaping, finishing at end of a P. row.

Work rows 1 to 4 incl. of raglan shaping as on Back of Hug-Me-Tight (page 42).

Rep. the last 2 rows 20 times, then 3rd row once (24 sts.).

Next row—K.1, P.2 tog., P. to last 3 sts., P.2 tog.t.b.l., K.1. Cast off.

SLEEVES

Cast on 36 sts.

Work 13 rows in K.1, P.1 rib.

Next row—Rib 3, (inc. in next st., rib 4) 6 times, inc. in next st., rib to end (43 sts.).

Proceed in stocking stitch as before, inc. 1 st. at both ends of 5th and every following 5th row until there are 59 sts.

Continue on these sts. until work measures $5\frac{1}{2}$ ins. from beg., finishing at end of a P. row.

Work rows 1 to 4 incl. of raglan shaping as on Back, then rep. last 2 rows until 9 sts. remain.

Next row—K.1, P.2 tog., P.3, P.2 tog.t.b.l., K.1 (7 sts.).

Cast off.

FRONT BAND

Cast on 7 sts.

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—(K.1, P.1) 3 times, K.1.

3rd row—K.2, P.1, w.r.n., P.2 tog., K.2.

4th row—As 2nd row.

Continue in rib working a buttonhole as on 3rd row on every following 12th row from previous buttonhole until 5 buttonholes in all have been worked.

Continue without further buttonholes until work measures 22 ins. (not stretched) from beg. Cast off in rib.

TO MAKE UP

Omitting ribbing, with wrong side facing block by pinning out round edges.

Omitting ribbing, press each piece using a warm iron and damp cloth. Join side and sleeve seams and stitch Sleeves into position. Stitch Front Band into position. Attach buttons. Press seams.

Bootees to match raglan cardigan on page 33

MATERIALS: 1 oz. PATONS BEEHIVE Baby Wool, Patonised. Two No. 11 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

TENSION: 8 sts. and 10 rows to one square inch on No. 11 needles, measured over stocking stitch.

See page 2 for how to check your Tension, and Abbreviations.

Cast on 38 sts. P. 5 rows.

Work rows 7 to 18 incl. of bramble stitch border as on Right Front of Cardigan (page 33).

Commencing with a P. row, knitting 1 st. at each end of every row, work 17 rows in stocking stitch.

Next row—K.1, * (w.f., K.2 tog., K.1) twice, w.f., K.2, rep. from * to last 5 sts., w.f., K.2 tog., K.1, w.f., K.2 tog. (42 sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.28, turn.

Next row—K.1, P.12, K.1, turn.

Work 14 rows in stocking stitch on these 14 sts.

Break off wool.

With right side of work facing, commencing where sts. were left and using same needle **knit up** 14 sts. along side of instep, K. across 14 sts. on needle, **knit up** 14 sts. from other side of instep, finally knit across remaining 14 sts. (70 sts.).

K. 13 rows.

Shape foot as follows:—

1st row—(K.1, K.2 tog., K.29, K.2 tog., K.1) twice.

2nd row—K.31, (K.2 tog.) twice, K.31.

3rd row—(K.1, K.2 tog., K.26, K.2 tog., K.1) twice.

4th row—K.28, (K.2 tog.) twice, K.28.

5th row—K.27, (K.2 tog.) twice, K.27.

Cast off.

TO MAKE UP

Press lightly on wrong side.

Join seam. Press seam. Make a twisted cord and thread through holes at ankle. Attach a tassel to each end of cord.



ROUND YOKE COAT—continued from page 32

5th row—K.1, P.1, work to end. Rep. rows 2 to 5 incl. 3 times, then 2nd row once (31 [34] sts.).

Break off wool, slip sts. on to a length of wool and leave.

FIRST SLEEVE

Cast on 29 [32] sts.

K. 10 [14] rows.

Next row—K.2 [3], (inc. in next st., K.5) 4 times, inc. in next st., K. to end (34 [37] sts.). **Next row**—K.

Proceed in **all-over patt.** as follows:—

1st row—K.

2nd row—K.1, P. to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—* K.1, P.2, rep. from * to last st., K.1.

6th row—K.1, * K.2, P.1, rep. from * to last 3 sts., K.3.

Keeping all-over patt. correct, inc. 1 st. at both ends of next and every following 4th row until there are 44 [47] sts.

Work 7 rows.

Keeping patt. correct, **shape raglan** as follows:—

1st and 2nd rows—Cast off 3 [4], work to end.

3rd row—K.1, K.2 tog.t.b.l., work to last 3 sts., K.2 tog., K.1.

4th row—K.1, P.1, work to last 2 sts., P.1, K.1.

5th row—K.2, work to last 2 sts., K.2.

6th row—K.1, P.1, work to last 2 sts., P.1, K.1.

Rep. rows 3 to 6 incl. 3 times, then 3rd row once (28 [29] sts.).

Break off wool, slip sts. on to a length of wool and leave.

BACK

Cast on 73 [79] sts.

K. 6 rows.

Work rows 1 to 6 incl. of all-over patt. as on Sleeve 7 times.

Work rows 1 to 6 incl. of raglan shaping as on Sleeve, then rep. rows 3 to 6 incl. 3 times, then 3rd row once (57 [61] sts.).

Break off wool, slip sts. on to a length of wool and leave.

SECOND SLEEVE

Work as First Sleeve.

LEFT FRONT

Cast on 39 [42] sts. K. 6 rows.

Proceed in all-over patt. with garter stitch border as follows:—

1st row—K.

2nd row—K.5, P. to last st., K.1.

3rd and 4th rows—As 1st and 2nd.

5th row—* K.1, P.2, rep. from * to last 6 sts., K.6.

6th row—K.5, * P.1, K.2, rep. from * to last st., K.1.

Work these 6 rows 6 times more.

Keeping border and patt. correct, **shape raglan armhole** as follows:—

1st row—Cast off 3 [3] sts., work to end.

2nd row—Work to last 2 sts., P.1, K.1.

3rd row—K.1, K.2 tog.t.b.l., work to end.

4th row—As 2nd row.

5th row—K.2, work to end.

6th row—Work to last 2 sts., P.1, K.1.

Rep. rows 3 to 6 incl. 3 times, then 3rd row once (31 [34] sts.).

Next row—K.5, P. to end, slip sts. from lengths of wool on to left-hand needle in the following order, first Right Front, then First Sleeve, Back and **finally** Second Sleeve, and with wrong side of work facing P. across these sts. to last 5 sts., K.5 (175 [187] sts.).

Work yoke as follows:—

1st row—K.5, * K.1, P.1, rep. from * to last 6 sts., K.6.

2nd row—K.5, * P.1, K.1, rep. from * to last 6 sts., P.1, K.5.

3rd row—(On which a buttonhole is worked) K.1, K.2 tog., w.f., K.2, * K.1, P.1, rep. from * to last 6 sts., K.6.

4th row—As 2nd row.

5th row—K.6, P.1, K.1, * P.3 tog., (K.1, P.1) 4 times, K.1, rep. from * to last 11 sts., P.3 tog., K.1, P.1, K.6 (147 [157] sts.).

6th row—As 2nd row.

7th to 10th rows—Rep. 1st and 2nd rows twice.

11th row—K.6, P.1, * sl.1, K.2 tog., p.s.s.o., (P.1, K.1) 3 times, P.1, rep. from * to last 10 sts., sl.1, K.2 tog., p.s.s.o., P.1, K.6 (119 [127] sts.).

12th row—As 2nd row.

13th to 16th rows—Rep. 1st and 2nd rows twice.

17th row—K.6, * P.3 tog., (K.1, P.1) twice, K.1, rep. from * to last 9 sts., P.3 tog., K.6 (91 [97] sts.).

18th row—As 2nd row.

19th row—As 3rd row.

20th row—As 2nd row.

21st row—K.5, * sl.1, K.2 tog., p.s.s.o., P.1, K.1, P.1, rep. from * to last 8 sts., sl.1, K.2 tog., p.s.s.o., K.5 (63 [67] sts.).

Cast off.

COLLAR

Cast on 8 sts.

1st row—Inc. in first st., K. to end.

2nd row—K.

3rd to 6th rows—Rep. 1st and 2nd rows twice (11 sts.).

7th row—K.8, turn.

8th row—K. to end.

9th to 12th rows—K.

Rep. 7th to 12th rows incl. 15 times, then 7th and 8th rows once.

Next row—K.2 tog., K. to end.

Next row—K.

Rep. the last 2 rows once.

Next row—K.2 tog., K. to end.

Cast off.

TO MAKE UP

With wrong side of work facing, taking care not to stretch Yoke, block fabric by pinning out round edges.

Taking care not to stretch Yoke, press fabric **very lightly** using a warm iron and damp cloth. Join side and sleeve seams and raglan shapings. Stitch collar into position. Attach buttons. Press seams.

SOCKS TO KNIT—continued from page 31

Cast on 38 sts., 12 on each of first and third needles and 14 on second needle.

Work in rounds of K.1, P.1 rib for $1\frac{1}{2}$ ins. Work in stocking stitch (every round K.) until work measures $4\frac{1}{2}$ ins. from beg.

Divide sts. for heel as follows:—

K. first 10 sts. of round on to one needle, slip last 10 sts. of round on to other end of same needle (these 20 sts. are for heel).

Divide remaining sts. on 2 needles and leave for instep.

On heel sts., work 13 rows in alt. rows of purl and plain (always slipping first and knitting last st. on every row).

Turn heel thus:—

K.12, K.2 tog., turn; P.5, P.2 tog., turn; K.6, K.2 tog., turn; P.7, P.2 tog., turn.

Continue in this manner until all sts. are worked on to one needle. Knit back 6 sts. (thus completing heel).

Slip all instep sts. on to one needle again. With a spare needle, K. remaining sts. of heel, **knit up** 12 sts. at side of heel; with a 2nd needle K. across 18 instep sts.; with a 3rd needle **knit up** 12 sts. at side of heel and other 6 sts. of heel.

Shape instep as follows:—

1st round—K.

2nd round—**1st needle**—K. to last 4 sts., K.2 tog., K.2; **2nd needle**—K; **3rd needle**—K.2, K.2 tog.t.b.l., K.to end.

Rep. 1st and 2nd rounds until 11 sts. remain on each of 1st and 3rd needles.

Continue without shaping until foot measures $2\frac{3}{4}$ ins. from where sts. were knitted up at side of heel.

Slip last st. of 1st needle on to beg. of 2nd needle, and first st. of 3rd needle on to end of same needle.

Shape toe as follows:—

1st round—**1st needle**—K. to last 3 sts., K.2 tog., K.1; **2nd needle**—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1; **3rd needle**—K.1, K.2 tog.t.b.l., K. to end.

2nd round—K.

Rep. 1st and 2nd rounds until 20 sts. remain in round.

K. sts. of 1st needle on to end of 3rd needle. Graft sts. or cast off sts. from two needles tog.

Work another Sock in same manner.

Press, using a warm iron and damp cloth.

STOCKING AND MOSS—*continued from p. 29*

Keeping moss stitch border correct, **shape armhole** by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on every alt. row until 23 sts. remain. Work 7 rows, thus finishing at armhole edge.

Place edging for square neck as follows:
1st row—K. to last 14 sts., (P.1, K.1) 7 times.

2nd row—(K.1, P.1) 7 times, K.1, P. to last st., K.1.
Rep. these 2 rows once, then 1st row once.

Shape neck as follows:—

Next row—Cast off 10 sts., work 4 sts. in moss stitch, P. to last st., K.1.
Complete as Right Front, working from ** to end.

BACK

Using No. 6 needles, cast on 85 sts.

1st to 8th rows—Work in moss stitch.

9th row—K.

10th row—K.1, P. to last st., K.1.

11th to 14th rows—Rep. 9th and 10th rows twice.

15th to 20th rows—Work in moss stitch.

21st and 22nd rows—As 9th and 10th.

Continue in stocking stitch as on last 2 rows until work measures 7 ins. from beg., finishing at end of a K. row.

Next row—K.1, P.1, (P.2 tog., P.3 tog.) 16 times, P.2, K.1 (37 sts.).

Change to No. 7 needles and work 6 rows in moss stitch.

Next row—K.3, (inc. in next st., K.1) 16 times, K.2 (53 sts.).

Next row—K.1, P. to last st., K.1.

Working in stocking stitch, **shape armholes** by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 41 sts. remain.

Work 15 rows.



Place edging for square neck as follows:—

1st row—K.9, (P.1, K.1) 12 times, K. to end.

2nd row—K.1, P.7, (K.1, P.1) 12 times, K.1, P.7, K.1.

Rep. these 2 rows once.

Still working centre 25 sts. in moss stitch, **shape shoulders** by casting off 6 sts. at beg. of next 2 rows, 7 sts. at beg. of following 2 rows.

Cast off.

SLEEVES

Using No. 7 needles, cast on 23 sts.

Work 12 rows in moss stitch.

Next row—K.2, (inc. in next st., K.1) 9 times, inc. in next st., K. to end (33 sts.).

Next row—K.1, P. to last st., K.1.

PULL-UPS—continued from page 25

Continue in this manner working 6 more sts. on every K. row until the row "K.54, turn" has been worked.

Next row—P. to last st., K.1.

Work 2 rows in stocking stitch on all sts.

** Continue in stocking stitch on all sts., inc. 1 st. at both ends of next and every following 10th row until there are 77 sts.

Continue on these sts. until work measures 8 ins. from beg. (measured at short edge of work), finishing at end of a P. row (mark this point with a length of coloured wool).

Shape leg by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 35 sts. remain.

Continue on these sts. until work measures 6½ ins. from point marked with coloured wool (measured at centre of work), finishing at end of a P. row.

Divide for foot as follows:—

Note: Figures in square brackets [] refer to Left Foot.

1st row—K.27 [16], K.2 tog., turn.

2nd row—K.1, P.9, K.1.

Continue in stocking stitch on these 11 sts. for 2½ ins., finishing at end of a P row. Break off wool. Rejoin wool to inside edge of 17 [6] sts., with right side of work facing **knit up** 12 sts. along side of foot, knit across 11 sts. on needle, **knit up** 12 sts. from other side of foot, finally knit across remaining 6 [17] sts. (58 sts.). K. 9 rows.

Shape foot as follows:—

1st row—K.4 [20], K.2 tog., K.1, K.2 tog., K.24, K.2 tog., K.1, K.2 tog., K.20 [4].

Working in stocking stitch, inc. 1 st. at both ends of 7th and every following 6th row until there are 39 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row.

Shape top by casting off 1 st. at beg. of every row until 27 sts. remain, 2 sts. at beg. of every row until 15 sts. remain.

Cast off working 2 tog. all across row to last st., cast off last st.

TO MAKE UP

Block and press. Using a back-stitch seam join shoulder seams. Join side and sleeve seams and stitch Sleeves into position. Attach buttons. Press seams.

2nd and 4th rows—K.

3rd row—K.3 [19] K.2 tog., K.1, K.2 tog., K.22, K.2 tog., K.1, K.2 tog., K.19 [3].

5th row—K.2 [18], K.2 tog., K.1, K.2 tog., K.20, K.2 tog., K.1, K.2 tog., K.18 [2].

6th row—K.

Cast off.

LEFT LEG

Work ribbing and increases as on Right Leg (67 sts.).

Next row—K. to end.

Shape back as follows:—

1st row—K.1, P.17, turn.

2nd and alt. rows—K.

3rd row—K.1, P.23, turn.

5th row—K.1, P.29, turn.

Continue in this manner until the row "K.1 P.53 turn" has been worked.

Next row—K. to end.

Next row—K.1, P. to last st., K.1.

Work as Right Leg from ** to end, **noting** that figures in square brackets should be worked.

TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges.

Omitting ribbing, press each piece **very lightly** using a warm iron and damp cloth.

Commencing at centre of dec. at toe, join foot seams, finishing at centre of dec. at heel.

Join back, front and leg seams. Thread elastic through holes at waist.

Press seams.

4th row—Sl.1, K.4, w.f., K.2 tog., w.f., K.2.

5th row—W.o.n., K.2 tog., K.7, K.2 tog., turn.

6th row—Sl.1, K.3, (w.f., K.2 tog.) twice w.f., K.2.

7th row—W.o.n., K.2 tog., K.8, K.2 tog., turn.

8th row—Sl.1, K.2, (w.f., K.2 tog.) 3 times, w.f., K.2.

9th row—W.o.n., K.2 tog., K.9, K.2 tog., turn.

10th row—Sl.1, K.2, K.2 tog., (w.f., K.2 tog.) 3 times, K.1.

11th row—As 7th row.

12th row—Sl.1, K.3, K.2 tog., (w.f., K.2 tog.) twice, K.1.

13th row—As 5th row.

14th row—Sl.1, K.4, K.2 tog., w.f., K.2 tog., K.1.

15th row—As 3rd row.

16th row—Sl.1, K.5, K.2 tog., K.1.

17th row—W.o.n., K.2 tog., K.5, K.2 tog., turn.

Continue to work lace edging as on rows 2 to 17 incl. until all sts. from border have been worked off, then slip the 8 sts. on to a length of wool to be carried forward for the next side.

Work from ** to **.

Next row—K. to end, slip 8 lace edging sts. on to left-hand needle, then work rows 2–17 incl. of lace edging until all border sts. are worked off and 8 lace edging sts. remain.

Complete 3rd and 4th sides in same manner.

Cast off lace edging.

Join cast-on and cast-off edges of lace edging, then loops of borders.

TO DRESS SHAWL

Roll in a very damp cloth, then spread out flat to the given measurement. Pin out each point and allow to dry.

CARDIGAN IN QUICKERKNIT—

continued from page 5

Keeping patt. correct, **shape raglan armhole** as follows:—

1st row—Cast off 2 sts., work to end.

2nd row—Work to last 3 sts., K.2 tog., K.1.

3rd row—K.1, work to end.

4th row—K.1, P.1, w.r.n., P.2 tog., K.1, work to last 3 sts., K.2 tog., K.1 ***.

Continue dec. at armhole edge on every alt. row until 17 [18] sts. remain, **at the same time** working a buttonhole on following 12th [14th] row from previous buttonhole.

Next row—K.1, P. to last 5 sts., (K.1, P.1) twice, K.1.

Shape neck as follows:—

1st row—(K.1, P.1) twice, K.1, (slip the 5 sts. on to a safety pin and leave) cast off 2 sts., patt. to last 3 sts., K.2 tog., K.1.

** Still dec. at armhole edge as before, dec. 1 st. at neck edge on next 3 [4] rows.

Continue without further dec. at neck edge but still dec. at armhole edge until 2 sts. remain.

Work 1 row.

Cast off.

LEFT FRONT

Using No. 10 needles, cast on 31 [33] sts.



1st row—* P.1, K.1, rep. from * to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Rep. these 2 rows 5 times, inc. 1 st. at end of last row on **large size only** (31 [34] sts.).

Change to No. 8 needles and proceed in all-over patt. as follows:—

18 inch size

1st row—K.1, * K.4, P.2, rep. from * to last 6 sts., K.2, (P.1, K.1) twice.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

3rd row—K.2, * P.2, K.4, rep. from * to last 5 sts., K.1, (P.1, K.1) twice.

4th row—As 2nd row.

These 4 rows form the patt.

20 inch size

1st row—K.5, * P.2, K.4, rep. from * to last 5 sts., K.1, (P.1, K.1) twice.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

3rd row—K.2, * P.2, K.4 rep. from * to last 8 sts., P.2, K.2, (P.1, K.1) twice.

4th row—As 2nd row.

These 4 rows form the patt.

Both sizes

Keeping patt. correct throughout, work 22 [26] rows.

Shape raglan armhole as follows:—

1st row—Cast off 2 sts., work to end.

2nd row—Work to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., work to end.

4th row—As 2nd row.

Continue dec. as on last 2 rows until 18 [19] sts. remain.

Work 1 row.

Next row—K.1, K.2 tog.t.b.l., patt. to last 5 sts., slip these 5 sts. on to a safety pin and leave.

Shape neck as follows:—

1st row—Cast off 2 sts., P. to last st., K.1. Complete as Right Front, working from ** to end.

BACK

Using No. 10 needles, cast on 52 [58] sts. Work 12 rows in K.1, P.1 rib, inc. 1 st. at both ends of last row (54 [60] sts.).

Change to No. 8 needles and proceed in all-over patt. as follows:—

1st row—K.1, * K.4, P.2, rep. from * to last 5 sts., K.5.

2nd row—K.1, P. to last st., K.1.

3rd row—K.2, * P.2, K.4, rep. from * to last 4 sts., P.2, K.2.

4th row—As 2nd row.

Continue in patt. as on these 4 rows until work measures same as Fronts up to armhole shaping, finishing at end of a P. row.

Shape raglan armholes as follows:—

1st and 2nd rows—Cast off 2 sts., work to end.

3rd row—K.1, K.2 tog.t.b.l., patt. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. last 2 rows 16 [18] times (16 [18] sts.). Cast off.

SLEEVES

Using No. 10 needles, cast on 28 [30] sts. Work 11 rows in K.1, P.1 rib.

Next row—Rib 4 [5], (inc. in next st., rib 3) 5 times, inc. in next st., rib to end (34 [36] sts.).

Change to No. 8 needles and proceed in all-over patt. as follows:—

18 inch size

1st row—K.1, * P.2, K.4, rep. from * to last 3 sts., P.2, K.1.

2nd row—K.1, P. to last st., K.1.

3rd row—* K.4, P.2, rep. from * to last 4 sts., K.4.

4th row—As 2nd row.

20 inch size

Work rows 1 to 4 incl. of all-over patt. as on Back.

Both sizes

Continue in all-over patt., inc. 1 st. at both ends of next and every following 6th row until there are 42 [46] sts.

Continue on these sts. until work measures $5\frac{1}{2}$ [6 $\frac{1}{2}$] ins. from beg., finishing at end of a P. row.

Work rows 1 to 4 incl. of raglan shaping as on Back, then rep. 3rd and 4th rows 16 [18] times (4 [4] sts.).

Cast off.

TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges.

Omitting ribbing, press each piece **very lightly** using a warm iron and damp cloth. Join side and sleeve seams and stitch sleeves into position.

NECKBAND

Slip 5 sts. at top of Right Front on to a No. 10 needle and using same needle with right side of work facing **knit up** 45 [47] sts. round neck, work in moss stitch across 5 sts. on Left Front (55 [57] sts.).

Work 5 [5] rows in moss stitch, working a buttonhole as before on 2nd row. Cast off in moss stitch. Attach buttons. Press seams.

V neck model

Materials, Measurement — as Button-through Model but 5 buttons (page 5).

RIGHT FRONT

Work as Right Front of Button Through Model (page 5) until *** is reached (27 [30] sts.).

Next row—K.I, P. to last 5 sts., (K.I, P.I) twice, K.I.

Commence **Front slope** as follows:—

Next row — (K.I, P.I) twice, K.I, K.2 tog.t.b.l., patt. to last 3 sts., K.2 tog., K.I.

Still dec. at armhole edge on every alt. row as before, dec. 1 st. inside moss stitch border on every following 6th row until 8 [8] sts. remain.

Work 1 row.

Next row—(K.I, P.I) twice, K.I, K.3 tog.

Next row—K.2 tog., (P.I, K.I) twice.

Work 15 rows in moss stitch on remaining 5 sts.

Cast off in moss stitch.

LEFT FRONT

Work as Left Front of Button Through Model (page 39) until 4th row of armhole shaping has been worked (28 [31] sts.).

Rep. last 2 rows once.

Commence front slope shaping as follows:—

Next row—K.I, K.2 tog.t.b.l., patt. to last 7 sts., K.2 tog., (K.I, P.I) twice, K.I.

Complete to match Right Front reversing all shapings.

BACK AND SLEEVES as Button Through Model (page 40).

TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges.

Omitting ribbing, press each piece **very lightly** using a warm iron and damp cloth. Join side and sleeve seams and stitch sleeves into position. Join moss stitch bands and stitch band into position at back of neck. Attach buttons. Press seams.

Quickerknit Bootees

to match the cardigan on page 5

MATERIALS: 1 oz. PATONS QUICKERKNIT Baby Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. *You must use Quickerknit to be sure of a successful result.*

TENSION: 7 sts. and 9 rows to one square inch on No. 10 needles, measured over stocking stitch.

See page 2 for how to check your Tension and Abbreviations.

Cast on 30 sts.

K. 2 rows.

Work rows 1 to 4 incl. of all-over patt. as on Back of Cardigan (page 40).

Work these 4 rows 5 times more, then 1st and 2nd rows once.

Next row—K.2, * w.f., K.2 tog., rep. from * to end.

Next row—K.I, P. to last st., K.I.

Next row—K.II, P.2, K.4, P.2, K.2, turn.

Next row—K.I, P.I0, K.I, turn.



Work 16 more rows in patt. on these 12 sts. for **instep**. Break off wool.

With right side of work facing commencing

where sts. were left and using same needle **knit up** 11 sts. along side of instep, K. across 12 sts. on needle, **knit up** 11 sts. from other side of instep, finally K. remaining 9 sts. (52 sts.). K. 11 rows.

Shape foot as follows:—

1st row—(K.1, K.2 tog., K.20, K.2 tog., K.1) twice. **2nd row**—K.

3rd row—(K.1, K.2 tog., K.18, K.2 tog., K.1) twice.

HUG-ME-TIGHT—*continued from page 4*

Next row—Moss stitch 3 [6], (inc. in next st., moss stitch 4) 8 times, inc. in next st., moss stitch to end (56 [62] sts.).

Proceed in stocking stitch with moss stitch border as follows:—

1st row—K. to last 4 sts., (P.1, K.1) twice.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Work these 2 rows once more.

Next row—(On which shaping is commenced) K. to last 7 sts., K.2 tog., (K.1, P.1) twice, K.1.

Next row—(K.1, P.1) twice, K.1, P. to last st., K.1.

Continue dec. as on last 2 rows until 51 [53] sts. remain.

Work 1 row.

Shape raglan armhole as follows:—

1st row—Cast off 3 sts., K. to last 7 sts., K.2 tog., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 7 sts., K.2 tog., (K.1, P.1) twice, K.1.

4th row—As 2nd row.

Rep. 3rd and 4th rows 18 [19] times (9 [9] sts.).

Continue dec. at armhole edge **only** on next and every alt. row until 6 sts. remain.

Work 1 row.

Next row—K.2 tog., (P.1, K.1) twice.

Work 23 rows in moss stitch on remaining 5 sts.

Cast off.

BACK

Cast on 53 [57] sts.

Work 13 rows in moss stitch.

Next row—Moss stitch 2 [4], (inc. in next st. knitwise, P.1, K.1, inc. in next st. purlwise, K.1, inc. in next st. purlwise, K.1, P.1, inc. in next st. knitwise, P.1) 5 times, moss stitch to end (73 [77] sts.).

Knitting 1 st. at beg. and end of every row, proceed in stocking stitch until work

4th row—K.

5th row—(K.1, K.2 tog., K.16, K.2 tog., K.1) twice. Cast off.

Work another Bootee in same manner.

TO MAKE UP

Join seam. Using two strands of wool 40 ins. long, make a twisted cord and thread through holes at ankle. Attach a tassel to each end of cord.

measures same as Fronts up to armhole shaping, finishing at end of a P. row.

Shape raglan armholes as follows:—

1st row—Cast off 3 sts., K. to end.

2nd row—Cast off 3 sts., P. to end.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. the last 2 rows 21 [22] times (23 [25] sts.).

Cast off.

SLEEVES

Cast on 31 [33] sts.

Work 15 rows in moss stitch.

Next row—Moss stitch 1 [3], (P.1, inc. in next st. knitwise) 14 times, moss stitch to end (45 [47] sts.).

Proceed in stocking stitch as on Back, inc. 1 st. at both ends of 3rd [7th] and every following 4th row until there are 59 [61] sts.

Continue on these sts. until work measures 4½ [5½] ins. from beg., finishing at end of a P. row.

Work rows 1 to 4 incl. of raglan shaping as on Back, then rep. 3rd and 4th rows 20 [21] times, then 3rd row once (9 [9] sts.).

Next row—K.1, P.2 tog., P.3, P.2 tog.t.b.l., K.1. Cast off.

TO MAKE UP

With wrong side of work facing block each piece by pinning out round edges. Press each piece using a warm iron and damp cloth.

Join side and sleeve seams and stitch Sleeves into position. Join Bands at back of neck and stitch

into position. Attach ribbon to edges of moss stitch Band at waist.

Using oddments, work embroidery on Fronts as shown in diagram.

Press all seams.



6th row—As 2nd row.

Work these 6 rows 6 times more.

Next row—K.2, * K.2 tog., sl.1, K.2 tog., p.s.s.o., rep. from * to last 8 sts., K.2 tog., K.2, (P.1, K.1) twice (23 sts.).

Change to No. 7 needles and work 6 rows in moss stitch.

Next row—(K.1, P.1) twice, K.1, (inc. purlwise in next st., P.2) 6 times (29 sts.).

Commence raglan shaping as follows:—

1st row—Cast off 3 sts., K. to last 5 sts., (K.1, P.1) twice, K.1.

2nd row—(K.1, P.1) twice, K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 4 sts., (P.1, K.1) twice.

4th row—As 2nd row.

5th to 8th rows—Rep. 3rd and 4th row twice.

9th row—(on which front slope is commenced) K.1, K.2 tog.t.b.l., K. to last 7 sts., K.2 tog., (K.1, P.1) twice, K.1.

Continue as Right Front, working from *** to ***.

Next row—(K.1, P.1) twice, K.1, K.2 tog.

Next row—K.2 tog., (P.1, K.1) twice (5 sts.).

Complete as Right Front.

BACK

Using No. 6 needles, cast on 81 sts.

Work 6 rows in moss stitch.

Proceed in lace panels as follows:—

1st row—K.4, * w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.7, rep. from * to last 7 sts., w.f., sl.1, K.2 tog., p.s.s.o., w.f., K.4.

2nd and 4th rows—* K.1, P.9, rep. from * to last st., K.1.

3rd row—K.2, * sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.3, rep. from * to last 9 sts., sl.1, K.1, p.s.s.o., w.f., K.3, w.f., K.2 tog., K.2.

5th row—As 3rd row.

6th row—As 2nd row.

Work these 6 rows 6 times more.

Next row—K.4, * sl.1, K.2 tog., p.s.s.o., K.2 tog., rep. from * to last 7 sts., sl.1, K.2 tog., p.s.s.o., K.4 (37 sts.).

Change to No. 7 needles and work 6 rows in moss stitch.

Next row—K.1, P.2, (inc. in next st. purlwise, P.1) 16 times, P.1, K.1 (53 sts.).

Shape raglan armholes as follows:—

1st row—Cast off 3 sts., K. to end.

2nd row—Cast off 3 sts., P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Continue dec. as on last 2 rows until 17 sts. remain.

Next row—K.1, P.2 tog., P. to last 3 sts., P.2 tog.t.b.l., K.1.

Cast off.

SLEEVES

Using No. 7 needles, cast on 23 sts.

Work 10 rows in moss stitch.

Next row—K.2, (inc. in next st., K.1) 10 times, K.1 (33 sts.).

Next row—K.1, P. to last st., K.1.

Continue in stocking stitch, inc. 1 st. at both ends of 4th and every following 4th row until there are 43 sts.

Continue on these stitches until work measures 4½ ins. from beg., finishing at end of a P. row.

Work rows 1 to 4 incl. of armhole shaping as on Back.

Continue dec. as on last 2 rows until 7 sts. remain.

Next row—K.1, P.2 tog., P.1, P.2 tog.t.b.l., K.1.

Cast off.

TO MAKE UP

Press each piece **very lightly** on wrong side of work using a warm iron and damp cloth, taking care not to stretch waist.

Join side and sleeve seams and stitch Sleeves into position.

Join cast-off edges of border and stitch into position at back of neck. Attach buttons. Press seams.

*Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland*



Published with all rights reserved by
PATONS & BALDWINS LIMITED

