

87D30

Crochet Pedigree



Crochet Pedigree™

By Barbara Anderson

Apricot Poodle

MATERIALS: 4-ply Dazzle-Aire yarn—8 ozs. lt. apricot; small amount each dk. brown and black 4-ply yarn; polyester fiberfill; 8" length of sequins by the yard; 2 brown 9-mm. animal eyes; 1 tan 12" chenille stem; stiff brush; white sewing thread; sewing and tapestry needles; F hook or size needed to obtain gauge.

GAUGE: 7 hdc = 2"; 5 hdc rows = 2".

FINISHED SIZE: 10" tall.

BODY

Rnd 1: With lt. apricot, ch 4, sl st in first ch to form ring, ch 2, 11 hdc in ring, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in each of next 2 sts, 2 hdc in next st, (hdc in each of next 3 sts, 2 hdc in next st) around, join (30).

Rnds 4-10: Ch 2, hdc in each st around, join.

Rnd 11: Ch 2, hdc in each of next 3 sts, hdc next 2 sts tog, (hdc in next 4 sts, hdc next 2 sts tog) around, join (25).

Rnds 12-19: Ch 2, hdc in each st around, join.

Rnd 20: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (17). Stuff.

Rnd 21: Ch 2, (hdc next 2 sts tog) around, join (9). Leaving 8" for sewing, fasten off. Sew opening closed.

NECK & HEAD

Rnd 1: With lt. apricot, ch 4, sl st in first ch to form ring, ch 2, 7 hdc in ring, join with sl st in top of ch 2 (8).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (16).

Rnd 3: Ch 2, hdc in each of next 2 sts, 2

hdc in next st, (hdc in each of next 3 sts, 2 hdc in next st) around, join (20).

Rnd 4: Ch 2, hdc in same st, hdc in next 4 sts, (2 hdc in next st, hdc in next 4 sts) around, join (24).

Rnds 5-9: Ch 2, hdc in each st around, join.

Rnd 10: Ch 2, hdc in each of next 3 sts, hdc next 2 sts tog, (hdc in next 4 sts, hdc next 2 sts tog) around, join (20).

Rnds 11-12: Ch 2, hdc in each st around, join.

Rnd 13: Ch 1, sc in first st, hdc in next 9 sts, sc in next st, sl st in next st leaving last 8 sts unworked. Fasten off. Stuff.

Position neck over rnds 2-6 of top half of body with rnd 13 at front of head. Sew in place.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With lt. apricot, ch 2, 6 sc in 2nd ch from hook (6).

Rnd 2: 2 sc in each st around (12).

Rnd 3: (2 sc in next st, sc in next 5 sts) around (14).

Rnds 4-6: Sc in each st around.

Rnd 7: Sc in first 4 sts, hdc in each of next 2 sts, 2 hdc in each of next 2 sts, hdc in each of next 2 sts, sc in last 4 sts (16). Leaving 12" for sewing, fasten off. Stuff.

Position muzzle over rnds 6-10 on front of head with hdc across top. Sew in place.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip. Push hot end through shaft of eye.


Sew eyes on rnd 4 of head 1" apart. With black, using Backstitches (see Stitch Guide), embroider around eye according to



© 1985 Annie's Pattern Club. All rights reserved. Unauthorized duplication is a violation of applicable laws and may be punishable by fines and/or imprisonment.

diagram. With black, using Satin Stitches (see Stitch Guide), embroider nose over rnds 1-2 of muzzle according to diagram. With black, using Outline Stitches (see Stitch Guide), embroider mouth according to diagram.

FACIAL FEATURES



EAR (make 2)

Row 1: With lt. apricot, ch 4, sc in 2nd ch from hook, sc in each ch across, turn (3).

Row 2: Ch 2, hdc in same st, hdc in next st, 2 hdc in last st, turn (5).

Row 3: Ch 2, hdc in same st, hdc in each of next 3 sts, 2 hdc in last st, turn (7).

Rows 4-7: Ch 2, hdc in each st across, turn.

Row 8: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc last 2 sts tog, turn (5).

Row 9: Ch 2, (hdc next 2 sts tog) 2 times (3). Leaving 8" for sewing, fasten off.

Fold row 9 of ear and sew to rnd 3 on each side of head 1" back from eyes.

TAIL

Rnd 1: With lt. apricot, ch 6, sl st in first ch to form ring, ch 1, sc in each ch around (6).

Rnds 2-8: Sc in each st around.

Rnd 9: Sc first 2 sts tog, sc in each st around (5).

Rnds 10-12: Sc in each st around. At end of last rnd, join with sl st in first sc; leaving 6" for sewing, fasten off. Sew rnd 12 closed.

Fold chenille stem in half. Insert folded end into tail. Push ends of stem into rnd 21 of body. Sew in place.

FRONT LEG (make 2)

Rnd 1: With lt. apricot, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8). Mark 7th st of rnd 1 on first leg for right paw. Mark 3rd st on 2nd leg for left paw.

Rnds 2-4: Sc in each st around.

Rnd 5: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnds 6-7: Ch 2, hdc in each st around, join as before.

Rnd 8: Ch 2, hdc in same st, hdc in each

of next 3 sts, 2 hdc in next st, hdc in each of last 3 sts, join (10).

Rnds 9-10: Ch 2, hdc in each st around, join.

Row 11: Working in rows, ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in next st leaving last 2 sts unworked, turn (10).

Row 12: Ch 2, hdc in each st across, turn.

Row 13: Ch 2, hdc next 2 sts tog, hdc in next 5 sts, hdc last 2 sts tog, turn (8).

Row 14: Ch 2, hdc next 2 sts tog, hdc in each of next 3 sts, hdc last 2 sts tog, turn (6).

Row 15: Ch 2, hdc next 2 sts tog, hdc in next st, hdc last 2 sts tog (4). Leaving 10" for sewing, fasten off.

Right Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join lt. apricot with sc in marked st on rnd 1 of leg, sc in each of next 3 ch leaving last 4 ch unworked, turn (4).

Row 2: Ch 1, sc in each st across, turn.

Rnd 3: Working in rnds, ch 1, *sl st in next st, ch 1; [for cluster (cl), insert hook in same st, yo, pull lp through, yo, pull through 1 lp on hook] 3 times, yo, pull through all 4 lps on hook, ch 1; sl st in same st; repeat from * 3 times, sc in each of next 2 rows, sc in next 4 unworked ch on rnd 1 of leg, sc in each of next 2 rows (4 cl, 8 sc).

Rnd 4: Sc in next 4 cl, sc in each st around (12).

Rnd 5: (Sc next 2 sts tog) around (6). Leaving 6" for sewing, fasten off. Stuff leg and paw. Sew rnd 5 closed.

Left Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join lt. apricot with sc in marked st of rnd 1 on leg, sc in each of next 3 ch leaving last 4 ch unworked, turn (4).

Rows 2-5: Repeat rows 2-5 of right front paw.

Stuffing shoulders lightly, position rows 11-15 of leg over rnds 3-8 on front of body with unworked sts on rnd 10 of legs 2½" apart on underside of body. Sew in place.

RIGHT BACK LEG

Rnds 1-4: Repeat rnds 1-4 of front leg, marking first st of rnd 1.

Rnd 5: Sc in each of first 3 sts, 2 hdc in each of next 2 sts, sc in each of last 3 sts (10).

Rnd 6: Sc in each of first 3 sts, (hdc next 2 sts tog) 2 times, sc in each of last 3 sts (8).

Rnd 7: Sl st in first st, ch 2, hdc in same

st, hdc in next 6 sts, 2 hdc in last st, join with sl st in top of ch 2 (10).

Rnd 8: Ch 2, hdc in same st, hdc in each st around, join as before (11).

Rnds 9-10: Ch 2, hdc in each st around, join.

Row 11: Working in rows, sl st in each of next 2 sts, ch 2, hdc in same st as last sl st, (hdc in next st, 2 hdc in next st) 3 times leaving last 2 sts unworked, turn (11).

Row 12: Ch 2, hdc in each st across, turn.

Row 13: Ch 2, hdc next 2 sts tog, hdc in next 6 sts, hdc last 2 sts tog, turn (9).

Row 14: Ch 2, hdc next 2 sts tog, hdc in next 4 sts, hdc last 2 sts tog, turn (7).

Row 15: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc last 2 sts tog. Leaving 15" for sewing, fasten off.

Right Back Paw

Work same as right front paw.

LEFT BACK LEG

Rnds 1-4: Repeat rnds 1-4 of front leg, marking 8th st of rnd 1.

Rnds 5-10: Repeat rnds 5-10 of right back leg.

Row 11: Working in rows, sl st in next 8 sts, ch 2, hdc in same st as last sl st, hdc in next st, 2 hdc in next st, (hdc in next sl st, 2 hdc in next sl st) 2 times, turn (11).

Rows 12-15: Repeat rows 12-15 of right back leg.

Left Back Paw

Work same as left front paw.

Tilting legs backward, position rows 11-15 of legs over rnds 16-20 on each side of

back of body with unworked sts on rnd 10 of legs 1½" apart at underside of body. Sew in place.

FUR

For each fringe, cut 1 strand 3" long. Fold in half, insert hook in st, pull fold through, pull ends through fold, tighten. With lt. apricot, fringe between each row on top and sides of ears. Leaving area on head between and below eyes free, fringe between rnds on head and neck.

Leaving ¾" strip down center of muzzle, nose and mouth clear, fringe 1 rnd above nose, fringe sides and bottom of muzzle.

Fringe 6 strands on rnd 1 of body and in each st on each rnd of body.

Beginning 1" from bottom of legs, fringe legs, covering completely.

Using 2 strands held tog, fringe each st of last 3 rnds on tail. Brush. Trim to ¾" around sides of face, muzzle, bottom of legs and tail.

COLLAR

With dk. brown, ch 40, hdc in 3rd ch from hook, dc in next ch, tr in last 36 ch. Fasten off. Beginning on last st, sew sequins loosely across center of collar to ¾" from other end.

Buckle

With dk. brown, ch 17, sl st in first ch to form ring, ch 5, skip next 8 ch, sl st in next ch. Fasten off.

Run small end of collar under ch 8, over ch 5, under ch 8. With sequins in front, sew buckle to both ends of collar. 🐾

Basset Hound

MATERIALS: 4-ply yarn—4 ozs. white, 1½ ozs. rust, 1½ ozs. black, small amount gold; polyester fiberfill; 2 brown 12-mm. animal eyes; 1 white 12" chenille stem; tapestry needle; F hook or size needed to obtain gauge.

GAUGE: 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 9½" sitting.

BODY

Rnd 1: With white, ch 5, 2 hdc in 3rd ch from hook, 2 hdc in next ch, 4 hdc in last ch; working on opposite side of ch, 2 hdc in next ch, 3 hdc in next ch, join with sl st in top of ch 2 (14).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (28).

Rnd 3: Ch 2, hdc in each st around, join.

Rnd 4: For center bottom of body, sl st in each of next 2 sts, ch 2, hdc in same st as last sl st, 2 hdc in each of next 5 sts, hdc in next 16 sts, 2 hdc in each of next 4 sts, 2 hdc in joining sl st of last rnd, 2 hdc in next sl st, join (40).

Rnd 5: Ch 2, hdc in same st, (hdc in next 9 sts, 2 hdc in next st) 3 times, hdc in last 9 sts, join (44).

Rnd 6: Sl st in next st, ch 2, hdc in same st, (hdc in next 10 sts, 2 hdc in next st) 3 times, hdc in next 9 sts, hdc in joining sl st

of last rnd, join (48).

Rnd 7: Ch 2, hdc in each st around, join.

Rnd 8: Sl st in next st, ch 2, hdc in each st around with last hdc in joining sl st of last rnd, join.

NOTE: To change colors (see Stitch Guide), yo, insert hook in st, yo, pull lp through, drop first color, pick up 2nd color, yo, pull through all 3 lps on hook, carry first color along back of work, pick up when needed.

Rnd 9: Ch 2, hdc in next 14 sts changing to black in last st made, hdc in next 18 sts changing to white in last st made, hdc in last 15 sts, join.

Rnd 10: Sl st in next st, ch 2, hdc in next 13 sts changing to black in last st made, hdc in next 19 sts changing to white in last st made, hdc in last 15 sts with last hdc in joining sl st of last rnd, join.

Rnd 11: Ch 2, hdc in next 11 sts changing to black in last st made, hdc in next 24 sts changing to white in last st made, hdc in last 12 sts, join.

Rnd 12: Sl st in next st, ch 2, hdc in next 11 sts changing to black in last st made, hdc in next 24 sts changing to white in last st made, hdc in last 12 sts with last hdc in joining sl st of last rnd, join.

Rnds 13-14: Repeat rnds 11 and 12.

Rnd 15: Ch 2, hdc in next 8 sts changing to black in last st made, hdc in next 9 sts, (hdc next 2 sts tog, hdc in each of next 2 sts) 4 times, hdc in next 6 sts changing to white in last st made, hdc in last 8 sts, join (44).

Rnd 16: Sl st in next st, ch 2, hdc in next 8 sts changing to black in last st made, hdc in next 27 sts changing to white in last st made, hdc in last 8 sts with last hdc in joining sl st of last rnd, join.

Rnd 17: Ch 2, hdc in next 8 sts changing to black in last st made, hdc in next 27 sts changing to white in last st made, hdc in last 8 sts, join.

Rnds 18-23: Repeat rnds 16 and 17 alternately. At end of last rnd, fasten off white and black.

Rnd 24: Join black with sl st in first st of rnd 23, ch 2, hdc in next st, hdc next 2 sts tog, (hdc in each of next 2 sts, hdc next 2 sts tog) around, join (33). Stuff; continue stuffing as you work.

Rnd 25: Ch 2, (hdc next 2 sts tog) around, join (17).

Rnd 26: Ch 2, (hdc next 2 sts tog) around, join (9). Leaving 8" for sewing, fasten off. Sew rnd 26 closed.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With white, ch 40, sl st in first ch to form ring, ch 2, hdc in each ch around, join with sl st in top of ch 2 (40).

Rnd 2: Ch 2, hdc in each st around, join as before.

Rnd 3: Sl st in next 8 sts, hdc in next 6 sts, (hdc next 2 sts tog, hdc in next st) 4 times, hdc in next 6 sts, sl st in next 7 sts, sl st in joining sl st of last rnd (36).

Rnd 4: Sl st in first 8 sts, hdc in next 20 sts, sl st in last 8 sts.

Rnd 5: Sl st in first 8 sts, (hdc next 2 sts tog) 10 times, sl st in last 8 sts (26). Fasten off white.

Rnd 6: Join rust with sl st in first sl st, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 3 times, hdc in next 11 sts, (2 hdc in next st, hdc in next st) 4 times, join (34).

Rnd 7: Sl st in next st, ch 2, hdc in each st around with last hdc in joining sl st of last rnd, join.

Rnd 8: Ch 2, hdc in each st around, join.

Rnds 9-10: Repeat rnds 7 and 8.

Rnd 11: Sl st in next st, ch 2, (hdc next 2 sts tog, hdc in next 5 sts) 4 times, hdc next 2 sts tog, hdc in each of last 3 sts with last hdc in joining sl st of last rnd, join (29).

Rnd 12: Ch 2, hdc in each st around, join.

Rnd 13: Repeat rnd 7.

Rnd 14: Ch 2, (hdc next 2 sts tog, hdc in next st) 9 times, hdc in last st, join (20).

Rnd 15: Ch 2, (hdc next 2 sts tog) 9 times, hdc in last st, join (11).

Rnd 16: Ch 2, (hdc next 2 sts tog) around, join (6). Leaving 8" for sewing, fasten off. Sew rnd 16 closed. Stuff head and neck.

Position neck with front edge on top half of rnd 1 on body and joining sts of back edge on black sts of row 10 on body. Sew in place.

MUZZLE

Rnd 1: With white, ch 3, 3 sc in 2nd ch from hook, 2 sc in next ch; working on opposite side of ch, 3 sc in next ch, 2 sc in last ch (10).

Rnd 2: (2 sc in next st, sc in next st) around (15).

Rnd 3: Sc in each st around.

Rnd 4: (2 sc in next st, sc in each of next 2 sts) around (20).

Rnds 5-8: Sc in each st around.

Rnd 9: Sc in each of first 2 sts, 2 sc in next st, sc in next st, 2 sc in next st, sc in next 14 sts, 2 sc in last st (23).

Rnd 10: Sc in first st, 2 sc in next st, sc in each st around (24).

Rnd 11: Sc in first 10 sts, hdc in next 10 sts, sc in last 4 sts. Fasten off. Stuff.

Position hdc sts on muzzle over 7th rnd of rust on front of head and bottom of muzzle on first rnd of rust on head. Sew in place.

Muzzle Top Piece

Row 1: With white, ch 2, 5 sc in 2nd ch from hook, turn (5).

Row 2: Ch 1, 2 sc in each st across, turn (10).

Rows 3-5: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (14, 18, 22).

Rows 6-8: Ch 1, sc in each st across, turn.

Row 9: Ch 1, (sc next 2 sts tog) 4 times, sc in next 6 sts, (sc next 2 sts tog) 4 times, turn (14).

Row 10: Ch 1, sc first 2 sts tog, sc in next 10 sts, sc last 2 sts tog, turn (12).

Row 11: Ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in last st, turn (14).

Row 12: Sl st in first 5 sts, ch 2, hdc in next 5 sts leaving last 4 sts unworked, turn (6).

Rows 13-14: Ch 2, hdc in each st across to last st leaving last st unworked, turn (5, 4).

Row 15: Ch 2, hdc in next 2 sts leaving last st unworked. Fasten off.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end through shaft of eye.

Position muzzle top piece with row 1 on top half of rnd 1 on muzzle and rows 12-15 on head above edge of muzzle. Sew row 1 to rnd 1. Sew rows 11-15 in place leaving rows 2-10 free. Sew eyes on rnd 12 of head, 1½" apart.

EYELID (make 2)

With 2 strands rust held tog, ch 5. Leaving 8" for sewing, fasten off. Position in arch around top half of eye, covering ⅓" on top of eye. Sew in place.


With black, using Satin Stitch (see Stitch Guide), working through top piece and muzzle, embroider nose over rows 2-4 of muzzle top piece.

With black, using Outline Stitch (see Stitch Guide), embroider mouth around edge of muzzle top piece from 1 end of row 2 to opposite end of row 2.

With white, using Straight Stitches (see Stitch Guide), embroider around lower

half of eye and to ¼" below center of eye (see ill.).

FACIAL FEATURES



EAR (make 2)

Row 1: With rust, ch 16, hdc in 3rd ch from hook, hdc in next 12 ch, 3 hdc in last ch; working on opposite side of ch, hdc in next 13 ch, turn (31).

Row 2: Ch 2, hdc in next 13 sts, 2 hdc in each of next 3 sts, hdc in last 14 sts, turn (34).

Row 3: Ch 2, hdc in next 13 sts, 2 hdc in each of next 5 sts, hdc in last 15 sts, turn (39).

Row 4: Ch 2, hdc in next 9 sts, sc in next 6 sts, 2 sc in each of next 7 sts, sc in next 6 sts, hdc in last 10 sts (46). Leaving 8" for sewing, fasten off.

Fold ends of rows at top of ear in half. Position folded end of right ear on rnd 12, 1" back from eye. Position folded end of left ear on rnd 11, 1" back from eye. Sew in place.

TAIL

Rnd 1: With black, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (7).

Rnds 6-9: Sc in each st around.

Rnd 10: Sc first 2 sts tog, sc in each st around changing to white in last st (6). Fasten off black.

Rnds 11-14: Sc in each st around.

Rnd 15: Repeat rnd 5 (5).

Rnds 16-17: Sc in each st around. Leav-

ing 6" for sewing, fasten off. Sew rnd 17 closed.

Fold chenille stem in half. Insert folded end inside tail. Push ends of stem in rnd 26 of body. Sew tail in place. Bend tail up.

RIGHT FRONT LEG

Rnd 1: With white, ch 16, sl st in first ch to form ring, ch 1, sc in each ch around (16). Mark 3rd st of rnd 1 for right paw.

Rnds 2-8: Sc in each st around.

Row 9: Working in rows, sl st in first st, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 5 times leaving last 5 sts unworked, turn (17).

Row 10: Ch 2, hdc in each st across, turn.

Row 11: Ch 2, hdc next 2 sts tog, hdc in next 12 sts, hdc last 2 sts tog, turn (15).

Rows 12-13: Ch 2, hdc in each st across, turn.

Row 14: Ch 2, hdc next 2 sts tog, hdc in next 10 sts, hdc last 2 sts tog, turn (13).

Row 15: Ch 1, sc first 2 sts tog, hdc in next 5 sts changing to rust in last st made, hdc in next 4 sts, sc last 2 sts tog, turn (11).

Row 16: Ch 1, sc first 2 sts tog, hdc in next 4 sts changing to white in last st made, hdc in each of next 3 sts, sc last 2 sts tog, turn (9).

Row 17: Ch 1, sc first 2 sts tog, hdc in next st changing to rust, hdc in next 4 sts, sc last 2 sts tog (7). Fasten off.

Right Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join white with sc in marked st of rnd 1 on leg, sc in next 7 ch leaving last 8 ch unworked, turn (8).

Rows 2-4: Ch 1, sc in each st across, turn.

Row 5: For toes, ch 1. *for cluster (cl), yo, insert hook in first st, yo, pull lp through, yo, pull through 2 lps on hook, (yo, insert hook in same st, yo, pull lp through, yo, pull through 2 lps on hook) 3 times, yo, pull through all 5 lps on hook, ch 1; sl st in next st, (cl in next st, sl st in next st) 3 times, turn (4 cl, 4 sl sts).

Row 6: Ch 1, sc in each ch 1 across, turn (4).

Rnd 7: Working in rnds, ch 1, 2 sc in each of first 4 sts, 4 sc evenly spaced in next 6 rows, sc in next 8 unworked ch on rnd 1 of leg, 4 sc evenly spaced in next 6 rows (24).

Rnd 8: Sc in each st around.

Rnds 9-10: (Sc next 2 sts tog) around (12, 6). At end of last rnd, leaving 8" for sewing, fasten off. Sew rnd 10 closed. Stuff. With

black, using Straight Stitches, embro. nail on lower half of each toe.

LEFT FRONT LEG

Rows 1-14: Marking 10th st of rnd 1 for left paw, repeat rnds 1-14 of right front leg. At end of last rnd, fasten off.

Row 15: Join rust with sl st in first st of last row, ch 1, sc first 2 sts tog, hdc in next 4 sts changing to white in last st made, hdc in next 5 sts, sc last 2 sts tog, turn (11).

Row 16: Ch 1, sc first 2 sts tog, hdc in each of next 3 sts changing to rust in last st made, hdc in next 4 sts, sc last 2 sts tog, turn (9).

Row 17: Ch 1, sc first 2 sts tog, hdc in next 4 sts changing to white in last st made, hdc in next st, sc last 2 sts tog (7). Fasten off.

Left Front Paw

Joining white with sc in marked st of rnd 1, work same as right front paw.

RIGHT BACK LEG

Rnds 1-6: Repeat rnds 1-6 of right front leg.

Rnd 7: Sc in first 7 sts, 2 hdc in each of next 2 sts, sc in last 7 sts (18).

Rnd 8: Sc in first 7 sts, (hdc next 2 sts tog) 2 times, sc in last 7 sts (16).

Row 9: Working in rows, sl st in first st, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 4 sts unworked, turn (14).

Row 10: Ch 2, hdc in each of next 3 sts, (2 hdc in next st, hdc in next st) 3 times, hdc in last 4 sts, turn (17).

Row 11: Ch 1, sc first 2 sts tog, hdc in next 6 sts changing to rust in last st made, hdc in next 7 sts, sc last 2 sts tog, turn (15).

Row 12: Ch 1, sc first 2 sts tog, hdc in next 7 sts changing to white in last st made, hdc in next 4 sts, sc last 2 sts tog, turn (13).

Row 13: Ch 1, sc in first st, hdc in each of next 3 sts changing to rust in last st made, hdc in next 8 sts, sc in last st, turn.

Row 14: Ch 1, sc first 2 sts tog, hdc in next 8 sts changing to white in last st made, hdc in next st, sc last 2 sts tog changing to rust, turn (11). Fasten off white.

Row 15: Ch 1, sc first 2 sts tog, hdc in next 7 sts, sc last 2 sts tog (9). Fasten off.

Right Back Paw

Work same as right front paw.

LEFT BACK LEG

Rnds 1-8: Repeat rnds 1-8 of right back

leg, marking last st of rnd 1. At end of last rnd, fasten off.

Rows 9-10: Working in rows, joining white with sl st in 5th st of rnd 8, repeat rows 9 and 10 of right back leg. Fasten off white.

Row 11: Join rust with sl st in first st, ch 1, sc first 2 sts tog, hdc in next 7 sts changing to white in last st made, hdc in next 6 sts, sc last 2 sts tog, turn (15).

Row 12: Ch 1, sc first 2 sts tog, sc in next 4 sts changing to rust in last st made, hdc in next 7 sts, sc last 2 sts tog, turn (13).

Row 13: Ch 1, sc in first st, hdc in next 8 sts changing to white in last st made, hdc in each of next 3 sts, sc in last st, turn.

Row 14: Ch 1, sc first 2 sts tog changing to rust, hdc in next 9 sts, sc last 2 sts tog, turn (11). Fasten off white.

Row 15: Repeat row 15 of right back leg.

Left Back Paw

Work same as left front paw.

Stuff legs. Tilting front legs forward slightly, position rows 9-17 over rnds 5-11

on each side of body with unworked sts of rnd 8 on legs 2½" apart on underside of body. Stuffing shoulders, sew in place. Position rows 9-15 of back legs over rnds 20-26 on each side of body so dog is in sitting position with edges of row 11 of legs 1¾" apart and row 9 of legs 2¼" apart on underside of body. Stuffing hips, sew in place.

With rust, using Straight Stitches, embroider small stitches to resemble spots on nose, neck and legs.

CHAIN

With gold, ch 42, place around dog's neck, join with sl st in first ch. Fasten off.

Chain Link

With gold, ch 8. Fasten off. Fold over chain on neck and sew ends tog to secure.

Tag

With gold, ch 2, 8 sc in 2nd ch from hook, join with sl st in first sc. Leaving 8" for sewing, fasten off. Sew tag to end of chain link. 

Boston Terrier

MATERIALS: 4-ply yarn—3½ ozs. black, 1½ ozs. white, small amount each rust, gray; polyester fiberfill; 2 brown 15-mm. animal eyes; 1 black 6" chenille stem; tapestry needle; F and G hooks or sizes needed to obtain gauge.

GAUGE: G hook, 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 8½" tall.

BODY

Rnd 1: With G hook and white, ch 4, 2 hdc in 3rd ch from hook, 3 hdc in last ch; working on opposite side of ch, 3 hdc in each of next 2 ch, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in same st, hdc in each of next 2 sts, (2 hdc in next st, hdc in each of next 2 sts) around, join (32).

Rnd 4: For center bottom of body, sl st in each of next 2 sts, ch 2, hdc in same st as last sl st, 2 hdc in each of next 3 sts, hdc in next 24 sts, 2 hdc in each of last 2 sts, 2 hdc in each of first 2 sl sts, join (40).

Rnd 5: Ch 2, hdc in each st around, join.

NOTE: To change colors (see Stitch

Guide), yo, insert hook in st, yo, pull lp through, drop first color, pick up 2nd color, yo, pull through all 3 lps on hook, carry first color along back of work, pick up when needed.

Rnd 6: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st of last rnd changing to black, join. Fasten off white.

Rnd 7: Ch 2, hdc in each st around, join.

Rnd 8: Sl st in next st, ch 2, hdc in each st around with last st in joining sl st of last rnd, join.

Rnds 9-20: Repeat rnds 7 and 8 alternately.

Rnd 21: Ch 2, hdc next 2 sts tog, hdc in next 35 sts, hdc last 2 sts tog, join (38).

Rnd 22: Repeat rnd 8.

Rnds 23-26: Repeat rnds 7 and 8 alternately. Stuff. Continue stuffing as you work.

Rnd 27: Ch 2, hdc in next st, (hdc next 2 sts tog, hdc in next st) around, join (26).

Rnd 28: Ch 2, (hdc next 2 sts tog) 12 times, hdc in last st, join (14).

Rnd 29: Ch 2, (hdc next 2 sts tog) 6 times, hdc in last st, join (8). Leaving 6" for sewing, fasten off. Sew opening closed.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With G hook and white, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch, hdc in next 20 ch, sc in last 8 ch (36).

Rnd 2: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts.

Rnd 3: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts.

Rnds 4-5: Sc in first 9 sts, hdc in next 20 sts, sc in last 7 sts.

Rnds 6-7: Sc in first 10 sts, hdc in next 20 sts, sc in last 6 sts.

Rnds 8-9: Sc in first 11 sts, hdc in next 20 sts, sc in last 5 sts.

Rnd 10: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 11: Ch 2, hdc next 2 sts tog, (hdc in next st, hdc next 2 sts tog) around, join as before (24).

Rnd 12: Ch 2, (hdc next 2 sts tog) 11 times, hdc in last st, join (13).

Rnd 13: Ch 2, (hdc next 2 sts tog) 6 times, join (7). Leaving 12" for sewing, fasten off. Sew rnd 13 closed.

Stuff. Position hdc sts in front over top half of rnd 1 and over top of rnds 2-8, sew in place.

MUZZLE

Rnd 1: With G hook and white, ch 2, 8 sc in 2nd ch from hook (8).

Rnd 2: (3 sc in next st, sc in next st) around (16).

Rnd 3: Sc in each of first 2 sts, 3 sc in next st, (sc in each of next 3 sts, 3 sc in next st) 3 times, sc in last st (24).

Rnds 4-6: Sc in each st around. At end of last rnd, join with sl st in first sc. Leaving 10" for sewing, fasten off.

Stuff. Position on front of head with bottom of muzzle on rnd 3 and top of muzzle on rnd 8.

Muzzle Top Piece

Row 1: With F hook and white, ch 2, 6 sc in 2nd ch from hook, turn (6).

Row 2: Ch 1, 2 sc in first st, sc in next 4 sts, 2 sc in last st, turn (8).

Row 3: Ch 1, 3 sc in first st, sc in next st, 2 sc in next st, sc in each of next 2 sts, 2 sc in next st, sc in next st, 3 sc in last st, turn (14).

Row 4: Ch 1, 3 sc in first st, sc in next 12 sts, 3 sc in last st, turn (18).

Row 5: Ch 1, 3 sc in each of first 2 sts, sc in next 14 sts, 3 sc in each of last 2 sts, turn (26).

Row 6: Ch 1, sc first 2 sts tog, (sc next 2

sts tog) 2 times, sc in next 14 sts, (sc next 2 sts tog) 3 times, turn (20).

Row 7: Ch 1, sc first 2 sts tog, sc in next st, hdc in next 6 sts, 2 hdc in each of next 2 sts, hdc in next 6 sts, sc in next st, sc last 2 sts tog (20). Leaving 10" for sewing, fasten off.

Position muzzle top piece over top half of muzzle allowing jowls to droop over each side of muzzle, sew in place. Sew eyes 2" apart on each side of muzzle between rnds 7 and 8 of head.

EYE PIECE (make 2)

Row 1: With F hook and black, ch 11, sl st in first ch to form ring, ch 1, sc in first ch, 2 sc in next 8 ch, sc in next ch leaving last ch unworked, turn (18).

Row 2: Ch 1, sc in each of first 2 sts, hdc in next 14 sts, sc in each of last 2 sts, turn.

Row 3: Ch 1, sc in each of first 2 sts, (hdc in next st, 2 hdc in next st) 4 times, sc in each of next 2 sts leaving last 6 sts unworked, turn (16).

Row 4: Skip first st, sc in next st, hdc in next 9 sts, sc in each of next 2 sts leaving last 3 sts unworked, turn (12).


Rows 5-7: Skip first st, sc in next st, hdc in each st across to last 2 sts, sc in each of last 2 sts, turn, ending with 9 sts in last row.

Row 8: Skip first st, sc in next st, hdc in next 5 sts, skip next st, sc in last st (7). Leaving 20" for sewing, fasten off.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end through shaft of eye.

Position eye pieces over eyes (1 will be reversed) with 6 unworked sts of row 3 at bottom edge of piece (see ill.), sew around

EYEPiece



eyes leaving small amount of white showing on outer sides of eyes. Position eye pieces $\frac{3}{4}$ " apart on front of forehead and $1\frac{1}{2}$ " apart between eyes. Sew entire piece to head.

With black, using Satin Stitches (see Stitch Guide), embroider nose on rnds 4 and 5 of muzzle top piece. With black, using Outline Stitches (see Stitch Guide), embroider mouth along lower edge of muzzle top piece. Embroider Lazy-Daisy Stitch (see Stitch Guide), under each jawl.

EAR (make 2)

Row 1: With G hook and black, ch 6, sc in 2nd ch from hook, sc in next 4 ch, turn (5).

Rows 2-4: Ch 1, sc first 2 sts tog, sc in each st across, turn (4, 3, 2).

Row 5: Ch 1, sc first 2 sts tog (1). Fasten off.

Row 6: Join black with sc in end of row 1, sc in same row, sc in each of next 3 rows, (sc, ch 2, sl st) in top of row 5, sc in each of next 3 rows, 2 sc in end of row 1. Fasten off. Cupping ears slightly, position 2" apart on rows 4-7 of eye pieces, sew in place.

TAIL

Rnd 1: With G hook and black, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-3: Sc in each st around.

Rnd 4: (Sc next 2 sts tog, sc in each of next 2 sts) around (6).

Rnds 5-6: Sc in each st around.

Rnd 7: Sc first 2 sts tog, sc in last 4 sts (5).

Rnd 8: Sc first 2 sts tog, sc in each of last 3 sts (4). Leaving 6" for sewing, fasten off. Sew rnd 8 closed.

Fold chenille stem in half. Insert folded end inside tail. Stuff lightly around stem. Push ends of stem into top of body between rnds 26 and 27. Sew tail to body.

RIGHT FRONT LEG

Rnd 1: With G hook and white, ch 11, sl st in first ch to form ring, ch 1, sc in each ch around (11). Mark last st of rnd 1.

Rnds 2-3: Sc in each st around.

Rnd 4: Sc in each st around changing to black in last st. Fasten off white.

Rnds 5-9: Sc in each st around.

Rnd 10: 2 sc in first st, sc in each st around (12).

Rnd 11: Sc in each st around.

Rnd 12: 2 sc in first st, sc in each st around (13).

Rnd 13: Sc in each st around.

Rnd 14: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2 (13).

Row 15: Working in rows, ch 2, hdc in next st, (2 hdc in next st, hdc in next st) 3 times, hdc in next st leaving last 4 sts unworked, turn (12).

Rows 16-18: Ch 2, hdc in each st across, turn.

Row 19: Ch 2, hdc next 2 sts tog, hdc in next 7 sts, hdc last 2 sts tog, turn (10).

Row 20: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc next 2 sts tog, hdc in next st, hdc next 2 sts tog, turn (7).

Row 21: Ch 2, (hdc next 2 sts tog) across (4). Leaving 15" for sewing, fasten off.

Right Front Paw

Row 1: Working on opposite side of starting ch, with G hook, join white with sc in marked st on rnd 1 of leg, sc in next 4 ch leaving last 6 ch unworked, turn (5).

Rows 2-4: Ch 1, sc in each st across, turn.

Row 5: For toe, skip first st, *sl st in next st, ch 1, yo, insert hook in same st, yo, pull lp through, yo, pull through 1 lp, yo, pull through 3 lps, ch 1, sl st in same st; repeat from * 3 times, turn (4 toes).

Row 6: Ch 1, sc in top of each toe across, turn (4).

Rnd 7: Working in rnds, ch 1, (sc next 2 sts tog) 2 times, 5 sc evenly spaced in ends of next 6 rows, sc in next 6 unworked ch on rnd 1 of leg, 5 sc evenly spaced in ends of next 6 rows (18).

Rnd 8: (Sc next 2 sts tog) around (9). Stuff.

Rnd 9: (Sc next 2 sts tog) 4 times, sc in last st (5). Leaving 6" for sewing, fasten off. Sew opening closed. Stuff leg.

LEFT FRONT LEG

Rnd 1: With G hook and white, ch 11, sl st in first ch to form ring, ch 1, sc in each ch around. Mark 2nd st of rnd 1.

Rnds 2-9: Sc in each st around.

Rnd 10: Sc in each of first 3 sts changing to black in last st made, sc in each of next 3 sts changing to white in last st made, sc in next 4 sts, 2 sc in last st (12).

Rnd 11: Sc in each of first 2 sts changing to black in last st made, sc in next 6 sts changing to white in last st made, sc in last 4 sts.

Rnd 12: Sc in first st changing to black, sc in next 10 sts, 2 sc in last st (13). Fasten off white.

Rnd 13: Sc in each st around.

Rnd 14: Sl st in each of first 2 sts, ch 2, hdc in each st around, hdc in first sl st, join with sl st in top of ch 2.

Rows 15-21: Repeat rows 15-21 of right leg.

Left Front Paw

Row 1: Working on opposite side of starting ch, with G hook, join white with sc in marked st on rnd 1 of leg, sc in next 4 ch leaving last 6 sts unworked, turn (5).

Rows 2-9: Repeat rows 2-9 of right front paw.

Position top of legs over rnds 5-11 on each side of body with unworked sts on rnd 14 on legs 2½" apart on underside of body; sew in place, stuffing shoulders.

RIGHT BACK LEG

Rnd 1: With black, repeat rnd 1 of right front leg.

Rnds 2-6: Sc in each st around.

Rnd 7: Sc in first 4 sts, 2 sc in each of next 3 sts, sc in last 4 sts (14).

Rnd 8: Sc in first 5 sts, (sc next 2 sts tog) 2 times, sc in last 5 sts (12).

Rnd 9: 2 sc in first st, sc in next 4 sts, sc next 2 sts tog, sc in next 4 sts, 2 sc in last st (13).

Rnd 10: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 11: Ch 2, (2 hdc in next st, hdc in next 5 sts) around, join as before (15).

Rnd 12: Ch 2, hdc in each st around, join.

Rnd 13: Sl st in next st, ch 2, (2 hdc in next st, hdc in next 4 sts) 2 times, 2 hdc in next st, hdc in each of last 2 sts, hdc in joining sl st, join (18).

Rnd 14: Ch 2, (2 hdc in next st, hdc in next 5 sts) 2 times, 2 hdc in next st, hdc in last 4 sts, join (21).

Row 15: Working in rows, sl st in each of next 3 sts, ch 2, hdc in same st as last sl st, hdc in next 11 sts, 2 hdc in next st leaving last 5 sts unworked, turn (15).

Row 16: Ch 2, hdc in each st across, turn.

Rows 17-20: Ch 2, hdc next 2 sts tog, hdc across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (7), fasten off.

Right Back Paw

With black, work same as right front paw.

LEFT BACK LEG

Rnd 1: With black, repeat rnd 1 of right front leg.

Rnds 2-14: Repeat rnds 2-14 of right back leg.

Row 15: Working in rows, sl st in next 13 sts, ch 2, hdc in same st as last sl st, hdc in next 7 sts, hdc in next 4 sl sts, 2 hdc in next sl st leaving last 8 sl sts unworked, turn (15).

Rows 16-20: Repeat rows 16-20 of right back leg.

Left Back Paw

With black, work same as left front paw.

Position top of legs over rnds 22-27 on each side of body with unworked sts on rnd 14 of legs 1" apart on underside of body; sew in place, stuffing hips.

COLLAR

With G hook and rust, ch 44, sc in 2nd ch from hook, hdc in each ch across. Leaving 6" for sewing, fasten off. With gray, embroider French Knot (see Stitch Guide) on 13th, 16th, 19th, 22nd and 25th sts of collar.

Buckle

With G hook and gray, ch 15, sl st in first ch to form ring, ch 4, sl st in 8th ch. Fasten off. Place buckle on pointed end of collar, place around dog's neck. With rust, tack last st of collar to back side of 5th st on collar. With gray, using Straight Stitch (see Stitch Guide), embroider through center of first ch 7 on buckle and down through collar. 🐾

Cocker Spaniel

MATERIALS: 4-ply yarn—6½ ozs, beige, small amount black; polyester fiber-fill; 2 brown 15-mm. animal eyes; 12" chenille stem; 30" of ⅝" rust ribbon; tapestry needle; F hook or size needed to obtain gauge.

GAUGE: 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 9" tall sitting.

BODY

Rnd 1: With beige, ch 4, sl st in first ch to form ring, ch 2, 11 hdc in ring, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each

Apricot Poodle



Boston Terrier



Cocker Spaniel

Scottish Terrier



Dachshund



Pekingese



Basset Hound



st around, join as before (24).

Rnd 3: Ch 2, hdc in same st, hdc in each of next 2 sts, (2 hdc in next st, hdc in each of next 2 sts) around, join (32).

Rnd 4: Ch 2, hdc in same st, hdc in each of next 3 sts, (2 hdc in next st, hdc in each of next 3 sts) around, join (40).

Rnds 5-14: Ch 2, hdc in each st around, join.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in next 17 sts, hdc next 2 sts tog, hdc in last 18 sts, join (38).

Rnds 16-21: Ch 2, hdc in each st around, join. At end of last rnd, stuff. Continue stuffing as you work.

Rnd 22: Ch 2, hdc in next st, (hdc next 2 sts tog, hdc in next st) around, join (26).

Rnd 23: Ch 2, (hdc next 2 sts tog) 12 times, hdc in last st, join (14).

Rnd 24: Ch 2, (hdc next 2 sts tog) 6 times, hdc in last st, join (8). Leaving 6" for sewing, fasten off. Sew opening closed.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With beige, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch, hdc in next 20 ch, sc in last 8 ch (36).

Rnds 2-3: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts.

Rnds 4-5: Sc in first 9 sts, hdc in next 20 sts, sc in last 7 sts.

Rnds 6-7: Sc in first 10 sts, hdc in next 20 sts, sc in last 6 sts.

Rnds 8-9: Sc in first 11 sts, hdc in next 20 sts, sc in last 5 sts.

Rnd 10: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 11: Ch 2, hdc next 2 sts tog, (hdc in next st, hdc next 2 sts tog) around, join as before (24).

Rnd 12: Ch 2, hdc in each st around, join.

Rnd 13: Ch 2, (hdc next 2 sts tog) 11 times, hdc in last st, join (13).

Rnd 14: Ch 2, (hdc next 2 sts tog) around, join (7). Leaving 6" for sewing, fasten off. Sew opening closed. Stuff. Position neck over rnd 3 on lower half of body up to rnd 7 on upper half of body with hdc sts across bottom. Sew in place.

MUZZLE

Rnd 1: With beige, ch 3, 3 sc in 2nd ch from hook, 2 sc in last ch; working on opposite side of ch, 3 sc in next ch, 2 sc in next ch (10).

Rnd 2: (2 sc in next st, sc in next st) around (15).

Rnd 3: Sc in each st around.

Rnd 4: Sc in each of first 2 sts, 2 sc in each of next 2 sts, sc in last 11 sts (17).

Rnd 5: 2 sc in each of first 3 sts, sc in last 14 sts (20).

Rnd 6: Sc in each st around.

Rnd 7: Sc in first 5 sts, 2 sc in each of next 2 sts, sc in last 13 sts (22).

Rnd 8: Sc in each of first 3 sts, 2 sc in each of next 2 sts, sc in last 17 sts (24).

Rnd 9: Sc in first 15 sts, hdc in last 9 sts.

Rnd 10: Hdc in first st, sc in next 14 sts, hdc in last 9 sts.

Rnd 11: Hdc in first st, sc in next 7 sts, sl st in next st leaving last 15 sts unworked. Fasten off.

Position muzzle over rnds 4-11 of head with hdc sts across top. Sew in place.

Muzzle Top Piece

Row 1: With beige, ch 2, 5 sc in 2nd ch from hook, turn (5).

Row 2: Ch 1, 2 sc in each st across, turn (10).

Rows 3-5: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (14, 18, 22).

Row 6: Ch 1, sc in each st across, turn.

Row 7: Ch 1, (sc next 2 sts tog) 2 times, sc in next 14 sts, (sc next 2 sts tog) 2 times, turn (18).

Row 8: Ch 1, (sc next 2 sts tog) 2 times, sc in next 10 sts, (sc next 2 sts tog) 2 times, turn (14).

Row 9: Ch 1, sc in first 4 sts, hdc in next 6 sts, sc in last 4 sts, turn.

Row 10: Ch 2, hdc in same st, hdc in next 5 sts, 2 hdc in each of next 2 sts, hdc in next 5 sts, 2 hdc in last st (18). Leaving 10" for sewing, fasten off. Position muzzle top piece with row 1 on top half of rnd 1 on muzzle and row 10 on head. Leaving rows 5-8 free, sew in place.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end through shaft of eye.

Sew eyes between rnds 9 and 10 of head 2" apart.


EYELID (make 2)

With beige, ch 5. Leaving 6" for sewing, fasten off. Sew over eyes according to diagram.

With black, using Satin Stitches (see Stitch Guide), embroider nose over rnds 2-4 of muzzle top piece according to dia-

gram. With black, using Outline Stitches (see Stitch Guide), embroider mouth according to diagram.

FACIAL FEATURES



EAR (make 2)

Row 1: With beige, ch 7, sc in 2nd ch from hook, sc in each ch across, turn (6).

Row 2: Ch 2, hdc in same st, hdc in next 4 sts, 2 hdc in last st, turn (8).

Rows 3-6: Ch 2, hdc in each st across, turn.

Row 7: Ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in last st, turn (10).

Rows 8-10: Ch 2, hdc in each st across, turn.

Row 11: Ch 2, hdc next 2 sts tog, hdc in next 5 sts, hdc last 2 sts tog (8). Fasten off.

Fold row 1 in half, sew ends tog. Sew row 1 of ears to rnd 10 on each side of head 1½" back from eye.

TAIL

Rnd 1: With beige, ch 7, sl st in first ch to form ring, ch 1, sc in each ch around (7).

Rnds 2-3: Sc in each st around.

Rnd 4: Sc first 2 sts tog, sc in each of next 3 sts, sc last 2 sts tog (5).

Rnds 5-6: Sc in each st around. Leaving 6" for sewing, fasten off. Sew rnd 6 closed. Cut chenille stem in half. Fold both 6" stems in half. Insert folded ends into tail. Push ends of chenille stems between rnds 23 and 24 on top body. Sew in place.

FRONT LEG (make 2)

Rnd 1: With beige, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark 3rd st of rnd 1 on first leg for right paw. Mark 11th st on 2nd leg for left paw.

Rnds 2-6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next 6 sts) around (16).

Rnds 8-10: Sc in each st around.

Rnd 11: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Row 12: Working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st

leaving last 4 sts unworked, turn (14).

Row 13: Ch 2, hdc in each st across, turn.

Rows 14-16: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (12, 10, 8). At end of last rnd, leaving 10" for sewing, fasten off.

Right Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join beige with sc in marked st of rnd 1 on leg, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 2-4: Ch 1, sc in each st across, turn.

Row 5: Ch 1, *for cluster (cl), yo, insert hook in first st, yo, pull lp through, yo, pull through 2 lps on hook, (yo, insert hook in same st, yo, pull lp through, yo, pull through 2 lps on hook) 2 times, yo, pull through all 4 lps on hook, ch 1; sl st in next st; (cl in next st, sl st in next st) 3 times, turn (4 cl, 4 sl sts).

Row 6: Ch 1, sc in each cl across, turn (4).

Rnd 7: Working in rnds, ch 1, 2 sc in each of next 4 sts, 4 sc evenly spaced in end of next 6 rows, sc in next 6 unworked ch on rnd 1 of leg, 4 sc evenly spaced in ends of next 6 rows (22).

Rnd 8: Sc in each st around.

Rnd 9: (Sc next 2 sts tog) around (11).

Rnd 10: (Sc next 2 sts tog) 5 times, sc in last st (6). Stuff. Leaving 6" for sewing, fasten off. Sew rnd 10 closed.

Left Front Paw

Joining beige with sc in marked st of rnd 1 on leg, work same as right front paw.

Stuff legs. Position rows 12-16 of legs between rnds 7-11 on each side of body with unworked sts on rnd 11 of legs 1¾" apart at underside of body. Sew in place.

BACK LEG (make 2)

Row 1: Ch 4, 7 hdc in 4th ch from hook, turn (8).

Row 2: Ch 2, hdc in same st, 2 hdc in each of next 7 sts, turn (16).

Row 3: Ch 2, hdc in each st across, turn.

Rows 4-8: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (6), leaving 12" for sewing, fasten off. Stuff. With row 1 at back, position leg between rnds 15-22 on each side of body 2" apart on underside. Sew in place.

Back Paw (make 2)

Rnd 1: Ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14).

Rnds 2-3: Sc in each st around. At end of last rnd, join with sl st in first sc.

Row 4: Working in rows, ch 1, sc in first 8 sts leaving last 6 sts unworked, turn (8).

Rows 5-7: Ch 1, sc in each st across, turn.

Rows 8-9: Repeat rows 5 and 6 of right front paw.

Row 10: Ch 1, 2 sc in each st across, turn (8).

Rows 11-12: Ch 1, sc in each st across, turn.

Row 13: Ch 1, sc first 2 sts tog, (sc in next st, sc next 2 sts tog) 2 times. Leaving 12" for sewing, fasten off. Sew sides of paw tog. Stuff. With toes pointing up, sew to front of leg so dog will be in sitting position.

FUR

For each fringe, cut 1 strand beige, fold in half, insert hook in st, pull fold through, pull ends through fold, tighten.

With 5" strands, fringe every other row of ears leaving underside of ear unfringed. Fringe each st of each rnd of tail. Fringe each st of rnds 1-3 on neck. With 3" strands, fringe each st of every other rnd on body. With 5" strands, fringe each st of every other rnd on front side of front legs down to sc rnds. Fringe 4 sts in each rnd on back side of front legs leaving 1¾" unfringed at paw. Fringe every other rnd on back leg.

Brush. Trim to 1" around bottom of ears. Tie ribbon around neck with bow at back of neck. 🐾

Dachshund

MATERIALS: 4-ply yarn—6 ozs. rust, small amount each green, black, gray; polyester fiberfill; 2 brown 15-mm. animal eyes; 1 rust 12" chenille stem; tapestry needle; F hook or size needed to obtain gauge.

GAUGE: 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 9" tall.

BODY

Rnd 1: With rust, ch 4, 2 hdc in 3rd ch from hook, 3 hdc in last ch; working on opposite side of ch, 3 hdc in each of next 2 ch, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in each st around, join.

Rnd 4: For center bottom of body, sl st in next st, ch 2, hdc in same st, 2 hdc in each of next 5 sts, hdc in next 12 sts, 2 hdc in each of next 5 sts, 2 hdc in joining sl st of last rnd, join (36).

Rnd 5: Ch 2, hdc in next 7 sts, (2 hdc in next st, hdc in next 8 sts) 3 times, 2 hdc in last st, join (40).

Rnd 6: Sl st in next st, ch 2, hdc in each st around with last hdc in joining sl st of last rnd, join.

Rnd 7: Ch 2, hdc in each st around, join.

Rnds 8-19: Repeat rnds 6 and 7 alternately.

Rnd 20: Sl st in next st, ch 2, (hdc next 2 sts tog) 2 times, hdc in next 31 sts, hdc next 2 sts tog, hdc next st and joining sl st of last rnd tog, join (36).

Rnd 21: Ch 2, hdc in each st around, join.

Rnds 22-28: Repeat rnds 6 and 7 alternately.

Rnd 29: Ch 2, (hdc next 2 sts tog, hdc in next st) 11 times, hdc last 2 sts tog, join (24). Stuff; continue stuffing as you work.

Rnd 30: Ch 2, (hdc next 2 sts tog) 11 times, hdc in last st, join (13).

Rnd 31: Ch 2, (hdc next 2 sts tog) around, join (7). Leaving 8" for sewing, fasten off. Sew opening closed.

NECK & HEAD

Rnd 1: With rust, ch 36, sl st in first ch to form ring, ch 2, hdc in each ch around, join with sl st in top of ch 2 (36).

Rnd 2: Ch 2, hdc in each st around, join as before.

Rnd 3: Ch 2, hdc in next 14 sts, (hdc next 2 sts tog) 3 times, hdc in last 15 sts, join (33).

Rnd 4: Sl st in next st, ch 2, hdc in each st around with last hdc in joining sl st of last rnd, join.

Rnd 5: Ch 2, hdc in each st around, join.

Rnds 6-9: Repeat rnds 4 and 5 alternately.

Rnd 10: Sl st in next st, ch 2, (hdc next 2 sts tog, hdc in next 6 sts) 3 times, hdc next 2 sts tog, hdc in next 5 sts, hdc in joining sl st of last rnd, join (29).

Rnd 11: Sl st in next st, ch 2, hdc in each st around with last hdc in joining sl st of last rnd, join.

Rnd 12: Ch 2, (hdc next 2 sts tog) 2 times, (hdc in next st, hdc next 2 sts tog) 8 times, join (19).

Rnd 13: Ch 2, (hdc next 2 sts tog) around, join (10). Leaving 8" for sewing, fasten off. Sew opening closed. Stuff.

Position rnd 1 of neck over rnds 1-10 at top half of body with joining sts at back. Sew in place.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With rust, ch 2, 6 sc in 2nd ch from hook (6).

Rnd 2: 2 sc in each st around (12).

Rnds 3-4: 2 sc in first st, sc in each st around (13, 14).

Rnds 5-6: Sc in first st, 2 sc in next st, sc in each st around (15, 16).

Rnds 7-8: Sc in each of first 2 sts, 2 sc in next st, sc in each st around (17, 18).

Rnd 9: Sc in first 8 sts, hdc in next 8 sts, sc in each of last 2 sts.

Rnd 10: 2 sc in each of first 5 sts, hdc in each of next 2 sts, 2 hdc in each of next 4 sts, hdc in each of next 2 sts, 2 sc in each of last 5 sts, join with sl st in first sc (32). Fasten off. Stuff.

Position muzzle over rnds 3-9 on front of head with hdc sts across top. Sew in place.

Muzzle Top Piece

Row 1: With rust, ch 2, 6 sc in 2nd ch from hook, turn (6).

Rows 2-3: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (10, 14).

Rows 4-7: Ch 1, sc in each st across, turn.

Row 8: Ch 1, 3 sc in each of first 2 sts, sc in next 10 sts, 3 sc in each of last 2 sts, turn (22).

Row 9: Ch 1, sc first 2 sts tog, (sc next 2 sts tog) 2 times, sc in next 10 sts, (sc next 2 sts tog) 3 times, turn (16).

Row 10: Ch 1, sc in each of first 2 sts, hdc in next 12 sts, sc in each of last 2 sts, turn.

Row 11: Ch 1, sc in each of first 3 sts, hdc in next 4 sts, 2 hdc in each of next 2 sts, hdc in next 4 sts, sc in each of last 3 sts (18). Fasten off.

Position muzzle top piece firmly over muzzle. Sew ends of rows 1-7 to muzzle, leave rows 8-10 free. Sew sts of row 11 to front of head.

With black, using Outline Stitch (see Stitch Guide), embroider mouth along edges of muzzle top piece, beginning at end of row 8, across to opposite end of row 8.

With black, using Satin Stitch (see Stitch

Guide), embroider nose over rnds 1-2 of muzzle top piece.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end through shaft of eye.

Sew eyes 1¾" apart above muzzle top piece.

EYELID (make 2)

With 2 strands rust held tog, ch 5. Leaving 8" for sewing, fasten off. Position eyelids in an arch above eyes. Sew in place.

EAR (make 2)

Row 1: With rust, ch 14, hdc in 3rd ch from hook, hdc in next 10 ch, 3 hdc in last ch; working on opposite side of ch, 2 hdc in next ch, hdc in next 11 ch, turn (28).

Row 2: Ch 2, hdc in next 11 sts, 2 hdc in each of next 3 sts, hdc in next 12 sts leaving last st unworked, turn (30).

Row 3: Ch 2, hdc in next 12 sts, 2 hdc in each of next 4 sts, hdc in last 13 sts, turn (34).

Row 4: Ch 2, hdc in next 10 sts, sc in each of next 3 sts, 2 sc in each of next 6 sts, sc in each of next 3 sts, hdc in last 11 sts (40). Leaving 10" for sewing, fasten off. Weave yarn through ends of rows 1-4, pull tight to gather ear and secure.

Sew gathered end of ears in an arch across rows 9-11 on each side of head ½" back from eyes. Tack front of ears to head ½" down from top of ear.

TAIL

Rnd 1: With rust, ch 7, sl st in first ch to form ring, ch 1, sc in each ch around (7).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (6).

Rnds 6-12: Sc in each st around.

Rnd 13: Repeat rnd 5 (5).

Rnds 14-20: Sc in each st around. At end of last rnd, join with sl st in first sc. Leaving 8" for sewing, fasten off. Sew opening closed.

Fold chenille stem in half. Insert folded end into tail. Stuff around chenille stem. Push ends of stem between rnds 28-29 on half of body. Sew tail in place.

FRONT LEG (make 2)

Rnd 1: With rust, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark 3rd st of rnd 1 on first leg for right paw. Mark 10th st on 2nd leg for left paw.

Rnds 2-8: Sc in each st around.

Row 9: Working in rows, sl st in next st, ch 2, hdc in same st. (hdc in next st, 2 hdc in next st) 4 times leaving last 5 sts unworked, turn (14).

Rows 10-13: Ch 2, hdc in each st across, turn.

Rows 14-16: Ch 1, sc first 2 sts tog, hdc in each st across to last 2 sts, sc last 2 sts tog, turn (12, 10, 8). At end of last row, fasten off.

Right Front Paw

Row 1: With top of leg facing you, working on opposite side of starting ch, join rust with sc in marked st of first leg, sc in next 7 ch leaving last 6 sts unworked, turn (8).

Rows 2-4: Ch 1, sc in each st across, turn.

Row 5: For toes, ch 1, skip first st; for cluster (cl), yo, insert hook in next st, yo, pull lp through, yo, pull through 2 lps on hook, (yo, insert hook in same st, yo, pull lp through, yo, pull through 2 lps on hook) 2 times, yo, pull through all 4 lps on hook; (ch 1, sl st in next st, cl in next st) 3 times, ch 1, turn (4 cl).

Row 6: Ch 1, sc in each ch 1 across, turn (4).

Rnd 7: Working in rnds, ch 1, 2 sc in each of first 4 sts, 4 sc evenly spaced in next 6 rows, sc in next 6 unworked ch of rnd 1 on leg, 4 sc evenly spaced in next 6 rows, **do not turn** (22).

Rnd 8: Sc in each st around.

Rnd 9: (Sc next 2 sts tog) around (11).

Rnd 10: (Sc next 2 sts tog) 5 times, sc in last st (6). Leaving 8" for sewing, fasten off. Stuff. Sew opening closed.

With black, using Straight Stitches (see Stitch Guide), embroider nail on center bottom of each cl.

Left Front Paw

Joining rust in marked st of 2nd leg, work same as right paw.

Position rows 9-16 of legs over rnds 6-13 on each side of body with unworked sts on rnd 8 of legs 3" apart on underside. Sew in place.

RIGHT BACK LEG

Rnds 1-7: Repeat rnds 1-7 of front leg (14).

Rnd 8: Sc in first 6 sts, 2 hdc in each of next 2 sts, sc in last 6 sts (16).

Rnd 9: Sc in first 6 sts, (hdc next 2 sts tog)

2 times, sc in last 6 sts (14).

Rnd 10: Sc in first 7 sts, hdc next 2 sts tog, sc in last 5 sts (13).

Rnd 11: Sl st in first st, ch 2, hdc in same st, hdc in each st around, join with sl st in top of ch 2 (14).

Row 12: Working in rows, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times leaving last 5 sts unworked, turn (14).

Rows 13-15: Ch 2, hdc in each st across, turn.

Rows 16-18: Repeat rows 14-16 of front leg.

Right Back Paw

Work same as right front paw.

LEFT BACK LEG

Rnds 1-7: Marking 3rd st of rnd 1, repeat rnds 1-7 of front leg.

Rnds 8-11: Repeat rnds 8-11 of right back leg.

Row 12: Working in rows, sl st in next 8 sts, ch 2, hdc in same st as last sl st (hdc in next st, 2 hdc in next st) 3 times, hdc in next sl st, 2 hdc in next sl st, turn (14).

Rows 13-15: Ch 2, hdc in each st across, turn.

Rows 16-18: Repeat rows 14-16 of front leg.

Left Back Paw

Work same as left front paw.

Tilting legs backward so feet rest on toes, position rows 12-18 of legs over rnds 23-30 on each side of body, with unworked sts on rnd 11 of legs 1" apart on underside of body. Sew in place. Bend paws forward.

COLLAR

With green, ch 46, hdc in 3rd ch from hook, dc in each ch across. Leaving 8" for sewing, fasten off.

Buckle

With gray, ch 17, sl st in first ch to form ring, ch 4, skip next 8 ch, sl st in next ch. Fasten off.

Run pointed end of collar under ch 8 of buckle, over ch 4, under ch 8. Place collar around neck, tack collar tog under buckle. With 1 strand gray, make Straight Stitch from center of right ch 8 to ¼" inside buckle on collar. 

Pekingese

MATERIALS: 4-ply Dazzle-Aire—6 ozs. off-white; small amount black 4-ply yarn; polyester fiberfill; 24" of $\frac{3}{8}$ " ribbon; 2 white 12" chenille stems; 2 brown 15-mm. animal eyes; stiff brush; tapestry needle; F hook or size needed to obtain gauge.

GAUGE: 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 8" tall.

BODY

Rnd 1: With off-white, ch 4, sl st in first ch to form ring, ch 2, 11 hdc in ring, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in same st, hdc in each of next 2 sts, (2 hdc in next st, hdc in each of next 2 sts) around, join (32).

Rnds 4-10: Ch 2, hdc in each st around, join.

Rnd 11: Ch 2, hdc in next 5 sts, hdc next 2 sts tog, (hdc in next 6 sts, hdc next 2 sts tog) around, join (28).

Rnds 12-20: Ch 2, hdc in each st around, join. At end of last rnd, stuff. Continue stuffing as you work.

Rnd 21: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (19).

Rnd 22: Ch 2, (hdc next 2 sts tog) around, join (10). Leaving 8" for sewing, fasten off. Sew opening closed.

HEAD & NECK

Rnd 1: With off-white, ch 5, sl st in first ch to form ring, ch 2, 13 hdc in ring, join with sl st in top of ch 2 (14).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (28).

Rnds 3-8: Ch 2, hdc in each st around, join.

Rnd 9: Ch 2, hdc in next st, hdc next 2 sts tog, (hdc in next 4 sts, hdc next 2 sts tog) around, join (23).

Rnd 10: Sl st in next 6 sts, hdc in next 11 sts, sl st in last 5 sts, sl st in joining sl st of last rnd (23).

Rnd 11: Sl st in next 6 sts, hdc in next 11 sts, sl st in last 6 sts, sl st in first sl st of this rnd. Leaving 15" for sewing, fasten off. Stuff.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end of pin through shaft of eye.

Position neck at top of body over rnds

2-7 with sl sts at bottom. Sew in place. Sew eyes on rnd 4 of head $1\frac{1}{2}$ " apart.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With off-white, ch 2, 8 sc in 2nd ch from hook (8).

Rnd 2: 2 sc in each st around (16).

Rnd 3: 2 sc in first st, (sc in next 4 sts, 2 sc in next st) around (20).

Rnds 4-5: Sc in each st around. At end of last rnd, leaving 12" for sewing, fasten off. Stuff. Easing between eyes, sew muzzle over rnds 4-8 on head.

EYELID (make 2)

With off-white, ch 5. Leaving 6" for sewing, fasten off.

Sew over eyes according to diagram. With black, using Satin Stitch (see Stitch Guide), embroider nose over rnds 2-3 of muzzle according to diagram. Split 10" piece black into 2-ply strand. With 2-ply black, using Outline Stitch (see Stitch Guide), embroider mouth lines according to diagram.

FACIAL FEATURES



TAIL

Rnd 1: With off-white, ch 6, sl st in first ch to form ring, ch 1, sc in each ch around (6).

Rnds 2-18: Sc in each st around. At end of last rnd, leaving 6" for sewing, fasten off. Sew opening closed. Fold chenille stems in half. Insert folded ends inside tail. Push ends of stems into rnd 22 at top of body, sew tail in place.

EAR (make 2)

Row 1: With off-white, ch 6, sc in 2nd ch from hook, sc in each ch across, turn (5).

Rows 2-3: Ch 2, hdc in same st, hdc in each st across to last st, 2 hdc in last st, turn (7, 9).

Rows 4-6: Ch 2, hdc in each st across, turn.

Row 7: Ch 2, hdc next 2 sts tog, hdc in next 4 sts, hdc last 2 sts tog, turn (7).

Rows 8-9: Ch 2, hdc in each st across, turn.

Row 10: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc last 2 sts tog (5). Fasten off.

Fold, sew ends of row 1 tog. Position folded end on rnd 3 at side of head $\frac{3}{4}$ " from eye. Sew in place.

FRONT LEG (make 2)

Rnd 1: Ch 12, sl st in first ch to form ring, ch 1, sc in each ch around (12). Mark last st of rnd 1 on first leg for right paw. Mark 8th st on 2nd leg for left paw.

Rnds 2-4: Sc in each st around.

Rnd 5: (2 sc in next st, sc in next 5 sts) around (14).

Rnds 6-8: Sc in each st around.

Row 9: Working in rows, sl st in first st, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times leaving last 5 sts unworked, turn (14).

Rows 10-11: Ch 2, hdc in each st across, turn.

Rows 12-14: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (12, 10, 8). At end of last row, fasten off.

Right Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join off-white with sc in marked st of first leg, sc in each of next 3 ch leaving last 8 ch unworked, turn (4).

Row 2: Ch 1, sc in each st across, turn (4).

Row 3: For toes, ch 1; for cluster (cl), *yo, insert hook in first st, yo, pull lp through, yo, pull through 2 lps on hook, yo, insert hook in same st, yo, pull lp through, yo, pull through 2 lps on hook, yo, pull through all 3 lps on hook, ch 1; sl st in same st; cl in each of last 3 sts, turn (4 cl).

Row 4: Ch 1, sc in each cl across, turn (4).

Rnd 5: Working in rnds, sc in first 4 sts, 3 sc evenly spaced in next 4 rows, sc in next 8 unworked ch on rnd 1 of leg, 3 sc evenly spaced in next 4 rows (18).

Rnd 6: (Sc next 2 sts tog) around (9).

Rnd 7: (Sc next 2 sts tog) 4 times, sc in last st (5). Leaving 6" for sewing, fasten off.

Sew rnd 7 closed. Stuff.

Left Front Paw

Rows 1-7: Working on opposite side of starting ch, with top of leg facing you, joining in marked st on 2nd leg, repeat rows 1-7 of right front paw.

Stuff legs. Position rows 9-14 of legs over rnds 3-9 on front of body with unworked sts on rnd 8 of legs $1\frac{3}{4}$ " apart on underside of body. Sew in place.

RIGHT BACK LEG

Rnds 1-4: Repeat rnds 1-4 of front leg.

Rnds 5-7: Sc in each st around.

Rnd 8: Sc in first 5 sts, 2 hdc in each of next 2 sts, sc in last 5 sts (14).

Rnd 9: Sc in first 5 sts, (hdc next 2 sts tog) 2 times, sc in last 5 sts (12).

Rnd 10: Sc in first 5 sts, (hdc next 2 sts tog) 2 times, sc in each of last 3 sts (10).

Rnd 11: Sl st in first st, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times, hdc in last st, join with sl st in top of ch 2 (15).

Row 12: Working in rows, ch 2, hdc in same st, hdc in next 8 sts, 2 hdc in next st leaving last 5 sts unworked, turn (12).

Rows 13-14: Ch 2, hdc in each st across, turn.

Row 15: Ch 2, hdc next 2 sts tog, hdc in next 7 sts, hdc last 2 sts tog, turn (10).

Row 16: Ch 2, hdc next 2 sts tog, hdc in next 5 sts, hdc last 2 sts tog (8). Fasten off.

Right Back Paw

Work same as right front paw.

LEFT BACK LEG

Rnds 1-11: Marking last st of rnd 1, repeat rnds 1-11 of right back leg.

Row 12: Working in rows, sl st in next 10 sts, ch 2, hdc in same st as last sl st, hdc in next 4 sts, hdc in joining sl st of last rnd, hdc in each of next 3 sl sts, 2 hdc in next sl st, turn (12).

Rows 13-16: Repeat rows 13-16 of right back leg.

Left Back Paw

Work same as left front paw.

Stuff legs. Tilting legs slightly backward, position rows 12-16 of legs over rnds 16-21 on back of body with unworked sts on rnd 11 of legs 1" apart on underside of body. Sew in place.

FUR

For each fringe, cut 1 strand off-white,

fold in half, insert hook in st, pull fold through, pull ends through fold, tighten.

Using 5" strands, fringe in each st on every other row of ear. Fringe each st of first 5 rnds on body and underside of tail. Fringe hdc rows on legs.

Using 3" strands, fringe head and neck leaving eyelids and eyes unfringed. Fringe

rnds 4 and 5 on each side of muzzle. Fringe rnds 1-15 on tail. Fringe sc rnds of legs, leaving paw and ½" of lower leg unfringed. Fringe underside of body.

Using 8" strands, fringe end of tail. Fringe top and sides of body. Brush. Bend paws forward. Curl tail upward. Tie ribbon around neck. 🐾

Scottish Terrier

MATERIALS: 4-ply yarn—5 ozs. black, small amount each peach and gray; polyester fiberfill; 2 brown 9-mm. animal eyes; 30" of ¾" plaid ribbon; stiff brush; tapestry needle; F hook or size needed to obtain gauge.

GAUGE: 4 hdc = 1"; 3 hdc rows = 1".

FINISHED SIZE: 7½" tall.

BODY

Rnd 1: With black, ch 4, sl st in first ch to form ring, ch 2, 11 hdc in ring, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in each of next 2 sts, 2 hdc in next st, (hdc in each of next 3 sts, 2 hdc in next st) around, join (30).

Rnds 4-12: Ch 2, hdc in each st around, join.

Rnd 13: Ch 2, hdc in each of next 3 sts, hdc next 2 sts tog, (hdc in next 4 sts, hdc next 2 sts tog) around, join (25).

Rnds 14-22: Ch 2, hdc in each st around, join.

Rnd 23: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (17). Stuff.

Rnd 24: Ch 2, (hdc next 2 sts tog) around, join (9). Leaving 8" for sewing, fasten off. Sew opening closed.

HEAD

Rnd 1: With black, ch 4, sl st in first ch to form ring, ch 2, 7 hdc in ring, join with sl st in top of ch 2 (8).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (16).

Rnd 3: Ch 2, hdc in each of next 2 sts, 2 hdc in next st, (hdc in each of next 3 sts, 2 hdc in next st) around, join (20).

Rnds 4-9: Ch 2, hdc in each st around, join. At end of last rnd, fasten off. Stuff. Position rnd 9 of head over rnds 2-6 of upper body. Sew in place.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With black, ch 2, 6 sc in 2nd ch from hook (6).

Rnd 2: 2 sc in each st around (12).

Rnd 3: (2 sc in next st, sc in next 5 sts) around (14).

Rnds 4-6: Sc in each st around.

Rnd 7: Sc in first 4 sts, hdc in next 6 sts, sc in last 4 sts.

Rnd 8: Sc in first 4 sts, hdc in each of next 2 sts, 2 hdc in each of next 2 sts, hdc in each of next 2 sts, sc in last 4 sts (16).

Rnd 9: Sc in first 4 sts, hdc in next 8 sts, sc in last 4 sts, join with sl st in first sc. Fasten off.

To prepare eyes for sewing, holding needle or small nail with pliers, heat tip, push hot end through shaft of eye.

Stuff. Position muzzle over rnds 3-8 on head with hdc across top. Sew in place. Sew eyes 1¼" apart above muzzle on head.

EYELID (make 2)

With black, ch 4. Leaving 6" for sewing, fasten off. Sew in arch above eyes.

EAR (make 2 black, 2 peach)

Row 1: Ch 5, sc in 2nd ch from hook, sc in each of last 3 ch, turn (4).

Rows 2-3: Ch 1, sc in each st across, turn.

Row 4: Ch 1, (sc next 2 sts tog) 2 times, turn (2).

Row 5: Ch 1, sc first 2 sts tog (1). Fasten off.

Row 6: Hold peach piece over black piece; working in ends of rows through both thicknesses, join black with sc in row 1, sc in same row, 2 sc in next row, sc in each of next 2 rows, 5 sc in top of last row, sc in each of next 2 rows, 2 sc in each of last 2 rows, turn (17).

Row 7: Ch 1, sc in first 8 sts, (sc, ch 2, sc) in next st, sc in last 8 sts. Fasten off.

Cup ears slightly and position forward toward nose on rnds 2-3 one-half inch apart at top of head. Sew in place.

Tail

Rnd 1: With black, ch 6, sl st in first ch to form ring, ch 2, hdc in each ch around, join with sl st in top of ch 2 (6).

Rnd 2: Ch 2, hdc in each st around, join as before.

Rnd 3: Ch 1, (sc next 2 sts tog) 3 times. Fasten off. Stuff. Sew tail to rnd 24 of body.

FRONT LEG (make 2)

Rnd 1: With black, ch 8, sl st in first ch to form ring, ch 2, hdc in each ch around, join with sl st in top of ch 2 (8). Mark 3rd st of rnd 1 on first leg for left paw. Mark 7th st on 2nd leg for right paw.

Rnds 2-6: Ch 2, hdc in each st around, join as before.

Rnd 7: Ch 2, hdc in same st, hdc in each of next 3 sts, 2 hdc in next st, hdc in each of last 3 sts, join (10).

Rnds 8-9: Ch 2, hdc in each st around, join.

Row 10: Working in rows, ch 2, hdc in next 6 sts leaving last 3 sts unworked, turn (7).

Row 11: Ch 2, hdc in same st, hdc in next 5 sts, 2 hdc in last st, turn (9).

Row 12: Ch 2, hdc in each st across, turn.

Row 13: Ch 2, (hdc next 2 sts tog) 4 times (5). Fasten off.

Left Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join black with sc in marked st of first leg, sc in each of next 3 ch leaving last 4 ch unworked, turn (4).

Row 2: For cluster (cl), *sl st in next st, ch 1, (insert hook in same st, yo, pull up lp, yo, pull through 1 lp) 3 times, yo, pull through all 4 lps on hook, ch 1; sl st in same st; repeat from * 3 times, sc in next 4 unworked ch on rnd 1 of leg, turn (4 cl, 4 sc).

Row 3: Ch 1, sc in first 4 sts, sc in last 4 cl (8). Leaving 8" for sewing, fasten off. Stuff leg and paw. Sew bottom of paw closed.

Right Front Paw

Row 1: Working on opposite side of starting ch, with top of leg facing you, join black with sc in marked st of 2nd leg, sc in each of next 3 ch leaving last 4 ch unworked, turn (4).

Rows 2-3: Repeat rows 2 and 3 of left paw. Stuff leg and paw.

Position rows 12-13 of leg between rnds 4-8 on each side of body with unworked sts of rnd 11 of legs 2½" apart across underside of body. Stuff shoulder slightly. Sew in place.

LEFT BACK LEG

Rnds 1-5: Repeat rnds 1-5 of front leg, marking 3rd st of rnd 1.

Rnds 6-7: Ch 2, hdc in next st, sl st in next 4 sts, hdc in each of last 2 sts, join (8).

Rnd 8: Sl st in next st, ch 2, hdc in next st, sl st in next 4 sts, hdc in next st, hdc in joining sl st of last rnd, join.

Row 9: Working in rows, ch 2, hdc in same st, 2 hdc in each of next 3 sts leaving last 4 sts unworked, turn (8).

Row 10: Ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in last st, turn (10).

Row 11: Ch 2, hdc in each st across, turn.

Row 12: Ch 2, (hdc next 2 sts tog) 4 times, hdc in last st (6). Fasten off.

Left Back Paw

Work same as left front paw.

RIGHT BACK LEG

Rnds 1-5: Repeat rnds 1-5 of front leg.

Rnds 6-8: Repeat rnds 6-8 of left back leg.

Row 9: Working in rows, sl st in each of next 4 sts, ch 2, hdc in same st as last sl st, 2 hdc in each of next 3 sts leaving last st unworked, turn (8).

Rows 10-12: Repeat rows 10-12 of left back leg.

Right Back Paw

Work same as right front paw.

Position rows 9-12 of legs between rnds 20-22 on each side of body with unworked sts on rnd 8 of legs 1¾" apart across underside of body. Lightly stuff shoulders. Sew in place.

NOSE & MOUTH

With gray, using Satin Stitches (see Stitch Guide), embroider nose over rnds 2-3 of muzzle; using Outline Stitches (see Stitch Guide), embroider mouth over rnds 1-5 of muzzle according to diagram.

MOUTH AND NOSE



FUR

For each fringe, cut 1 strand $3\frac{1}{2}$ " long. Fold in half, insert hook in st, pull fold through, pull ends through fold, tighten.

With black, fringe each st of head and muzzle leaving a 1"-wide strip unworked from eyes to end of muzzle and $\frac{1}{2}$ " around

nose and mouth. Fringe legs, body and tail. Do not fringe ears or paws. Brush, trim around eyes, under mouth, on top and on sides of head, around bottom of legs and under body. Brush fur upward around top of eyes, downward on sides of muzzle, back of head, body and legs.


Tie ribbon in bow around neck. 

Stitch Guide


Change colors: Drop first color; with 2nd color, pull through last 2 lps of sts.



Lazy-Daisy Stitch:



Straight Stitch:



HDC Color Change:



Back loop, Front loop—back lp, front lp:

Front Loop Back Loop



Satin Stitch:



Double crochet—dc: Yo, insert hook in st, yo, pull through st, (yo, pull through 2 lps) 2 times.



Half double crochet—hdc:

Yo, insert hook in st, yo, pull through st, yo, pull through all 3 lps on hook.



Backstitch:



Outline Stitch:



French Knot:



STANDARD ABBREVIATIONS

ch chain
dc double crochet
hdc half double crochet
lp, lps loop, loops
rnd, rnds round, rounds
sc single crochet

sl st slip stitch
sp, sps space, spaces
st, sts stitch, stitches
tog together
tr treble crochet
yo yarn over
sc next 2 sts tog draw up lp in each of next 2 sts, yo

and through all 3 lps on hook.
dc next 2 sts tog *yo, draw up lp in next st, yo and through 2 lps, repeat from * once, yo and through all 3 lps on hook.