

87D31

Crochet Pedigree IITM



Crochet PedigreeTM II

By Barbara Anderson

Golden Retriever & Puppy

MATERIALS: 4-ply yarn—9 ozs. brown, 20 yds. green, 10 yds. black, 2 yds. gold; two 12-mm. brown animal eyes with washers; 5 white 12" chenille stems; polyester fiberfill; wire pet brush; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 12½" tall sitting.

BODY

Rnd 1: Starting at center top, with brown, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in same st, hdc in each of next 2 sts, (2 hdc in next st, hdc in each of next 2 sts) around, join (32).

Rnd 4: Ch 2, hdc in same st, 2 hdc in each of next 3 sts, hdc in next 24 sts, 2 hdc in each of last 4 sts, join (40).

Rnd 5: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 6: Ch 2, hdc in each st around, join.

Rnds 7-14: Repeat rnds 5 and 6 alternately.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in each st around to last 2 sts, hdc last 2 sts tog, join (38).

Rnds 16-24: Repeat rnds 5 and 6 alternately.

Rnd 25: Ch 2, hdc in next st, (hdc next 2 sts tog, hdc in next st) around, join (26). Stuff firmly.

Rnds 26-27: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (14, 8). At end of last rnd, leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: Starting at neck, with brown, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch; for front, hdc in next 20 ch; sc in last 8 ch (36).

Rnds 2-5: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts.

Rnd 6: Sl st in each of first 2 sts, ch 2, hdc in each st around, hdc in each sl st, join with sl st in top of ch 2.

Rnd 7: Ch 2, hdc in same st, hdc in next 17 sts, 2 hdc in next st, hdc in last 17 sts, join as before (38).

Rnd 8: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 9: Ch 2, hdc in each st around, join.

Rnds 10-12: Repeat rnds 8 and 9 alternately.

Rnds 13-14: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (20, 11).




© 1986 Annie's Pattern Club. All rights reserved. Unauthorized duplication is a violation of applicable laws and may be punishable by fines and/or imprisonment.

Rnd 15: Ch 1, (sc next 2 sts tog) 5 times, sc in last st, join with sl st in first sc (6). Leaving 8" for sewing, fasten off. Sew rnd 15 closed.

Attach eyes with washers between rnds 10 and 11 on head centered above hdc of rnd 1 with 1¼" between. With black, using Straight Stitch (see Stitch Guide), embroider around each eye according to face diagram.

FACE DIAGRAM



Stuff head and neck. Sew rnd 1 over rnds 1-4 of body with hdc over rnd 5 at front.

Eyebrow (make 2)

With brown, ch 6. Leaving 8" for sewing, fasten off.

Sew 1 over each eye in arch.

MUZZLE

Rnd 1: With brown, ch 3, 3 sc in 2nd ch from hook, 6 sc in last ch; working on opposite side of ch, 3 sc in same ch as first 3 sc (12).

Rnd 2: (2 sc in next st, sc in next st) around (18).

Rnd 3: Sc in each st around.

Rnd 4: Sc in first st, 2 sc in next st, (sc in next 5 sts, 2 sc in next st) 2 times, sc in last 4 sts (21).

Rnds 5-6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next st) 3 times, sc in next 13 sts, 2 sc in next st, sc in last st (25).

Rnds 8-9: Sc in each st around.

Rnd 10: Sc in first 11 sts, hdc in next 9 sts, sc in last 5 sts, join with sl st in first sc. Fasten off.

Stuff. With hdc at top, sew to head over rnds 3-10.

MUZZLE TOP

Row 1: With brown, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, 3 sc in first st, sc in each of next 2 sts, 2 sc in each of next 2 sts, sc in each of next 2 sts, 3 sc in last st, turn (14).

Row 3: Ch 1, sc in each st across, turn.

Rows 4-5: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (18, 22).

Rows 6-8: Ch 1, sc first 2 sts tog, sc in each st across to last 2 sts, sc last 2 sts tog, turn, ending with 16 sts in last row.

Row 9: Ch 1, sc in first 4 sts, hdc in next 8 sts, sc in last 4 sts, turn.

Row 10: Ch 1, sc in first 4 sts, hdc in each of next 2 sts, 2 hdc in each of next 4 sts, hdc in each of next 2 sts, sc in last 4 sts (20). Fasten off.

Sew to top of muzzle leaving ends of rows 4-7 unsewn.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 2-4 on muzzle top according to face diagram. With black, using Outline Stitch (see Stitch Guide), embroider mouth under muzzle top according to face diagram.

EAR (make 2)

Row 1: With brown, ch 5, sc in 2nd ch from hook, sc in each of last 3 ch, turn (4).

Row 2: Ch 2, hdc in same st, 2 hdc in each of last 3 sts, turn (8).

Row 3: Ch 2, hdc in each st across, turn.

Row 4: Ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in last st, turn (10).

Row 5: Repeat row 3.

Rows 6-7: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (8, 6).

Row 8: Ch 2, (hdc next 2 sts tog) 2 times, hdc in last st. Fasten off.

Fold row 1 on each ear in half, sew to side of head 1½" from eyebrow and 2¾" apart across top of head.

LEGS

Right Front

Rnd 1: Starting at ankle, with brown, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark last ch of

starting ch for paw.

Rnds 2-6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next 6 sts) around (16).

Rnds 8-13: Sc in each st around.

Rnd 14: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join with sl st in top of ch 2.

Rnds 15-16: Ch 2, hdc in each st around, join as before.

Row 17: For shoulder, working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 4 sts unworked, turn (14).

Row 18: Ch 2, hdc in each st across, turn.

Rows 19-22: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (6), fasten off.

Row 23: For paw, with right side facing you, working on opposite side of starting ch, join with sc in marked ch, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 24-26: Ch 1, sc in each st across, turn.

Row 27: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sl st in next st; repeat from * across, turn (4 toes).

Row 28: Ch 1, sc in top of each toe across, turn (4).

Rnd 29: For pad, working around outer edge in sts, ch and ends of rows, 2 sc in each of first 4 sts, skip each of next 2 rows, sc in next 4 rows, sc in next 6 ch, sc in next 4 rows, skip each of next 2 rows, join with sl st in first sc (22).

SIDE VIEW DIAGRAM



Rnd 30: Ch 1, sc in each st around.

Rnd 31: (Sc next 2 sts tog) around (11).

Rnd 32: (Sc next 2 sts tog) 5 times, sl st in last st. Leaving 8" for sewing, fasten

off. Sew rnd 32 closed.

Stuff paw. Fold 1 end of 1 chenille stem over 4", twist to secure. Place folded end in leg. Stuff leg and shoulder firmly around stem. Push ends of stem into body, sew shoulder and top of leg to body according to side view diagram.

Left Front

Marking 7th ch of starting ch for paw, work same as right front leg.

Right Back

Rnds 1-6: Marking 3rd ch of starting ch for paw, repeat rnds 1-6 of right front leg.

Rnd 7: Sl st in each of first 3 sts, sc in next st, hdc in next st, dc in next st, 2 dc in each of next 2 sts, dc in next st, hdc in next st, sc in next st, sl st in each of last 3 sts (16).

Rnd 8: Sl st in each of first 3 sts, sc in next st, hdc in next st, dc in next 6 sts, hdc in next st, sc in next st, sl st in each of last 3 sts.

Rnds 9-10: Sl st in first 4 sts, sc in next st, hdc in next st, dc in next 6 sts, hdc in next st, sc in next st, sl st in each of last 2 sts.

Rnd 11: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Row 12: For hip, working in rows, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 5 times leaving last 5 sts unworked, turn (17).

Row 13: Ch 2, hdc in each st across, turn.

Rows 14-18: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (7), fasten off.

Rows 19-24: Repeat rows 23-28 of right front leg.

Row 25: For pad, ch 1, 2 sc in each st across, turn (8).

Rows 26-27: Ch 1, sc in each st across, turn.

Row 28: Ch 1, sc first 2 sts tog, sc in next 4 sts, sc last 2 sts tog (6). Fasten off. Sew sts of row 28 to unworked ch of starting ch on row 1. Sew ends of rows on each side of opening tog.

Stuff paw. Fold 1 chenille stem in half, twist to secure. Place folded end in

leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-11: Repeat rnds 1-11 of right back leg.

Row 12: For hip, working in rows, sl st in next 7 sts, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times, hdc in joining sl st, 2 hdc in next sl st leaving next 5 sl sts unworked, turn (15).

Rows 13-28: Repeat rows 13-28 of right back leg.

Stuff paw. Fold 1 chenille stem in half, twist to secure. Place folded end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With brown, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (7).

Rnds 6-10: Sc in each st around.

Rnd 11: Repeat rnd 5 (6).

Rnds 12-22: Sc in each st around.

Rnd 23: (Sc next 2 sts tog) around, join with sl st in first sc. Leaving 6" for sewing, fasten off. Sew rnd 23 closed.

Fold 1 chenille stem in half. Twist to secure. Push fold into tail, lightly stuff rnds 1-5 around stem. Push ends of stem into rnd 25 on body, sew tail to body.

FUR

For each fringe, cut 1 strand brown 5" long, fold in half, insert hook in st, pull fold through, pull ends through fold, tighten.

Fringe each st on every other row of ears leaving underside of ears unfringed. Fringe in end of every row around outer edge of ears. Fringe each st on every other rnd on body and tail. Fringe each st on every other row on hips and shoulders. Make 2 rows of fringe down center back of each front leg, working in every rnd.

Brush. Trim fur on back of legs to 1". Trim fur evenly on ears.

COLLAR

With green, ch 50; working in back bar (see Stitch Guide) of ch, sc in 2nd ch from hook, hdc in each ch across. Leaving 8" for sewing, fasten off.

Loop

With green, ch 9; working in back bar of ch, sc in 2nd ch from hook, sc in each ch across. Leaving 6" for sewing, fasten off. Sew first and last st tog to form ring. Slide loop onto collar. Sew to back of collar at straight end.

Gold Ring

With gold, ch 12, sl st in first ch to form ring. Fasten off. Slide ring onto collar.

Place collar around neck. Place pointed end through loop. Sew collar tog to fit neck.

PUPPY

MATERIALS: 4-ply yarn—4½ ozs. tan, 20 yds. lt. brown, 5 yds. black; two 10-mm. brown animal eyes with washers; 6" white chenille stem; polyester fiberfill; wire pet brush; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 12" long.

BODY

Rnd 1: Starting at center front, with tan, ch 3, sl st in first ch to form ring, ch 2, 7 hdc in ring, join with sl st in top of ch 2 (8).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (16).

Rnd 3: Ch 2, hdc in same st, hdc in next st, (2 hdc in next st, hdc in next st) around, join (24).

Rnd 4: Ch 2, hdc in each st around, join.

Rnd 5: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 6-13: Repeat rnds 4 and 5 alternately.

Rnd 14: Ch 2, hdc next 2 sts tog, hdc in next 19 sts, hdc last 2 sts tog, join (22).

Rnds 15-17: Repeat rnds 5 and 4 alternately.

Rnd 18: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (15). Stuff.

Rnd 19: Ch 2, (hdc next 2 sts tog) around, join. Leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

NECK & HEAD

Rnd 1: Starting at neck, with tan, ch 20, sl st in first ch to form ring, ch 2, hdc in each ch around, join with sl st in top of ch 2 (20).

Rnd 2: Ch 2, hdc in each st around, join as before.

Rnd 3: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.


Rnds 4-7: Repeat rnds 2 and 3 alternately.

Rnd 8: Ch 2, (hdc next 2 sts tog) 9 times, hdc in last st, join (11).

Rnd 9: Ch 2, (hdc next 2 sts tog) around, join (6). Leaving 8" for sewing. Fasten off. Sew rnd 9 closed.

Attach eyes with washers to rnd 6 on head with 1" between. With black, using Straight Stitch (see Stitch Guide), embroider around each eye according to face diagram.

PUPPY FACE DIAGRAM



Stuff head and neck. Sew rnd 1 over rnds 3-7 on body.

Eyebrow (make 2)

With tan, ch 3. Leaving 8" for sewing, fasten off.

Sew 1 over each eye in arch.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With tan, ch 2, 7 sc in 2nd ch from hook (7).

Rnd 2: 2 sc in each st around (14).

Rnds 3-4: Sc in each st around.

Rnd 5: 2 sc in each of first 2 sts, sc in next 10 sts, 2 sc in each of last 2 sts (18).

Rnds 6-7: Sc in each st around. At end of last rnd, join with sl st in first sc. Fasten off.

Stuff. With increases of rnd 5 at bottom, sew to head over rnds 1-5.

MUZZLE TOP

Row 1: With tan, ch 2, 6 sc in 2nd ch from hook, turn (6).

Row 2: Ch 1, 2 sc in first st, sc in next st, 2 sc in each of next 2 sts, sc in next st, 2 sc in last st, turn (10).

Rows 3-4: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (14, 18).

Row 5: Ch 1, (sc next 2 sts tog) 2 times, sc in next 10 sts, (sc next 2 sts tog) 2 times, turn (14).

Row 6: Ch 1, sc first 2 sts tog, sc in next 10 sts, sc last 2 sts tog, turn (12).

Row 7: Ch 1, sc in first 4 sts, hdc in next st, 2 hdc in each of next 2 sts, hdc in next st, sc in last 4 sts. Fasten off.

Sew to top of muzzle leaving ends of rows 3-5 unsewn.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 2-3 on muzzle top according to face diagram. With black, using Outline Stitch (see Stitch Guide), embroider mouth under muzzle top according to face diagram.

EAR (make 2)

Row 1: With lt. brown, ch 5, sc in 2nd ch from hook, sc in each of last 3 ch, turn (4).

Row 2: Ch 2, hdc in same st, 2 hdc in each of last 3 sts, turn (8).

Row 3: Ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in last st, turn (10).

Row 4: Ch 2, (hdc next 2 sts tog) 4 times, hdc in last st, turn (6).

Row 5: Ch 2, (hdc next 2 sts tog) 2 times, hdc in last st. Fasten off.

Fold row 1 on each ear in half, sew to top of head ½" from eyebrow and 2" apart at back.

LEGS

Right Front

Rnd 1: Starting at ankle, with tan, ch 8,

sl st in first ch to form ring, ch 1, sc in each ch around (8). Mark 7th ch of starting ch for paw.

Rnds 2-6: Sc in each st around. At end of last rnd, join with sl st in first sc.

Rnd 7: Ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnds 8-10: Ch 2, hdc in each st around, join as before.

Row 11: For shoulder, working in rows, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 2 times leaving last 3 sts unworked, turn (8).

Row 12: Ch 2, hdc in same st, hdc in next 6 sts, 2 hdc in last st, turn (10).

Row 13: Ch 2, hdc in each st across, turn.

Rows 14-15: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (8, 6). At end of last row, fasten off.

Row 16: For paw, with right side facing you, working on opposite side of starting ch, join with sc in marked ch, sc in each of next 3 ch leaving last 4 ch unworked, turn (4).

Row 17: Ch 1, sc in each st across, turn.

Row 18: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 2 times, yo, pull through all 3 lps on hook, ch 1; repeat from * across. sl st in same st as last toe, turn (4 toes).

Row 19: Ch 1, sc in top of each toe across, turn (4).

Rows 20-21: Ch 1, sc in each st across, turn.

PUPPY SIDE VIEW DIAGRAM



Row 22: Ch 1, (sc next 2 sts tog) across (2). Fasten off. Sew sts of row 22 to 2 center unworked ch of starting ch on row 1. Sew each side opening closed.

Stuff paw, leg and shoulder. Sew shoulder and top of leg to body according to side view diagram.

Left Front

Marking 3rd ch of starting ch for paw, work same as right front leg.

Right Back

Rnds 1-5: Marking last ch of starting ch for paw, repeat rnds 1-5 of right front leg.

Rnd 6: Sl st in each of first 2 sts, sc in next st, 2 hdc in each of next 2 sts, sc in next st, sl st in each of last 2 sts (10).

Rnds 7-8: Sl st in each of first 2 sts, sc in next st, hdc in next 4 sts, sc in next st, sl st in each of last 2 sts.

Rnd 9: Sl st in each of first 3 sts, sc in next st, dc in next 4 sts, sc in next st, sl st in last st.

Rnd 10: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 11: Ch 2, hdc in each st around, join as before.

Row 12: For hip, working in rows, sl st in next st, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 3 times leaving last 3 sts unworked, turn (11).

Row 13: Ch 2, hdc in each st across, turn.

Row 14: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (9).

Row 15: Repeat row 13.

Row 16: Ch 2, (hdc next 2 sts tog) across (5). Fasten off.

Rows 17-23: Repeat rows 16-22 of right front leg.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-11: Repeat rnds 1-11 of right back leg.

Row 12: For hip, working in rows, sl st in next 6 sts, ch 2, hdc in same st, hdc in next st, 2 hdc in next st, hdc in next st, 2 hdc in joining sl st, hdc in next sl st, 2 hdc in next sl st leaving next 3 sl sts unworked, turn (11).

Rows 13-23: Repeat rows 13-23 of right back leg.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With tan, ch 6, sl st in first ch to form ring, ch 1, sc in each ch around (6).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (5).

Rnds 6-9: Sc in each st around. At end of last rnd, join with sl st in first sc. Fasten off. Sew rnd 9 closed.

Fold chenille stem in half. Twist to secure. Push fold into tail; push ends of stem into rnd 18 on body, sew tail to body.

FUR

For each fringe, cut 1 strand 3" long,

fold in half, insert hook in st, pull fold through st, pull ends through fold, tighten.

With lt. brown, fringe each st on every row of ears leaving underside of ears unfringed. With lt. brown, fringe each st on last 2 rnds of tail. With tan, fringe each st in remaining rnds of tail. With tan, fringe each st on every row on body and legs leaving paws unfringed. With tan, fringe each st on head leaving muzzle and muzzle top unfringed.

Brush. Trim fur on top of head to 1". Trim fur evenly on ears. 🐾

Boxer

MATERIALS: 4-ply yarn—6 ozs. brown, 1 oz. white, 20 yds. black, 11 yds. blue, 3 yds. gray; two 15-mm. brown animal eyes with washers; polyester fiberfill; 8 white 12" chenille stems; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 13" tall × 14" long.

BODY

Rnd 1: Starting at center front, with white, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Sl st in next st, ch 2, (2 hdc in next st, hdc in next st) 11 times, 2 hdc in joining sl st, join (36).

Rnd 4: Sl st in next st, ch 2, hdc in next st, (2 hdc in next st, hdc in each of next 2 sts) 11 times, 2 hdc in joining sl st, join (48).

Rnd 5: Ch 2, 2 hdc in next st, hdc in next 45 sts, 2 hdc in last st, join (50).

Rnd 6: Ch 2, hdc in each st around, join. Fasten off.

Rnd 7: Join brown with sl st in first st, ch 2, hdc in each st around, join.

Rnd 8: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 9: Ch 2, hdc in each st around, join.

Rnds 10-14: Repeat rnds 8 and 9 alternately.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in each st around to last 2 sts, hdc last 2 sts tog, join (48).

Rnds 16-20: Repeat rnds 8 and 9 alternately.

Rnd 21: Repeat rnd 15 (46).

Rnds 22-32: Repeat rnds 8 and 9 alternately.

Rnd 33: Ch 2, (hdc in next st, hdc next 2 sts tog) around, join (31).

Rnd 34: Ch 2, (hdc next 2 sts tog) around, join (16). Stuff.

Rnd 35: Ch 2, (hdc next 2 sts tog) 7 times, hdc in last st, join (9). Leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

HEAD & NECK

Rnd 1: Starting at center top of head, with brown, ch 4, sl st in first ch to form ring, ch 2, 9 hdc in ring, join with sl st in top of ch 2 (10).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (20).

Rnd 3: Ch 2, 2 hdc in next st, (hdc in next st, 2 hdc in next st) around, join (30).

Rnd 4: Ch 2, hdc in next st, (2 hdc in next st, hdc in each of next 3 sts) around, join (37).

Rnd 5: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 6: Ch 2, hdc in each st around, join.

Rnds 7-8: Repeat rnds 5 and 6.

Rnd 9: Ch 2, (hdc in next 11 sts, 2 hdc in next st) around, join (40).


Rnd 10: Ch 1, sc in first 10 sts, hdc in next 20 sts, sc in last 10 sts, join with sl st in first sc.

Rnd 11: (Sl st, ch 1, sc) in next st, sc in next 9 sts, hdc in next 20 sts, sc in last 10 sts, join as before.

NOTE: When changing colors (see Stitch Guide), yo, insert hook in st, yo, pull through st, drop first color, with 2nd color, yo, pull through all 3 lps on hook, carry first color along back of work, pick up when needed.

Rnd 12: Ch 1, sc in first 10 sts, hdc in next st changing to white, hdc in next 18 sts changing to brown in last st made, hdc in next st, sc in last 10 sts, join.

FACE DIAGRAM



Rnd 13: (Sl st, ch 1, sc) in next st, sc in next 8 sts, hdc in next st changing to white, hdc in next 20 sts changing to brown in last st made, sc in last 9 sts, sc in joining sl st, join.

Rnd 14: Ch 1, sc in first 9 sts, hdc in next st changing to white, hdc in next 20 sts changing to brown in last st made, sc in last 10 sts, join.

Rnds 15-16: Repeat rnds 13 and 14. At end of last rnd, fasten off.

Attach eyes with washers to rnd 6 above white section 2" apart. With white, using Straight Stitch (see Stitch Guide), embroider 3 small stitches under each eye according to face diagram.

Stuff head and neck. Matching center of white on neck to center of rnd 1 on body, sew rnd 14 of neck to rnds 1-11 on top of body matching colors.

MUZZLE

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: With white, ch 3, sl st in first ch to form ring, ch 1, 10 sc in ring (10).

Rnd 2: 2 sc in each st around (20).

Rnd 3: Sc in each of first 2 sts, (3 sc in next st, sc in next 4 sts) 3 times, 3 sc in next st, sc in each of last 2 sts (28).

Rnds 4-7: Sc in each st around. At end of last rnd, join with sl st in first sc.

Rnds 8-9: Ch 2, hdc in next 6 sts, sc in next 14 sts, hdc in last 7 sts, join with sl st in top of ch 2. At end of last rnd, fasten off.

Stuff. With hdc at bottom, sew to head over rnds 7-13.

MUZZLE TOP

Row 1: With white, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, 2 sc in each st across, turn (16).

Row 3: Ch 1, sc in first 5 sts, 3 sc in next st, sc in next 4 sts, 3 sc in next st, sc in last 5 sts, turn (20).

Row 4: Ch 1, sc in each st across, do not turn. Fasten off.

Row 5: For center strip, skip first 6 sts, join white with sc in next st, sc in next 7 sts, leaving last 6 sts unworked, turn (8).

Row 6: Ch 1, sc first 2 sts tog, sc in each st across to last 2 sts, sc last 2 sts tog, turn (6).

Row 7: Ch 1, sc in each st across, turn.

Rows 8-9: Repeat rows 6 and 7 (4).

Rows 10-13: Repeat row 7.

Row 14: Ch 1, sc first and last st tog skipping center 2 sts. Fasten off.

Left Jaw

Row 1: Working in sts and ends of rows on muzzle top, join black with sc in first st of row 4, sc in next 5 sts, sc in next 10 rows, turn (16).

Row 2: Ch 1, sc in first 9 sts, hdc in next 6 sts, 3 hdc in last st, turn (18).

Row 3: Ch 2, 2 hdc in same st, 2 hdc in next st, hdc in next 8 sts, sc in last 8 sts, turn (21).

Row 4: Ch 1, sc in first 8 sts, hdc in last 13 sts, turn.

Row 5: Ch 1, (sc next 2 sts tog) 4 times, sc in next 7 sts; for **eye circle**, ch 6, skip each of next 3 sts; sc in each of next 2 sts, sl st in last st (13 sc, 6 ch). Fasten off.

Right Jaw

Row 1: Working in ends of rows and sts on muzzle top, join black with sc in row 14, sc in next 9 rows, sc in next 6 sts on row 4, turn (16).

Row 2: Ch 2, 2 hdc in same st, hdc in next 6 sts, sc in last 9 sts, turn (18).

Row 3: Ch 1, sc in first 8 sts, hdc in next 8 sts, 2 hdc in next st, 3 hdc in last st, turn (21).

Row 4: Ch 2, hdc in next 12 sts, sc in last 8 sts, turn.

Row 5: Sl st in first st, sc in each of next 2 sts; for **eye circle**, ch 6, skip each of next 3 sts; sc in next 7 sts, (sc next 2 sts tog) 4 times (13 sc, 6 ch). Fasten off.

Sew row 14 on muzzle top to top of one st on rnd 3 on head; sew eye circles to head around each eye making sure not to cover white stitches at bottom. Sew 5 sts below eye circle on each jaw to brown section on each side of head leaving remaining sts of each jaw unsewn. Sew row 1 of muzzle top over top of rnd 1 on muzzle. Sew each end of rows 1-4 on muzzle top to muzzle.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 2-4 on top piece according to face diagram. With black, using Outline Stitch (see Stitch Guide), embroider mouth to muzzle below muzzle top according to face diagram.

EAR (make 2)

Row 1: Starting at top, with brown, ch 12, sc in 2nd ch from hook, sc in each of next 3 ch, hdc in last 7 ch, turn (11).

Row 2: Ch 2, hdc in next 6 sts, sc in last 4 sts, turn.

Row 3: Ch 1, sc in first 4 sts, hdc in last 7 sts, turn.

Row 4: Repeat row 2.

Row 5: Ch 1, sc in first 4 sts, hdc next 2 sts tog, hdc in last 5 sts, turn (10).

Row 6: Ch 2, hdc in next 5 sts, sc in last 4 sts, turn.

Row 7: Ch 2, hdc next 2 sts tog, hdc in

next 4 sts, hdc next 2 sts tog, hdc in last st, turn (8).

Row 8: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc next 2 sts tog, hdc in last st, turn (6).

Row 9: Ch 2, (hdc next 2 sts tog) 2 times, hdc in last st, turn (4).

Row 10: Ch 2, hdc next 2 sts tog, hdc in last st (3). Fasten off.

Trim

For **left ear**, working across outer edge in ends of rows and sts, join brown with sc in sc end of row 1 on 1 ear, sc in same row, sc in next 5 rows, 2 sc in each of next 4 rows, sc in next st on row 10, 2 sc in next st, sc in next st, 2 sc in each of next 9 rows, 3 sc in last row. Fasten off.

For **right ear**, working across outer edge in ends of rows and sts, join brown with sc in hdc end of row 1 on other ear, 2 sc in same row, 2 sc in each of next 9 rows, sc in next st on row 10, 2 sc in next st, sc in next st, 2 sc in each of next 4 rows, sc in next 5 rows, 2 sc in last row. Fasten off.

Sew each end of row 1 on each ear under $\frac{1}{2}$ "; with hdc ends of rows at back, sew row 1 to top of head 1" apart at front and $1\frac{1}{2}$ " apart at back. Sew $\frac{1}{2}$ " of front on each ear to head.

LEGS

Right Front

Rnd 1: Starting at ankle, with white, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark last ch of starting ch for paw.

Rnds 2-6: Sc in each st around. At end of last rnd, join with sl st in first sc. Fasten off.

Rnd 7: Join brown with sc in first st, sc in each st around.

Rnd 8: Sc in each st around.

Rnd 9: (2 sc in next st, sc in next 6 sts) around (16).

Rnds 10-14: Sc in each st around.

Rnd 15: Sl st in next st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnds 16-17: Ch 2, hdc in each st around, join as before.

Row 18: For shoulder, working in rows, ch 2, hdc in same st, hdc in next 8 sts, 2 hdc in next st leaving last 6 sts

unworked, turn (12).

Rows 19-20: Ch 2, hdc in each st across, turn.

Row 21: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (10).

Row 22: Repeat row 19.

Rows 23-25: Repeat row 21. At end of last row (4), fasten off.

Row 26: For paw, with right side facing you, working on opposite side of starting ch, join white with sc in marked ch, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 27-29: Ch 1, sc in each st across, turn.

Row 30: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sl st in next st; repeat from * across, turn (4 toes).

Row 31: Ch 1, sc in top of each toe across, turn (4).

Rnd 32: For pad, working around outer edge in sts, ch and ends of rows, 2 sc in each of first 4 sts, skip each of next 2 rows, sc in next 4 rows, sc in next 6 ch, sc in next 4 rows, skip each of next 2 rows, join with sl st in first sc (22).

Rnd 33: Ch 1, sc in each st around.

Rnd 34: (Sc next 2 sts tog) around (11).

Rnd 35: (Sc next 2 sts tog) 5 times, sl st in last st. Leaving 8" for sewing, fasten off. Sew rnd 35 closed.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and shoulder firmly around stem. Push ends of stem into body, sew shoulder and top of leg to body according to side view diagram.

Left Front

Marking 7th ch of starting ch for paw, with brown, work same as right front leg. At end of rnd 6, **do not fasten off**.

Right Back

Rnds 1-6: Marking last ch of starting ch for paw, with brown, repeat rnds 1-6 of right front leg. At end of rnd 6, **do not fasten off**.

Rnd 7: Repeat rnd 9 of right front leg.

Rnds 8-9: Sc in each st around.

Rnd 10: Sc in first 6 sts; for back, 2 hdc

in each of next 4 sts; sc in last 6 sts (20).

Rnd 11: Sc in first 6 sts, (hdc next 2 sts tog) 4 times, sc in last 6 sts, join with sl st in first sc (16).

Rnd 12: Ch 2, hdc in same st, hdc in next 5 sts, (hdc next 2 sts tog) 2 times, hdc in next 5 sts, 2 hdc in last st, join with sl st in top of ch 2 (16).

Rnds 13-14: Ch 2, hdc in each st around, join as before.

Rnd 15: Sl st in next st, ch 2, hdc in next 7 sts, 2 hdc in each of next 2 sts, hdc in last 5 sts, hdc in joining sl st, join (18).


Rnd 16: Repeat rnd 13.

Rnd 17: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 18: Repeat rnd 13.

Rnd 19: Repeat rnd 17.

SIDE VIEW DIAGRAM



Row 20: For hip, working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 6 sts unworked, turn (14).

Rows 21-22: Ch 2, hdc in each st across, turn.

Rows 23-25: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (8), fasten off.

Row 26-Rnd 35: Repeat row 26-rnd 35 of right front leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-19: Repeat rnds 1-19 of right back leg.

Row 20: For hip, working in rows, sl st in next 9 sts, ch 2, hdc in same st, hdc in next 8 sts, hdc in each of next 2 sl sts, 2 hdc in next sl st leaving last 6 sl sts unworked, turn (14).

Row 21-Rnd 35: Repeat row 21-rnd 35 of right back leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over over 4". Place folded end in leg. Stuff around stem and hip. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With brown, ch 10, sl st in first ch to form ring, ch 1, sc in each ch around (10).

Rnds 2-3: Sc in each st around.

Rnd 4: Sc first 2 sts tog, sc in each st around (9).

Rnd 5: Sc in each st around.

Rnd 6: Repeat rnd 4 (8).

Rnd 7: Sc in each st around.

Rnd 8: (Sc next 2 sts tog) around, join with sl st in first sc (4). Leaving 8" for sewing, fasten off.


Sew rnd 8 closed. Stuff. Sew to back of body centered above back legs.

COLLAR

With blue, ch 50; working in back bar (see Stitch Guide) of ch, hdc in 3rd ch from hook, dc in next ch, tr in each ch across. Fasten off.

With grey, using French Knot (see ill.), starting 3½" from pointed end, embroider 7 studs on collar with 3 sts between each stud.

FRENCH KNOT



Buckle

With gray, ch 14, sl st in first ch to form ring. Fasten off.

Place pointed end of collar through buckle. Sew buckle to back of collar 2" from end.

For **buckle stem**, with gray, using Straight Stitch (see Stitch Guide), make ½" stitch tacking buckle to center front of collar.

Place collar around neck, sew straight end of collar to back of buckle. 🐾

Saint Bernard

MATERIALS: 4-ply yarn—6 ozs. each rust and white, 2 ozs. brown, 20 yds. black, 11 yds. gray, 3 yds. pink; two 15-mm. brown animal eyes with washers; polyester fiberfill; 10 white 12" chenille stems; wire pet brush; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 15" tall × 17" long.

BODY

Rnd 1: Starting at center front, with white, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in

each st around, join as before (24).

Rnd 3: Sl st in next st, ch 2, (2 hdc in next st, hdc in next st) 11 times, 2 hdc in joining sl st, join (36).

Rnd 4: Sl st in next st, ch 2, hdc in next st, (2 hdc in next st, hdc in each of next 2 sts) 11 times, 2 hdc in joining sl st, join (48).

Rnd 5: Ch 2, 2 hdc in next st, hdc in next 45 sts, 2 hdc in last st, join (50).

Rnd 6: Ch 2, hdc in each st around, join.

Rnd 7: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 8-11: Repeat rnds 6 and 7 alternately. At end of last rnd, fasten off.

Rnd 12: Join rust with sl st in first st, ch 2, hdc in each st around, join.

Rnds 13-17: Repeat rnds 7 and 6 alternately.

Rnd 18: Ch 2, hdc next 2 sts tog, hdc in each st around to last 2 sts, hdc last 2 sts tog, join (48).

Rnds 19-27: Repeat rnds 7 and 6 alternately.

Rnd 28: Repeat rnd 18 (46).

Rnds 29-38: Repeat rnds 6 and 7 alternately.

Rnd 39: Ch 2, (hdc in next st, hdc next 2 sts tog) around, join (31).

Rnd 40: Ch 2, (hdc next 2 sts tog) around, join (16). Stuff firmly.

Rnd 41: Ch 2, (hdc next 2 sts tog) 7 times, hdc in last st, join (9). Leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: Starting at neck, with white, ch 42, sl st in first ch to form ring, ch 1, sc in first 10 ch, hdc in next 22 ch, sc in last 10 ch (42).

Rnds 2-5: Sc in first 10 sts, hdc in next 22 sts, sc in last 10 sts. At end of last rnd, join with sl st in first sc. Fasten off.

Rnd 6: Join rust with sc in first st, sc in next 9 sts, hdc in next 22 sts, sc in last 10 sts.

Rnd 7: Sc in first 10 sts, hdc in next 22 sts, sc in last 10 sts, join with sl st in first sc.

Rnd 8: Ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 9: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join as before.

Rnds 10-11: Repeat rnds 8 and 9. At end of last rnd, **do not join**.

Rnd 12: Repeat rnd 7.

Rnd 13: Ch 2, hdc next 2 sts tog, (hdc in next st, hdc next 2 sts tog) around, join (28).


Rnd 14: Ch 2, (hdc next 2 sts tog) 13 times, hdc in last st, join (15).

Rnd 15: Ch 1, (sc next 2 sts tog) 7 times, sc in last st, join with sl st in first sc (8). Leaving 8" for sewing, fasten off. Sew opening closed.

Attach eyes with washers to rnd 9 above white section 1¼" apart. With

white, using Straight Stitch (see Stitch Guide), embroider 4 small stitches under each eye according to face diagram.

FACE DIAGRAM



Stuff head and neck firmly. Matching center of hdc on rnd 1 of neck to center of rnd 1 on body, sew rnd 1 of neck over rnds 1-11 on top of body.

MUZZLE

Rnd 1: Starting at center front, with black, ch 3, 3 sc in 2nd ch from hook, 6 sc in last ch; working on opposite side of ch, 3 sc in same ch as first 3 sc (12).

Rnds 2-3: (Sc in next st, 2 sc in next st) around (18, 27).

Rnds 4-7: Sc in each st around.

Rnds 8-9: Sc in first 9 sts, hdc in next 13 sts, sc in last 5 sts. At end of last rnd, join with sl st in first sc. Fasten off.

Stuff. With hdc at top, sew over rnds 3-9 on head.

MUZZLE TOP

Row 1: With white, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, 2 sc in each st across, turn (16).

Row 3: Ch 1, sc in each st across, turn.

Row 4: Ch 1, 2 sc in first st, sc in next 4 sts, 2 sc in next st, sc in next st, 2 sc in each of next 2 sts, sc in next st, 2 sc in next st, sc in next 4 sts, 2 sc in last st, turn (22).

Rows 5-6: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (26, 30).

Row 7: Ch 1, (sc next 2 sts tog) 2 times, sc in next 22 sts, (sc next 2 sts tog) 2 times, turn (26).

Row 8: Ch 1, sc first 2 sts tog, sc in next 22 sts, sc last 2 sts tog, turn (24).

Row 9: Ch 1, sc in first 4 sts, hdc in next 16 sts, sc in last 4 sts, turn.

Row 10: Ch 1, sc in first 4 sts, hdc in next 6 sts, 2 hdc in each of next 4 sts, hdc in next 6 sts, sc in last 4 sts (28). Fasten off.

Row 11: For blaze, join white with sl st in 13th st of row 10, ch 2, hdc in each of next 3 sts leaving last 12 sts unworked, turn (4).

Row 12: Ch 2, hdc in each st across, turn.

Row 13: Ch 2, hdc in same st, hdc in each of next 2 sts, 2 hdc in last st, turn (6).

Row 14: Repeat row 12.

Row 15: Ch 2, hdc next 2 sts tog, hdc in next st, hdc last 2 sts tog. Fasten off.

Left Eye Patch

Row 1: Working in sts and ends of rows on muzzle top, join brown with sc in 6th st of row 10, sc in next 6 sts, sc in next 4 rows on blaze, turn (11).

Row 2: Ch 1, skip first st, sc in next st, hdc in each of next 2 sts; for **eye opening**, ch 6, skip each of next 3 sts; sc in each of next 3 sts, sl st in last st, turn (7 sts, 6 ch).

Row 3: Ch 1, skip first sl st, sc in each of next 3 sts, sc in next 6 ch, hdc in next st, sc in next st, sl st in last st. Fasten off.

Right Eye Patch

Row 1: Working in ends of rows and sts on muzzle top, join brown with sc in row 14 of blaze, sc in each of next 3 rows, sc in next 7 sts on row 10 leaving last 5 sts unworked, turn (11).

Row 2: Ch 1, sl st in first st, sc in each of next 3 sts, ch 6; for **eye opening**, ch 6, skip each of next 3 sts; hdc in each of next 2 sts, sc in next st, sl st in last st, turn (8 sts, 6 ch).

Row 3: Ch 1, skip first sl st, sl st in next st, sc in next st, hdc in next st, sc in next 6 ch, sc in each of next 2 sts, sl st in next st leaving last sl st unworked. Fasten off.

Sew top of blaze to top of rnd 12 on head; sew outside edge of eye patches to head around each eye leaving eye openings unsewn and making sure not to cover white sts at bottom of each eye.

Leaving ends of rows 1-10 on muzzle top unsewn, sew unworked sts on each

end of row 10 to sts of last rnd on muzzle across top leaving 2" across bottom of muzzle unsewn.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 1-4 on muzzle top according to face diagram.

MUZZLE BOTTOM

Row 1: With white, ch 2, 6 sc in 2nd ch from hook, turn (6).

Row 2: Ch 1, sc in first st, 2 sc in each of next 4 sts, sc in last st, turn (10).

Row 3: Ch 1, sc in each st across, turn.

Row 4: Ch 1, sc in each of first 3 sts, 2 sc in each of next 4 sts, sc in each of last 3 sts, turn (14).

Row 5: Ch 1, sc in first st, 4 hdc in each of next 2 sts, hdc in next 8 sts, 4 hdc in each of next 2 sts, sc in last st, turn (26). Fasten off.

Row 6: Join black with sl st in 24th st of row 5, ch 1, reverse sc (see ill.) in next 20 sts, (reverse sc, sl st) in next st leaving last 2 sts unworked. Fasten off.

REVERSE SC



With wrong side of row 5 on muzzle bottom facing muzzle, sew ends of rows 1-5 on muzzle bottom to sts of last rnd on muzzle across bottom. Sew first and last sts of row 5 on muzzle bottom to first and last sts of row 10 on muzzle top.

Sew 6th and 7th sts of row 6 on muzzle bottom to 2 sts on rnds 3 and 4 on left side of muzzle under muzzle top. Sew 15th and 16th sts of row 6 on muzzle bottom to 2 sts on rnds 3 and 4 on right side of muzzle under muzzle top.

TONGUE

With pink, ch 6, sc in 2nd ch from hook, hdc in next ch, dc in each of next 2 ch, 6 dc in last ch; working on opposite side of ch, dc in each of next 2 ch, hdc in next ch, sc in last ch. Fasten off.

Sew straight edge to inside center of muzzle bottom.

EAR (make 2)

Row 1: With brown, ch 12, sc in 2nd ch from hook, sc in each of next 3 ch, hdc in last 7 ch, turn (11).

Row 2: Ch 2; for front, hdc in next 6 sts; sc in last 4 sts, turn.

Row 3: Ch 1, sc in first 4 sts, hdc in last 7 sts, turn.

Row 4: Ch 2, hdc in next 4 sts, hdc next 2 sts tog, sc in last 4 sts, turn (10).

Row 5: Ch 1, sc in each of first 3 sts, hdc in last 7 sts, turn.

Row 6: Ch 2, hdc next 2 sts tog, hdc in next 4 sts, hdc next 2 sts tog, hdc in last st, turn (8).

Row 7: Ch 2, hdc next 2 sts tog, hdc in each of next 2 sts, hdc next 2 sts tog, hdc in last st, turn (6).

Row 8: Ch 2, (hdc next 2 sts tog) 2 times, hdc in last st, turn (4).

Row 9: Ch 2, hdc next 2 sts tog, hdc in last st. Fasten off.

Sew front of each ear under $\frac{1}{2}$ "; sew ears to rnd 12 on each side of head 2" apart at back.

LEGS

Right Front

Rnd 1: Starting at ankle, with white, ch 16, sl st in first ch to form ring, ch 1, sc in each ch around (16). Mark last ch of starting ch for paw.

Rnds 2-8: Sc in each st around.

Rnd 9: (2 sc in next st, sc in next 7 sts) around (18).

Rnds 10-14: Sc in each st around.

Rnd 15: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join with sl st in top of ch 2.

Rnds 16-19: Ch 2, hdc in each st around, join as before.

Row 20: For shoulder, working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 6 sts unworked, turn (14).

Row 21: Ch 2, hdc in same st, hdc in next 12 sts, 2 hdc in last st, turn (15).

Rows (16).

Rows 22-24: Ch 2, hdc in each st across, turn.

Rows 25-29: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (6), fasten off.

Row 30: For paw, with right side fac-

ing you, working on opposite side of starting ch, join with sc in marked ch, sc in next 9 ch leaving last 6 ch unworked, turn (10).

Rows 31-33: Ch 1, sc in each st across, turn.

Row 34: Ch 1, sc in first st; for toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sc in next st; repeat from * 3 times, sc in last st, turn (4 toes).

Row 35: Ch 1, sc in first st, sc in top of each toe across, sc in last st, turn (6).

Rnd 36: For pad, working around outer edge in sts, ch and ends of rows, ch 1, 2 sc in each of first 6 sts, skip each of next 2 rows, sc in next 4 rows, sc in next 6 ch, sc in in next 4 rows, skip each of next 2 rows, join with sl st in first sc (26).


Rnd 37: Ch 1, sc in each st around, do not join.

Rnd 38: (Sc next 2 sts tog) around (13).

Rnd 39: (Sc next 2 sts tog) 6 times, sl st in last st (6). Leaving 8" for sewing, fasten off. Sew rnd 39 closed.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and shoulder firmly around stem. Push ends of stem into body, sew shoulder and top of leg to body according to side view diagram.

SIDE VIEW DIAGRAM



Left Front

Marking 7th ch of starting ch for paw, work same as right front leg.



Collie

Irish Setter

Boxer

Golden Retriever
& puppy

English Springer
Spaniel

Saint
Bernard

Right Back

Rnds 1-10: Marking 2nd ch of starting ch for paw, repeat rnds 1-10 of right front leg.

Rnd 11: Sc in first 7 sts; for back joint, 2 hdc in each of next 4 sts; sc in last 7 sts (22).

Rnd 12: Sc in first 7 sts, (hdc next 2 sts tog) 4 times, sc in last 7 sts, join with sl st in first sc (18).

Rnd 13: Ch 2, hdc in same st, hdc in next 6 sts, (hdc next 2 sts tog) 2 times, hdc in next 6 sts, 2 hdc in last st, join with sl st in top of ch 2 (18).

Rnds 14-15: Ch 2, hdc in each st around, join as before.

Rnd 16: Sl st in next st, ch 2, hdc in next 8 sts, 2 hdc in each of next 2 sts, hdc in next 6 sts, hdc in joining sl st, join (20).

Rnd 17: Repeat rnd 14.

Rnd 18: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 19-21: Repeat rnds 14 and 18 alternately.

Row 22: For hip, working in rows, ch 2, hdc in same st, hdc in next 12 sts, 2 hdc in next st leaving last 6 sts unworked, turn (16).

Rows 23-24: Ch 2, hdc in each st across, turn.

Rows 25-28: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (8), fasten off.

Row 29-Rnd 38: Repeat row 30-rnd 39 of right front leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-21: Repeat rnds 1-21 of right back leg.

Row 22: For hip, working in rows, sl st in next 11 sts, ch 2, hdc in same st, hdc in next 8 sts, hdc in next 4 sl sts, 2 hdc in next sl st leaving last 6 sl sts unworked, turn (16).

Row 23-Rnd 38: Repeat row 23-rnd 38 of right back leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded

end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With rust, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-8: Sc in each st around.

Rnd 9: Sc first 2 sts tog, sc in last 6 sts (7).

Rnds 10-17: Sc in each st around. At end of last rnd, join with sl st in first sc. Fasten off.

Rnd 18: Join white with sc in first st, sc in each st around.

Rnds 19-24: Sc in each st around.

Rnd 25: (Sc next 2 sts tog) 3 times, sc in last st. Leaving 6" for sewing, fasten off. Sew rnd 25 closed.

Twist 2 chenille stems tog. Fold 1 end of stems over 3". Push fold into tail; push ends of stem into rnd 39 on body, sew tail to body.

FUR

For each fringe, cut 1 strand 3" long, fold in half, insert hook in st, pull fold through st, pull ends through fold, tighten.

With brown, fringe each st on every row of ears leaving underside of ears unfringed. Fringe each st on every rnd of body, head and tail according to diagram on page 15, leaving muzzle top and bottom unfringed. With white, make 4 rows of fringe 4" long down center back of each front leg.

Brush. Trim fur on ears, back of legs and head to 1". Trim fur evenly on ears.

KEG

Center

Row 1: With brown, ch 15, sc in 2nd ch from hook, sc in each ch across, turn (14).

Rows 2-24: Ch 1, sc in each st across, turn. At end of last row, fasten off. Matching sts, sew rows 1 and 24 tog.

Working in ends of rows at 1 end of center, join brown with sc in row 1, sc in each row around, join with sl st in first sc (24). Fasten off. Repeat at opposite end.

End

Rnd 1: With brown, ch 2, 8 sc in 2nd

ch from hook (8).

Rnd 2: 2 sc in each st around (16).

Rnd 3: (2 sc in next st, sc in next st) around, join with sl st in first sc (24). Fasten off.

Rnd 4: Matching sts of rnd 3 to sts on end of center, working through both thicknesses, join gray with sc in first st, sc in each st around, join as before; for chain, ch 16, sl st in 10th ch from hook. Fasten off.

Repeat at other end, stuffing keg before closing.

Band (make 2)

With gray, ch 30. Fasten off.

Sew each band around keg $\frac{3}{4}$ " from each end.

Strap

With brown, ch 51; working in back bar (see Stitch Guide) of ch, dc in 3rd ch from hook, dc in each ch across. Fasten off.

Fold each end of strap up 1". Place loop of 1 chain in each fold. Sew ends of strap to secure. Place around neck. 🐾

English Springer Spaniel

MATERIALS: 4-ply yarn—5 ozs. white, 2½ ozs. rust, 10 yds. brown, 5 yds. each black and gold; two 15-mm. brown animal eyes with washers; polyester fiberfill; 12" white chenille stem; wire pet brush; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 9½" tall sitting.

BODY

Rnd 1: Starting at center front, with white, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Ch 2, hdc in same st, hdc in each of next 2 sts, (2 hdc in next st, hdc in each of next 2 sts) around, join (32).

Rnd 4: Ch 2, hdc in same st, 2 hdc in each of next 3 sts, hdc in next 24 sts, 2 hdc in each of last 4 sts, join (40).

Rnd 5: Sl st in next st, ch 2, hdc in next 38 sts, hdc in joining sl st, join.

Rnd 6: Ch 2, hdc in each st around, join.

Rnds 7-10: Repeat rnds 5 and 6 alternately.

NOTE: When changing colors (see Stitch Guide), yo, insert hook in st, yo, pull through st, drop first color, pick up 2nd color, yo, pull through all 3 lps on

hook, carry first color along back of work, pick up when needed.

Rnd 11: Ch 2, hdc in next 17 sts changing to rust in last st made, hdc in next 5 sts changing to white in last st made, hdc in last 17 sts, join.

Rnd 12: Sl st in next st, ch 2, hdc in next 15 sts changing to rust in last st made, hdc in next 8 sts changing to white in last st made, hdc in next 15 sts, hdc in joining sl st, join.

Rnd 13: Ch 2, hdc in next 13 sts changing to rust in last st made, hdc in next 13 sts changing to white in last st made, hdc in last 13 sts, join.

Rnd 14: Sl st in next st, ch 2, hdc in next 10 sts changing to rust in last st made, hdc in next 19 sts changing to white in last st made, hdc in next 9 sts, hdc in joining sl st, join.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in next 8 sts changing to rust in last st made, hdc in next 19 sts changing to white in last st made, hdc in next 8 sts, hdc last 2 sts tog, join (38).

Rnd 16: Sl st in next st, ch 2, hdc in next 9 sts changing to rust in last st made, hdc in next 19 sts changing to white in last st made, hdc in next 8 sts, hdc in joining sl st, join (38).

Rnd 17: Ch 2, hdc in next 9 sts changing to rust in last st made, hdc in next 19 sts changing to white in last st made, hdc in last 9 sts, join (38).

Rnds 18-21: Repeat rnds 16 and 17 alternately. At end of last rnd, fasten off rust.

Rnds 22-24: Repeat rnds 6 and 5 alternately.

Rnd 25: Ch 2, hdc in next st, (hdc next 2 sts tog, hdc in next st) around, join (26). Stuff.

Rnds 26-27: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (14, 8). At end of last rnd, leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: Starting at neck, with white, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch; for front, hdc in next 20 ch; sc in last 8 ch (36).

Rnds 2-9: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts.

Rnd 10: Sl st in each of first 2 sts, ch 2, hdc in each st around, hdc in first sl st, join with sl st in top of ch 2.

Rnd 11: Ch 2, hdc next 2 sts tog, (hdc in next st, hdc next 2 sts tog) around, join as before (24).

Rnd 12: Ch 2, hdc in each st around, join.

Rnd 13: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (13).

Rnd 14: Ch 2, (hdc next 2 sts tog) around, join (7). Leaving 8" for sewing, fasten off. Sew rnd 14 closed.

Attach eyes with washers between rnds 10 and 11 on head above hdc of rnd 1 with 2" between.

Stuff head and neck. With hdc of rnd 1 over rnd 2 on front of body, sew rnd 1 over rnds 1-7 of body.

MUZZLE

Rnd 1: With white, ch 3, 3 sc in 2nd ch from hook, 5 sc in last ch; working on opposite side of ch, 2 sc in same ch as first 3 sc (10).

Rnd 2: (2 sc in next st, sc in next st) around (15).

Rnd 3: Sc in each st around.

Rnd 4: (Sc in each of next 2 sts, 2 sc in next st) around (20).

Rnds 5-7: Sc in each st around.

Rnd 8: (2 sc in next st, sc in next st) 2

times, sc in next 13 sts, 2 sc in next st, sc in next st, 2 sc in last st (24).

Rnd 9: Sc in each st around.

Rnd 10: Sc in first 9 sts, hdc in next 10 sts, sc in last 5 sts, join with sl st in first sc. Fasten off.

Stuff. With hdc at top, sew to head over rnds 5-11.

MUZZLE TOP

Row 1: With white, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, 3 sc in first st, sc in each of next 2 sts, 2 sc in each of next 2 sts, sc in each of next 2 sts, 3 sc in last st, turn (14).

Row 3: Ch 1, sc in each st across, turn.

Rows 4-5: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (18, 22).

Rows 6-8: Ch 1, sc first 2 sts tog, sc in each st across to last 2 sts, sc last 2 sts tog, turn (20, 18, 16).

Row 9: Repeat row 3.


Row 10: Ch 1, sc in first 6 sts, hdc in next 4 sts, sc in last 6 sts, turn.

Row 11: Ch 1, sc in first 6 sts, hdc in next st, 2 hdc in each of next 2 sts, hdc in next st, sc in last 6 sts (18). Fasten off.

Sew to top of muzzle leaving ends of rows 4-7 unsewn.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 2-4 on muzzle top according to face diagram. With black, using Outline Stitch (see Stitch Guide), embroider mouth according to face diagram.

FACE DIAGRAM



With rust, using Satin and Straight Stitches (see Stitch Guide), embroider spots on muzzle top according to face diagram.

EYE PATCH (make 2)

Row 1: With rust, ch 11, sl st in first ch to form ring, ch 1, sc in first ch, 2 sc in each of next 8 ch, sc in next ch leaving last ch unworked, turn (18).

Row 2: Ch 1, sc in each of first 2 sts, hdc in next 10 sts leaving last 6 sts unworked, turn (12).

Row 3: Ch 1, sc in first st, hdc in each of next 2 sts, dc in next 6 sts, hdc in each of next 2 sts, 3 hdc in last st. Fasten off.

Sew 1 over each eye according to face diagram.

EAR (make 2)

Row 1: With rust, ch 7, sc in 2nd ch from hook, sc in each ch across, turn (6).

Row 2: Ch 2, hdc in same st, hdc in each st across to last st, 2 hdc in last st, turn (8).

Rows 3-6: Ch 2, hdc in each st across, turn.

Row 7: Repeat row 2 (10).

Rows 8-10: Ch 3, dc in each st across, turn.

Row 11: Ch 2, hdc next 2 sts tog, hdc in next 4 sts, hdc next 2 sts tog leaving last st unworked (7). Fasten off.

Fold row 1 in half, sew ends of row 1 to rnd 11 on head behind eye patch.

LEGS

Right Front

Rnd 1: Starting at ankle, with white, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark 3rd ch of starting ch for paw.

Rnds 2-6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next 6 sts) around (16).

Rnds 8-11: Sc in each st around.

Rnd 12: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Row 13: For shoulder, working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 4 sts unworked, turn (14).

Row 14: Ch 2, hdc in each st across, turn.

Rows 15-18: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (6), fasten off.

Row 19: For paw, with right side fac-

ing you, working on opposite side of starting ch, join with sc in marked ch, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 20-22: Ch 1, sc in each st across, turn.

Row 23: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sl st in next st; repeat from * across, turn (4 toes).

Row 24: Ch 1, sc in top of each toe across, turn (4).

Rnd 25: For pad, working around outer edge in sts, ch and ends of rows, ch 1, 2 sc in each of first 4 sts, skip each of next 2 rows, sc in next 4 rows, sc in next 6 ch, sc in next 4 rows, skip each of next 2 rows, join with sl st in first sc (22).


Rnd 26: Ch 1, sc in each st around.

Rnd 27: (Sc next 2 sts tog) around (11).

Rnd 28: (Sc next 2 sts tog) 5 times, sl st in last st. Leaving 8" for sewing, fasten off. Sew rnd 28 closed.

Stuff paw, leg and shoulder. Sew shoulder and top of leg to body according to side view diagram.

SIDE VIEW DIAGRAM



Left Front

Marking 10th ch of starting ch for paw, work same as right front leg.

Right Back

Rnds 1-6: Repeat rnds 1-6 of right front leg.

Rnd 7: Sl st in each of first 3 sts, sc in next st, hdc in next st, dc in next st, 2 dc in each of next 2 sts, dc in next st, hdc in next st, sc in next st, sl st in each of last 3 sts (16).

Rnd 8: Sl st in each of first 3 sts, sc in next st, hdc in next st, dc in next 6 sts, hdc in next st, sc in next st, sl st in each of last 3 sts.

Rnds 9-10: Sl st in first 4 sts, sc in next st, hdc in next st, dc in next 6 sts, hdc in next st, sc in next st, sl st in each of last 2 sts.

Rnd 11: Sl st in first st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Row 12: For hip, working in rows, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 5 times leaving the last 5 sts unworked, turn (17).

Row 13: Ch 2, hdc in each st across, turn.

Rows 14-18: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (7), fasten off.

Rows 19-24: Repeat rows 19-24 of right front leg.

Row 25: For pad, ch 1, 2 sc in each st across, turn (8).

Rows 26-27: Ch 1, sc in each st across, turn.

Row 28: Ch 1, sc first 2 sts tog, sc in next 4 sts, sc last 2 sts tog (6). Fasten off. Sew sts of row 28 to unworked ch of starting ch on row 1. Sew ends of rows on each side of opening tog.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-11: Repeat rnds 1-11 of right back leg.

Row 12: For hip, working in rows, sl st in next 7 sts, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times, hdc in first sl st, 2 hdc in next sl st leaving next 5 sl sts unworked, turn (17).

Rows 13-28: Repeat rows 13-28 of right back leg.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With rust, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-6: Sc in each st around.

Rnd 7: Sc first 2 sts tog, sc in each st around (7).

Rnds 8-12: Sc in each st around.

Rnd 13: Repeat rnd 7 (6). Fasten off.

Rnd 14: Join white with sc in first st, sc in each st around.

Rnds 15-21: Sc in each st around.

Rnd 22: (Sc next 2 sts tog) around, join with sl st in first sc. Leaving 8" for sewing, fasten off. Sew rnd 22 closed.

Fold chenille stem in half. Twist to secure. Push fold into tail; lightly stuff rnds 1-6 around stem, push ends of stem into rnd 25 on body, sew tail to body.

FUR

For each fringe, cut 1 strand 5½" long, fold in half, insert hook in st, pull fold through st, pull ends through fold, tighten.

With rust, fringe each st of every row on ears leaving underside of ears unfringed. Matching colors, fringe each st of every other rnd on body and tail, every other row on hips and shoulders. With white, fringe each st of rnds on neck under muzzle and eye patches only. With white, make 2 rows of fringe 3" down center back of each front leg.

Brush. Trim fur on back of legs and neck to 1". Trim fur evenly on ears.

COLLAR

With brown, ch 52; working in back bar (see Stitch Guide) of ch, sc in 2nd ch from hook, hdc in next ch, dc in each ch across. Fasten off.

Buckle

With gold, ch 17, sl st in first ch to form ring, ch 4, skip next 8 ch, sl st in next ch. Fasten off.

Run pointed end of collar under ch 8 of buckle, over ch 4, under next ch 8. Place collar around neck, sew collar tog under buckle.

With 1 strand gold, make 1 Straight Stitch from center of right ch 8 to ¼" inside buckle. 🐾

Collie

MATERIALS: 4-ply yarn—9 ozs. brown, 5 ozs. white, 10 yds. black; two 12-mm. brown animal eyes with washers; polyester fiberfill; 9 white 12" chenille stems; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 14" tall × 16" long.

BODY

Rnd 1: Starting at center front, with white, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Sl st in next st, ch 2, (2 hdc in next st, hdc in next st) 11 times, 2 hdc in joining sl st, join (36).

Rnd 4: Sl st in next st, ch 2, hdc in next 4 sts, 2 hdc in next st, (hdc in next 5 sts, 2 hdc in next st) around, join (42).

Rnd 5: Ch 2, hdc in each st around, join.

Rnd 6: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 7-10: Repeat rnds 5 and 6 alternately. At end of last rnd, fasten off.

Rnd 11: Join brown with sl st in first st, ch 2, hdc in each st around, join.

Rnds 12-14: Repeat rnds 6 and 5 alternately.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in each st around to last 2 sts, hdc last 2 sts tog, join (40).

Rnds 16-30: Repeat rnds 6 and 5 alternately.

Rnd 31: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (27). Stuff.

Rnd 32: Ch 2, (hdc next 2 sts tog) around, join (14).

Rnd 33: Ch 2, (hdc next 2 sts tog) 6 times, hdc in last st, join (8). Leaving 8" for sewing, fasten off. Sew opening closed. Joining seam is center bottom of body.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: Starting at neck, with white, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch, hdc in next 20 ch, sc in last 8 ch (36).

Rnds 2-5: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts. At end of last rnd, join with sl st in first sc.

Rnd 6: Ch 2, hdc in each st around, join with sl st in top of ch 2. Fasten off.

Rnd 7: Join brown with sl st in first st, ch 2, hdc in each st around, join as before.

Rnd 8: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnd 9: Ch 2, hdc in each st around, join.

Rnds 10-13: Repeat rnds 8 and 9 alternately.


Rnd 14: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (19).

Rnd 15: Ch 2, (hdc next 2 sts tog) around, join (10).

Rnd 16: Ch 1, (sc next 2 sts tog) around, join with sl st in first sc. Leaving 6" for sewing, fasten off. Sew rnd 16 closed.

Attach eyes with washers to rnd 11 above hdc of rnd 1 with 2" between. With black, using Straight Stitch (see Stitch Guide), embroider 4 small stitches around each eye according to face diagram.

FACE DIAGRAM



Stuff head and neck. Matching center of hdc on rnd 1 of neck to top of rnd 1 on body, sew rnd 1 of neck over rnds 1-12 on top of body.

Eye brow (make 2)

With brown, ch 6. Leaving 8" for sewing, fasten off.

Sew 1 over each eye in arch.

MUZZLE

Rnd 1: With brown, ch 3, 2 sc in 2nd ch from hook, 4 sc in last ch; working on opposite side of ch, 2 sc in same ch as first 2 sc (8).

Rnd 2: (2 sc in next st, sc in next st) around (12).

Rnds 3-4: Sc in each st around.

Rnd 5: (2 sc in next st, sc in each of next 2 sts) around (16).

Rnd 6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next each of next 3 sts) around (20).

Rnds 8-9: Sc in each st around.

Rnd 10: (2 sc in next st, sc in next 9 sts) around (22).

Rnd 11: Sc in each st around.

Rnd 12: Sc in first 6 sts, hdc in each of next 2 sts, 2 hdc in each of next 6 sts, hdc in each of next 2 sts, sc in last 6 sts (28).

Rnd 13: Sc in first 6 sts, hdc in next 16 sts, sc in last 6 sts, join with sl st in first sc. Fasten off.

Stuff. With hdc at top, sew to head over rnds 6-13.

MUZZLE TOP

Row 1: With brown, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, sc in each of first 3 sts, 2 sc in each of next 2 sts, sc in each of last 3 sts, turn (10).

Row 3: Ch 1, sc in each st across, turn.

Row 4: Ch 1, 2 sc in first st, sc in each st across to last st, 2 sc in last st, turn (12).

Rows 5-7: Repeat row 3.

Row 8: Ch 1, 3 sc in first st, sc in each st across to last st, 3 sc in last st, turn (16).

Row 9: Ch 1, sc first 2 sts tog, sc in next 12 sts, sc last 2 sts tog, turn (14).

Row 10: Repeat row 3.

Row 11: Ch 1, sc in each of first 2 sts, hdc in each of next 2 sts, 2 hdc in each of next 6 sts, hdc in each of next 2 sts, sc in each of last 2 sts, turn (20).

Row 12: Ch 1, sc in each of first 2 sts, hdc in next 16 sts, sc in each of last 2 sts. Fasten off.

Sew to top of muzzle.

With black, using Satin Stitch (see

Stitch Guide), embroider nose over rows 1-3 on muzzle top according to face diagram. With black, using Outline Stitch (see Stitch Guide), embroider mouth on muzzle and muzzle top according to face diagram.

EAR (make 4)

Row 1: With brown, ch 9, sc in 2nd ch from hook, sc in each of next 2 ch, hdc in last 5 ch, turn (8).

Row 2: Ch 2, hdc in next 4 sts, sc in each of last 3 sts, turn.

Row 3: Ch 1, sc in each of first 3 sts, hdc next 2 sts tog, hdc in each of last 3 sts, turn (7).

Row 4: Ch 2, hdc in next st, hdc next 2 sts tog, sc in each of last 3 sts, turn (6).

Row 5: Ch 1, sc first 2 sts tog, sc in each of next 2 sts, sc last 2 sts tog, turn (4).

Row 6: Ch 1, (sc next 2 sts tog) across, turn (2).

Row 7: Ch 1, sc first 2 sts tog (1). Fasten off.

Trim

For **right ear**, hold 2 ears tog; working through both thicknesses in ends of rows and sts, join black with sc in sc end of row 1, sc in same row, sc in next 6 rows, (sc, ch 2, sc) in sc of row 7, sc in each of next 3 rows, 2 sc in each of next 3 rows, 3 sc in end of row 1. Fasten off.

For **left ear**, hold 2 ears tog; working through both thicknesses in ends of rows and sts, join black with sc in hdc end of row 1, 2 sc in same row, 2 sc in each of next 3 rows, sc in each of next 3 rows, (sc, ch 2, sc) in sc of row 7, sc in next 6 rows, 2 sc in row 1. Fasten off.

With right side of trim facing front, sew ears over rnds 11-14 of head with 1½" between and 1¼" from eyebrows.

LEGS

Right Front

Rnd 1: Starting at ankle, with white, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark last ch of starting ch for paw.

Rnds 2-8: Sc in each st around.

Rnd 9: (2 sc in next st, sc in next 6 sts) around (16).

Rnds 10-14: Sc in each st around.

Rnd 15: Sl st in next st, ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnds 16-20: Ch 2, hdc in each st around, join as before.

Row 21: For shoulder, working in rows, ch 2, hdc in same st, hdc in next 8 sts, 2 hdc in next st leaving last 6 sts unworked, turn (12).

Rows 22-23: Ch 2, hdc in each st across, turn. At end of last row, fasten off.

Row 24: Join brown with sl st in first st, ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (10).

Rows 25-26: Repeat row 22.

Rows 27-29: Repeat row 24. At end of last row (4), fasten off.

Row 30: For paw, with right side facing you, working on opposite side of starting ch, join white with sc in marked ch, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 31-33: Ch 1, sc in each st across, turn.

Row 34: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sl st in next st; repeat from * across, turn (4 toes).

Row 35: Ch 1, sc in top of each toe across, turn (4).

Rnd 36: For pad, working around outer edge in sts, ch and ends of rows, ch 1, 2 sc in each of first 4 sts, skip each of next 2 rows, sc in next 4 rows, sc in next 6 ch, sc in next 4 rows, skip each of next 2 rows, join with sl st in first sc (22).

Rnd 37: Ch 1, sc in each st around.

Rnd 38: (Sc next 2 sts tog) around (11).

Rnd 39: (Sc next 2 sts tog) 5 times, sl st in last st. Leaving 8" for sewing, fasten off. Sew rnd 39 closed.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and shoulder firmly around stem. Push ends of stem into body, sew shoulder and top of leg to body according to side view diagram.

Left Front


Marking 7th ch of starting ch for paw, work same as right front leg.

Right Back

Rnds 1-12: Marking last ch of starting ch for paw, with brown, repeat rnds 1-12 of right front leg.

Rnd 13: Sc in first 6 sts, 2 hdc in each of next 4 sts, sc in last 6 sts (20).

SIDE VIEW DIAGRAM



Rnd 14: Sc in first 6 sts, (hdc next 2 sts tog) 4 times, sc in last 6 sts, join with sl st in first sc (16).

Rnd 15: Ch 2, hdc in same st, hdc in next 5 sts, (hdc next 2 sts tog) 2 times, hdc in next 5 sts, 2 hdc in last st, join with sl st in top of ch 2 (16).

Rnd 16: Ch 2, hdc in each st around, join.

Rnd 17: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 18-21: Repeat rnds 16 and 17 alternately.

Row 22: For hip, working in rows, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in next st leaving last 4 sts unworked, turn (14).

Rows 23-24: Ch 2, hdc in each st across, turn.

Rows 25-27: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn. At end of last row (8), fasten off.

Row 28-Rnd 37: Repeat row 30-rnd 39 of right front leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-21: Repeat rnds 1-21 of right back leg.

Row 22: For hip, working in rows, sl st in next 4 sts, ch 2, hdc in same st, hdc in next 10 sts, 2 hdc in last st, turn (14).

Row 23-Rnd 37: Repeat row 23-rnd 37 of right back leg.

Stuff paw. Twist 2 chenille stems tog. Fold 1 end of stems over 4". Place folded end in leg. Stuff leg and hip firmly around stem. Push ends of stem into body, sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With brown, ch 8, sl st in first ch to form ring, ch 1, sc in each ch around (8).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (7).

Rnds 6-10: Sc in each st around.

Rnd 11: Repeat rnd 5 (6).

Rnds 12-19: Sc in each st around.

Rnd 20: (Sc next 2 sts tog) around, join with sl st in first sc. Leaving 6" for sewing, fasten off. Sew rnd 20 closed.

Fold chenille stem in half. Twist to secure. Push fold into tail; push ends into rnd 33 on body, sew tail to body.

FUR

For each fringe, cut 1 strand 5½" long, fold in half, insert hook in st, pull fold through st, pull ends through fold, tighten.

Matching colors, fringe each st on every rnd of body. With black, starting at edge of ear, fringe 4 sts on rnd 10 between ears and eyes; fringe 2 sts on rnd 9 directly below last 2 fringe. Matching colors, fringe each st on head. With white, fringe each st on last 2 rnds of tail. With brown, fringe each st on every remaining rnd of tail.

Matching colors, fringe each st on every other row of hips and shoulders. With white, fringe each st on rnds 18 and 20 of front legs; with brown, fringe each st on rnds 17, 19 and 21. With white, make 2 rows of fringe down center back of each front leg, stopping 1½" from paw.

Brush. Trim fur on back of legs to 1". Trim fur around head and face to ½" leaving bottom 2 black fringe long. 🐾

Irish Setter

MATERIALS: 4-ply—9½ ozs. rust, 7 yds. each black and gray; two 12-mm. brown animal eyes with washers; polyester fiberfill; 12" white chenille stem; wire pet brush; tapestry needle; E hook or size needed to obtain gauge.

GAUGE: 9 hdc = 2"; 7 hdc rows = 2".

FINISHED SIZE: 15" long.

BODY

Rnd 1: Starting at center front, with rust, ch 4, 2 hdc in 3rd ch from hook, 6 hdc in last ch; working on opposite side of ch, 3 hdc in same ch as first 2 hdc, join with sl st in top of ch 2 (12).

Rnd 2: Ch 2, hdc in same st, 2 hdc in each st around, join as before (24).

Rnd 3: Sl st in next st, ch 2, (2 hdc in next st, hdc in next st) 11 times, 2 hdc in joining sl st, join (36).

Rnd 4: Sl st in next st, ch 2, hdc in next

4 sts, 2 hdc in next st, (hdc in next 5 sts, 2 hdc in next st) around with last 2 hdc in joining sl st, join (42).

Rnd 5: Ch 2, hdc in each st around, join.

Rnd 6: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.

Rnds 7-14: Repeat rnds 5 and 6 alternately.

Rnd 15: Ch 2, hdc next 2 sts tog, hdc in each st around to last 2 sts, hdc last 2 sts tog, join (40).

Rnds 16-32: Repeat rnds 5 and 6 alternately.

Rnd 33: Ch 2, (hdc next 2 sts tog, hdc in next st) around, join (27). Stuff.

Rnd 34: Ch 2, (hdc next 2 sts tog) around, join (14).

Rnd 35: Ch 2, (hdc next 2 sts tog) 6 times, hdc in last st, join (8). Leaving 8" for sewing, fasten off. Sew opening

closed. Joining seam is center bottom of body.

NECK & HEAD

NOTE: Do not join rnds unless otherwise stated. Mark first st of each rnd.

Rnd 1: Starting at neck, with rust, ch 36, sl st in first ch to form ring, ch 1, sc in first 8 ch, hdc in next 20 ch, sc in last 8 ch (36).

Rnds 2-5: Sc in first 8 sts, hdc in next 20 sts, sc in last 8 sts. At end of last rnd, join with sl st in first sc.

Rnd 6: Ch 2, hdc in each st around, join with sl st in top of ch 2.

Rnd 7: Ch 2, hdc in same st, hdc in next next 17 sts, 2 hdc in next st, hdc in last 17 sts, join as before (38).

Rnd 8: Sl st in next st, ch 2, hdc in each st around, hdc in joining sl st, join.


Rnds 9-14: Repeat rnds 6 and 8 alternately.

Rnds 15-16: Ch 2, (hdc next 2 sts tog) around to last st, hdc in last st, join (20, 11).

Rnd 17: Ch 1, (sc next 2 sts tog) 5 times, sc in last st, join with sl st in first sc. Leaving 6" for sewing, fasten off. Sew rnd 17 closed.

Attach eyes with washers to rnd 11 above hdc of rnd 1 with 2" between. With black, using Straight Stitch (see Stitch Guide), embroider 3 small stitches under each eye according to face diagram.

FACE DIAGRAM



Stuff head and neck. Matching center of hdc on rnd 1 of neck to top of rnd 1 on body, sew rnd 1 of neck across rnds 1-12 on top of body.

Eyebrow (make 2)

With rust, ch 6. Leaving 8" for sewing, fasten off.

Sew 1 over each eye in arch.

MUZZLE

Rnd 1: With rust, ch 3, 3 sc in 2nd ch from hook, 6 sc in last ch; working on opposite side of ch, 3 sc in same ch as first 3 sc (12).

Rnd 2: (2 sc in next st, sc in next st) around (18).

Rnd 3: Sc in each st around.

Rnd 4: (2 sc in next st, sc in next 5 sts) around (21).

Rnds 5-6: Sc in each st around.

Rnd 7: (2 sc in next st, sc in next st) 2 times, sc in next 13 sts, (2 sc in next st, sc in next st) 2 times (25).

Rnds 8-11: Sc in each st around.

Rnd 12: Sc in first 11 sts, hdc in next 9 sts, sc in last 5 sts, join with sl st in first sc. Fasten off.

Stuff. With hdc at top, sew to head over rnds 5-12.

MUZZLE TOP

Row 1: With rust, ch 2, 8 sc in 2nd ch from hook, turn (8).

Row 2: Ch 1, 3 sc in first st, sc in each of next 2 sts, 2 sc in each of next 2 sts, sc in each of next 2 sts, 3 sc in last st, turn (14).

Row 3: Ch 1, sc in each st across, turn.

Rows 4-5: Ch 1, 3 sc in first st, sc in each st across to last last st, 3 sc in last st, turn (18, 22).

Row 6: Ch 1, (sc next 2 sts tog) 2 times, sc in next 14 sts, (sc next 2 sts tog) 2 times, turn (18).

Row 7: Ch 1, sc first 2 sts tog, sc in next 14 sts, sc last 2 sts tog, turn (16).

Rows 8-10: Repeat row 3.

Rows 11-12: Ch 1, sc in first 4 sts, hdc in next 8 sts, sc in last 4 sts, turn.

Row 13: Ch 1, sc in first 4 sts, hdc in each of next 2 sts, 2 hdc in each of next 4 sts, hdc in each of next 2 sts, sc in last 4 sts. Fasten off.

Sew to top of muzzle leaving ends of rows 4-7 unsewn.

With black, using Satin Stitch (see Stitch Guide), embroider nose over rows 2-4 on muzzle top according to face dia-

gram. With black, using Outline Stitch (see Stitch Guide), embroider mouth on muzzle and muzzle top according to face diagram.

EAR (make 2)

Row 1: With rust, ch 7, sc in 2nd ch from hook, sc in each ch across, turn (6).

Row 2: Ch 2, hdc in same st, hdc in each st across to last st, 2 hdc in last st, turn (8).

Rows 3-4: Ch 2, hdc in each st across, turn.

Row 5: Repeat row 2 (10).

Rows 6-8: Repeat row 3.

Row 9: Ch 2, hdc next 2 sts tog, hdc in next 4 sts, hdc next 2 sts tog, hdc in last st (8). Fasten off.

Fold row 1 in half, sew to rnds 12 and 13 on head 1¼" from eyebrow.

LEGS

Right Front

Rnd 1: Starting at ankle, with rust, ch 14, sl st in first ch to form ring, ch 1, sc in each ch around (14). Mark last ch of starting ch for paw.

Rnds 2-10: Sc in each st around.

Rnd 11: 2 sc in first st, sc in each st around (15).

Rnds 12-14: Sc in each st around.

Rnds 15-18: Sl st in each of first 3 sts, sc in next st, hdc in next st, dc in next 5 sts, hdc in next st, sc in next st, sl st in each of last 3 sts.

Rnd 19: Sl st in each of first 3 sts, ch 2, hdc in next 12 sts, hdc in each of first 2 sl sts, join with sl st in top of ch 2.

Rnds 20-22: Ch 2, hdc in each st around, join as before.

Row 23: For shoulder, working in rows, sl st in next st, ch 2, hdc in same st, hdc in next 8 sts, 2 hdc in next st leaving last 4 sts unworked, turn (12).

Rows 24-26: Ch 2, hdc in each st across, turn.

Rows 27-28: Ch 2, hdc next 2 sts tog, hdc in each st across to last 2 sts, hdc last 2 sts tog, turn (10, 8). At end of last row, fasten off.

Row 29: For paw, with right side facing you, working on opposite side of starting ch, join with sc in marked ch, sc in next 7 ch leaving last 6 ch unworked, turn (8).

Rows 30-32: Ch 1, sc in each st across, turn.

Row 33: For toe, *sl st in next st, ch 1, (yo, insert hook in same st, yo, pull through st, yo, pull through 2 lps on hook) 3 times, yo, pull through all 4 lps on hook, ch 1, sl st in next st; repeat from * across, turn (4 toes).

Row 34: Ch 1, sc in top of each toe across, turn (4).


Row 35: For pad, ch 1, 2 sc in each st across, turn (8).

Rows 36-37: Ch 1, sc in each st across, turn.

Row 38: Ch 1, sc first 2 sts tog, sc in next 4 sts, sc last 2 sts tog (6). Leaving 8" for sewing, fasten off. Sew sts of row 38 to unworked ch of starting ch on row 1. Sew ends of rows on each side of opening tog.

Stuff paw, leg and shoulder. Sew shoulder and top of leg to body according to side view diagram.

SIDE VIEW DIAGRAM



Left Front

Rnds 1-22: Repeat rnds 1-22 of right front leg.

Row 23: For shoulder, working in rows, sl st in next 5 sts, ch 2, hdc in same st, hdc in next 8 sts, 2 hdc in last st, turn (12).

Rows 24-38: Repeat rows 24-38 of right front leg.

Stuff paw, leg and shoulder. Sew shoulder and top of leg to body according to side view diagram.

Right Back

Rnds 1-8: Repeat rnds 1-8 of right front leg.

Rnds 9-11: Repeat rnds 11-13 of right front leg.

Rnds 12-17: Repeat rnds 15-20 of right front leg.

Row 18: For hip, working in rows, ch 2, hdc in same st, (hdc in next st, 2 hdc in next st) 4 times leaving last 6 sts unworked, turn (14).

Row 19: Ch 2, hdc in same st, hdc in next 12 sts, 2 hdc in last st, turn (16).

Rows 20-22: Ch 2, hdc in each st across, turn.

Row 23: Ch 2, hdc next 2 sts tog, (hdc in each of next 2 sts, hdc next 2 sts tog) 3 times leaving last st unworked, turn (11).

Row 24: Ch 2, hdc next 2 sts tog, hdc in next 5 sts, hdc next 2 sts tog leaving last st unworked, turn (8).

Row 25: Ch 2, (hdc next 2 sts tog) 3 times leaving last st unworked (4). Fasten off.

Rows 26-35: Repeat rows 29-38 of right front leg. Sew sts of row 35 to unworked ch of starting ch on row 1. Sew ends of rows on each side of opening tog.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

Left Back

Rnds 1-17: Repeat rnds 1-17 of right back leg.

Row 18: For hip, working in rows, sl st in next 5 sts, ch 2, (hdc in next st, 2 hdc in next st) 4 times, hdc in last st, turn (14).

Rows 19-35: Repeat rows 19-35 of right back leg.

Stuff paw, leg and hip. Sew hip and top of leg to body according to side view diagram.

TAIL

Rnd 1: With rust, ch 8, sl st in first ch

to form ring, ch 1, sc in each ch around (8).

Rnds 2-4: Sc in each st around.

Rnd 5: Sc first 2 sts tog, sc in each st around (7).

Rnds 6-10: Sc in each st around.

Rnd 11: Repeat rnd 5 (6).

Rnds 12-19: Sc in each st around.

Rnd 20: (Sc next 2 sts tog) around, join with sl st in first sc. Fasten off. Sew rnd 20 closed.

Fold chenille stem in half. Twist to secure. Push fold into tail; push ends of stem into rnd 35 on body, sew tail to body.

FUR

For each fringe, cut 1 strand rust 5½" long, fold in half, insert hook in st, pull fold through st, pull ends through fold, tighten.

Fringe each st on every other row of ears leaving underside of ears unfringed. Fringe each st on every other rnd of body and tail. Fringe each st on rnds 1 and 3 of head. Fringe each st on every other row of hips and shoulders. Make 1 row of fringe down center back of each leg, working in every rnd.

Brush. Trim fur on back of legs to 1". Trim fur evenly on ears.

CHAIN

With gray, ch 55, sl st in first ch to form ring. Fasten off. Place around neck.

Ring (make 2)

With gray, ch 10. Fasten off.

Place 1 ring around neck chain, sew ends tog. Place other ring through first ring, sew ends tog. 