

Double Knitting
40-65 cms (16-26 ins.)

Peter Gregory



7193

Warmth with Comfort



COURTELLE



British Wool... *naturally*



Children's Cardigans, Slipover and Waistcoat

MEASUREMENTS AND MATERIALS: See back page

TENSION

21 sts and 44 rows = 10 cms [4 ins] square measured over patt using 4 mm needles.

It is essential to obtain correct tension in yarn used and a small test piece should be worked. If piece measures **more** than required width try again using smaller needles. If piece measures **less** than required width try again using larger needles.

NOTES

Figures in brackets refer to the larger sizes.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt = alternate; beg = beginning; cms = centimetres; cont = continue(ing); dec = decrease; foll = following; inc = increase; ins = inches; k = knit; p = purl; psso = pass slipped stitch over; patt = pattern; rem = remain(ing); rep = repeat; sl = slip; st(s) = stitch(es); st st = stocking stitch (1 row k, 1 row p); tog = together, yf = yarn forward.

SPECIAL ABBREVIATION

K1B (Knit 1 below) = Insert needle into next st one row below and knit this st, slipping the st above off needle at the same time.

V-NECK CARDIGAN

BACK

Using 3¼mm needles cast on 47(55-59-67-71-79) sts.

1st row (right side): K2, *p1, k1; rep from * to last st, k1.

2nd row: K1, *p1, k1; rep from * to end. Rep the last 2 rows 4(4-4-5-5) times more.

Change to 4mm needles and commence patt:

1st row: Knit (right side).

2nd row: K1, p1, *K1B, p1; rep from * to last st, k1.

These 2 rows form the patt. Cont in patt until back measures 13(17-21-24-28-32) cms ending with a wrong side row.

Shape Armholes

Keeping patt correct cast off 6 sts at beg of next 2 rows. 35(43-47-55-59-67) sts rem. Work straight until armholes measure 10(11-12-14-15-16) cms ending with a wrong side row.

Shape Shoulders

Cast off 9(11-13-15-17-19) sts at beg of next 2 rows. Cast off rem 17(21-25-25-29) sts loosely.

SLEEVES

Using 3¼mm needles cast on 29(31-33-35-39-41) sts and work 10(10-10-12-12) rows in rib as given for Back.

Change to 4 mm needles and work 4 rows in patt as given for Back. Keeping patt correct and bringing extra sts into patt, inc 1 st at each end of next and every foll 6th(6th-6th-6th-8th-8th) row until there are 43(47-51-59-63-67) sts. Work straight until sleeve measures 15(17-19-23-28-31) cms ending with a wrong side row. Tie a marker at each end of last row. Work 12 rows straight. Cast off loosely.

POCKET LININGS (make 2)

Using 4 mm needles cast on 15(15-17-17-19-19) sts and work in st st until piece measures 5(5-6-6-7-7) cms ending with a p row and dec 2 sts evenly across last row. Break yarn and slip these 13(13-15-15-17-17) sts onto a holder.

LEFT FRONT

Using 3¼mm needles cast on 21(25-27-31-33-37) sts and work 10(10-10-12-12) rows in rib as given for Back.

Change to 4mm needles and work in patt as given for Back until Front measures 8(8-9-10-11-11) cms ending with a wrong side row.

Place Pocket

Next Row: K4(6-6-8-8-10), slip next 13(13-15-15-17-17) sts onto a holder, knit across sts of one pocket lining, knit to end. 21(25-27-31-33-37) sts ★.

Cont in patt until Front measures same as back to armholes ending with a wrong side row.

Shape Armhole and Front Neck

Keeping patt correct cast off 6 sts at beg of next row ★★. Work 1 row.

Next row: Knit to last 4 sts, k3tog, k1 (2 sts decreased at front edge).

Keeping patt correct cont to dec 2 sts at front edge in this way on every foll 14th(10th-12th-12th-12th-10th) row until 9(11-13-15-17-19) sts rem. Work straight until front measures same as back to shoulder ending at armhole edge. Cast off.

RIGHT FRONT

Work as given for Left Front to ★.

Cont in patt until front measures same as back to armholes ending with a right side row.

Shape Armhole and Front Neck

Keeping patt correct cast off 6 sts at beg of next row ★★★.

Next row: K1, sl 1, k2tog, psso, knit to end (2 sts decreased at front edge).

Keeping patt correct cont to dec 2 sts at front edge in this way on every foll 14th(10th-12th-12th-12th-10th) row until 9(11-13-15-17-19) sts rem. Work straight until front measures same as back to shoulder ending at armhole edge. Cast off.

FINISHING AND EDGINGS

Do not press.

Pocket Edgings: Using 3¼mm needles and with right side facing knit across 13(13-15-15-17-17) sts on holder for pocket opening.

Starting with the 2nd row work 5 rows in rib as given for Back. Cast off loosely in rib.

Join shoulder seams.

Button Band: Using 3¼ mm needles cast on 9 sts.

1st row: (right side): K2, (p1, k1) twice, p1, k2.

2nd row: K1, (p1, k1) 4 times.

Rep the last 2 rows until band, when slightly stretched, fits up left front edge for Girl's Cardigan or right front edge for Boy's Cardigan and round to centre back neck, sewing in place as you go along. Cast off in rib.

Mark positions on front band for 4(4-5-5-5-6) buttons, the first 3 rows above cast on edge and the top one to be 1 cm below start of front slope shaping. Space remainder evenly between.

Buttonhole Band: Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as follows: k2, p1, k1, yf, k2tog, p1, k2.

Join bands at centre back neck. Join side seams. Join sleeve seams to markers. Sew sleeves into armholes sewing rows above markers to cast off sts of armholes. Sew pocket linings and edgings in place. Sew on buttons.

HOODED CARDIGAN

BACK, SLEEVES AND POCKET LININGS

Work as given for Back, Sleeves and pocket linings of V-Neck Cardigan.

LEFT FRONT

Work as given for Left Front of V-Neck Cardigan to ★★. 15(19-21-25-27-31) sts rem.

Work straight until front measures 4(4-4-5-5-6) cms less than back to shoulder ending at front edge.

Shape Neck

Cast off 2(3-3-4-4-5) sts at beg of next row. Dec 1 st at neck edge on next row, then every alt row 3(4-4-5-5-6) times. 9(11-13-15-17-19) sts. Work straight until front measures same as back to shoulder ending at armhole edge. Cast off loosely.

RIGHT FRONT

Work as given for Right Front of V-Neck Cardigan to ★★★. 15(19-21-25-27-31) sts. Complete to match Left Front reversing shaping.

HOOD

Using 3¼mm needles cast on 85(95-105-115-125-135) sts and work 6 rows in rib as given for Back.

Change to 4 mm needles and work 4(4-4-6-6-6) rows in patt as given for Back. Dec 1 st at each end of next and every alt row until 69(79-89-95-105-111) sts rem. Work straight until hood measures 14(15-16-17-18-19) cms ending with a wrong side row. Dec 1 st at each end of next 18(20-20-22-24-24) rows. Cast off rem 33(39-49-51-57-63) sts.

FINISHING AND EDGINGS

Do not press.

Pocket Edgings: Work as given for V-Neck Cardigan.

Join shoulder seams.

Button Band: Using 3¼ mm needles cast on 9 sts.

1st row (right side): K2, (p1, k1) twice, p1, k2.

2nd row: K1, (p1, k1) 4 times.

Rep the last 2 rows until band, when slightly stretched, fits up left front edge for Girl's Cardigan or right front edge for Boy's Cardigan to start of neck shaping, sewing in place as you go along. Cast off in rib.

Mark positions on front band for 5(5-6-

6-7-7) buttons, the first 3 rows above cast on edge and the top one to be 1 cm below cast off edge. Space remainder evenly between.

Buttonhole Band: Work as given for Button Band, at the same time making buttonholes to match markers on right side rows as follows: k2, p1, k1, yf, k2tog, p1, k2.

Join side seams. Join sleeve seams to markers. Sew sleeves into armholes, sewing rows above markers to cast off sts of armholes. Sew pocket linings and edgings in place. Join back seam and sew hood to neck edge, easing in across back neck if necessary, starting and finishing halfway across front bands. Sew on buttons.

WAISTCOAT BACK

Work as given for Back of V-Neck Cardigan to start of armhole shaping.

Shape Armholes

Keeping patt correct cast off 2 sts at beg of next 2 rows.

Next row: K1, sl 1, k2tog, psso, knit to last 4 sts, k3tog, k1 (2 sts decreased at each armhole edge).

Dec 2 sts as before at each end of every foll 4th row until 35(43-43-51-51-59) sts rem. Work straight until armholes measure 10(11-12-14-15-16) cms ending with a wrong side row.

Shape Shoulders

Cast off 9(11-11-13-13-15) sts at beg of next 2 rows. Cast off rem 17(21-21-25-25-29) sts loosely.

LEFT FRONT

Using 3¼mm needles cast on 21(25-27-31-33-37) sts and work 10(10-10-12-12) rows in rib as given for Back.

Change to 4mm needles and work in patt as given for Back until front measures same as back to armholes ending with a wrong side row.

Shape Armhole and Front Neck

Keeping patt correct cast off 2 sts at beg of next row. Work 1 row.

★ **Next row:** K1, sl 1, k2tog, psso, knit to last 4 sts, k3tog, k1 (2 sts decreased at armhole and front edge).

Keeping patt correct cont to dec 2 sts at armhole edge only on every foll 4th row 1(1-2-2-2-1) times. 13(17-17-21-23-29) sts.

(5th-6th) sizes only: Work 3 rows

straight. Dec 2 sts at armhole and front edge as before on next row. (19-25) sts.

(6th) size only: Dec 2 sts at armhole edge only on foll 4th row.

All Sizes: 13(17-17-21-19-23) sts rem. Work 9(5-3-3-11-5) rows straight. Keeping armhole edge straight cont to dec 2 sts at front edge on next row, then every foll 14th(10th-12th-12th-12th-10th) row 1(2-2-3-2-3) times more. 9(11-11-13-13-15) sts rem. Work straight until front measures same as back to shoulder ending at armhole edge. Cast off.

RIGHT FRONT

Using 3¼ mm needles cast on 21(25-27-31-33-37) sts and work 10(10-10-12-12-12) rows in rib as given for Back.

Change to 4mm needles and work in patt as given for Back until front measures same as back to armholes ending with a right side row.

Shape Armhole and Front Neck

Keeping patt correct cast off 2 sts at beg of next row. Complete as given for Left Front from ★ to end.

FINISHING AND EDGINGS

Do not press.

Join shoulder seams.

Armbands: Using 3¼mm needles and with right side facing pick up and k57(61-67-77-83-87) sts evenly around armhole edge. Starting with the 2nd row work 5 rows in rib as given for Back. Cast off in rib.

Button and Buttonhole Bands: Work as given for V-Neck Cardigan.

Join bands at centre back neck. Join side seams and ends of armbands. Sew on buttons.

SLIPOVER BACK

Work as given for Back of Waistcoat but leave sts on holder at end instead of casting them off.

FRONT

Work as given for Back to start of armhole shaping

Shape Armhole and Divide for Neck

1st row: Cast off 2 sts, knit to end.

2nd Row: Cast off 2 sts, patt until there are 21(25-27-31-33-37) sts on right hand needle after casting off, turn and complete this side first.

3rd row: K1, sl 1, k2tog, psso, knit to last 4 sts, k3tog, k1 (2 sts decreased at armhole and neck edge).

Dec 2sts at armhole edge only on foll 4th row. 15(19-21-25-27-31) sts.

(3rd-4th-5th-6th) sizes only: Dec 2 sts at armhole edge and at front edge on foll 4th row. (17-21-23-27) sts.

(5th-6th) sizes only: Dec 2sts at armhole edge only on foll 4th row.

All sizes: 15(19-17-21-21-25) sts. Work 3(3-7-7-3-3) rows straight. Keeping armhole edge straight cont to dec 2sts at front edge only as before on next and every foll 10th(8th-8th-8th-10th-8th) row until 9(11-11-13-13-15) sts rem. Work straight until front measures

same as back to shoulder ending at armhole edge. Cast off.

Slip next st at centre onto a safety pin. With wrong side facing rejoin yarn to neck edge of rem sts and patt to end. Complete to match first side reversing shaping.

FINISHING AND EDGINGS

Do not press. Join left shoulder seam.

Neckband: Using 3¼mm needles and with right side facing knit across sts on holder at back neck inc 1 st at end, pick up and k27(29-31-35-39-41) sts evenly down left front slope, knit st from safety pin at centre front, then pick up and k27(29-31-35-39-41) sts evenly up right

front slope. 73(81-85-97-105-113) sts.

1st row: P1, *k1, p1; rep from * to 2 sts before centre front st, p2tog, p1, p2tog tbl, p1, *k1, p1; rep from * to end.

2nd row: *K1, p1; rep from * to 2 sts before centre front st, sl 1, k1, psso, k1, k2tog, *p1, k1; rep from * to end.

Work 3 more rows in rib dec 1 st at each side of centre front st on every row. Cast off in rib dec on this row also.

Join right shoulder seam and ends of neckband.

Armbands: Work as given for Waistcoat.

Join side seams and ends of armbands.

To Fit

Chest sizes	40	45	50	55	60	65	cms
	16	18	20	22	24	26	ins
Finished measurement	45	52	56	64	68	75	cms
	18½	21	22	25½	27	30	ins
Length to shoulder	23	28	33	38	43	48	cms
	9	11	13	15	17	19	ins
Sleeve seam	15	17	19	23	28	31	cms
	6	6½	7½	9	11	12¼	ins

Materials

Peregrine DK or Gosling DK (Machine Washable) 100g balls

V-Neck Cardigan	1	2	2	3	3	4	balls
Hooded Cardigan	2	2	2	3	4	4	balls
Waistcoat or Slipover	1	1	2	2	2	3	balls

Snow Goose All Wool DK (Handwash only) 50g balls

V-Neck Cardigan	3	4	5	6	8	9	balls
Hooded Cardigan	4	5	6	8	9	11	balls
Waistcoat or Slipover	2	3	3	4	5	6	balls

Pair needles each size 4mm (UK 8 - USA 6) and 3¼mm (UK 10 - USA 3). 4(4-5-5-5-6) buttons for V-Neck Cardigan and Waistcoat, 5(5-6-6-7-7) buttons for Hooded Cardigan.

**Gregory Kassapian and Partners Ltd.,
Spring Mill House, Baildon, Shipley, West Yorkshire BD17 6AD**

A MEMBER OF THE BRITISH HAND KNITTING CONFEDERATION

EMail: petergregoryyarns@attglobal.net

http://www.gregorykassapian.co.uk

187 76

\$6.50