

No. 253

Price Code N

*Creme de la
Creme
in
Peter Pan*



*Knitted and Crocheted with love in
new soft blend
Peter Pan*



Design 1



Design 2



Design 3

Inches	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
CM	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Guide to Chest Sizes

To Fit Chest Size	31 12	36 14	41 16	46 18	51 20	56 22	61 24	cm. ins.
To Fit Age, approximately	Premature	0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	4-5 yrs.		

EASY
KNIT

EASY
CROCHET

Denotes simple design.

No. 253

Crème de la Crème in Peter Pan

4 Ply, D.K. and Aran

All designs in this book are worked in Peter Pan 4 Ply and Peter Pan D.K. shade 330 Soft Cream or Peter Pan Aran shade 830 Soft Cream.

ALL DESIGNS

Instructions given for first size, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

IMPORTANT

Use ONLY the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. The quantities of yarn stated are based on average requirements and are therefore approximate.

TENSION

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

KNITTING ABBREVIATIONS

K. – Knit
P. – Purl
st(s). – stitch(es)
st.st. – stocking stitch (1 row knit, 1 row purl)
rept. – repeat
alt. – alternate
beg. – beginning
tog. – together
sl. – slip
inc. – increase
dec. – decrease
p.s.s.o. – pass slipped stitch over
t.b.l. – through back of loop
fol. – following
rem. – remaining
y.fwd. – yarn forward
y.r.n. – yarn round needle

patt. – pattern

M.1 – make one, pick up loop before next st. and K. it t.b.l.

C.4B. – cable 4 back, slip next 2 sts. onto cable needle and leave at back of work, K.2, then K.2 from cable needle.

0 – no stitches or rows to be worked in that particular size.

cm. – centimetres

mm. – millimetres

ins. – inches

CROCHET ABBREVIATIONS

ch. – chain

d.c. – double crochet

d.c. 2tog. – [insert hook into next st., yarn over hook and draw loop through] twice, yarn over hook and draw through all 3 loops on hook.

h.tr. – half treble

tr. – treble

tr. 2tog. – * y.r.h. and insert into next st., y.r.h. and draw loop through, y.r.h. and draw through 2 loops, rept. from * once more, y.r.h. and draw through all 3 loops on hook.

h.tr. 2tog. – * y.r.h. and insert into next st., y.r.h. and draw loop through, rept. from * once more, y.r.h. and draw through all 5 loops on hook.

t.tr. – triple treble

t.tr. 2tog. – * [y.r.h.] 3 times, insert hook as indicated, y.r.h. and draw loop through, [y.r.h. and draw through 2 loops] 3 times, rept. from * once more, y.r.h. and draw through all 3 loops.

d.tr. – double treble

y.r.h. – yarn round hook

s.s. – slip stitch

sp. – space

st(s). – stitches

rept. – repeat

beg. – beginning

patt. – pattern

cm. – centimetres

ins. – inches

Our Knitting Bureau will gladly give any assistance or advice on Peter Pan designs if queries are accompanied by a Peter Pan Ball Band and a stamped addressed envelope.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

WASHING AND PRESSING INSTRUCTIONS

Peter Pan

Washing		Pressing	
Warm water, hand or machine wash, short spin, do not wring, dry flat.		Use a dry cloth and cool iron.	

Pressing

With wrong side facing, pin out all pieces to measurements given. Press as instructions. Press all seams.

© Carter & Parker Ltd.

**CARTER & PARKER LTD.,
GUISELEY, YORKS.**

A Member of the Thomas Ramsden Group

Printed in England.

Design 1 CROCHET SHAWL in Peter Pan 4 Ply and D.K.

Crocheted in Peter Pan 4 Ply
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

Actual Measurements, approximately 4 PLY VERSION	132 x 132 52 x 52	cm. ins.
D.K. VERSION	135 x 135 53 x 53	cm. ins.
Peter Pan 4 Ply (50g.)	16	Balls
1 – 2.50 mm. (U.K. 12 – U.S.A. C2) Crochet Hook.		
Peter Pan D.K. (50g.)	17	Balls
Peter Pan Little Darlings D.K. (50g.)	19	Balls
Peter Pan Poppet D.K. (50g.)	21	Balls
1 – 3.50 mm. (U.K. 9 – U.S.A. E4) Crochet Hook.		

TENSION

It is important to check your tension before commencing.

4 PLY VERSION

First motif measures 12 cm. (4¾ ins.) diagonally across motif from beg. of last row to end of last row on 2.50 mm. Hook.

D.K. VERSION

First motif measures 15 cm. (6 ins.) diagonally across motif from beg. of last row to end of last row on 3.50 mm. Hook.

NOTE

Instructions given for 4 Ply Version, D.K. Version given in round brackets. Where only one figure is given this applies to both versions.

FIRST MOTIF (31 sts.)

Using appropriate size Hook make 5 ch. and join with a s.s. to form a ring.

1st Round – 3 ch. (counts as first tr.), 11 tr. into ring, s.s. to top of 3 ch. at beg. of round. 12 sts.

2nd Round – 1 ch. (does NOT count as st.), [1 d.c., 4 ch., 1 t.tr., 4 ch. and 1 d.c.] into each of first 11 tr., [1 d.c., 4 ch. and t.tr.2tog.] into last tr. 12 petals.

Now work backwards and forwards in rows, not rounds, as follows:-

3rd Row – 5 ch., 1 d.c. into top of t.tr.2tog. just worked, [3 ch., 1 d.c. into t.tr. at point of next petal] twice, 5 ch., [1 d.c. into t.tr. at point of next petal, 3 ch.] twice, [1 d.c., 2 ch. and 1 tr.] into t.tr. at point of next petal, turn.

4th Row – 1 ch. (does NOT count as st.), 2 d.c. into first ch. sp., [1 d.c. into next d.c., 3 d.c. into next ch. sp.] twice, 1 d.c. into next d.c., [3 d.c., 2 ch. and 3 d.c.] into next ch. sp., [1 d.c. into next d.c., 3 d.c. into next ch. sp.] twice, 1 d.c. into next d.c., 2 d.c. into last ch. sp., turn.

5th Row – 1 ch. (does NOT count as st.), 1 d.c. into each of first 14 d.c., [1 d.c., 2 ch. and 1 d.c.] into next ch. sp., 1 d.c. into each of next 14 d.c., turn.

6th Row – 3 ch. (does NOT count as st.), 1 d.c. into each of first 15 d.c., [1 d.c., 2 ch. and 1 d.c.] into next ch. sp., 1 d.c. into each of next 15 d.c., turn.

7th Row – 3 ch. (does NOT count as st.), 1 d.c. into each of first 16 d.c., [1 d.c., 2 ch. and 1 d.c.] into next ch. sp., 1 d.c. into each of next 16 d.c., turn.

8th Row – 3 ch. (does NOT count as st.), 1 d.c. into each of first 17 d.c., [1 d.c., 2 ch. and 1 d.c.] into next ch. sp., 1 d.c. into each of next 17 d.c., turn.

9th Row – 3 ch. (does NOT count as st.), 1 d.c. into each of first 2 d.c., [3 ch., 1 d.c. into each of next 3 d.c.] 5 times, 3 ch., 1 d.c. into next d.c., 3 d.c. into next ch. sp., 1 d.c. into

next d.c., [3 ch., 1 d.c. into each of next 3 d.c.] 5 times, 3 ch., 1 d.c. into each of last 2 d.c. Fasten off.

Completed motif forms a diamond shape. Lower 2 edges are made up of d.c. fabric. Along each of these two edges are 6 loops (each of 3 ch.) – these are the joining points. The upper two edges of the diamond are made up partly of 3 petals and partly by row end edges of the d.c. fabric section. The 6 joining points along these edges are:- the three t.tr. at the ends of each petal, the two 3 ch. loops formed at the beginning of the d.c. fabric rows and the ch. sp. at the beg. (or end) of 3rd row.

First Row of Motifs

Make a further 10 (8) motifs to form first row – these are each made individually and are not attached to each other at this point.

Second Row of Motifs

Now make the 10 (8) motifs for the second row – see diagram overleaf for how motifs fit together. On diagram, motifs are numbered in order they are to be made. The first row of 11 (9) motifs is already complete – the second row is made up of motifs 10 (8). These second row motifs are each joined to 2 motifs of the first row by replacing each of the [3 ch.] joining points along the lower last row edges of this second row motif with [1 ch., 1 d.c. into corresponding joining point along upper edge of motif in first row, 1 ch.].

Following Rows of Motifs

The motifs of the third and all subsequent rows are joined to the previous rows in the same way as for the second row – see diagram overleaf for how many to make and joining order. On diagram, first 80 motifs are numbered in order they are made.

Continue making and joining motifs until all 221 (145) motifs have been completed.

Filling Motifs

Around outer edge of shawl there is a V shape between pairs of motifs, and each side of this V shape has 6 joining points.

Work a scalloped filling motif in each of these V shapes as follows:-

With right side facing, attach yarn to 6th joining point along first edge (ie last joining point of one motif before next motif) and proceed as follows:-

1st Row – 3 ch., 1 d.c. into next joining point (this is first joining point of next motif), turn.

2nd Row – 1 ch. (does NOT count as st.), 5 d.c. into ch. sp., turn.

3rd Row – 3 ch. (does NOT count as st.), 1 d.c. into each of first 2 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 2 d.c., 1 ch., 1 tr.

into next motif joining point, turn.

4th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], [1 d.c. into next d.c., 2 d.c. into next d.c., 1 d.c. into next d.c.] twice, 1 ch., 1 tr. into next motif joining point, turn.

5th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], [1 d.c. into each of next 2 d.c., 2 d.c. into next d.c.] twice, 1 d.c. into each of last 2 d.c., 1 ch., 1 tr. into next motif joining point, turn.

6th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], 1 d.c. into each of next 3 d.c., 2 d.c. into next d.c., 1 d.c. into each of next 2 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 3 d.c., 1 ch., 1 tr. into next motif joining point, turn.

7th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], 1 d.c. into each of next 2 d.c., 2 d.c. into next d.c., 1 d.c. into each of next 6 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 2 d.c., 1 ch., 1 tr. into next motif joining point, turn.

8th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], [1 d.c. into each of next 2 d.c., 2 d.c. into next d.c.] 4 times, 1 d.c. into each of last 2 d.c., 1 ch., 1 tr. into next motif joining point, turn.

9th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], 1 d.c. into each of next 6 d.c., 2 d.c. into next d.c., 1 d.c. into each of next 4 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 6 d.c., 1 ch., 1 tr. into next motif joining point, turn.

10th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], [1 d.c. into each of next 6 d.c., 2 d.c. into next d.c.] twice, 1 d.c. into each of last 6 d.c., 1 ch., 1 tr. into next motif joining point, turn.

11th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], [1 d.c. into each of next 4 d.c., 2 d.c. into next d.c.] twice, 1 d.c. into each of next 2 d.c., [2 d.c. into next d.c., 1 d.c. into each of next 4 d.c.] twice, 1 ch., 1 tr. into next motif joining point (this is last joining point along this side of motif), turn.

12th Row – 1 ch. (does NOT count as st.), miss [last tr. and 1 ch.], 1 d.c. into each of next 3 d.c., [3 ch., 1 d.c. into each of next 4 d.c.] 5 times, 3 ch., 1 d.c. into each of last 3 d.c., 1 ch., 1 tr. into next motif joining point (this is last joining point along this side of motif), 1 ch., turn, miss [1 ch., 1 tr. and 1 ch.], s.s. to next d.c.

Fasten off.

Continue making scalloped filling motifs in this way until all 10 (8) upper and lower edge motifs and all 10 (8) side motifs have been made – a total of 40 (32) filling motifs. Outer edge of shawl is now made up of scalloped filling motifs along upper, lower and side edges, each motif having 6 ch. loop joining points. In each corner there is still one side of a main motif, with 6 joining points along this edge.


EDGING

With right side facing, attach yarn to one joining point and work edging as follows:-


Edging Round – 6 ch., 1 d.c. into 3rd ch. from hook, 1 tr. into same joining point, * 3 ch., 1 tr. into next joining point, 3 ch., 1 d.c. into tr. just worked, 1 tr. into same joining point, rept. from * to end, 3 ch., s.s. to same ch. as used for first d.c. at beg of round.

Fasten off.

4 PLY VERSION



D.K. VERSION



Design 2 CROCHET JACKET, HAT, MITTS & BOOTEES in Peter Pan D.K. and Aran

EASY
CROCHET

Crocheted in Peter Pan D.K.
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

JACKET To Fit Age, approximately		Premature sizes		0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	4-5 yrs.	
To Fit Chest Sizes		31 12	36 14	41 16	46 18	51 20	56 22	61 24	cm. ins.
Actual Measurements D.K. VERSION		35 13 ³ / ₄	43 16 ³ / ₄	48 18 ³ / ₄	53 20 ¹ / ₂	58 22 ¹ / ₂	65 25 ¹ / ₂	70 27 ¹ / ₂	cm. ins.
ARAN VERSION		37 14 ¹ / ₂	43 16 ³ / ₄	49 19	54 21 ¹ / ₄	57 22 ¹ / ₂	63 24 ³ / ₄	69 27	cm. ins.
Peter Pan D.K. (50g.)		1	2	2	3	3	4	4	Balls
Peter Pan Little Darlings D.K. (50g.)		2	2	3	3	4	4	5	Balls
Peter Pan Poppet D.K. (50g.)		2	2	3	3	4	4	5	Balls
1 – 4.00 mm. (U.K. 8 – U.S.A. F5) Crochet Hook. 3 (3, 3, 4, 4, 4, 4) Buttons.									
Peter Pan Aran (50g.)		2	2	3	4	4	5	5	Balls
1 – 4.50 mm. (U.K. 7 – U.S.A. G6) Crochet Hook. 3 (3, 3, 4, 4, 4, 4) Buttons.									
Length from Shoulder, approximately		18 7	20 7 ³ / ₄	25 9 ³ / ₄	29 11 ¹ / ₂	34 13 ¹ / ₄	38 15	44 17 ¹ / ₄	cm. ins.
Sleeve Seam, approximately, with cuff turned back		10 4	12 4 ³ / ₄	13 5	16 6 ¹ / ₄	20 7 ³ / ₄	26 10 ¹ / ₄	30 11 ³ / ₄	cm. ins.
HAT To Fit Age, approximately		Premature size		0-6 mths.		6-18 mths.		2-5 yrs.	
Width Around Head D.K. VERSION		38 14 ³ / ₄		41 16 ¹ / ₄		45 17 ³ / ₄		49 19	cm. ins.
ARAN VERSION		39 15		43 16 ³ / ₄		47 18 ¹ / ₂		51 20 ¹ / ₄	cm. ins.
Peter Pan D.K. (50g.)		1		1		1		1	Ball
Peter Pan Little Darlings D.K. (50g.)		1		1		1		1	Ball
Peter Pan Poppet D.K. (50g.)		1		1		1		1	Ball
1 – 4.00 mm. (U.K. 8 – U.S.A. F5) Crochet Hook.									
Peter Pan Aran (50g.)		1		2		2		2	Balls
1 – 4.50 mm. (U.K. 7 – U.S.A. G6) Crochet Hook.									
MITTS AND BOOTEES To Fit Age, approximately		Premature size		0-6 mths.		6-18 mths.			
Peter Pan D.K. (50g.)		1		1		2			Balls
Peter Pan Little Darlings D.K. (50g.)		1		1		2			Balls
Peter Pan Poppet D.K. (50g.)		1		1		2			Balls
1 – 3.50 mm. (U.K. 9 – U.S.A. E4) and 1 – 4.00 mm. (U.K. 8 – U.S.A. F5) Crochet Hooks.									
Peter Pan Aran (50g.)		2		2		2			Balls
1 – 4.00 mm. (U.K. 8 – U.S.A. F5) and 1 – 4.50 mm. (U.K. 7 – U.S.A. G6) Crochet Hooks.									

TENSION

It is important to check your tension before commencing the garment.

D.K. VERSION

16 sts. and 14 rows to 10 cm. (4 ins.) over patt., 17 sts. and 20 rows to 10 cm. (4 ins.) over double crochet fabric on 4.00 mm. Hook.

ARAN VERSION

14 sts. and 12 rows to 10 cm. (4 ins.) over patt., 14 sts. and 17 rows to 10 cm. (4 ins.) over double crochet fabric on 4.50 mm. Hook.

D.K. VERSION JACKET

BODY (Worked in one piece to armholes)
Using 4.00 mm. Hook, make 65 (75, 83, 91, 99, 113, 121) ch.

Foundation Row (Wrong Side) – 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 64 (74, 82, 90, 98, 112, 120) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, turn.

Last row forms d.c. fabric.

Rept. last row 3 times more, thus finishing on a wrong side row.

Commence Patt.

Patt. Foundation Row (Right Side) – 3 ch. (counts as first tr.), * 1 d.c. into next d.c., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into last d.c., turn.

1st Row – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Last row forms patt.
Patt. a further 2 (4, 6, 4, 10, 10, 14) rows, thus finishing on a wrong side row.

Girl's Version Only

Buttonhole Row (Right Side) – 3 ch. (counts as first tr.), 1 d.c. into next tr., 1 ch., miss next d.c. (first buttonhole made - work 1 d.c. into this ch. sp. on next row), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Boy's Version Only

Buttonhole Row (Right Side) – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last 3 sts., 1 d.c. into next tr., 1 ch., miss next d.c. (first buttonhole made - work 1 d.c. into this ch. sp. on next row), 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Both Versions

Working a further 2 (2, 2, 3, 3, 3, 3) buttonholes in exactly the same way as first on every following 6 (6, 8, 8, 8, 10, 12)th row from previous buttonhole and noting that no further reference to buttonholes will be made, proceed as follows:-

Patt. a further 7 (5, 7, 13, 13, 17, 21) rows, thus finishing on a wrong side row.

Work should measure 11 (11, 14, 17, 21, 24, 29) cm. 4¹/₄ (4¹/₄, 5¹/₂, 6¹/₂, 8¹/₄, 9¹/₂, 11¹/₂) ins.

Shape Right Front

Next Row (Right Side) – Patt. 14 (16, 18, 20, 22, 26, 28) sts. and turn.

Work a further 5 (7, 9, 11, 11, 13, 15) rows on these sts. only for Right Front.

Shape Neck

Next Row (Right Side) – S.s. across and into 7 (7, 7, 7, 9, 9)th st., 3 ch. (counts as first tr.), patt. to end, turn. 8 (10, 12, 14, 16, 18, 20) sts.

Next Row – Patt. to last 2 sts., 1 tr. into next d.c., turn. 7 (9, 11, 13, 15, 17, 19) sts.

Next Row – 1 ch. (does NOT count as st.), 1 tr. into last d.c. of previous row, patt. to end, turn. 6 (8, 10, 12, 14, 16, 18) sts.

5th, 6th and 7th sizes only

Rept. last 2 rows once more. (12, 14, 16) sts.

All Sizes

Next Row – Patt. to last 2 sts., 1 tr. into next d.c., turn. 5 (7, 9, 11, 11, 13, 15) sts.

Fasten off.

Shape Back

Return to last complete row worked, miss next 8 sts. and, with right side facing, rejoin yarn to next st., 3 ch. (counts as first tr.), patt. next 19 (25, 29, 33, 37, 43, 47) sts., turn.

Work a further 9 (11, 13, 15, 17, 19, 21) rows on these 20 (26, 30, 34, 38, 44, 48) sts. only for Back.

Armhole should measure 7 (9, 11, 12, 13, 14, 15) cm. 2¹/₄ (3¹/₂, 4¹/₄, 4³/₄, 5, 5¹/₂, 6) ins.

Fasten off.

Shape Left Front

Return to last complete row worked, miss next 8 sts. and, with right side facing, rejoin yarn to next st., 3 ch. (counts as first tr.), patt. to end, turn.

Work a further 5 (7, 9, 11, 11, 13, 15) rows on these 14 (16, 18, 20, 22, 26, 28) sts. for Left Front.

Shape Neck

Next Row (Right Side) – Patt. to last 6 (6, 6, 6, 6, 8, 8) sts., turn. 8 (10, 12, 14, 16, 18, 20) sts.

Next Row – 2 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, patt. to end, turn. 7 (9, 11, 13, 15, 17, 19) sts.

Next Row – Patt. to last st., turn. 6 (8, 10, 12, 14, 16, 18) sts.

5th, 6th and 7th sizes only

Rept. last 2 rows once more. (12, 14, 16) sts.

All Sizes

Next Row – 2 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, patt. to end, turn. 5 (7, 9, 11, 11, 13, 15) sts.

Fasten off.

SLEEVES (Both Alike)

Using 4.00 mm. Hook, make 15 (17, 19, 21, 23, 25, 27) ch.

Work foundation row as given for Body. 14 (16, 18, 20, 22, 24, 26) sts.
Now work 7 (7, 9, 9, 11, 11, 11) rows in d.c. fabric as given for Body, thus finishing on a wrong side row.

Commence Patt.

Work patt. foundation row and patt. 1 row as given for Body, thus finishing on a wrong side row.

Next Row (Right Side) – 1 ch. (does NOT count as st.), [1 d.c. and 1 tr.] into last d.c. of previous row, * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., [1 d.c. and 1 tr.] into top of 3 ch. at beg. of previous row, turn. 16 (18, 20, 22, 24, 26, 28) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., 1 tr. into d.c. at beg. of previous row, turn.

Next Row – 3 ch. (counts as first tr.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., [1 tr. and 1 d.c.] into d.c. at beg. of previous row, turn. 18 (20, 22, 24, 26, 28, 30) sts.

Next Row – 3 ch. (counts as first tr.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last 2 sts., 1 tr. into next d.c., 1 d.c. into top of 3 ch. at beg. of previous row, turn.
Rept. last 4 rows 1 (2, 2, 3, 4, 4, 5) times more. 22 (28, 30, 36, 42, 44, 50) sts.

3rd and 6th sizes only

Next Row (Right Side) – 1 ch. (does NOT count as st.), [1 d.c. and 1 tr.] into last d.c. of previous row, * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., [1 d.c. and 1 tr.] into top of 3 ch. at beg. of previous row, turn. (32, 46) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., 1 tr. into d.c. at beg. of previous row, turn.

Last row now sets position of patt.

All Sizes

Patt. a further 2 (0, 0, 2, 4, 10, 14) rows, thus finishing on a wrong side row.
Work should measure 13 (15, 17, 20, 25, 31, 35) cm. 5 (6, 6½, 7¾, 9¾, 12¼, 13¾) ins.
Place markers at both ends of last row to denote top of sleeve seam.
Patt a further 4 rows.
Fasten off.

MAKING UP

Join shoulder seams by top sewing.

COLLAR

With right side facing and using 4.00 mm. Hook, rejoin yarn to 4th st. in from right front opening edge along neck edge and work:- 1 ch. (does NOT count as st.), 7 (7, 7, 7, 10, 11, 11) d.c. up right side of neck to shoulder, 9 (12, 12, 15, 16, 16) d.c. across back neck, then 7 (7, 7, 7, 10, 11, 11) d.c. down left side of neck to 4th st. in from left front opening edge, turn. 23 (26, 26, 26, 35, 38, 38) sts.

Next Row (Right Side of Collar, Wrong Side of Body) – 1 ch. (does NOT count as st.), 1 d.c. into each of first 2 d.c., * 2 d.c. into next d.c., 1 d.c. into each of next 2 d.c., rept. from * to last 3 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 2 d.c., turn. 30 (34, 34, 34, 46, 50, 50) sts.

Work a further 10 (10, 12, 12, 14, 14, 16) rows in d.c. fabric.

Fasten off.

Join sleeve seams below markers by top sewing, and reversing seam for d.c. fabric section for turnback. Place centre of cast off edge of sleeve to shoulder seam and row end edges to sts. left unworked at underarm, then sew Sleeves to Body. Fold 3 (3, 4, 4, 5, 5, 5) cm. 1¼ (1¼, 1½, 1½, 2, 2, 2) ins., cuff to right side.

EDGING

With right side facing and using 4.00 mm. Hook, rejoin yarn to lower edge directly below armhole and work 1 row of d.c. evenly along lower edge, front opening edges and

collar, working 2 d.c. into corners and ending with s.s. to first d.c.

Fasten off.

Sew on buttons.

HAT

Using 4.00 mm. Hook, make 3 ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 3 ch. (counts as first tr.), 9 (10, 11, 12) tr. into ring, s.s. to top of 3 ch. at beg. of round. 10 (11, 12, 13) sts.

2nd Round – 3 ch. (counts as first tr.), 1 d.c. into base of 3 ch., [1 tr. and 1 d.c.] into each of next 9 (10, 11, 12) tr., s.s. to top of 3 ch. at beg. of round, turn. 20 (22, 24, 26) sts.

3rd Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn.

4th Round – 3 ch. (counts as first tr.), [1 d.c. and 1 tr.] into base of 3 ch., * 1 d.c. into next tr., [1 tr., 1 d.c. and 1 tr.] into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn. 40 (44, 48, 52) sts.

5th Round – As 3rd Round.

6th Round – 3 ch. (counts as first tr.), [1 d.c. and 1 tr.] into base of 3 ch., * 1 d.c. into next tr., 1 tr. into next d.c., 1 d.c. into next tr., [1 tr., 1 d.c. and 1 tr.] into next d.c., rept. from * to last 3 sts., 1 d.c. into next tr., 1 tr. into next d.c., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn. 60 (66, 72, 78) sts.
Now rept. 3rd Round 14 (16, 18, 20) times more.

Work should measure 14 (16, 17, 19) cm. 5½ (6¼, 6¾, 7¾) ins.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c.

Fasten off.

Make a tassel using 20 lengths of yarn, each approx. 25 cm. (10 ins.) long, and attach to top of hat.

Fold 3 cm. (1½ ins.) to right side around lower edge.

MITTS

Using 4.00 mm. Hook, make 3 ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 3 ch. (counts as first tr.), 7 (9, 11) tr. into ring, s.s. to top of 3 ch. at beg. of round. 8 (10, 12) sts.

2nd Round – 3 ch. (counts as first tr.), 1 d.c. into base of 3 ch., [1 tr. and 1 d.c.] into each of next 7 (9, 11) tr., s.s. to top of 3 ch. at beg. of round, turn. 16 (20, 24) sts.

3rd Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn.

Rept. 3rd Round 7 (9, 11) times more.

Change to 3.50 mm. Hook.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Rept. last round 5 (7, 9) times more.

Fasten off.

Make second Mitt in exactly the same way.

BOOTEES

Using 3.50 mm. Hook, make 16 (20, 24) ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into each ch. to end, s.s. to first d.c., turn. 16 (20, 24) sts.

2nd Round – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, s.s. to first d.c., turn.

Rept. 2nd Round 4 (6, 8) times more.

Fasten off.

Shape Instep

With right side facing and using 4.00 mm. Hook, rejoin yarn to 7 (8, 10)th st. and work in rows as follows:-

Next Row (Right Side) – 3 ch. (counts as first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] 1 (2, 2) times, 1 d.c. into next d.c., turn. 4 (6, 6) sts.

Next Row – 3 ch. (counts as first tr.), [1 d.c. into next tr., 1 tr. into next d.c.] 1 (2, 2) times, 1 d.c. into top of 3 ch. at beg. of previous row. Rept. last row 4 times more.

Fasten off.

Shape for Sole

With right side facing and using 4.00 mm. Hook, rejoin yarn to end of last complete round worked and work as follows:-

1st size only

Next Round (Right Side) – 3 ch. (counts as first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] twice, 1 d.c. into next d.c., [1 tr. into next row end edge, 1 d.c. into next row end edge] 3 times along side of instep, [1 tr. into next d.c., 1 d.c. into next tr.] twice across toe, [1 tr. into next row end edge, 1 d.c. into next row end edge] 3 times along other side of instep, [1 tr. into next d.c., 1 d.c. into next d.c.] 3 times, s.s. to top of 3 ch. at beg. of round, turn. 28 sts.

2nd and 3rd sizes only

Next Round (Right Side) – 3 ch. (counts as first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] (3, 4) times, [1 d.c. into next row end edge, 1 tr. into next row end edge] 3 times along side of instep, 1 d.c. into same row end edge as last tr., [1 tr. into next d.c., 1 d.c. into next tr.] 3 times across toe, [1 tr. and 1 d.c.] into next row end edge, 1 tr. into next row end edge, [1 d.c. into next row end edge, 1 tr. into next row end edge] twice along other side of instep, [1 d.c. into next d.c. 1 tr. into next d.c.] (3, 4) times, 1 d.c. into last d.c., s.s. to top of 3 ch. at beg. of round, turn. (34, 38) sts.

All Sizes

Next Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous round, s.s. to top of 3 ch. at beg. of round, turn.

Rept. last round 4 (6, 6) times more.

Next Round – 1 ch. (does NOT count as st.), [d.c.2tog. over next 2 sts.] twice, 1 d.c. into each of next 6 (9, 11) sts., [d.c.2tog. over next 2 sts.] 4 times, 1 d.c. into each of next 6 (9, 11) sts., [d.c.2tog. over next 2 sts.] twice, s.s. to top of first d.c.2tog. 20 (26, 30) sts.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c.

Next Round – 1 ch. (does NOT count as st.), [d.c.2tog. over next 2 sts.] twice, 1 d.c. into each of next 2 (4, 7) sts., [d.c.2tog. over next 2 sts.] 4 times, 1 d.c. into each of next 2 (4, 7) sts., [d.c.2tog. over next 2 sts.] twice, s.s. to top of first d.c.2tog. 12 (16, 22) sts.

Fasten off.

Join sole seam.

Make second Bootie in exactly the same way.

ARAN VERSION JACKET

BODY (Worked in one piece to armholes)

Using 4.50 mm. Hook, make 59 (67, 75, 83, 85, 93, 101) ch.

Foundation Row (Wrong Side) – 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 58 (66, 74, 82, 84, 92, 100) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, turn.

Last row forms d.c. fabric.

Rept. last row 3 times more, thus finishing on a wrong side row.

Commence Patt.

Patt. Foundation Row (Right Side) – 3 ch. (counts as first tr.), * 1 d.c. into next d.c., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into last d.c., turn.

1st Row – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Last row forms patt.

Patt. a further 2 (0, 2, 4, 4, 2, 4) rows, thus finishing on a wrong side row.

Girl's Version Only

Buttonhole Row (Right Side) – 3 ch. (counts as first tr.), 1 d.c. into next tr., 1 ch., miss next d.c. (first buttonhole made - work 1 d.c. into this ch. sp. on next row), * 1 d.c. into next tr.,

1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Boy's Version Only

Buttonhole Row (Right Side) – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last 3 sts., 1 d.c. into next tr., 1 ch., miss next d.c. (first buttonhole made - work 1 d.c. into this ch. sp. on next row), 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Both Versions

Working a further 2 (2, 2, 3, 3, 3, 3) buttonholes in exactly the same way as first on every following 4 (6, 8, 6, 8, 10, 12)th row from previous buttonhole and noting that no further reference to buttonholes will be made, proceed as follows:-

Patt. a further 5 (7, 9, 9, 15, 21, 25) rows, thus finishing on a wrong side row.

Work should measure 11 (11, 14, 17, 21, 24, 29) cm. 4¹/₄ (4¹/₄, 5¹/₂, 6¹/₂, 8¹/₄, 9¹/₂, 11¹/₂) ins.

Shape Right Front

Next Row (Right Side) – Patt. 12 (14, 16, 18, 18, 20, 22) sts. and turn.

Work a further 3 (5, 7, 9, 9, 9, 11) rows on these sts. only for Right Front.

Shape Neck

Next Row (Right Side) – S.s. across and into 5 (7, 7, 7, 5, 5, 7)th st., 3 ch. (counts as first tr.), patt. to end, turn. 8 (8, 10, 12, 14, 16, 16) sts.

Next Row – Patt. to last 2 sts., 1 tr. into next d.c., turn. 7 (7, 9, 11, 13, 15, 15) sts.

Next Row – 1 ch. (does NOT count as st.), 1 tr. into last d.c. of previous row, patt. to end, turn. 6 (6, 8, 10, 12, 14, 14) sts.

5th, 6th and 7th sizes only

Rept. last 2 rows once more. (10, 12, 12) sts.

All Sizes

Next Row – Patt. to last 2 sts., 1 tr. into next d.c., turn. 5 (5, 7, 9, 9, 11, 11) sts.

Fasten off.

Shape Back

Return to last complete row worked, miss next 8 sts. and, with right side facing, rejoin yarn to next st., 3 ch. (counts as first tr.), patt. next 17 (21, 25, 29, 31, 35, 39) sts., turn.

Work a further 7 (9, 11, 13, 15, 15, 17) rows on these 18 (22, 26, 30, 32, 36, 40) sts. only for Back.

Armhole should measure 7 (9, 11, 12, 13, 14, 15) cm. 2³/₄ (3¹/₂, 4¹/₄, 4³/₄, 5, 5¹/₂, 6) ins.

Fasten off.

Shape Left Front

Return to last complete row worked, miss next 8 sts. and, with right side facing, rejoin yarn to next st., 3 ch. (counts as first tr.), patt. to end, turn.

Work a further 3 (5, 7, 9, 9, 9, 11) rows on these 12 (14, 16, 18, 18, 20, 22) sts. for Left Front.

Shape Neck

Next Row (Right Side) – Patt. to last 4 (6, 6, 6, 4, 4, 6) sts., turn. 8 (8, 10, 12, 14, 16, 16) sts.

Next Row – 2 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, patt. to end, turn. 7 (7, 9, 11, 13, 15, 15) sts.

Next Row – Patt. to last st., turn. 6 (6, 8, 10, 12, 14, 14) sts.

5th, 6th and 7th sizes only

Rept. last 2 rows once more. (10, 12, 12) sts.

All Sizes

Next Row – 2 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, patt. to end, turn. 5 (5, 7, 9, 9, 11, 11) sts.

Fasten off.

SLEEVES (Both Alike)

Using 4.50 mm. Hook, make 13 (15, 17, 19, 21, 23, 25) ch.

Work foundation row as given for Body. 12 (14, 16, 18, 20, 22, 24) sts.

Now work 7 (7, 9, 9, 11, 11, 11) rows in d.c.

fabric as given for Body, thus finishing on a wrong side row.

Commence Patt.

Work patt. foundation row and patt. 1 row as given for Body, thus finishing on a wrong side row.

Next Row (Right Side) – 1 ch. (does NOT count as st.), [1 d.c. and 1 tr.] into last d.c. of previous row, * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., [1 d.c. and 1 tr.] into top of 3 ch. at beg. of previous row, turn. 14 (16, 18, 20, 22, 24, 26) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., 1 tr. into d.c. at beg. of previous row, turn.

Next Row – 3 ch. (counts as first tr.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., [1 tr. and 1 d.c.] into d.c. at beg. of previous row, turn. 16 (18, 20, 22, 24, 26, 28) sts.

Next Row – 3 ch. (counts as first tr.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last 2 sts., 1 tr. into next d.c., 1 d.c. into top of 3 ch. at beg. of previous row, turn.

Rept. last 4 rows 1 (1, 2, 2, 3, 3) times more. 20 (22, 28, 30, 36, 38, 40) sts.

2nd, 4th, 5th and 7th sizes only

Next Row (Right Side) – 1 ch. (does NOT count as st.), [1 d.c. and 1 tr.] into last d.c. of previous row, * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., [1 d.c. and 1 tr.] into top of 3 ch. at beg. of previous row, turn. (24, 32, 38, 42) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, * 1 tr. into next d.c., 1 d.c. into next tr., rept. from * to last st., 1 tr. into d.c. at beg. of previous row, turn.

Last row now sets position of patt.

All Sizes

Patt. a further 0 (0, 0, 2, 2, 12, 14) rows, thus finishing on a wrong side row.

Work should measure 13 (15, 17, 20, 25, 31, 35) cm. 5 (6, 6¹/₂, 7¹/₄, 9³/₄, 12¹/₄, 13³/₄) ins.

Place markers at both ends of last row to denote top of sleeve seam.

Patt a further 4 rows.

Fasten off.

MAKING UP

Join shoulder seams by top sewing.

COLLAR

With right side facing and using 4.50 mm. Hook, rejoin yarn to 4th st. in from right front opening edge along neck edge and work:- 1 ch. (does NOT count as st.), 6 (9, 9, 9, 9, 9) d.c. up right side of neck to shoulder, 8 (11, 11, 11, 14, 14, 17) d.c. across back neck, then 6 (9, 9, 9, 9, 9) d.c. down left side of neck to 4th st. in from left front opening edge, turn. 20 (29, 29, 29, 32, 32, 35) sts.

Next Row (Right Side of Collar, Wrong Side of Body) – 1 ch. (does NOT count as st.), 1 d.c. into each of first 2 d.c., * 2 d.c. into next d.c., 1 d.c. into each of next 2 d.c., rept. from * to last 3 d.c., 2 d.c. into next d.c., 1 d.c. into each of last 2 d.c., turn. 26 (38, 38, 38, 42, 42, 46) sts.

Work a further 8 (8, 10, 10, 12, 12, 14) rows in d.c. fabric.

Fasten off.

Join sleeve seams below markers by top sewing, and reversing seam for d.c. fabric section for turnback. Place centre of cast off edge of sleeve to shoulder seam and row end edges to sts. left unworked at underarm, then sew Sleeves to Body. Fold 3 (3, 4, 4, 5, 5) cm. 1¹/₄ (1¹/₄, 1¹/₂, 1¹/₂, 2, 2, 2) ins., cuff to right side.

EDGING

With right side facing and using 4.50 mm. Hook, rejoin yarn to lower edge directly below armhole and work 1 row of d.c. evenly along lower edge, front opening edges and collar, working 2 d.c. into corners and ending with s.s. to first d.c.

Fasten off.

Sew on buttons.

HAT

Using 4.50 mm. Hook, make 3 ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 3 ch. (counts as first tr.), 8 (9, 10, 11) tr. into ring, s.s. to top of 3 ch. at beg. of round. 9 (10, 11, 12) sts.

2nd Round – 3 ch. (counts as first tr.), 1 d.c. into base of 3 ch., [1 tr. and 1 d.c.] into each of next 8 (9, 10, 11) tr., s.s. to top of 3 ch. at beg. of round, turn. 18 (20, 22, 24) sts.

3rd Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn.

4th Round – 3 ch. (counts as first tr.), [1 d.c. and 1 tr.] into base of 3 ch., * 1 d.c. into next tr., [1 tr., 1 d.c. and 1 tr.] into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn. 36 (40, 44, 48) sts.

5th Round – As 3rd Round.

6th Round – 3 ch. (counts as first tr.), [1 d.c. and 1 tr.] into base of 3 ch., * 1 d.c. into next tr., 1 tr. into next d.c., 1 d.c. into next tr., [1 tr., 1 d.c. and 1 tr.] into next d.c., rept. from * to last 3 sts., 1 d.c. into next tr., 1 tr. into next d.c., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn. 54 (60, 66, 72) sts.

Now rept. 3rd Round 12 (14, 16, 18) times more. Work should measure 14 (16, 17, 19) cm. 5¹/₂ (6¹/₄, 6³/₄, 7¹/₄) ins.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c.

Fasten off.

Make a tassel using 20 lengths of yarn, each approx. 25 cm. (10 ins.) long, and attach to top of hat.

Fold 3 cm. (1¹/₂ ins.) to right side around lower edge.

MITTS

Using 4.50 mm. Hook, make 3 ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 3 ch. (counts as first tr.), 5 (6, 7) tr. into ring, s.s. to top of 3 ch. at beg. of round. 6 (7, 8) sts.

2nd Round – 3 ch. (counts as first tr.), 1 d.c. into base of 3 ch., [1 tr. and 1 d.c.] into each of next 5 (6, 7) tr., s.s. to top of 3 ch. at beg. of round, turn. 12 (14, 16) sts.

3rd Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into next tr., s.s. to top of 3 ch. at beg. of round, turn.

Rept. 3rd Round 5 (5, 7) times more.

Change to 4.00 mm. Hook.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Rept. last round 5 (5, 7) times more.

Fasten off.

Make second Mitt in exactly the same way.

BOOTEES

Using 4.00 mm. Hook, make 14 (18, 22) ch. and join with a s.s. to form a ring.

1st Round (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into each ch. to end, s.s. to first d.c., turn. 14 (18, 22) sts.

2nd Round – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, s.s. to first d.c., turn.

Rept. 2nd Round 4 (4, 6) times more.

Fasten off.

Shape Instep

With right side facing and using 4.50 mm. Hook, rejoin yarn to 6 (7, 9)th st. and work in rows as follows:-

Next Row (Right Side) – 3 ch. (counts as first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] 1 (2, 2) times, 1 d.c. into next d.c., turn. 4 (6, 6) sts.

Next Row – 3 ch. (counts as first tr.), [1 d.c. into next tr., 1 tr. into next d.c.] 1 (2, 2) times, 1 d.c. into top of 3 ch. at beg. of previous row. Rept. last row 2 (4, 4) times more.

Fasten off.

Shape for Sole

With right side facing and using 4.50 mm.

Hook, rejoin yarn to end of last complete round worked and work as follows:-

1st size only

Next Round (Right Side) – 3 ch. (counts as first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] twice, [1 d.c. into next row end edge, 1 tr. into next row end edge] twice along side of instep, 1 d.c. into same row end edge as last tr., [1 tr. into next d.c., 1 d.c. into next tr.] twice across toe, [1 tr. and 1 d.c.] into next row end edge, 1 tr. into next row end edge, 1 d.c. into next row end edge, 1 tr. into next row end edge along other side of instep, [1 d.c. into next d.c., 1 tr. into next d.c.] twice, 1 d.c. into last d.c., s.s. to top of 3 ch. at beg. of round, **turn**. 24 sts.

2nd and 3rd sizes only

Next Round (Right Side) – 3 ch. (counts as

first tr.), [1 d.c. into next d.c., 1 tr. into next d.c.] (2, 3) times, 1 d.c. into next d.c., [1 tr. into next row end edge, 1 d.c. into next row end edge] 3 times along side of instep, [1 tr. into next d.c., 1 d.c. into next tr.] 3 times across toe, [1 tr. into next row end edge, 1 d.c. into next row end edge] 3 times along other side of instep, [1 tr. into next d.c., 1 d.c. into next d.c.] (3, 4) times, s.s. to top of 3 ch. at beg. of round, **turn**. (30, 34) sts.

All Sizes

Next Round – 3 ch. (counts as first tr.), * 1 d.c. into next tr., 1 tr. into next d.c., rept. from * to last st., 1 d.c. into top of 3 ch. at beg. of previous round, s.s. to top of 3 ch. at beg. of round, **turn**.
Rept. last round 2 (4, 4) times more.

Next Round – 1 ch. (does NOT count as st.), [d.c.2tog. over next 2 sts.] twice, 1 d.c. into each of next 4 (7, 9) sts., [d.c.2tog. over next 2 sts.] 4 times, 1 d.c. into each of next 4 (7, 9) sts., [d.c.2tog. over next 2 sts.] twice, s.s. to top of first d.c.2tog. 16 (22, 26) sts.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c.

Next Round – 1 ch. (does NOT count as st.), [d.c.2tog. over next 2 sts.] twice, 1 d.c. into each of next 0 (3, 5) sts., [d.c.2tog. over next 2 sts.] twice, s.s. to top of first d.c.2tog. 8 (14, 18) sts.

Fasten off.

Join sole seam.

Make second Bootee in exactly the same way.

Design 3 JACKET WITH HOOD OR COLLAR AND JOGGERS in Peter Pan D.K. and Aran

EASY
KNIT

Knitted in Peter Pan D.K.
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes	0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22 cm. ins.
Actual Measurements D.K. VERSION	37 14½	42 16½	47 18½	52 20½	57 22½	62 24½ cm. ins.
ARAN VERSION	36 14¼	42 16½	46 18¼	53 21	57 22½	63 24¾ cm. ins.
JACKET WITH COLLAR						
Peter Pan D.K. (50g.)	1	2	2	2	3	3 Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	4	4 Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	3	4	4 Balls
JACKET WITH HOOD						
Peter Pan D.K. (50g.)	2	2	2	3	4	4 Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	4	4 Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	3	4	4 Balls
JOGGERS						
Peter Pan D.K. (50g.)	1	2	2	2	3	3 Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	2	3	4	4 Balls
Peter Pan Poppet D.K. (50g.)	2	2	2	3	4	4 Balls
2 – 3¼ mm. (U.K. 10 – U.S.A. 4) and 2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles. Stitch Holders. 4 Buttons for each Jacket. 1 Motif for each Jacket if required. Waist length of 2 cm. (¾ inch) wide elastic for Joggers.						
JACKET WITH COLLAR						
Peter Pan Aran (50g.)	2	2	3	3	4	4 Balls
JACKET WITH HOOD						
Peter Pan Aran (50g.)	2	3	4	4	5	5 Balls
JOGGERS						
Peter Pan Aran (50g.)	2	2	3	3	4	4 Balls
2 – 3¼ mm. (U.K. 9 – U.S.A. 5) and 2 – 4½ mm. (U.K. 7 – U.S.A. 7) Wendy Knitting Needles. Stitch Holders. 4 Buttons for each Jacket. 1 Motif for each Jacket if required. Waist length of 2 cm. (¾ inch) wide elastic for Joggers.						
JACKET						
Length from Shoulder	15 6	17 6½	21 8¼	25 9¾	29 11½	33 13 cm. ins.
Sleeve Seam	10 4	12 4¾	13 5	16 6¼	20 7¾	26 10¼ cm. ins.
JOGGERS, Actual Hip Measurement D.K. VERSION	40 15¾	45 17¾	50 19½	55 21½	60 23½	65 25½ cm. ins.
	40 15¾	44 17¼	51 20	55 21½	61 24	65 25½ cm. ins.
ARAN VERSION	40 15¾	44 17¼	51 20	55 21½	61 24	65 25½ cm. ins.
Side Length from Waist	28 11	32 12½	36 14	40 15¾	44 17¼	48 19 cm. ins.

TENSION

It is important to check your tension before commencing the garment.

D.K. VERSION

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

ARAN VERSION

19 sts. and 24 rows to 10 cm. (4 ins.) over st.st. on 4½ mm. Needles.

D.K. VERSION JACKET

BACK

Using 3¼ mm. Needles, cast on 44 (50, 56, 62, 68, 74) sts.

1st Row (Right Side) – K.0 (1, 0, 2, 0, 0), P.0 (1, 0, 1, 1, 0), K.0 (1, 1, 1, 1, 0), * P.1, K.2, P.1, K.1, rept. from * to last 4 (2, 0, 3, 1, 4) sts., P.1 (1, 0, 1, 1, 1), K.2 (1, 0, 2, 0, 2), P.1 (0, 0, 0, 0, 1).

2nd Row – P.0 (1, 0, 2, 0, 0), K.0 (1, 0, 1, 1, 0), P.0 (1, 1, 1, 1, 0), * K.1, P.2, K.1, P.1, rept. from * to last 4 (2, 0, 3, 1, 4) sts., K.1 (1, 0, 1, 1, 1), P.2 (1, 0, 2, 0, 2), K.1 (0, 0, 0, 0, 1).
Rept. last 2 rows twice more.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Back measures 8 (8, 10, 13, 16, 19) cm. 3¼ (3¼, 4, 5, 6¼, 7½) ins. from beg., finishing on a wrong side row.

Shape Armholes

Cast off 2 sts. at beg. of next 2 rows. 40 (46, 52, 58, 64, 70) sts.

Dec. 1 st. at each end of next 4 rows. 32 (38, 44, 50, 56, 62) sts.

Continue without further shaping until armhole measures 7 (9, 11, 12, 13, 14) cm. 2¾ (3½, 4¼, 4¾, 5, 5½) ins., finishing on a wrong side row.

Shape Shoulders

Cast off remaining 4 (5, 6, 7, 8, 9) sts. at beg. of next 4 rows.

Cast off remaining 16 (18, 20, 22, 24, 26) sts.

POCKET LINING

Using 4 mm. Needles, cast on 13 (13, 13, 18, 18, 18) sts.

Commencing with a K. row, work 16 (16, 16, 18, 18, 18) rows in st.st.

Break yarn and leave sts. on a st. holder.

LEFT FRONT

Using 3¼ mm. Needles, cast on 20 (23, 26, 29, 32, 35) sts.

1st Row (Right Side) – K.0 (1, 0, 2, 0, 0), P.0

(1, 0, 1, 1, 0), K.0 (1, 1, 1, 1, 0), * P.1, K.2, P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.2, K.1, P.1, rept. from * to last 4 (2, 0, 3, 1, 4) sts., K.1 (1, 0, 1, 1, 1), P.2 (1, 0, 2, 0, 2), K.1 (0, 0, 0, 0, 1). Rept. last 2 rows twice more.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Left Front matches Back to start of armhole shaping, finishing on a wrong side row.

Shape Armhole and Place Pocket

Next Row (Right Side) – Cast off first 2 sts., K. until there are 3 (5, 7, 6, 8, 10) sts. on right needle, sl. next 13 (13, 13, 18, 18, 18) sts. on a st. holder and in their place K. across 13 (13, 13, 18, 18, 18) sts. of Pocket Lining, K. remaining 2 (3, 4, 3, 4, 5) sts. 18 (21, 24, 27, 30, 33) sts.

Work 1 row.

** Dec. 1 st. at armhole edge on next 4 rows. 14 (17, 20, 23, 26, 29) sts.

Continue in st.st. until 7 (9, 11, 11, 13, 15) rows less have been worked than on Back to start of shoulder shaping, thus finishing on a right side row. (For Right Front, work 1 extra row here).

Shape Neck

Cast off 2 (2, 3, 3, 4, 4) sts. at beg. of next row. 12 (15, 17, 20, 22, 25) sts.

Dec. 1 st. at neck edge of next 4 (5, 5, 6, 6, 7) rows. 8 (10, 12, 14, 16, 18) sts.

Work 2 (3, 5, 4, 6, 7) rows, thus finishing at armhole edge.

Shape Shoulder

Cast off 4 (5, 6, 7, 8, 9) sts. at beg. of next row. Work 1 row.

Cast off remaining 4 (5, 6, 7, 8, 9) sts.

RIGHT FRONT

Using 3¼ mm. Needles, cast on 20 (23, 26, 29, 32, 35) sts.

1st Row (Right Side) – K.1, * P.1, K.2, P.1, K.1, rept. from * to last 4 (2, 0, 3, 1, 4) sts., P.1 (1, 0, 1, 1, 1), K.2 (1, 0, 2, 0, 2), P.1 (0, 0, 0, 0, 1).

2nd Row – P.0 (1, 0, 2, 0, 0), K.0 (1, 0, 1, 1, 0), P.0 (1, 1, 1, 1, 0), * K.1, P.2, K.1, P.1, rept. from * to end.

Rept. last 2 rows twice more.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Right Front matches Back to start of armhole shaping, finishing on a right side row.

Shape Armhole

Cast off 2 sts. at beg. of next row. 18 (21, 24, 27, 30, 33) sts.

Complete as given for Left Front from ** to **, noting the bracketed exception.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 18 (22, 24, 28, 30, 34) sts.

1st Row (Right side) – K.0 (2, 0, 0, 1, 0), P.1 (1, 0, 1, 1, 0), K.1 (1, 0, 1, 1, 0), * P.1, K.2, P.1, K.1, rept. from * to last 1 (3, 4, 1, 2, 4) sts., P.1, K.0 (2, 2, 0, 1, 2), P.0 (0, 1, 0, 0, 1).

2nd Row – P.0 (2, 0, 0, 1, 0), K.1 (1, 0, 1, 1, 0), P.1 (1, 0, 1, 1, 0), * K.1, P.2, K.1, P.1, rept. from * to last 1 (3, 4, 1, 2, 4) sts., K.1, P.0 (2, 2, 0, 1, 2), K.0 (0, 1, 0, 0, 1).

Rept. last 2 rows twice more.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st., shaping sides by inc. 1 st. at each end of 3rd and every following alt. (alt., alt., alt., alt., 4th) row to 22 (32, 46, 40, 38, 38) sts., then on every following 4 (4, 4, 4, 4, 5)th row until there are 30 (40, 48, 52, 58, 62) sts.

Continue without further shaping until Sleeve measures 10 (12, 13, 16, 20, 26) cm. 4 (4¾, 5, 6¼, 7¾, 10¼) ins. from beg., finishing on a wrong side row.

Shape Top

Cast off 2 (3, 4, 4, 4, 5) sts. at beg. of next 4 (6, 8, 6, 2, 6) rows, then 3 (4, 0, 5, 6) sts. at beg. of following 4 (2, 0, 2, 6, 2) rows.

Cast off remaining 10 (14, 16, 18, 20, 20) sts.

MAKING UP

Join shoulder seams by top sewing.

BUTTONHOLE BORDER

With right side facing and using 3¼ mm. Needles, pick up and K.33 (38, 43, 53, 63, 73) sts. evenly along one front opening edge between lower edge and neck shaping - Left Front for a boy, or Right Front for a girl.

1st Row (Wrong Side) – K.1, P.1, K.1, * P.2, K.1, P.1, K.1, rept. from * to end.

2nd Row – K.2, * P.1, K.2, P.1, K.1, rept. from * to last st., K.1.

These 2 rows form fancy rib.

Work a further 1 row in fancy rib.

Girl's Version Only

4th Row (Right Side) – Rib 4 (6, 8, 9, 13, 14), * work 2 tog., y.r.n. (to make a st.), rib 6 (7, 8, 11, 13, 16), rept. from * twice more, work 2 tog., y.r.n., rib 3.

Boy's Version Only

4th Row (Right Side) – Rib 3, * y.r.n. (to make a st.), work 2 tog., rib 6 (7, 8, 11, 13, 16), rept. from * twice more, y.r.n., work 2 tog., rib 4 (6, 8, 9, 13, 14).

Both Versions

Work a further 2 rows in fancy rib.

Cast off in patt (on wrong side).

BUTTON BORDER

Work to match Buttonhole Border, picking up sts. along other front opening edge and omitting buttonholes.

VERSION WITH COLLAR ONLY COLLAR

With right side facing and using 3¼ mm. Needles, starting and ending midway across top of borders, pick up and K.10 (12, 15, 15, 18, 20) sts. up right front neck, 15 (19, 21, 21, 23, 27) sts. across back neck, then 10 (12, 15, 15, 18, 20) sts. down left front neck. 35 (43, 51, 51, 59, 67) sts.

Increase Row (Right Side of Collar, Wrong Side of Body) – K.2, * P.1, inc. in next st., P.1, K.1, rept. from * to last st., K.1. 43 (53, 63, 63, 73, 83) sts.

Commencing with a wrong side row, continue in fancy rib as given for Buttonhole Border until Collar measures 6 (6, 7, 7, 8, 8) cm. 2¼ (2¼, 2¼, 2¼, 3¼, 3¼) ins., finishing on a wrong side row.

Cast off in patt.

VERSION WITH HOOD ONLY HOOD

Using 3¼ mm. Needles, cast on 93 (98, 103, 108, 113, 118) sts.

Commencing with a right side row, work 6 rows in fancy rib as given for Buttonhole Border.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Hood measures 9 (10, 11, 13, 14, 16) cm. 3½ (4, 4¼, 5, 5½, 6¼) ins., finishing on a wrong side row.

Shape Back

Place markers at both ends of last row.

Cast off 36 (37, 37, 39, 40, 42) sts. at beg. of next 2 rows. 21 (24, 29, 30, 33, 34) sts.

Work a further 15 (15, 15, 16, 17, 18) cm. 6 (6, 6¼, 6½, 7) ins., on these 21 (24, 29, 30, 33, 34) sts. only, finishing on a wrong side row.

Place markers at both ends of last row.

Cast off.

Matching markers, sew back seams by top sewing. Positioning cast on edge midway across top of Borders, sew hood to neck edge, easing in fullness.

BOTH VERSIONS POCKET TOP

With right side facing and using 3¼ mm. Needles, rejoin yarn to 13 (13, 13, 18, 18, 18) sts. left on pocket st. holder.

Commencing with a right side row, work 4 rows in fancy rib as given for Buttonhole Border.

Cast off in patt.

Sew pocket lining in place on inside and neatly sew down ends of pocket top.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Front. Join side and sleeve seams by top sewing.

Sew on buttons and motifs.

JOGGERS

LEGS (Both Alike)

Using 3¼ mm. Needles, cast on 26 (32, 36, 42, 46, 52) sts.

1st Row (Right Side) – [K.2, P.1] 0 (1, 0, 1, 0, 1) time, * K.1, P.1, K.2, P.1, rept. from * to last 1 (4, 1, 4, 1, 4) sts., K.1, [P.1, K.2] 0 (1, 0, 1, 0, 1) time.

2nd Row – [P.2, K.1] 0 (1, 0, 1, 0, 1) time, * P.1, K.1, P.2, K.1, rept. from * to last 1 (4, 1, 4, 1, 4) sts., P.1, [K.1, P.2] 0 (1, 0, 1, 0, 1) time. Rept. last 2 rows twice more.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. as follows:-

1st size only

Inc. 1 st. at each end of next 7 rows, then on every following alt. row until there are 64 sts.

2nd and 3rd sizes only

Inc. 1 st. at each end of 3rd and every following alt. row until there are (70, 80) sts.

4th, 5th and 6th sizes only

Inc. 1 st. at each end of 3rd and every following alt. row to (78, 88, 88) sts., then on every following 4th row until there are (86, 96, 102) sts.

All Sizes

Continue without further shaping until Leg measures 14 (16, 18, 20, 22, 24) cm. 5½ (6¼, 7, 7¾, 8½, 9½) ins. from beg., finishing on a wrong side row.

Shape Crotch

Cast off 3 sts. at beg. of next 2 rows. 58 (64, 74, 80, 90, 96) sts.

Dec. 1 st. at each end of next 3 rows, then on every following alt. row until 48 (54, 60, 66, 72, 78) sts. remain.

Continue without further shaping until Leg measures 28 (32, 36, 40, 44, 48) cm. 11 (12½, 14, 15½, 17¼, 19) ins. from beg., finishing on a right side row.

K. 1 row for waist casing fold line.

Commencing with a K. row, work a further 8 rows in st.st.

Cast off.

MAKING UP

Join leg seams by top sewing. Join crotch seam by top sewing.

Fold waist casing to inside along K. row ridge and st. in place, leaving an opening to insert elastic. Thread elastic through casing, join ends and sew casing opening closed.

ARAN VERSION JACKET

BACK

Using 3¼ mm. Needles, cast on 34 (40, 44, 50, 54, 60) sts.

1st Row (Right Side) – [K.1, P.1, K.1] 0 (1, 0, 1, 0, 1) time, * P.1, K.2, P.1, K.1, rept. from * to last 4 (2, 4, 2, 4, 2) sts., P.1, K.2 (1, 2, 1, 2, 1), P.1 (0, 1, 0, 1, 0).

2nd Row – [P.1, K.1, P.1] 0 (1, 0, 1, 0, 1) time, * K.1, P.2, K.1, P.1, rept. from * to last 4 (2, 4, 2, 4, 2) sts., K.1, P.2 (1, 2, 1, 2, 1), K.1 (0, 1, 0, 1, 0).

Rept. last 2 rows once more.

Change to 4½ mm. Needles.

Commencing with a K. row, continue in st.st. until Back measures 8 (8, 10, 13, 16, 19) cm. 3¼ (3¼, 4, 5, 6¼, 7½) ins. from beg., finishing on a wrong side row.

Shape Armholes

Cast off 2 sts. at beg. of next 2 rows. 30 (36, 40, 46, 50, 56) sts.

Dec. 1 st. at each end of next 3 rows. 24 (30, 34, 40, 44, 50) sts.

Continue without further shaping until armhole measures 7 (9, 11, 12, 13, 14) cm. 2³/₄ (3¹/₂, 4¹/₄, 4³/₄, 5, 5¹/₂) ins., finishing on a wrong side row.

Shape Shoulders

Cast off 3 (4, 4, 5, 6, 7) sts. at beg. of next 2 rows, then 3 (4, 5, 6, 6, 7) sts. at beg. of following 2 rows.

Cast off remaining 12 (14, 16, 18, 20, 22) sts.

POCKET LINING

Using 4¹/₂ mm. Needles, cast on 8 (8, 8, 13, 13, 13) sts.

Commencing with a K. row, work 12 (12, 12, 14, 14, 14) rows in st.st.

Break yarn and leave sts. on a st. holder.

LEFT FRONT

Using 3³/₄ mm. Needles, cast on 15 (18, 20, 23, 25, 28) sts.

1st Row (Right Side) – [K.1, P.1, K.1] 0 (1, 0, 1, 0, 1) time, * P.1, K.2, P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.2, K.1, P.1, rept. from * to last 4 (2, 4, 2, 4, 2) sts., K.1, P.2 (1, 2, 1, 2, 1), K.1 (0, 1, 0, 1, 0).

Rept. last 2 rows once more.

Change to 4¹/₂ mm. Needles.

Commencing with a K. row, continue in st.st. until Left Front matches Back to start of armhole shaping, finishing on a wrong side row.

Shape Armhole and Place Pocket

Next Row (Right Side) – Cast off first 2 sts., K. until there are 3 (5, 6, 5, 6, 8) sts. on right needle, sl. next 8 (8, 8, 13, 13, 13) sts. on a st. holder and in their place K. across 8 (8, 8, 13, 13, 13) sts. of Pocket Lining, K. remaining 2 (3, 4, 3, 4, 5) sts. 13 (16, 18, 21, 23, 26) sts. Work 1 row.

** Dec. 1 st. at armhole edge on next 3 rows. 10 (13, 15, 18, 20, 23) sts.

Continue in st.st. until 5 (7, 7, 7, 9, 11) rows less have been worked than on Back to start of shoulder shaping, thus finishing on a right side row. (For Right Front, work 1 extra row here).

Shape Neck

Cast off 1 (1, 2, 2, 3, 3) sts. at beg. of next row. 9 (12, 13, 16, 17, 20) sts.

Dec. 1 st. at neck edge of next 3 (4, 4, 5, 5, 6) rows. 6 (8, 9, 11, 12, 14) sts.

Work 1 (2, 2, 1, 3, 4) rows, thus finishing at armhole edge.

Shape Shoulder

Cast off 3 (4, 4, 5, 6, 7) sts. at beg. of next row. Work 1 row.

Cast off remaining 3 (4, 5, 6, 6, 7) sts.

RIGHT FRONT

Using 3³/₄ mm. Needles, cast on 15 (18, 20, 23, 25, 28) sts.

1st Row (Right Side) – K.1, * P.1, K.2, P.1, K.1, rept. from * to last 4 (2, 4, 2, 4, 2) sts., P.1, K.2 (1, 2, 1, 2, 1), P.1 (0, 1, 0, 1, 0).

2nd Row – [P.1, K.1, P.1] 0 (1, 0, 1, 0, 1) time, * K.1, P.2, K.1, P.1, rept. from * to end.

Rept. last 2 rows once more.

Change to 4¹/₂ mm. Needles.

Commencing with a K. row, continue in st.st. until Right Front matches Back to start of armhole shaping, finishing on a right side row.

Shape Armhole

Cast off 2 sts. at beg. of next row. 13 (16, 18, 21, 23, 26) sts.

Complete as given for Left Front from ** to **, noting the bracketed exception.

SLEEVES (Both Alike)

Using 3³/₄ mm. Needles, cast on 16 (18, 20, 24, 26, 28) sts.

1st Row (Right side) – K.0 (0, 1, 0, 0, 0), P.0 (1, 1, 0, 0, 1), K.1 (1, 1, 0, 1, 1), * P.1, K.2, P.1, K.1, rept. from * to last 0 (1, 2, 4, 0, 1) sts., P.0 (1, 1, 1, 0, 1), K.0 (0, 1, 2, 0, 0), P.0 (0, 0, 1, 0, 0).

2nd Row – P.0 (0, 1, 0, 0, 0), K.0 (1, 1, 0, 0, 1), P.1 (1, 1, 0, 1, 1), * K.1, P.2, K.1, P.1, rept. from

* to last 0 (1, 2, 4, 0, 1) sts., K.0 (1, 1, 1, 0, 1), P.0 (0, 1, 2, 0, 0), K.0 (0, 0, 1, 0, 0).

Rept. last 2 rows once more.

Change to 4¹/₂ mm. Needles.

Commencing with a K. row, continue in st.st., shaping sides by inc. 1 st. at each end of 3rd and every following alt. (alt., alt., alt., alt., 4th) row until there are 22 (30, 42, 42, 38, 54) sts.

1st, 2nd, 4th and 5th sizes only

Inc. 1 st. at each end of every following 4th row from previous inc. until there are 26 (34, 46, 50) sts.

All Sizes

Continue without further shaping until Sleeve measures 10 (12, 13, 16, 20, 26) cm. 4 (4¹/₄, 5¹/₄, 6, 7³/₄, 10¹/₄) ins. from beg., finishing on a wrong side row.

Shape Top

Cast off 3 (3, 4, 5, 5, 6) sts. at beg. of next 6 (2, 2, 6, 2, 6) rows, then 0 (4, 5, 0, 6, 0) sts. at beg. of following 0 (4, 0, 4, 0, 4) rows.

Cast off remaining 8 (12, 14, 16, 16, 18) sts.

MAKING UP

Join shoulder seams by top sewing.

BUTTONHOLE BORDER

With right side facing and using 3³/₄ mm. Needles, pick up and K.28 (33, 38, 43, 48, 58) sts. evenly along one front opening edge between lower edge and neck shaping - Left Front for a boy, or Right Front for a girl.

1st Row (Wrong Side) – K.1, P.1, K.1, * P.2, K.1, P.1, K.1, rept. from * to end.

2nd Row – K.2, * P.1, K.2, P.1, K.1, rept. from * to last st., K.1.

These 2 rows form fancy rib.

Girl's Version Only

4th Row (Wrong Side) – Rib 3, * y.r.n. (to make a st.), work 2 tog., rib 5 (6, 7, 8, 10, 12), rept. from * twice more, y.r.n., work 2 tog., rib 2 (4, 6, 8, 7, 11).

Boy's Version Only

4th Row (Wrong Side) – Rib 2 (4, 6, 8, 7, 11), * work 2 tog., y.r.n. (to make a st.), rib 5 (6, 7, 8, 10, 12), rept. from * twice more, work 2 tog., y.r.n., rib 3.

Both Versions

Work a further 2 rows in fancy rib.

Cast off in patt.

BUTTON BORDER

Work to match Buttonhole Border, picking up sts. along other front opening edge and omitting buttonholes.

VERSION WITH COLLAR ONLY COLLAR

With right side facing and using 3³/₄ mm. Needles, starting and ending midway across top of borders, pick up and K.8 (10, 11, 11, 14, 16) sts. up right front neck, 11 (15, 17, 17, 19, 23) sts. across back neck, then 8 (10, 11, 11, 14, 16) sts. down left front neck. 27 (35, 39, 39, 47, 55) sts.

Increase Row (Right Side of Collar, Wrong Side of Body) – K.2, * P.1, inc. in next st., P.1, K.1, rept. from * to last st., K.1. 33 (43, 48, 48, 58, 68) sts.

Commencing with a wrong side row, continue in fancy rib as given for Buttonhole Border until Collar measures 6 (6, 7, 7, 8, 8) cm. 2¹/₄ (2¹/₄, 2³/₄, 2³/₄, 3¹/₄, 3¹/₄) ins., finishing on a wrong side row.

Cast off in patt.

VERSION WITH HOOD ONLY HOOD

Using 3³/₄ mm. Needles, cast on 73 (78, 83, 88, 93, 93) sts.

Commencing with a right side row, work 4 rows in fancy rib as given for Buttonhole Border.

Change to 4¹/₂ mm. Needles.

Commencing with a K. row, continue in st.st. until Hood measures 9 (10, 11, 13, 14, 16) cm.

3¹/₂ (4, 4¹/₄, 5, 5¹/₂, 6¹/₄) ins., finishing on a wrong side row.

Shape Back

Place markers at both ends of last row.

Cast off 29 (29, 30, 32, 33, 33) sts. at beg. of next 2 rows. 15 (20, 23, 24, 27, 27) sts.

Work a further 15 (15, 16, 17, 17, 17) cm. 6 (6, 6¹/₄, 6¹/₂, 6¹/₂, 6¹/₂) ins., on these 15 (20, 23, 24, 27, 27) sts. only, finishing on a wrong side row.

Place markers at both ends of last row.

Cast off.

Matching markers, sew back seams by top sewing. Positioning cast on edge midway across top of Borders, sew hood to neck edge, easing in fullness.

BOTH VERSIONS

POCKET TOP

With right side facing and using 3³/₄ mm. Needles, rejoin yarn to 8 (8, 8, 13, 13, 13) sts. left on pocket st. holder.

Commencing with a right side row, work 2 rows in fancy rib as given for Buttonhole Border.

Cast off in patt.

Sew pocket lining in place on inside and neatly sew down ends of pocket top.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Fronts. Join side and sleeve seams by top sewing.

Sew on buttons and motifs.

JOGGERS

LEGS (Both Alike)

Using 3³/₄ mm. Needles, cast on 24 (28, 32, 36, 40, 44) sts.

1st Row (Right Side) – K.0 (0, 2, 0, 1, 0), P.0 (1, 1, 0, 1, 0), K.0 (1, 1, 1, 1, 0), * P.1, K.2, P.1, K.1, rept. from * to last 4 (1, 3, 0, 2, 4) sts., P.1 (1, 1, 0, 1, 1), K.2 (0, 2, 0, 1, 2), P.1 (0, 0, 0, 0, 1).

2nd Row – P.0 (0, 2, 0, 1, 0), K.0 (1, 1, 0, 1, 0), P.0 (1, 1, 1, 1, 0), * K.1, P.2, K.1, P.1, rept. from * to last 4 (1, 3, 0, 2, 4) sts., K.1 (1, 1, 0, 1, 1), P.2 (0, 2, 0, 1, 2), K.1 (0, 0, 0, 0, 1).

Rept. last 2 rows once more.

Change to 4¹/₂ mm. Needles.

Commencing with a K. row, continue in st.st. as follows:-

1st size only

Inc. 1 st. at each end of next 3 rows, then on every following alt. row until there are 50 sts.

2nd, 3rd, 4th, 5th and 6th sizes only

Inc. 1 st. at each end of 3rd and every following alt. row to (52, 62, 62, 72, 72) sts., then on every following 4th row until there are (54, 64, 68, 78, 82) sts.

All Sizes

Continue without further shaping until Leg measures 14 (16, 18, 20, 22, 24) cm. 5¹/₂ (6¹/₄, 7, 7³/₄, 8¹/₂, 9¹/₄) ins. from beg., finishing on a wrong side row.

Shape Crotch

Cast off 2 sts. at beg. of next 2 rows. 46 (50, 60, 64, 74, 78) sts.

Dec. 1 st. at each end of next 3 rows, then on every following alt. row until 38 (42, 48, 52, 58, 62) sts. remain.

Continue without further shaping until Leg measures 28 (32, 36, 40, 44, 48) cm. 11 (12¹/₂, 14, 15¹/₄, 17¹/₄, 19) ins. from beg., finishing on a right side row.

K. 1 row for waist casing fold line.

Commencing with a K. row, work a further 6 rows in st.st.

Cast off.

MAKING UP

Join leg seams by top sewing. Join crotch seam by top sewing.

Fold waist casing to inside along K. row ridge and st. in place, leaving an opening to insert elastic. Thread elastic through casing, join ends and sew casing opening closed.

Design 4

GIRL'S AND BOY'S DUNGAREES

in Peter Pan D.K. and Aran

Knitted in Peter Pan D.K.
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes		0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22	cm. ins.
Peter Pan D.K. (50g.)	2	2	2	3	3	4	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	4	4	Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	3	4	4	Balls
2 – 3¼ mm. (U.K. 10 – U.S.A. 4) and 2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles. Stitch Holders. 2 Buttons. Approximately 2¼ (3½, 3¾, 4, 4¼, 4½) metres of 3 cm. (1¼ inch) wide eyelet lace (optional) for Girl's Dungarees. Motif if required.							
Peter Pan Aran (50g.)	2	3	3	4	4	5	Balls
2 – 3¼ mm. (U.K. 9 – U.S.A. 5) and 2 – 4½ mm. (U.K. 7 – U.S.A. 7) Wendy Knitting Needles. Stitch Holders. 2 Buttons. Approximately 2¼ (3½, 3¾, 4, 4¼, 4½) metres of 3 cm. (1¼ inch) wide eyelet lace (optional) for Girl's Dungarees. Motif if required.							
Length from Shoulder to Crotch	24.5 9½	26 10¼	28 11	32 12½	34.5 13½	36.5 14¼	cm. ins.
Leg Length	12.5 5	13.5 5¼	16 6¼	18.5 7¼	20.5 8	22 8¾	cm. ins.

TENSION

It is important to check your tension before commencing the garment.

D.K. VERSION

22 sts. and 32 rows to 10 cm. (4 ins.) over patt. on 4 mm. Needles.

ARAN VERSION

19 sts. and 24 rows to 10 cm. (4 ins.) over patt. on 4½ mm. Needles.

D.K. VERSION GIRL'S DUNGAREES

RIGHT LEG

Using 3¼ mm. Needles, cast on 35 (35, 37, 39, 41, 43) sts.

1st Row (Right Side) – P.1, * K.1, P.1, rept. from * to end.

2nd Row – K.1, * P.1, K.1, rept. from * to end. Rept. these 2 rows twice more.

Next 6 Rows – Knit.

1st Lace Row – (Lay lace flat onto work) * Place right needle through hole in centre of lace, K.1, then bring K. st. on right needle through hole in lace to front of work, rept. from * to end.

2nd Lace Row – Fold lace in half to back and front of work and K. to end.

3rd Lace Row – * With right needle at back of work place needle through hole in centre of lace, K.1 by bringing st. to back of work through hole in centre of lace, rept. from * to end.

Next Row – K. to end.

1st Inc. Row – K.4 (1, 5, 4, 4, 3), M.1, [K.4 (4, 3, 3, 3), M.1] 7 (8, 9, 10, 11, 12) times, K. to end. 43 (44, 47, 50, 53, 56) sts.

Next Row – K. to end.

2nd Inc. Row – K.4 (2, 1, 5, 4, 4), M.1, [K.5 (5, 5, 4, 4), M.1] 7 (7, 9, 10, 11, 12) times, K. to end. 51 (53, 57, 61, 65, 69) sts.

Next Row – K. to end.

3rd Inc. Row – K.4 (2, 1, 3, 5, 2), M.1, [K.6 (7, 6, 6, 5, 5), M.1] 7 (7, 9, 11, 13) times, K. to end. 59 (61, 67, 71, 77, 83) sts.

Next Row – K. to end.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next Row – P. to end.

Change to 4 mm. Needles.

Commence Patt.

**** 1st Row** (Right Side) – K.3 (1, 3, 3, 1, 3), * P.1, K.3, rept. from * to end.

2nd Row – P. to end.

3rd Row – K.1 (3, 1, 1, 3, 1), * P.1, K.3, rept. from * to last 2 sts., P.1, K.1.

4th Row – P. to end.

These 4 rows form patt. and are repeated. Continue in patt. until Leg measures 12.5 (13.5, 16, 18.5, 20.5, 22) cm. 5 (5¼, 6¼, 7¼, 8, 8¾) ins. from beg., finishing on a wrong side row. ***

Break off yarn.

Leave these sts. on a st. holder.

LEFT LEG

Work as given for Right Leg to ***. Do not break off yarn.

Shape Crotch

Next Row – Cast on and patt. 3 sts., patt. across 59 (61, 67, 71, 77, 83) sts. of Left Leg, cast on 5 sts., patt. across 59 (61, 67, 71, 77, 83) sts. of Right Leg, cast on 3 sts. 129 (133, 145, 153, 165, 177) sts. ****

Keeping patt. correct, continue until crotch measures 6.5 (7.5, 8.5, 11.5, 12.5, 12.5) cm. 2½ (3, 3¼, 4½, 5, 5) ins., finishing on a wrong side row.

Change to 3¼ mm. Needles.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next 7 Rows – Knit.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next Row – K. to end.

Change to 4 mm. Needles.

Commencing with 1st row of patt. continue until crotch measures 14 (15, 16, 19, 20.5, 20.5) cm. 5½ (6, 6¼, 7½, 8, 8) ins., finishing on a right side row.

***** Divide for Armholes

Next Row – Patt. 27 (28, 30, 32, 34, 35) sts., cast off 12 (12, 14, 14, 16, 20) sts., patt. 51 (53, 57, 61, 65, 67) sts., including last st. used in

casting off, cast off 12 (12, 14, 14, 16, 20) sts., patt. to end.

Working on these 27 (28, 30, 32, 34, 35) sts. proceed as follows:-

LEFT BACK

Keeping patt. correct, dec. 1 st. at armhole edge on next 10 rows. 17 (18, 20, 22, 24, 25) sts.

Continue without shaping until armhole measures 4 (5, 5.5, 5.5, 7, 9) cm. 1½ (2, 2¼, 2½, 2¾, 3½) ins., finishing on a wrong side row. (Work 1 row more here for Right Back).

Shape Back Neck

Next Row – Cast off 5 (6, 7, 8, 9, 10) sts., patt. to end. 12 (12, 13, 14, 15, 15) sts.

Dec. 1 st. at neck edge on next 5 rows. 7 (7, 8, 9, 10, 10) sts.

Continue without shaping until armhole measures 8.5 (9, 10, 11, 12, 14) cm. 3¼ (3½, 4, 4¼, 4¾, 5½) ins., finishing on a wrong side row.

Next 6 Rows – Patt.

Buttonhole Row – Patt. 2 (2, 3, 3, 4, 4), K.2tog., y.fwd., patt. to end.

Next 5 Rows – Patt.

Cast off in patt.

FRONT

With right side facing, rejoin yarn to centre 51 (53, 57, 61, 65, 67) sts.

Keeping patt. correct, dec. 1 st. at each end of next 10 rows. 31 (33, 37, 41, 45, 47) sts.

Continue without shaping until armhole measures 4 (5, 5.5, 5.5, 7, 9) cm. 1½ (2, 2¼, 2½, 2¾, 3½) ins., finishing on a right side row.

Shape Neck

Next Row – Patt. 12 (12, 13, 14, 15, 15) sts., cast off 7 (9, 11, 13, 15, 17) sts., patt. to end.

Dec. 1 st. at neck edge on next 5 rows. 7 (7, 8, 9, 10, 10) sts.

Continue without shaping until armhole measures 8.5 (9, 10, 11, 12, 14) cm. 3¼ (3½, 4, 4¼, 4¾, 5½) ins., finishing on a wrong side row.

Next 6 Rows – Patt.

Cast off in patt.

With right side facing, rejoin yarn to rem. 12 (12, 13, 14, 15, 15) sts.

Complete as given for first side of neck.

RIGHT BACK

With right side facing, rejoin yarn to rem. 27 (28, 30, 32, 34, 35) sts.

Complete as given for Left Back. *****

BOY'S DUNGAREES

RIGHT LEG

Using 3¼ mm. Needles, cast on 35 (35, 37, 39, 41, 43) sts.

1st Row (Right Side) – P.1, * K.1, P.1, rept. from * to end.

2nd Row – K.1, * P.1, K.1, rept. from * to end. Rept. these 2 rows twice more then 1st row again.

Inc. Row – Rib 6 (5, 4, 4, 3, 2), M.1, [rib 1, M.1] 23 (25, 29, 31, 35, 39) times, rib to end. 59 (61, 67, 71, 77, 83) sts.

Change to 4 mm. Needles.

Work as given for Girl's Dungarees from ** to *****.

Continue in patt. until crotch measures 14 (15, 16, 19, 20.5, 20.5) cm. 5½ (6, 6¼, 7½, 8, 8) ins., finishing on a right side row.

Complete as given for Girl's Dungarees from ***** to *****.

ARAN VERSION GIRL'S DUNGAREES

RIGHT LEG

Using 3 $\frac{3}{4}$ mm. Needles, cast on 27 (29, 29, 31, 33, 35) sts.

1st Row (Right Side) – P.1, * K.1, P.1, rept. from * to end.

2nd Row – K.1, * P.1, K.1, rept. from * to end. Rept. these 2 rows twice more.

Next 4 Rows – Knit.

1st Lace Row – (Lay lace flat onto work) * Place right needle through hole in centre of lace, K.1, then bring K. st. on right needle through hole in lace to front of work, rept. from * to end.

2nd Lace Row – Fold lace in half to back and front of work and K. to end.

3rd Lace Row – * With right needle at back of work place needle through hole in centre of lace, K.1 by bringing st. to back of work through hole in centre of lace, rept. from * to end.

Next Row – K. to end.

1st Inc. Row – K.4 (1, 3, 3, 3, 2), M.1, [K.2 (3, 2, 2, 2), M.1] 9 (9, 11, 12, 13, 15) times, K. to end. 37 (39, 41, 44, 47, 51) sts.

Next Row – K. to end.

2nd Inc. Row – K.5 (1, 4, 4, 4, 3), M.1, [K.3 (4, 3, 3, 3, 3), M.1] 9 (9, 11, 12, 13, 15) times, K. to end. 47 (49, 53, 57, 61, 67) sts.

Next Row – K. to end.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next Row – P. to end.

Change to 4 $\frac{1}{2}$ mm. Needles.

Commence Patt.

***** **1st Row** (Right Side) – K.3 (1, 1, 1, 1, 3), * P.1, K.3, rept. from * to end.

2nd Row – P. to end.

3rd Row – K.1 (3, 3, 3, 3, 1), * P.1, K.3, rept. from * to last 2 sts., P.1, K.1.

4th Row – P. to end.

These 4 rows form patt. and are repeated. Continue in patt. until Leg measures 12.5 (13.5, 16, 18.5, 20.5, 22) cm. 5 (5 $\frac{1}{4}$, 6 $\frac{1}{4}$, 7 $\frac{1}{4}$, 8, 8 $\frac{3}{4}$) ins. from beg., finishing on a wrong side row. *****

Break off yarn.

Leave these sts. on a st. holder.

LEFT LEG

Work as given for Right Leg to *****. Do not break off yarn.

Shape Crotch

Next Row – Cast on and patt. 3 sts., patt. across 47 (49, 53, 57, 61, 67) sts. of Left Leg, cast on 5 sts., patt. across 47 (49, 53, 57, 61,

67) sts. of Right Leg, cast on 3 sts. 105 (109, 117, 125, 133, 145) sts. *****

Keeping patt. correct, continue until crotch measures 6.5 (7.5, 8.5, 11.5, 12.5, 12.5) cm. 2 $\frac{1}{2}$ (3, 3 $\frac{1}{4}$, 4 $\frac{1}{2}$, 5, 5) ins., finishing on a wrong side row.

Change to 3 $\frac{3}{4}$ mm. Needles.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next 5 Rows – Knit.

Next 3 Rows – Rept. 1st to 3rd Lace Rows.

Next Row – K. to end.

Change to 4 $\frac{1}{2}$ mm. Needles.

Commencing with 1st row of patt. continue until crotch measures 14 (15, 16, 19, 20.5, 20.5) cm. 5 $\frac{1}{2}$ (6, 6 $\frac{1}{4}$, 7 $\frac{1}{2}$, 8, 8) ins., finishing on a right side row.

***** Divide for Armholes

Next Row – Patt. 22 (23, 24, 26, 27, 28) sts., cast off 10 (10, 12, 12, 14, 18) sts., patt. 41 (43, 45, 49, 51, 53) sts., including last st. used in casting off, cast off 10 (10, 12, 12, 14, 18) sts., patt. to end.

Working on these 22 (23, 24, 26, 27, 28) sts. proceed as follows:-

LEFT BACK

Keeping patt. correct, dec. 1 st. at armhole edge on next 8 rows. 14 (15, 16, 18, 19, 20) sts.

Continue without shaping until armhole measures 4 (5, 5.5, 5.5, 7, 9) cm. 1 $\frac{1}{2}$ (2, 2 $\frac{1}{4}$, 2 $\frac{1}{4}$, 2 $\frac{3}{4}$, 3 $\frac{1}{2}$) ins., finishing on a wrong side row. (Work 1 row more here for Right Back).

Shape Back Neck

Next Row – Cast off 4 (5, 6, 7, 7, 8) sts., patt. to end. 10 (10, 10, 11, 12, 12) sts.

Dec. 1 st. at neck edge on next 5 (5, 4, 4, 4, 4) rows. 5 (5, 6, 7, 8, 8) sts.

Continue without shaping until armhole measures 8.5 (9, 10, 11, 12, 14) cm. 3 $\frac{1}{4}$ (3 $\frac{1}{2}$, 4, 4 $\frac{1}{4}$, 4 $\frac{3}{4}$, 5 $\frac{1}{2}$) ins., finishing on a wrong side row.

Next 4 Rows – Patt.

Buttonhole Row – Patt. 1 (1, 2, 2, 3, 3), K.2tog., y.fwd., patt. to end.

Next 3 Rows – Patt.

Cast off in patt.

FRONT

With right side facing, rejoin yarn to centre 41 (43, 45, 49, 51, 53) sts.

Keeping patt. correct, dec. 1 st. at each end of next 8 rows. 25 (27, 29, 33, 35, 37) sts.

Continue without shaping until armhole measures 4 (5, 5.5, 5.5, 7, 9) cm. 1 $\frac{1}{2}$ (2, 2 $\frac{1}{4}$, 2 $\frac{1}{4}$, 2 $\frac{3}{4}$, 3 $\frac{1}{2}$) ins., finishing on a right side row.

Shape Neck

Next Row – Patt. 10 (10, 10, 11, 12, 12) sts., cast off 5 (7, 9, 11, 11, 13) sts., patt. to end.

Dec. 1 st. at neck edge on next 5 (5, 4, 4, 4, 4) rows. 5 (5, 6, 7, 8, 8) sts.

Continue without shaping until armhole measures 8.5 (9, 10, 11, 12, 14) cm. 3 $\frac{1}{4}$ (3 $\frac{1}{2}$, 4, 4 $\frac{1}{4}$, 4 $\frac{3}{4}$, 5 $\frac{1}{2}$) ins., finishing on a wrong side row.

Next 4 Rows – Patt.

Cast off in patt.

With right side facing, rejoin yarn to rem. 10 (10, 10, 11, 12, 12) sts.

Complete as given for first side of neck.

RIGHT BACK

With right side facing, rejoin yarn to rem. 22 (23, 24, 26, 27, 28) sts.

Complete as given for Left Back. *****

BOY'S DUNGAREES

RIGHT LEG

Using 3 $\frac{3}{4}$ mm. Needles, cast on 27 (29, 29, 31, 33, 35) sts.

1st Row (Right Side) – P.1, * K.1, P.1, rept. from * to end.

2nd Row – K.1, * P.1, K.1, rept. from * to end. Rept. these 2 rows twice more then 1st row again.

Inc. Row – Rib 4 (5, 3, 3, 3, 2), M.1, [rib 1, M.1] 19 (19, 23, 25, 27, 31) times, rib to end. 47 (49, 53, 57, 61, 67) sts.

Change to 4 $\frac{1}{2}$ mm. Needles.

Work as given for Girl's Dungarees from ***** to *****.

Continue in patt. until crotch measures 14 (15, 16, 19, 20.5, 20.5) cm. 5 $\frac{1}{2}$ (6, 6 $\frac{1}{4}$, 7 $\frac{1}{2}$, 8, 8) ins., finishing on a right side row.

Complete as given for Girl's Dungarees from ***** to *****.

MAKING UP

EDGING

With right side of work facing, using 3 $\frac{1}{4}$ mm. Needles for D.K. or 3 $\frac{3}{4}$ mm. Needles for Aran, starting at left side of back neck, pick up and cast off knitways 1 st. for each row or st., evenly around all pieces of garment, finishing at right side of back neck.

Join centre back seam from crotch cast on sts. to neck shaping by top sewing.

Join inside leg seams and crotch seam by top sewing.

Sew on buttons. Sew motif in position if required.

Design 5 MOTIF SHAWL in Peter Pan D.K. and 4 Ply

Knitted in Peter Pan 4 Ply
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

Actual Measurements, approximately	137 x 137 54 x 54	cm. ins.
Peter Pan D.K. (50g.)	15	Balls
Peter Pan Little Darlings D.K. (50g.)	17	Balls
Peter Pan Poppet D.K. (50g.)	18	Balls
2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles.		
Peter Pan 4 Ply (50g.)	14	Balls
2 – 3¼ mm. (U.K. 10 – U.S.A. 4) Wendy Knitting Needles.		

TENSION

It is important to check your tension before commencing.

D.K. VERSION

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

4 PLY VERSION

28 sts. and 36 rows to 10 cm. (4 ins.) over st.st. on 3¼ mm. Needles.

NOTE

Instructions given for D.K. Version, 4 Ply Version given in round brackets. Where only one figure is given this applies to both versions.

MOTIF (31 sts.)

1st Row (Right Side) – K.13, K.2tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.13.

2nd and Every Foll. Alt. Row – P.

3rd Row – K.12, K.2tog., y.fwd., K.1t.b.l., K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.12.

5th Row – K.11, K.2tog., y.fwd., K.3tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.11.

7th Row – K.10, K.2tog., y.fwd., K.1t.b.l., K.1, K.2tog., y.fwd., K.2, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.10.

9th Row – K.5, K.2tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., K.1, K.2tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2tog., y.fwd., K.1t.b.l., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.5.

11th Row – K.4, [K.2tog., y.fwd., K.1t.b.l., K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] 3 times, K.3.

13th Row – K.3, * K.2tog., y.fwd., K.1t.b.l., K.3, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., * K.1, K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., K.1, rept. from * to * once more, K.3.

15th Row – K.2, * K.2tog., y.fwd., K.1t.b.l., K.1, K.2tog., y.fwd., K.2, * [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, rept. from * to * once more, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.2.

17th Row – K.1, K.2tog., y.fwd., K.1t.b.l., * K.1, K.2tog., y.fwd., [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, * K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., rept. from * to * once more.

19th Row – [K.2tog., y.fwd., K.1t.b.l., K.1] twice, [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] 3 times, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o.] twice.

21st Row – * K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., K.1, K.2tog., y.fwd., K.1t.b.l., * y.fwd., sl.1, K.1, p.s.s.o., rept. from * to * once more, K.1.

23rd Row – K.2, [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o.] 3 times, K.1, K.2tog., y.fwd., K.1t.b.l., K.2.

25th Row – K.3, * K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., * K.1, K.2tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * to * once more, K.3.

27th Row – K.4, [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o.] 3 times, K.4.

29th Row – K.3, * K.2tog., y.fwd., [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, * K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., K.1, rept. from * to * once more, K.2.

31st Row – K.2, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o.] 3 times, K.1, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o.] twice, K.2.

33rd Row – As 17th Row.

35th Row – As 19th Row.

37th Row – As 21st Row.

39th Row – As 23rd Row.

41st Row – K.3, * K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.1t.b.l., y.fwd., sl.1, K.2tog., y.fwd., K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * to * once more, K.3.

43rd Row – K.4, * K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2tog., y.fwd., K.1t.b.l., * K.1, K.2tog., y.fwd., K.1t.b.l., K.1, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * to * once more, K.4.

45th Row – K.5, * K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., * y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * to * once more, K.1, K.2tog., y.fwd., rept. from * to * once more, K.5.

47th Row – K.6, [K.1t.b.l., K.1] twice, [K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1] twice, K.2tog., y.fwd., K.1t.b.l., [K.1, K.1t.b.l.] twice, K.6.

49th Row – K.11, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.1t.b.l., K.1, K.2tog., y.fwd., K.1t.b.l., K.11.

51st Row – K.12, K.1t.b.l., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2tog., y.fwd., K.1t.b.l., K.12.

53rd Row – K.13, K.1t.b.l., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.1t.b.l., K.13.

55th Row – K.14, K.1t.b.l., K.1, K.1t.b.l., K.14.

56th Row – As 2nd Row.

These 56 rows form motif.

MAIN SECTION

Using appropriate size Needles, cast on 293 (345) sts.

Commencing on a K. row, work 58 (70) rows in st.st., finishing on a wrong side row.

Place First Band of Motifs

Next Row (Right Side) – K.50 (63), * work next 31 sts. as given for 1st Row of Motif, K.50 (63), rept. from * twice more.

This row sets position of 3 Motifs worked on st.st. background.

Cont. as now set until all 56 Rows of Motifs have been worked, thus finishing on a wrong side row.

Work 56 (68) rows in st.st., finishing on a wrong side row.

Place Second Band of Motifs

Next Row (Right Side) – K.50 (63), work next 31 sts. as given for 1st Row of Motif, K.131 (157), work next 31 sts. as given for 1st Row of Motif, K.50 (63).

This row sets position of 2 Motifs worked on st.st. background.

Cont. as now set until all 56 Rows of Motif have been worked, finishing on a wrong side row.

Work 56 (68) rows in st.st., finishing on a wrong side row.

Place Third Band of Motifs

Next Row (Right Side) – K.50 (63), * work next 31 sts. as given for 1st Row of Motif, K.50 (63), rept. from * twice more.

This row sets position of 3 Motifs worked on st.st. background.

Cont. as now set until all 56 Rows of Motifs have been worked, finishing on a wrong side row.

Work 56 (68) rows in st.st., finishing on a wrong side row.

EDGING

With right side facing and using appropriate size Needles, pick up and K.293 (345) sts. evenly along one side of Main Section.

Knit 1 row.

Next Row (Right Side) – K.1, [y.fwd., K.1] twice, * y.fwd., K.2tog., rept. from * to last 2 sts., [y.fwd., K.1] twice. 297 (349) sts.

Knit 1 row.

Inc. Row (Right Side) – Inc. once in each of first 17 (21) sts., K. to last 17 (21) sts., inc. once in each of last 17 (21) sts. 331 (391) sts.

Commence Patt.

1st Row (Wrong Side) – K.1, P. to last st., K.1.

2nd Row – K.1, * y.fwd., K.3, sl.1, K.2tog., p.s.s.o., K.3, y.fwd., K.1, rept. from * to end. These 2 rows form patt.

Cont. in patt. until Edging measures 6.5 cm., (2½ ins.), finishing on a right side row.

Next Row (Wrong Side) – Knit.

Next Row – K.1, * y.fwd., K.9, y.fwd., K.1, rept. from * to end.

Cast off loosely knitways (on wrong side).

Work Edging along each of remaining 3 sides of Main Section in same way.

Join row ends of Edging by top sewing.

Design 6 SWEATER, CARDIGAN AND HAT in Peter Pan D.K. and Aran

EASY
KNIT

Knitted in Peter Pan D.K.
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes		0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements D.K. VERSION	37 14½	42 16½	47 18½	52 20½	57 22½	62 24½	cm. ins.
ARAN VERSION	36 14¼	40 15¾	46 18¼	51 20	57 22½	61 24	cm. ins.
SWEATER							
Peter Pan D.K. (50g.)	1	2	2	2	3	3	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	4	4	Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	3	4	4	Balls
CARDIGAN							
Peter Pan D.K. (50g.)	1	2	2	2	3	3	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	4	4	Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	3	4	4	Balls
HAT							
Peter Pan D.K. (50g.)	1	1	1	1	1	1	Ball
Peter Pan Little Darlings D.K. (50g.)	1	1	1	1	1	2	Balls
Peter Pan Poppet D.K. (50g.)	1	1	1	1	1	2	Balls
2 – 3¼ mm. (U.K. 10 – U.S.A. 4) and 2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles. Cable Needle. Stitch Holders. 2 Buttons for Sweater, 4 Buttons for Cardigan. Motif for Sweater (if required).							
SWEATER							
Peter Pan Aran (50g.)	2	2	3	3	4	4	Balls
CARDIGAN							
Peter Pan Aran (50g.)	2	2	3	3	4	4	Balls
HAT							
Peter Pan Aran (50g.)	1	1	2	2	2	2	Balls
2 – 3¼ mm. (U.K. 9 – U.S.A. 5) and 2 – 4½ mm. (U.K. 7 – U.S.A. 7) Wendy Knitting Needles. Cable Needle. Stitch Holders. 2 Buttons for Sweater, 4 Buttons for Cardigan. Motif for Sweater (if required).							
Length from Shoulder	16 6¼	18 7	22 8½	26 10¼	30 11¾	34 13½	cm. ins.
Sleeve Seam	9 3½	11 4¼	12 4¾	15 6	19 7½	23 9	cm. ins.
HAT, Width Around Head	33 13	34 13½	38 15	42 16½	42 16½	46 18	cm. ins.
D.K. VERSION							
ARAN VERSION	33 13	34 13½	39 15¼	44 17¼	44 17¼	47 18½	cm. ins.

TENSION
It is important to check your tension before commencing the garment.
D.K. VERSION

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

ARAN VERSION

19 sts. and 24 rows to 10 cm. (4 ins.) over st.st. on 4½ mm. Needles.

D.K. VERSION SWEATER

BACK

Using 3¼ mm. Needles, cast on 43 (49, 55, 61, 67, 73) sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end. Rept. last 2 rows for 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., finishing on a wrong side row and inc. 1 st. at centre of last row. 44 (50, 56, 62, 68, 74) sts.

Change to 4 mm. Needles.

** Commencing with a K. row, continue in

st.st. until Back measures 10 (10, 12, 15, 19, 22) cm. 4 (4, 4¾, 6, 7½, 8½) ins. from beg., finishing on a wrong side row.

Shape Armholes

Cast off 2 (2, 3, 3, 3, 4) sts. at beg. of next 2 rows. 40 (46, 50, 56, 62, 66) sts.

Dec. 1 st. at each end of next 3 rows, then on every following alt. row until 32 (36, 40, 44, 48, 52) sts. remain. **

Continue without further shaping until armhole measures 6 (8, 10, 11, 11, 12) cm. 2½ (3¼, 4, 4¼, 4¼, 4¾) ins., finishing on a wrong side row.

Shape Shoulders

Cast off 4 (4, 5, 5, 6, 6) sts. at beg. of next 2 rows, and 4 (5, 5, 6, 6, 7) sts. at beg. of following 2 rows.

Leave remaining 16 (18, 20, 22, 24, 26) sts. on a st. holder.

POCKET LINING

Using 4 mm. Needles, cast on 18 (20, 22, 24, 26, 28) sts.

Commencing with a K. row, work 12 (18, 18, 24, 30, 36) rows in st.st.
Break yarn and leave sts. on a st. holder.

FRONT

Using 3¼ mm. Needles, cast on 43 (49, 55, 61, 67, 73) sts.

Work 3 (3, 3, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., in rib as given for Back, finishing on a right side row.

Increase Row (Wrong Side) – Rib 13 (15, 17, 19, 21, 23), M.1, rib 4, M.1, rib 3 (4, 5, 6, 7, 8), M.1, rib 2, M.1, rib 1, M.1, rib 3 (4, 5, 6, 7, 8), M.1, rib 4, M.1, rib 13 (15, 17, 19, 21, 23).

50 (56, 62, 68, 74, 80) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) – K.13 (15, 17, 19, 21, 23), P.1, K.4, P.1, [K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1] twice, K.13 (15, 17, 19, 21, 23).

2nd and Every Following Alt. Row – P.13 (15, 17, 19, 21, 23), K.1, P.4, K.1, [P.3 (4, 5, 6, 7, 8), K.1, P.4, K.1] twice, P.13 (15, 17, 19, 21, 23).

3rd Row – K.13 (15, 17, 19, 21, 23), P.1, C.4B., P.1, [K.3 (4, 5, 6, 7, 8), P.1, C.4B., P.1] twice, K.13 (15, 17, 19, 21, 23).

5th Row – As 1st Row.

6th Row – As 2nd Row.

These 6 rows form patt.
Patt. a further 5 (11, 11, 17, 23, 29) rows, thus finishing on a right side row.

Next Row (Wrong Side) – P.12 (14, 16, 18, 20, 22), P.2tog., P.3, P.2tog., [P.2 (3, 4, 5, 6, 7), P.2tog., P.3, P.2tog.] twice, P.13 (15, 17, 19, 21, 23). 44 (50, 56, 62, 68, 74) sts.

Place Pocket

Next Row – K.13 (15, 17, 19, 21, 23), sl. next 18 (20, 22, 24, 26, 28) sts. onto a st. holder and in their place K. across 18 (20, 22, 24, 26, 28) sts. of Pocket Lining, K. remaining 13 (15, 17, 19, 21, 23) sts.

Beg., with a P. row, work as given for Back from ** to **.

Continue without further shaping until 8 (10, 10, 12, 14) rows less have been worked than on Back to start of shoulder shaping, thus finishing on a wrong side row.

Shape Neck

Next Row (Right Side) – K.12 (14, 15, 17, 18, 20), turn.

Working on these sts. only, proceed as follows:-

*** Dec. 1 st. at neck edge of next 4 (5, 5, 6, 6, 7) rows. 8 (9, 10, 11, 12, 13) sts.

Work 3 (4, 4, 3, 5, 6) rows, thus finishing on a wrong side row. (For second side, work 1 extra row here).

Shape Shoulder

Cast off 4 (4, 5, 5, 6, 6) sts. at beg. of next row. Work 1 row.

Cast off remaining 4 (5, 5, 6, 6, 7) sts. ***
With right side facing, sl. centre 8 (8, 10, 10, 12, 12) sts. onto a st. holder, rejoin yarn to remaining sts. and K. to end.

Complete as given for first side from *** to ***, noting the bracketed exception.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 19 (23, 27, 31, 33, 35) sts.

Work 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., in rib as given for Back, finishing on a right side row.

Increase Row (Wrong Side) – Rib 1 (2, 3, 4, 4, 4), M.1, rib 4, M.1, rib 3 (4, 5, 6, 7, 8), M.1, rib 2, M.1, rib 1, M.1, rib 3 (4, 5, 6, 7, 8), M.1,

rib 4, M.1, rib 1 (2, 3, 4, 4, 4). 26 (30, 34, 38, 40, 42) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row (Right side) – K.1 (2, 3, 4, 4, 4), P.1, K.4, P.1, [K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1] twice, K.1 (2, 3, 4, 4, 4).

2nd Row – P.1 (2, 3, 4, 4, 4), K.1, P.4, K.1, [P.3 (4, 5, 6, 7, 8), K.1, P.4, K.1] twice, P.1 (2, 3, 4, 4, 4).

3rd Row – Inc. in first st., K.0 (1, 2, 3, 3, 3), P.1, C.4B., P.1, [K.3 (4, 5, 6, 7, 8), P.1, C.4B., P.1] twice, K.0 (1, 2, 3, 3, 3), inc. in last st. 28 (32, 36, 40, 42, 44) sts.

4th Row – P.2 (3, 4, 5, 5, 5), K.1, P.4, K.1, [P.3 (4, 5, 6, 7, 8), K.1, P.4, K.1] twice, P.2 (3, 4, 5, 5, 5).

5th Row – [Inc. in first st.] 1 (0, 1, 0, 0, 0) time, K.1 (3, 3, 5, 5, 5), P.1, K.4, P.1, [K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1] twice, K.1 (3, 3, 5, 5, 5), [inc. in last st.] 1 (0, 1, 0, 0, 0) time. 30 (32, 38, 40, 42, 44) sts.

6th Row – [Inc. in first st.] 0 (1, 0, 1, 0, 0) time, P.3 (2, 5, 4, 5, 5), K.1, P.4, K.1, [P.3 (4, 5, 6, 7, 8), K.1, P.4, K.1] twice, P.3 (2, 5, 4, 5, 5), [inc. in last st.] 0 (1, 0, 1, 0, 0) time. 30 (34, 38, 42, 42, 44) sts.

These 6 rows form patt.

Keeping patt. correct and taking inc. sts. into st.st., continue in patt., shaping sides by inc. 1 st. at each end of every following alt. (3rd, alt., 3rd, 4th, 4th) row from previous inc. until there are 40 (44, 52, 58, 62, 66) sts.

Continue without further shaping until Sleeve measures 9 (11, 12, 15, 19, 23) cm. 3 $\frac{1}{2}$ (4 $\frac{1}{4}$, 4 $\frac{3}{4}$, 6, 7 $\frac{1}{2}$, 9) ins. from beg., finishing on a wrong side row

Shape Top

Cast off 2 (2, 3, 3, 3, 4) sts. at beg. of next 2 rows. 36 (40, 46, 52, 56, 58) sts.

Dec. 1 st. at each end of next 12 (14, 16, 20, 20, 22) rows.

Cast off remaining 12 (12, 14, 12, 16, 14) sts.

MAKING UP

Join right shoulder seam by top sewing.

NECK BORDER

With right side facing and using 3 $\frac{1}{4}$ mm. Needles, pick up and K.8 (10, 10, 10, 12, 14) sts. down left front neck, K.8 (8, 10, 10, 12, 12) sts. from front neck st. holder, pick up and K.8 (10, 10, 10, 12, 14) sts. up right front neck, then K.16 (18, 20, 22, 24, 26) sts. from back neck st. holder dec. 1 st. at centre. 39 (45, 49, 51, 59, 65) sts.

Commencing next row with a **knit** st., work 5 rows in rib as given for Back, thus finishing on a wrong side row.

Cast off in rib.

BUTTONHOLE BORDER

With right side facing and using 3 $\frac{1}{4}$ mm. Needles, pick up and K.12 (13, 14, 15, 16, 17) sts. evenly along front of left shoulder between shoulder point and top of Neck Border.

K. 1 row.

Next Row – K.3 (4, 4, 5, 5, 6), y.fwd., K.2tog., K.3 (3, 4, 4, 5, 5), y.fwd., K.2tog., K.2.

Cast off knitways (on wrong side).

BUTTON BORDER

Work to match Buttonhole Border, picking up sts. along back of left shoulder and omitting buttonholes.

Lay Buttonhole Border over Button Border and sew together at armhole edge.

POCKET TOP

With right side facing and using 3 $\frac{1}{4}$ mm. Needles rejoin yarn to 18 (20, 22, 24, 26, 28) sts. left on pocket st. holder.

Commencing first row with a **purl** st. and inc. 1 st. at centre of first row, work 4 rows in rib as given for Back.

Cast off in rib.

Sew pocket lining in place on inside and

neatly sew down ends of pocket top.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Front. Join side and sleeve seams by top sewing.

Sew on buttons and motif if required.

CARDIGAN

BACK

Work as given for Back of Sweater.

POCKET LININGS (Make 2)

Using 4 mm. Needles cast on 11 (12, 13, 14, 15, 16) sts.

Commencing with a K. row, work 4 (4, 4, 5, 5, 5) cm. 1 $\frac{1}{2}$ (1 $\frac{1}{2}$, 1 $\frac{1}{2}$, 2, 2, 2) ins., in st.st., finishing on a K. row.

Increase Row (Wrong Side) – K.1, M.1, P.3, M.1, P.3 (4, 5, 6, 7, 8), M.1, P.3, M.1, K.1. 15 (16, 17, 18, 19, 20) sts.

Break yarn and leave sts. on a st. holder.

LEFT FRONT

Using 3 $\frac{1}{4}$ mm. Needles, cast on 20 (22, 26, 28, 32, 34) sts.

1st Row (Right Side) – * K.1, P.1, rept. from * to end.

Rept. last row for 3 (3, 3, 4, 4, 4) cm. 1 $\frac{1}{4}$ (1 $\frac{1}{4}$, 1 $\frac{1}{4}$, 1 $\frac{1}{2}$, 1 $\frac{1}{2}$, 1 $\frac{1}{2}$) ins., finishing on a wrong side row and inc. 0 (1, 0, 1, 0, 1) st. at centre of last row. 20 (23, 26, 29, 32, 35) sts.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Left Front measures 7 (7, 7, 9, 9) cm. 2 $\frac{3}{4}$ (2 $\frac{3}{4}$, 2 $\frac{3}{4}$, 3 $\frac{1}{2}$, 3 $\frac{1}{2}$, 3 $\frac{1}{2}$) ins., finishing on a wrong side row.

Place Pocket

Next Row (Right Side) – K.6 (7, 8, 9, 10, 11), sl. next 11 (12, 13, 14, 15, 16) sts. on a st. holder and in their place work across 15 (16, 17, 18, 19, 20) sts. of first Pocket Lining as follows:- P.1, K.4, P.1, K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1, K. remaining 3 (4, 5, 6, 7, 8) sts. 24 (27, 30, 33, 36, 39) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – [P.3 (4, 5, 6, 7, 8), K.1, P.4, K.1] twice, P.6 (7, 8, 9, 10, 11).

2nd Row – K.6 (7, 8, 9, 10, 11), [P.1, C.4B., P.1, K.3 (4, 5, 6, 7, 8)] twice.

4th Row – K.6 (7, 8, 9, 10, 11), [P.1, K.4, P.1, K.3 (4, 5, 6, 7, 8)] twice.

6th Row – As 4th Row.

These 6 rows form patt.

**** Continue in patt. until Left Front matches Back to start of armhole shaping, finishing on a wrong side row. (For Right Front, work 1 extra row here).

Shape Armhole

Keeping patt. correct, cast off 2 (2, 3, 3, 3, 4) sts. at beg. of next row. 22 (25, 27, 30, 33, 35) sts.

Work 1 row. (For Right Front, omit this row).

Shape Front Slope

Place marker at beg. of last row to denote start of front slope shaping. (For Right Front, place marker at END of last row).

1st size only

Dec. 1 st. at each end of next 3 rows. 16 sts.

Dec. 1 st. at front slope edge on next row, then at each end of following row. 13 sts.

2nd, 3rd, 4th, 5th and 6th sizes only

Dec. 1 st. at armhole edge of next 3 rows and at same time dec. 1 st. at front slope edge on next and following alt. row. (20, 22, 25, 28, 30) sts.

Work 1 row.

Dec. 1 st. at each end of next row.

Rept. these 2 rows (1, 1, 2, 3, 3) times more. (16, 18, 19, 20, 22) sts.

All Sizes

Now dec. 1 st. at front slope edge **only** on every following alt. row from previous dec. until 10 (11, 14, 16, 16, 17) sts. remain.

3rd, 4th, 5th and 6th sizes only

Dec. 1 st. at front slope edge on every following 4th row from previous dec. until (12, 13, 14, 15) sts. remain.

All Sizes

Continue without further shaping until Left Front matches Back to start of shoulder shaping, finishing at armhole edge.

Shape Shoulder

Cast off 6 (6, 7, 7, 8, 8) sts. at beg. of next row. Work 1 row.

Cast off remaining 4 (5, 5, 6, 6, 7) sts.

RIGHT FRONT

Using 3 $\frac{1}{4}$ mm. Needles, cast on 20 (22, 26, 28, 32, 34) sts.

1st Row (Right Side) – * P.1, K.1, rept. from * to end.

Rept. last row for 3 (3, 3, 4, 4, 4) cm. 1 $\frac{1}{4}$ (1 $\frac{1}{4}$, 1 $\frac{1}{4}$, 1 $\frac{1}{2}$, 1 $\frac{1}{2}$, 1 $\frac{1}{2}$) ins., finishing on a wrong side row and inc. 0 (1, 0, 1, 0, 1) st. at centre of last row. 20 (23, 26, 29, 32, 35) sts.

Change to 4 mm. Needles.

Commencing with a K. row, continue in st.st. until Right Front measures 7 (7, 7, 9, 9) cm. 2 $\frac{3}{4}$ (2 $\frac{3}{4}$, 2 $\frac{3}{4}$, 3 $\frac{1}{2}$, 3 $\frac{1}{2}$, 3 $\frac{1}{2}$) ins., finishing on a wrong side row.

Place Pocket

Next Row (Right Side) – K.3 (4, 5, 6, 7, 8), sl. next 11 (12, 13, 14, 15, 16) sts. on a st. holder and in their place work across 15 (16, 17, 18, 19, 20) sts. of second Pocket Lining as follows:- P.1, K.4, P.1, K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1, K. remaining 6 (7, 8, 9, 10, 11) sts. 24 (27, 30, 33, 36, 39) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – P.6 (7, 8, 9, 10, 11), [K.1, P.4, K.1, P.3 (4, 5, 6, 7, 8)] twice.

2nd Row – [K.3 (4, 5, 6, 7, 8), P.1, C.4B., P.1] twice, K.6 (7, 8, 9, 10, 11).

4th Row – [K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1] twice, K.6 (7, 8, 9, 10, 11).

6th Row – As 4th Row.

These 6 rows form patt.

Complete as given for Left Front from ****, noting the bracketed exceptions.

SLEEVES (Both Alike)

Work as given for Sleeves of Sweater.

MAKING UP

Join shoulder seams by top sewing.

FRONT BORDER

With right side facing and using 3 $\frac{1}{4}$ mm. Needles, pick up and K.25 (25, 31, 37, 47, 55) sts. up right front opening edge to marker, 18 (24, 29, 32, 32, 35) sts. up right front slope to shoulder, K.16 (18, 20, 22, 24, 26) sts. from back neck st. holder dec. 1 st. at centre, pick up and K.18 (24, 29, 32, 32, 35) sts. down left front slope to marker, then 25 (25, 31, 37, 47, 55) sts. down left front opening edge lower edge. 101 (115, 139, 159, 181, 205) sts.

1st Row (Wrong Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – K.2, * P.1, K.1, rept. from * to last st., K.1.

These 2 rows form rib.

Girl's Version Only

3rd Row (Wrong Side) – Rib to last 24 (24, 30, 36, 48, 54) sts., * P.2tog., y.r.n. (to make a st.), rib 4 (4, 6, 8, 12, 14), rept. from * twice more, P.2tog., y.r.n., rib 4.

Boy's Version Only

3rd Row (Wrong Side) – Rib 3, * P.2tog., y.r.n. (to make a st.), rib 4 (4, 6, 8, 12, 14), rept. from * twice more, P.2tog., y.r.n., rib to end.

Both Versions

Work a further 2 rows in rib.

Cast off in rib.

POCKET TOPS (Both Alike)

With right side facing and using 3¼ mm. Needles rejoin yarn to 11 (12, 13, 14, 15, 16) sts. left on pocket st. holder.

Commencing with wrong side row and inc. 0 (1, 0, 1, 0, 1) st. at centre of first row, work 3 rows in rib as given for Front Border.

Cast off in rib.

Sew pocket linings in place on inside and neatly sew down ends of pocket tops.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Fronts. Join side and sleeve seams by top sewing.

Sew on buttons.

HAT

Using 3¼ mm. Needles, cast on 79 (81, 91, 101, 101, 109) sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end. Rept. last 2 rows for 7 cm. (2¾ ins.), finishing on a wrong side row and inc. 0 (1, 1, 1, 0, 1) st. at centre of last row. 79 (82, 92, 102, 101, 110) sts.

Change to 4 mm. Needles.

Increase Row (Right Side) – K.1, * K.3 (4, 5, 6, 7, 8), M.1, K.4, M.1, rept. from * to last st., K.1. 101 (102, 112, 122, 119, 128) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – P.1, * K.1, P.4, K.1, P.3 (4, 5, 6, 7, 8), rept. from * to last st., P.1.

2nd Row – K.1, * K.3 (4, 5, 6, 7, 8), P.1, K.4, P.1, rept. from * to last st., K.1.

4th Row – K.1, * K.3 (4, 5, 6, 7, 8), P.1, C.4B., P.1, rept. from * to last st., K.1.

6th Row – As 2nd Row.

These 6 rows form patt.

Patt. a further 11 (11, 17, 17, 23, 23) rows, thus finishing on a right side row.

Decrease Row (Wrong side) – * P.2tog., P.3, P.2tog., P.2 (3, 4, 5, 6, 7), rept. from * to last 2 sts., P.2. 79 (82, 92, 102, 101, 110) sts.

Shape Crown

Commencing with a K. row, continue in st.st. as follows:-

Work 2 rows.

3rd Row (Right Side) – K.1, * K.2tog., K.5 (6, 7, 8, 9, 10), rept. from * to last st., K.1. 68 (72, 82, 92, 101) sts.

Work 3 rows.

7th Row – K.1, * K.2tog., K.4 (5, 6, 7, 8, 9), rept. from * to last st., K.1. 57 (62, 72, 82, 83, 92) sts.

Work 1 row.

9th Row – K.1, * K.2tog., K.3 (4, 5, 6, 7, 8), rept. from * to last st., K.1. 46 (52, 62, 72, 74, 83) sts.

Work 1 row.

Continue in this way, working 1 less st. between each dec. on every alt. row until the following row has been worked:-

Next Row – K.1, * K.2tog., K.1, rept. from * to last st., K.1. 24 (22, 22, 22, 20, 20) sts.

Next Row – [P.2tog.] to end.

Break yarn and thread through remaining 12 (11, 11, 11, 10, 10) sts.

Pull up tight and fasten off securely.

Sew back seam by top sewing, reversing seam for turnback.

Make a pompon and attach to top of crown.

ARAN VERSION SWEATER

BACK

Using 3¼ mm. Needles, cast on 33 (37, 43, 47, 53, 57) sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end. Rept. last 2 rows for 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., finishing on a wrong side row and inc. 1 st. at centre of last row. 34 (38, 44, 48, 54, 58) sts.

Change to 4½ mm. Needles.

** Commencing with a K. row, continue in

st.st. until Back measures 10 (10, 12, 15, 19, 22) cm. 4 (4, 4¾, 6, 7½, 8½) ins. from beg., finishing on a wrong side row.

Shape Armholes

Cast off 2 (2, 2, 2, 3, 3) sts. at beg. of next 2 rows. 30 (34, 40, 44, 48, 52) sts.

Dec. 1 st. at each end of next 1 (1, 3, 3, 3, 3) rows, then on every following alt. row until 26 (28, 30, 34, 38, 42) sts. remain. **

Continue without further shaping until armhole measures 6 (8, 10, 11, 12) cm. 2½ (3¼, 4, 4¼, 4½, 4¾) ins., finishing on a wrong side row.

Shape Shoulders

Cast off 3 (3, 3, 4, 4, 5) sts. at beg. of next 2 rows, and 4 (4, 4, 4, 5, 5) sts. at beg. of following 2 rows.

Leave remaining 12 (14, 16, 18, 20, 22) sts. on a st. holder.

POCKET LINING

Using 4½ mm. Needles, cast on 16 (18, 20, 22, 24, 26) sts.

Commencing with a K. row, work 12 (12, 12, 18, 24, 30) rows in st.st.

Break yarn and leave sts. on a st. holder.

FRONT

Using 3¼ mm. Needles, cast on 33 (37, 43, 47, 53, 57) sts.

Work 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., in rib as given for Back, finishing on a right side row.

Increase Row (Wrong Side) – Rib 9 (10, 12, 13, 15, 16), M.1, rib 4, M.1, rib 2 (3, 4, 5, 6, 7), M.1, rib 2, M.1, rib 1, M.1, rib 2 (3, 4, 5, 6, 7), M.1, rib 4, M.1, rib 9 (10, 12, 13, 15, 16). 40 (44, 50, 54, 60, 64) sts.

Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right Side) – K.9 (10, 12, 13, 15, 16), P.1, K.4, P.1, [K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1] twice, K.9 (10, 12, 13, 15, 16).

2nd and Every Following Alt. Row – P.9 (10, 12, 13, 15, 16), K.1, P.4, K.1, [P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1] twice, P.9 (10, 12, 13, 15, 16).

3rd Row – K.9 (10, 12, 13, 15, 16), P.1, C.4B., P.1, [K.2 (3, 4, 5, 6, 7), P.1, C.4B., P.1] twice, K.9 (10, 12, 13, 15, 16).

5th Row – As 1st Row.

6th Row – As 2nd Row.

These 6 rows form patt.

Patt. a further 5 (5, 5, 11, 17, 23) rows, thus finishing on a right side row.

Next Row (Wrong Side) – P.8 (9, 11, 12, 14, 15), P.2tog., P.3, P.2tog., [P.1 (2, 3, 4, 5, 6), P.2tog., P.3, P.2tog.] twice, P.9 (10, 12, 13, 15, 16). 34 (38, 44, 48, 54, 58) sts.

Place Pocket

Next Row – K.9 (10, 12, 13, 15, 16), sl. next 16 (18, 20, 22, 24, 26) sts. onto a st. holder and in their place K. across 16 (18, 20, 22, 24, 26) sts. of Pocket Lining, K. remaining 9 (10, 12, 13, 15, 16) sts.

Beg. with a P. row, work as given for Back from ** to **.

Continue without further shaping until 6 (8, 8, 8, 10, 10) rows less have been worked than on Back to start of shoulder shaping, thus finishing on a wrong side row.

Shape Neck

Next Row (Right Side) – K.10 (11, 11, 13, 14, 16), turn.

Working on these sts. only, proceed as follows:-

*** Dec. 1 st. at neck edge of next 3 (4, 4, 5, 5, 6) rows. 7 (7, 7, 8, 9, 10) sts.

Work 2 (3, 3, 2, 4, 3) rows, thus finishing on a wrong side row. (For second side, work 1 extra row here).

Shape Shoulder

Cast off 3 (3, 3, 4, 4, 5) sts. at beg. of next row. Work 1 row.

Cast off remaining 4 (4, 4, 4, 5, 5) sts. ***

With right side facing, sl. centre 6 (6, 8, 8, 10,

10) sts. onto a st. holder, rejoin yarn to remaining sts. and K. to end.

Complete as given for first side from *** to ***, noting the bracketed exception.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 17 (19, 21, 25, 27, 29) sts.

Work 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., in rib as given for Back, finishing on a right side row.

Increase Row (Wrong Side) – Rib 1 (1, 1, 2, 2, 2), M.1, rib 4, M.1, rib 2 (3, 4, 5, 6, 7), M.1, rib 2, M.1, rib 1, M.1, rib 2 (3, 4, 5, 6, 7), M.1, rib 4, M.1, rib 1 (1, 1, 2, 2, 2). 24 (26, 28, 32, 34, 36) sts.

Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right side) – K.1 (1, 1, 2, 2, 2), P.1, K.4, P.1, [K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1] twice, K.1 (1, 1, 2, 2, 2).

2nd Row – P.1 (1, 1, 2, 2, 2), K.1, P.4, K.1, [P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1] twice, P.1 (1, 1, 2, 2, 2).

3rd Row – Inc. in first st., K.0 (0, 0, 1, 1, 1), P.1, C.4B., P.1, [K.2 (3, 4, 5, 6, 7), P.1, C.4B., P.1] twice, K.0 (0, 0, 1, 1, 1), inc. in last st. 26 (28, 30, 34, 36, 38) sts.

4th Row – P.2 (2, 2, 3, 3, 3), K.1, P.4, K.1, [P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1] twice, P.2 (2, 2, 3, 3, 3).

5th Row – [Inc. in first st.] 1 (0, 1, 0, 0, 0) time, K.1 (2, 1, 3, 3, 3), P.1, K.4, P.1, [K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1] twice, K.1 (2, 1, 3, 3, 3), [inc. in last st.] 1 (0, 1, 0, 0, 0) time. 28 (28, 32, 34, 36, 38) sts.

6th Row – [Inc. in first st.] 0 (1, 0, 1, 1, 0) time, P.3 (1, 3, 2, 2, 3), K.1, P.4, K.1, [P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1] twice, P.3 (1, 3, 2, 2, 3), [inc. in last st.] 0 (1, 0, 1, 1, 0) time. 28 (30, 32, 36, 38, 38) sts.

These 6 rows form patt.

Keeping patt. correct and taking inc. sts. into st.st., continue in patt., shaping sides by inc. 1 st. at each end of every following alt. (3rd, alt., 3rd, 4th) row from previous inc. until there are 32 (36, 42, 46, 50, 54) sts.

Continue without further shaping until Sleeve measures 9 (11, 12, 15, 19, 23) cm. 3½ (4¼, 4¾, 6, 7½, 9) ins. from beg., finishing on a wrong side row

Shape Top

Cast off 2 (2, 2, 2, 3, 3) sts. at beg. of next 2 rows. 28 (32, 38, 42, 44, 48) sts.

Dec. 1 st. at each end of next 10 (12, 14, 16, 16, 18) rows.

Cast off remaining 8 (8, 10, 10, 12, 12) sts.

MAKING UP

Join right shoulder seam by top sewing.

NECK BORDER

With right side facing and using 3¼ mm. Needles, pick up and K.6 (8, 8, 8, 10, 10) sts. down left front neck, K.6 (6, 8, 8, 10, 10) sts. from front neck st. holder, pick up and K.6 (8, 8, 8, 10, 10) sts. up right front neck, then K.12 (14, 16, 18, 20, 22) sts. from back neck st. holder dec. 1 st. at centre. 29 (35, 39, 41, 49, 51) sts.

Commencing next row with a **knit** st., work 4 rows in rib as given for Back, thus finishing on a right side row.

Cast off in rib.

BUTTONHOLE BORDER

With right side facing and using 3¼ mm. Needles, pick up and K.11 (11, 11, 12, 13, 14) sts. evenly along front of left shoulder between shoulder point and top of Neck Border.

K. 1 row.

Next Row – K.2 (2, 2, 3, 4, 4), y.fwd., K.2tog., K.3, y.fwd., K.2tog., K.2.

Cast off knitways (on wrong side).

BUTTON BORDER

Work to match Buttonhole Border, picking up

sts. along back of left shoulder and omitting buttonholes.

Lay Buttonhole Border over Button Border and sew together at armhole edge.

POCKET TOP

With right side facing and using 3¼ mm. Needles rejoin yarn to 16 (18, 20, 22, 24, 26) sts. left on pocket st. holder.

Commencing first row with a **purl** st. and inc. 1 st. at centre of first row, work 4 rows in rib as given for Back.

Cast off in rib.

Sew pocket lining in place on inside and neatly sew down ends of pocket top.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Front. Join side and sleeve seams by top sewing.

Sew on buttons.

CARDIGAN

BACK

Work as given for Back of Sweater.

POCKET LININGS (Make 2)

Using 4½ mm. Needles, cast on 10 (11, 12, 13, 14, 15) sts.

Commencing with a K. row, work 4 (4, 4, 5, 5, 5) cm. 1½ (1½, 1½, 2, 2, 2) ins., in st.st., finishing on a K. row.

Increase Row (Wrong Side) – K.1, M.1, P.3, M.1, P.2 (3, 4, 5, 6, 7), M.1, P.3, M.1, K.1. 14 (15, 16, 17, 18, 19) sts.

Break yarn and leave sts. on a st. holder.

LEFT FRONT

Using 3¼ mm. Needles, cast on 14 (16, 20, 22, 24, 26) sts.

1st Row (Right Side) – * K.1, P.1, rept. from * to end.

Rept. last row for 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., finishing on a wrong side row and inc. 1 (1, 0, 0, 1, 1) st. at centre of last row. 15 (17, 20, 22, 25, 27) sts.

Change to 4½ mm. Needles.

Commencing with a K. row, continue in st.st. until Left Front measures 7 (7, 7, 9, 9, 9) cm. 2¼ (2¼, 2¼, 3½, 3½, 3½) ins., finishing on a wrong side row.

Place Pocket

Next Row (Right Side) – K.3 (3, 4, 7, 8, 8), sl. next 10 (11, 12, 13, 14, 15) sts. on a st. holder and in their place work across 14 (15, 16, 17, 18, 19) sts. of first Pocket Lining as follows: P.1, K.4, P.1, K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1, K. remaining 2 (3, 4, 2, 3, 4) sts. 19 (21, 24, 26, 29, 31) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – P.2 (3, 4, 2, 3, 4), K.1, P.4, K.1, P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1, P.3 (3, 4, 7, 8, 8).

2nd Row – K.3 (3, 4, 7, 8, 8), P.1, C.4B., P.1, K.2 (3, 4, 5, 6, 7), P.1, C.4B., P.1, K.2 (3, 4, 2, 3, 4).

4th Row – K.3 (3, 4, 7, 8, 8), P.1, K.4, P.1, K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1, K.2 (3, 4, 2, 3, 4).

6th Row – As 4th Row.

These 6 rows form patt.

**** Continue in patt. until Left Front matches Back to start of armhole shaping, finishing on a wrong side row. (For Right Front, work 1 extra row here).

Shape Armhole

Keeping patt. correct, cast off 2 (2, 2, 2, 3, 3) sts. at beg. of next row. 17 (19, 22, 24, 26, 28) sts.

Work 1 row. (For Right Front, omit this row).

Shape Front Slope

Place marker at beg. of last row to denote start of front slope shaping. (For Right Front, place marker at END of last row).

1st size only

Dec. 1 st. at each end of next row. 15 sts.

Dec. 1 st. at front slope edge on next row,

then at each end of following row. 12 sts.

Dec. 1 st. at front slope edge **only** on next 3 rows. 9 sts.

2nd, 3rd, 4th, 5th and 6th sizes only

Dec. 1 st. at armhole edge of next (1, 3, 3, 3, 3) rows **and at same time** dec. 1 st. at front slope edge on next and following (0, 1, 1, 1, 1) alt. row. (17, 17, 19, 21, 23) sts.

Work 1 row.

Dec. 1 st. at each end of next and following alt. row row. (13, 13, 15, 17, 19) sts.

Dec. 1 st. at front slope edge **only** on every following alt. row from previous dec. until (9, 9, 10, 11, 12) sts. remain.

All Sizes

Continue without further shaping until Left Front matches Back to start of shoulder shaping, finishing at armhole edge.

Shape Shoulder

Cast off 5 (5, 5, 6, 6, 7) sts. at beg. of next row. Work 1 row.

Cast off remaining 4 (4, 4, 4, 5, 5) sts.

RIGHT FRONT

Using 3¼ mm. Needles, cast on 14 (16, 20, 22, 24, 26) sts.

1st Row (Right Side) – * P.1, K.1, rept. from * to end.

Rept. last row for 3 (3, 3, 4, 4, 4) cm. 1¼ (1¼, 1¼, 1½, 1½, 1½) ins., finishing on a wrong side row and inc. 1 (1, 0, 0, 1, 1) st. at centre of last row. 15 (17, 20, 22, 25, 27) sts.

Change to 4½ mm. Needles.

Commencing with a K. row, continue in st.st. until Right Front measures 7 (7, 7, 9, 9, 9) cm. 2¼ (2¼, 2¼, 3½, 3½, 3½) ins., finishing on a wrong side row.

Place Pocket

Next Row (Right Side) – K.2 (3, 4, 2, 3, 4), sl. next 10 (11, 12, 13, 14, 15) sts. on a st. holder and in their place work across 14 (15, 16, 17, 18, 19) sts. of second Pocket Lining as follows: P.1, K.4, P.1, K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1, K. remaining 3 (3, 4, 7, 8, 8) sts. 19 (21, 24, 26, 29, 31) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – P.3 (3, 4, 7, 8, 8), K.1, P.4, K.1, P.2 (3, 4, 5, 6, 7), K.1, P.4, K.1, P.2 (3, 4, 2, 3, 4).

2nd Row – K.2 (3, 4, 2, 3, 4), P.1, C.4B., P.1, K.2 (3, 4, 5, 6, 7), P.1, C.4B., P.1, K.3 (3, 4, 7, 8, 8).

4th Row – K.2 (3, 4, 2, 3, 4), P.1, K.4, P.1, K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1, K.3 (3, 4, 7, 8, 8).

6th Row – As 4th Row.

These 6 rows form patt.

Complete as given for Left Front from ****, noting the bracketed exceptions.

SLEEVES (Both Alike)

Work as given for Sleeves of Sweater.

MAKING UP

Join shoulder seams by top sewing.

FRONT BORDER

With right side facing and using 3¼ mm. Needles, pick up and K.21 (21, 23, 29, 38, 44) sts. up right front opening edge to marker, 14 (19, 23, 26, 26, 28) sts. up right front slope to shoulder, K.12 (14, 16, 18, 20, 22) sts. from back neck st. holder dec. 1 st. at centre, pick up and K.14 (19, 23, 26, 26, 28) sts. down left front slope to marker, then 21 (21, 23, 29, 38, 44) sts. down left front opening edge lower edge. 81 (93, 107, 127, 147, 165) sts.

1st Row (Wrong Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – K.2, * P.1, K.1, rept. from * to last st., K.1.

These 2 rows form rib.

Girl's Version Only

3rd Row (Wrong Side) – Rib to last 21 (21,

24, 30, 39, 45) sts., * work 2tog., y.r.n. (to make a st.), rib 3 (3, 4, 6, 9, 11), rept. from * twice more, work 2tog., y.r.n., rib 4.

Boy's Version Only

3rd Row (Wrong Side) – Rib 3, * work 2tog., y.r.n. (to make a st.), rib 3 (3, 4, 6, 9, 11), rept. from * twice more, work 2tog., y.r.n., rib to end.

Both Versions

Work a further 2 rows in rib.

Cast off in rib.

POCKET TOPS (Both Alike)

With right side facing and using 3¼ mm. Needles rejoin yarn to 10 (11, 12, 13, 14, 15) sts. left on pocket st. holder.

Commencing with wrong side row and inc. 1 (0, 1, 0, 1, 0) st. at centre of first row, work 3 rows in rib as given for Front Border.

Cast off in rib.

Sew pocket linings in place on inside and neatly sew down ends of pocket tops.

Place centre of shaped cast off edge of sleeve to shoulder seam, then sew Sleeves to Back and Fronts. Join side and sleeve seams by top sewing.

Sew on buttons.

HAT

Using 3¼ mm. Needles, cast on 61 (65, 73, 83, 81, 89) sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end. Rept. last 2 rows for 7 cm. (2¼ ins.), finishing on a wrong side row and inc. 1 (0, 1, 0, 1, 1) st. at centre of last row. 62 (65, 74, 83, 82, 90) sts.

Change to 4½ mm. Needles.

Increase Row (Right Side) – K.1, * K.2 (3, 4, 5, 6, 7), M.1, K.4, M.1, rept. from * to last st., K.1. 82 (83, 92, 101, 98, 106) sts.

Commence Patt.

1st and Every Following Alt. Row (Wrong Side) – P.1, * K.1, P.4, K.1, P.2 (3, 4, 5, 6, 7), rept. from * to last st., P.1.

2nd Row – K.1, * K.2 (3, 4, 5, 6, 7), P.1, K.4, P.1, rept. from * to last st., K.1.

4th Row – K.1, * K.2 (3, 4, 5, 6, 7), P.1, C.4B., P.1, rept. from * to last st., K.1.

6th Row – As 2nd Row.

These 6 rows form patt.

Patt. a further 11 (11, 11, 11, 17, 17) rows, thus finishing on a right side row.

Decrease Row (Wrong side) – * P.2tog., P.3, P.2tog., P.1 (2, 3, 4, 5, 6), rept. from * to last 2 sts., P.2. 62 (65, 74, 83, 82, 90) sts.

Shape Crown

Commencing with a K. row, continue in st.st. as follows:-

Work 2 rows.

3rd Row (Right Side) – K.1, * K.2tog., K.4 (5, 6, 7, 8, 9), rept. from * to last st., K.1. 52 (56, 65, 74, 82) sts.

Work 1 row.

5th Row – K.1, * K.2tog., K.3 (4, 5, 6, 7, 8), rept. from * to last st., K.1. 42 (47, 56, 65, 66, 74) sts.

Work 1 row.

7th Row – K.1, * K.2tog., K.2 (3, 4, 5, 6, 7), rept. from * to last st., K.1. 32 (38, 47, 56, 58, 66) sts.

Work 1 row.

Continue in this way, working 1 less st. between each dec. on every alt. row until the following row has been worked:-

Next Row – K.1, * K.2tog., K.1, rept. from * to last st., K.1. 22 (20, 20, 20, 18, 18) sts.

Next Row – [P.2tog.] to end.

Break yarn and thread through remaining 11 (10, 10, 10, 9, 9) sts.

Pull up tight and fasten off securely.

Sew back seam by top sewing, reversing seam for turnback.

Make a pompon and attach to top of crown.

Design 7

CROCHET MATINEE JACKET, HAT AND BOOTEES

in Peter Pan 4 Ply and D.K.

Crocheted in Peter Pan 4 Ply
Shade:
330 Soft Cream

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes	0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22 cm. ins.
MATINEE JACKET Actual Measurements, at underarm, approximately 4 PLY VERSION	33 12 ³ / ₄	38 14 ³ / ₄	43 16 ³ / ₄	48 18 ³ / ₄	53 20 ¹ / ₂	58 22 ¹ / ₂ cm. ins.
D.K. VERSION	30 11 ³ / ₄	37 14 ¹ / ₂	43 17	50 19 ¹ / ₂	57 22 ¹ / ₄	63 25 cm. ins.
Peter Pan 4 Ply (50g.)	2	2	3	3	4	4 Balls
1 - 2.50 mm. (U.K. 12 - U.S.A. C2) Crochet Hook. 3 Buttons for Matinee Jacket. Approximately 10 ¹ / ₄ (12 ¹ / ₂ , 14 ¹ / ₄ , 15 ¹ / ₄ , 17 ¹ / ₄ , 19 ¹ / ₄) metres of 3 cm. (1 ¹ / ₄ inch) wide eyelet lace (optional) for Full Set .						
Peter Pan D.K. (50g.)	2	2	3	3	4	4 Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	4	4	5 Balls
Peter Pan Poppet D.K. (50g.)	2	2	3	4	4	5 Balls
1 - 3.50 mm. (U.K. 9 - U.S.A. E4) Crochet Hook. 3 Buttons for Matinee Jacket. Approximately 10 ¹ / ₄ (12 ¹ / ₂ , 14 ¹ / ₄ , 15 ¹ / ₄ , 17 ¹ / ₄ , 19 ¹ / ₄) metres of 3 cm. (1 ¹ / ₄ inch) wide eyelet lace (optional) for Full Set .						
Length from Back Neck	18 7	20 7 ³ / ₄	25 9 ³ / ₄	29 11 ¹ / ₂	34 13 ¹ / ₄	38 15 cm. ins.
Sleeve Seam	10 4	12 4 ³ / ₄	13 5	16 6 ¹ / ₄	20 7 ³ / ₄	26 10 ¹ / ₄ cm. ins.
HAT To Fit Age, approximately	Premature size	0-6 mths.	6-18 mths.	2-3 yrs.		
Width Around Head	33 13	38 14 ³ / ₄	42 16 ¹ / ₂	46 18		cm. ins.
4 PLY VERSION						
D.K. VERSION	36 14	40 15 ³ / ₄	44 17 ¹ / ₂	49 19 ¹ / ₄		cm. ins.
Peter Pan 4 Ply (50g.)	1	1	2	2		Balls
1 - 2.50 mm. (U.K. 12 - U.S.A. C2) Crochet Hook.						
Peter Pan D.K. (50g.)	1	1	2	2		Balls
Peter Pan Little Darlings D.K. (50g.)	1	2	2	2		Balls
Peter Pan Poppet D.K. (50g.)	1	2	2	2		Balls
1 - 3.50 mm. (U.K. 9 - U.S.A. E4) Crochet Hook.						
BOOTEES To Fit Age, approximately	Premature size	0-6 mths.	6-18 mths.			
Length of Foot, approximately	9 3 ¹ / ₂	10 4	11 4 ¹ / ₂			cm. ins.
Peter Pan 4 Ply (50g.)	1	1	1			Ball
1 - 2.50 mm. (U.K. 12 - U.S.A. C2) Crochet Hook.						
Peter Pan D.K. (50g.)	1	1	1			Ball
Peter Pan Little Darlings D.K. (50g.)	1	1	1			Ball
Peter Pan Poppet D.K. (50g.)	1	1	1			Ball
1 - 3.50 mm. (U.K. 9 - U.S.A. E4) Crochet Hook.						

TENSION

It is important to check your tension before commencing the garment.

4 PLY VERSION

2 repts. (24 sts.) to 9 cm. (3¹/₂ ins.) and 14 rows to 10 cm. (4 ins.) over patt., 24 sts. and 18 rows to 10 cm. (4 ins.) over half treble fabric on 2.50 mm. Hook.

D.K. VERSION

2 repts. (24 sts.) to 11.5 cm. (4¹/₂ ins.) and 12 rows to 11 cm. (4¹/₄ ins.) over patt., 18 sts. and 14 rows to 10 cm. (4 ins.) over half treble fabric on 3.50 mm. Hook.

4 PLY VERSION MATINEE JACKET

BACK

Using 2.50 mm. Hook, make 76 (88, 100, 112, 124, 136) ch.

Foundation Row (Right Side) - 1 d.c. into 2nd ch. from hook, 2 ch., miss 1 ch., 1 d.c. into next ch., * miss 3 ch., [3 d.tr., 4 ch. and 1 d.c.] into next ch., 2 ch., miss 1 ch., [1 d.c., 4 ch. and 3 d.tr.] into next ch., miss 3 ch., 1 d.c. into next ch., 2 ch., miss 1 ch., 1 d.c. into next ch., rept. from * to end, turn. 6 (7, 8, 9, 10, 11)

patt. repts.

Commence Patt.

1st Row - 4 ch. (counts as 1 tr. and 1 ch.), miss d.c. at end of last row, 1 tr. into next ch. sp., * 1 ch., miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 2 ch., miss 1 d.c., tr.2tog. into next ch. sp., 2 ch., miss 1 d.c., 1 d.c. into next ch. sp., 1 ch., miss [3 d.tr. and 1 d.c.] **, [1 tr., 1 ch. and 1 tr.] into next ch. sp., rept. from * to end, ending last rept. at **, 1 tr. into next ch. sp., 1 ch., 1 tr. into d.c. at beg. of previous row, turn.

2nd Row - 1 ch. (does NOT count as st.), 1 d.c. into tr. at end of last row, 2 ch., miss [1 ch. and 1 tr.], * 1 d.c. into next ch. sp., miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next ch. sp., 2 ch., miss tr.2tog., [1 d.c., 4 ch. and 3 d.tr.] into next ch. sp., miss 1 d.c., 1 d.c. into next ch. sp., 2 ch. **, miss [1 tr., 1 ch. and 1 tr.], rept. from * to end, ending last rept. at **, miss 1 tr., 1 d.c. into last ch. sp., turn.

Last 2 rows form patt.
Continue in patt. until Back measures approx. 10 (10, 13, 16, 20, 23) cm. 4 (4, 5, 6¹/₄, 7³/₄, 9) ins., finishing on a 2nd Row.

Decrease Row (Wrong Side) - 3 ch. (counts as 1 tr.), miss d.c. at end of last row, 1 tr. into next ch. sp., * miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 1 ch., miss 1 d.c., 1 tr. into next ch. sp., 1 ch., miss 1 d.c., 1 d.c. into next ch. sp., miss [3 d.tr. and 1 d.c.], 1 tr. into next ch. sp., rept. from * to end, 1 tr. into d.c. at beg. of previous row. 39 (45, 51, 57, 63, 69) sts.
Fasten off.

LEFT FRONT

Using 2.50 mm. Hook, make 40 (52, 52, 64, 64, 76) ch.

Work foundation row as given for Back. 3 (4, 4, 5, 5, 6) patt. repts.

Now continue in patt. as given for Back until work measures same as Back to decrease row, finishing on a 2nd Row.

Work decrease row as given for Back. 21 (27, 27, 33, 33, 39) sts.

Fasten off.

SLEEVES (Both Alike)

Using 2.50 mm. Hook, make 64 (76, 88, 88, 100, 112) ch.

Work foundation row as given for Back. 5 (6, 7, 7, 8, 9) patt. repts.

Now continue in patt. as given for Back until Sleeve measures approx. 8 (10, 11, 14¹/₂, 18, 22) cm. 3¹/₄ (4, 4¹/₄, 5¹/₂, 7, 8¹/₂) ins., finishing on a 2nd Row.

Work decrease row as given for Back. 33 (39, 45, 45, 51, 57) sts.

Fasten off.

RIGHT FRONT

Work as given for Left Front **but do not fasten off**.

YOKE

With right side facing and using 2.50 mm. Hook proceed as follows:- 1 ch. (does NOT count as st.), 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 3 (4, 4, 5, 5, 6) times across top of Right Front, 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 5 (6, 7, 7, 8, 9) times across top of first Sleeve, 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 6 (7, 8, 9, 10, 11) times across top of Back, 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of

next 4 sts.] 5 (6, 7, 7, 8, 9) times across top of second Sleeve, then 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 3 (4, 4, 5, 5, 6) times across top of Left Front, turn. 125 (150, 165, 180, 195, 220) sts.

Lace Trimmed Version Only

Lace Attachment Row (Wrong Side) – 1 ch. (does NOT count as st.), insert hook into st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, turn.
Cut lace.

Version Without Lace Trim

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Both Versions

Shape Yoke

1st Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each st. to end, turn.
Rept. last row once more.

3rd Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 1 (3, 8, 8, 5, 0) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 2 (2, 3, 3, 5, 5) sts.] 30 (35, 29, 32, 26, 31) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 1 (4, 9, 9, 5, 0) sts., turn. 94 (114, 135, 147, 168, 188) sts.

Rept. 1st row 2 (3, 3, 4, 3, 4) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 0 (1, 8, 8, 1, 15) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 1 (1, 2, 2, 4, 3) sts.] 30 (36, 29, 32, 27, 31) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 1 (2, 8, 8, 2, 15) sts., turn. 63 (77, 105, 114, 140, 156) sts.

Rept. 1st Row 2 (3, 3, 4, 3, 3) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 0 (1, 6, 7, 1, 14) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 0 (0, 1, 1, 3, 2) sts.] 30 (36, 29, 32, 27, 31) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 0 (1, 6, 8, 1, 15) sts., turn. 32 (40, 75, 81, 112, 124) sts.

3rd, 4th, 5th and 6th sizes only

Rept. 1st Row (3, 3, 3, 4) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next (6, 5, 0, 14) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next (0, 0, 2, 1) sts.] (30, 33, 27, 31) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last (6, 5, 1, 14) sts., turn. (44, 47, 84, 92) sts.

5th and 6th sizes only

Rept. 1st Row 3 times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next (0, 12) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next (1, 0) sts.] (27, 32) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last (0, 13) sts., turn. (56, 59) sts.

All Sizes

Rept. 1st Row once more, thus finishing on a wrong side row.

Shape for Neck Border

1st Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Lace Trimmed Version Only

Rept. the Lace Attachment Row once more.
Cut lace.
Rept. 1st Row once.

Version Without Lace Trim

Rept. 1st Row twice more.

Both Versions

Fasten off.

MAKING UP

CUFFS (Both Alike)

With right side facing and using 2.50 mm. Hook, attach yarn at beg. of Sleeve foundation ch. and proceed as follows:-

1st Row (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into first ch. sp., 1 d.c. into each ch. sp. to end, turn. 21 (25, 29, 29, 33, 37) sts.

*** Lace Trimmed Version Only

Rept. the Lace Attachment Row once more.
Cut lace.

3rd Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Version Without Lace Trim

2nd Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.
Rept. last row once more.

Both Versions

Fasten off. ***

Join side and sleeve seams by top sewing.

HEM EDGING

With right side facing and using 2.50 mm. Hook, attach yarn at beg. of Left Front foundation ch. and proceed as follows:-

1st Row (Right Side) – 1 ch. (does NOT count as st.), 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 6 (8, 8, 10, 10, 12) times across lower edge of Left Front, 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 12 (14, 16, 18, 20, 22) times across lower edge of Back, then 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 6 (8, 8, 10, 10, 12) times across lower edge of Right Front, turn. 126 (156, 166, 196, 206, 236) sts.

Work as given for Cuffs from *** to ***.

BUTTON BORDER

With right side facing and using 2.50 mm. Hook, attach yarn at top of neck edge of Left Front and work 1 row of d.c. evenly down entire front opening edge, turn.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, turn.

Rept. last row once more.

Fasten off.

BUTTONHOLE BORDER

Mark positions for 3 buttonholes on Right Front yoke – top button to be 1 cm. (1½ inch) below upper edge, lowest button to be 1 cm. (1½ inch) above start of yoke and remaining button midway between.

Work as given for Button Border with the addition of 3 buttonholes in 1st Row to correspond with positions marked by replacing [1 d.c. into each of next 2 d.c.] with [2 ch., miss 2 d.c.]. (Work 2 d.c. into buttonhole ch. loop on next row).

Sew on buttons.

HAT

Using 2.50 mm. Hook, make 4 ch. and join with a s.s. to form a ring.

1st Round – 2 ch. (counts as first h.tr.), 7 (8, 9, 10) h.tr. into ring, s.s. to top of 2 ch. at beg. of round. 8 (9, 10, 11) sts.

2nd Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 2 h.tr. into each of next 7 (8, 9, 10) h.tr., s.s. to top of 2 ch. at beg. of round. 16 (18, 20, 22) sts.

3rd Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into next h.tr., [2 h.tr. into next h.tr., 1 h.tr. into next h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 24 (27, 30, 33) sts.

4th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 2 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 2 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 32 (36, 40, 44) sts.

5th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 3 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 3 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2

ch. at beg. of round. 40 (45, 50, 55) sts.

6th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 4 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 4 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 48 (54, 60, 66) sts.

7th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 5 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 5 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 56 (63, 70, 77) sts.

8th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 6 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 6 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 64 (72, 80, 88) sts.

9th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 7 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 7 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 72 (81, 90, 99) sts.

10th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 8 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 8 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 80 (90, 100, 110) sts.

11th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into each h.tr. to end, s.s. to top of 2 ch. at beg. of round.

Rept. last round 10 (12, 14, 16) times more.

Lace Trimmed Version Only

Lace Attachment Round – TURN (wrong side now facing), 1 ch. (does NOT count as st.), insert hook into st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, s.s. to first d.c., turn.
Cut lace.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Version Without Lace Trim

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Rept. last round once more.

Both Versions

Next Round – 1 ch. (does NOT count as st.), * [1 d.c., 2 ch. and 1 d.c.] into next d.c., miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next d.c., 2 ch., [1 d.c., 4 ch. and 3 d.tr.] into next d.c., miss 1 d.c., rept. from * to end, s.s. to first d.c., turn. 16 (18, 20, 22) patt. repts.

Next Round – S.s. into centre of first ch. sp., 4 ch. (counts as 1 tr. and 1 ch.), 1 tr. into same ch. sp., * 1 ch., miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 2 ch., miss 1 d.c., tr.2tog. into next ch. sp., 2 ch., miss 1 d.c., 1 d.c. into next ch. sp., 1 ch., miss [3 d.tr. and 1 d.c.] **, [1 tr., 1 ch. and 1 tr.] into next ch. sp., rept. from * to end, ending last rept. at **, s.s. to 3rd of 4 ch. at beg. of previous round, turn.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into ch. sp. at end of last round, * miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next ch. sp., 2 ch., miss tr.2tog., [1 d.c., 4 ch. and 3 d.tr.] into next ch. sp., miss 1 d.c., 1 d.c. into next ch. sp., 2 ch. **, miss [1 tr., 1 ch. and 1 tr.], 1 d.c. into next ch. sp., rept. from * to end, ending last rept. at **, s.s. to first d.c., turn.

Rept. last 2 rounds once more and then first of these 2 rounds again, thus finishing on a wrong side row.

Next Round (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c. 192 (216, 240, 264) sts.

Lace Trimmed Version Only

Rept. Lace Attachment Round once more.
Cut lace.

Next Round – 1 ch. (does NOT count as st.),

1 d.c. into each st. to end, s.s. to first d.c., turn.

Version Without Lace Trim
Rept. last round twice more.

Both Versions
Fasten off.

BOOTEES

Using 2.50 mm. Hook, make 29 (33, 37) ch.
Foundation Row (Right Side) – 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 28 (32, 36) sts.

Lace Trimmed Version Only

Lace Attachment Row – 1 ch. (does NOT count as st.), insert hook into first st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, turn.
Cut lace.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Version Without Lace Trim

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.
Rept. last row once more.

Both Versions

Next Row (Wrong Side) – 2 ch. (counts as first st.), 1 h.tr. into each st. to end, turn.
This row forms h.tr. fabric.
Work a further 2 (4, 6) rows in h.tr. fabric.
Fasten off.

Shape Instep

With right side facing and using 2.50 mm. Hook, attach yarn to 11 (13, 14)th st. from beg. of row and proceed as follows:-

Next Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each of next 7 (7, 9) h.tr., turn. Work a further 5 rows in h.tr. fabric on these 8 (8, 10) sts.
Fasten off.

Shape for Sole

With right side facing and using 2.50 mm. Hook, rejoin yarn to end of last complete row worked and proceed as follows:-

Next Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each of next 9 (11, 12) h.tr., 8 h.tr. along row end edge of instep, 1 h.tr. into each of next 8 (8, 10) h.tr. across toe, 8 h.tr. along other row end edge of instep, 1 h.tr. into each of last 10 (12, 13) h.tr., turn. 44 (48, 52) sts.

Lace Trimmed Version Only

Work Lace Attachment Row once more.
Work 3 rows in h.tr. fabric and then rept. the Lace Attachment Row again.

Version Without Lace Trim

Work 4 rows in h.tr. fabric.

Both Versions

Next Row (Right Side) – 2 ch. (counts as first st.), [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into each of next 13 (15, 17) sts., [h.tr.2tog. over next 2 sts.] 4 times, 1 h.tr. into each of next 13 (15, 17) sts., [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into last st., turn. 36 (40, 44) sts.

Work 1 row in h.tr. fabric.

Next Row – 2 ch. (counts as first st.), [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into each of next 9 (11, 13) sts., [h.tr.2tog. over next 2 sts.] 4 times, 1 h.tr. into each of next 9 (11, 13) sts., [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into last st., turn. 28 (32, 36) sts.
Fasten off.

Join back and sole seam by top sewing.
Make second Bootie in exactly the same way.

D.K. VERSION MATINEE JACKET

BACK

Using 3.50 mm. Hook, make 52 (64, 76, 88, 100, 112) ch.

Foundation Row (Right Side) – 1 d.c. into 2nd ch. from hook, 2 ch., miss 1 ch., 1 d.c. into next ch., * miss 3 ch., [3 d.tr., 4 ch. and 1 d.c.] into next ch., 2 ch., miss 1 ch., [1 d.c., 4 ch. and 3 d.tr.] into next ch., miss 3 ch., 1 d.c. into next ch., 2 ch., miss 1 ch., 1 d.c. into next ch., rept. from * to end, turn. 4 (5, 6, 7, 8, 9) patt. repts.

Commence Patt.

1st Row – 4 ch. (counts as 1 tr. and 1 ch.), miss d.c. at end of last row, 1 tr. into next ch. sp., * 1 ch., miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 2 ch., miss 1 d.c., tr.2tog. into next ch. sp., 2 ch., miss 1 d.c., 1 d.c. into next ch. sp., 1 ch., miss [3 d.tr. and 1 d.c.] **, [1 tr., 1 ch. and 1 tr.] into next ch. sp., rept. from * to end, ending last rept. at **, 1 tr. into next ch. sp., 1 ch., 1 tr. into d.c. at beg. of previous row, turn.

2nd Row – 1 ch. (does NOT count as st.), 1 d.c. into tr. at end of last row, 2 ch., miss [1 ch. and 1 tr.], * 1 d.c. into next ch. sp., miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next ch. sp., 2 ch., miss tr.2tog., [1 d.c., 4 ch. and 3 d.tr.] into next ch. sp., miss 1 d.c., 1 d.c. into next ch. sp., 2 ch., **, miss [1 tr., 1 ch. and 1 tr.], rept. from * to end, ending last rept. at **, miss 1 tr., 1 d.c. into last ch. sp., turn.
Last 2 rows form patt.

Continue in patt. until Back measures approx. 10 (10, 13, 16, 20, 23) cm. 4 (4, 5, 6 1/4, 7 3/4, 9) ins., finishing on a 2nd Row.

Decrease Row (Wrong Side) – 3 ch. (counts as 1 tr.), miss d.c. at end of last row, 1 tr. into next ch. sp., * miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 1 ch., miss 1 d.c., 1 tr. into next ch. sp., 1 ch., miss 1 d.c., 1 d.c. into next ch. sp., miss [3 d.tr. and 1 d.c.], 1 tr. into next ch. sp., rept. from * to end, 1 tr. into d.c. at beg. of previous row. 27 (33, 39, 45, 51, 57) sts.
Fasten off.

LEFT FRONT

Using 3.50 mm. Hook, make 28 (40, 40, 52, 52, 64) ch.

Work foundation row as given for Back. 2 (3, 3, 4, 4, 5) patt. repts.

Now continue in patt. as given for Back until work measures same as Back to decrease row, finishing on a 2nd Row.

Work decrease row as given for Back. 15 (21, 21, 27, 27, 33) sts.
Fasten off.

SLEEVES (Both Alike)

Using 3.50 mm. Hook, make 52 (64, 64, 76, 76, 88) ch.

Work foundation row as given for Back. 4 (5, 5, 6, 6, 7) patt. repts.

Now continue in patt. as given for Back until Sleeve measures approx. 8 (10, 11, 14, 18, 22) cm. 3 1/4 (4, 4 1/4, 5 1/2, 7, 8 1/2) ins., finishing on a 2nd Row.

Work decrease row as given for Back. 27 (33, 33, 39, 39, 45) sts.
Fasten off.

RIGHT FRONT

Work as given for Left Front **but do not fasten off.**

YOKE

With right side facing and using 3.50 mm. Hook proceed as follows:- 1 ch. (does NOT count as st.), 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 2 (3, 3, 4, 4, 5) times across top of Right Front, 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 4 (5, 5, 6, 6, 7) times across top of first Sleeve, 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 4 (5, 6, 7, 8, 9) times across top of Back, 1 d.c. into each of first 3 sts., [d.c.2tog.

over next 2 sts., 1 d.c. into each of next 4 sts.] 4 (5, 5, 6, 6, 7) times across top of second Sleeve, then 1 d.c. into each of first 3 sts., [d.c.2tog. over next 2 sts., 1 d.c. into each of next 4 sts.] 2 (3, 3, 4, 4, 5) times across top of Left Front, turn. 95 (120, 125, 150, 155, 180) sts.

Lace Trimmed Version Only

Lace Attachment Row (Wrong Side) – 1 ch. (does NOT count as st.), insert hook into st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, turn.
Cut lace.

Version Without Lace Trim

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Both Versions

Shape Yoke

1st Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each st. to end, turn.
Rept. last row once more.

3rd Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 0 (0, 1, 6, 8, 6) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 2 (2, 2, 3, 3) sts.] 23 (29, 30, 27, 27, 33) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 0 (1, 1, 6, 9, 6) sts., turn. 71 (90, 94, 122, 127, 146) sts.

Rept. 1st row 1 (2, 3, 2, 3, 4) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 11 (0, 0, 5, 8, 5) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 0 (1, 1, 2, 2, 2) sts.] 23 (29, 30, 27, 27, 33) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 11 (0, 1, 6, 8, 6) sts., turn. 47 (60, 63, 94, 99, 112) sts.

Rept. 1st Row 1 (2, 3, 3, 3, 3) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next 0 (0, 0, 3, 7, 5) sts., [h.tr.2tog. over next 2 sts., 1 h.tr. into each of next 0 (0, 1, 1, 1) sts.] 22 (28, 30, 28, 27, 33) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last 0 (1, 0, 4, 8, 5) sts., turn. 24 (31, 32, 65, 71, 78) sts.

4th, 5th and 6th sizes only

Rept. 1st Row (2, 3, 4) times.

Next Row – 2 ch. (counts as first st.), 1 h.tr. into each of next (3, 6, 4) sts., [h.tr.2tog. over next 2 sts.] (28, 28, 33) times, h.tr.2tog. over next 2 sts., 1 h.tr. into each of last (3, 6, 5) sts., turn. (36, 42, 44) sts.

All Sizes

Rept. 1st Row once more, thus finishing on a wrong side row.

Shape for Neck Border

1st Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Lace Trimmed Version Only

Rept. the Lace Attachment Row once more.
Cut lace.

Rept. 1st Row once.

Version Without Lace Trim

Rept. 1st Row twice more.

Both Versions

Fasten off.

MAKING UP

CUFFS (Both Alike)

With right side facing and using 3.50 mm. Hook, attach yarn at beg. of Sleeve foundation ch. and proceed as follows:-

1st Row (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into first ch. sp., 1 d.c. into each ch. sp. to end, turn. 17 (21, 21, 25, 25, 29) sts.

*** Lace Trimmed Version Only

Rept. the Lace Attachment Row once more.
Cut lace.

3rd Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Version Without Lace Trim

2nd Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.
Rept. last row once more.

Both Versions

Fasten off. ***

Join side and sleeve seams by top sewing.

HEM EDGING

With right side facing and using 3.50 mm. Hook, attach yarn at beg. of Left Front foundation ch. and proceed as follows:-

1st Row (Right Side) – 1 ch. (does NOT count as st.), 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 4 (6, 6, 8, 8, 10) times across lower edge of Left Front, 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 8 (10, 12, 14, 16, 18) times across lower edge of Back, then 2 d.c. into first ch. sp., [3 d.c. into next ch. sp., 2 d.c. into next ch. sp.] 4 (6, 6, 8, 8, 10) times across lower edge of Right Front, turn. 86 (116, 126, 156, 166, 196) sts.
Work as given for Cuffs from *** to ***.

BUTTON BORDER

With right side facing and using 3.50 mm. Hook, attach yarn at top of neck edge of Left Front and work 1 row of d.c. evenly down entire front opening edge, turn.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, turn.
Rept. last row once more.
Fasten off.

BUTTONHOLE BORDER

Mark positions for 3 buttonholes on Right Front yoke – top button to be 1 cm. (1/2 inch) below upper edge, lowest button to be 1 cm. (1/2 inch) above start of yoke and remaining button midway between.

Work as given for Button Border with the addition of 3 buttonholes in 1st Row to correspond with positions marked by replacing [1 d.c. into each of next 2 d.c.] with [2 ch., miss 2 d.c.]. (Work 2 d.c. into buttonhole ch. loop on next row).
Sew on buttons.

HAT

Using 3.50 mm. Hook, make 4 ch. and join with a s.s. to form a ring.

1st Round – 2 ch. (counts as first h.tr.), 7 (8, 9, 10) h.tr. into ring, s.s. to top of 2 ch. at beg. of round. 8 (9, 10, 11) sts.

2nd Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 2 h.tr. into each of next 7 (8, 9, 10) h.tr., s.s. to top of 2 ch. at beg. of round. 16 (18, 20, 22) sts.

3rd Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into next h.tr., [2 h.tr. into next h.tr., 1 h.tr. into next h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 24 (27, 30, 33) sts.

4th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 2 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 2 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 32 (36, 40, 44) sts.

5th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 3 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 3 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 40 (45, 50, 55) sts.

6th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 4

h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 4 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 48 (54, 60, 66) sts.

7th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 5 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 5 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 56 (63, 70, 77) sts.

8th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into base of 2 ch., 1 h.tr. into each of next 6 h.tr., [2 h.tr. into next h.tr., 1 h.tr. into each of next 6 h.tr.] 7 (8, 9, 10) times, s.s. to top of 2 ch. at beg. of round. 64 (72, 80, 88) sts.

9th Round – 2 ch. (counts as first h.tr.), 1 h.tr. into each h.tr. to end, s.s. to top of 2 ch. at beg. of round.
Rept. last round 8 (10, 10, 12) times more.

Lace Trimmed Version Only

Lace Attachment Round – TURN (wrong side now facing), 1 ch. (does NOT count as st.), insert hook into st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, s.s. to first d.c., turn.
Cut lace.

Version Without Lace Trim

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Both Versions

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end working [d.c.2tog.] 4 (2, 0, 8) times evenly around row, s.s. to first d.c., turn. 60 (70, 80, 80) sts.

Next Round – 1 ch. (does NOT count as st.), * [1 d.c., 2 ch. and 1 d.c.] into next d.c., miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next d.c., 2 ch., [1 d.c., 4 ch. and 3 d.tr.] into next d.c., miss 1 d.c., rept. from * to end, s.s. to first d.c., turn. 12 (14, 16, 16) patt. repts.

Next Round – S.s. into centre of first ch. sp., 4 ch. (counts as 1 tr. and 1 ch.), 1 tr. into same ch. sp., * 1 ch., miss [1 d.c. and 3 d.tr.], 1 d.c. into next ch. sp., 2 ch., miss 1 d.c., tr.2tog. into next ch. sp., 2 ch., miss 1 d.c., 1 d.c. into next ch. sp., 1 ch., miss [3 d.tr. and 1 d.c.] **, [1 tr., 1 ch. and 1 tr.] into next ch. sp., rept. from * to end, ending last rept. at **, s.s. to 3rd of 4 ch. at beg. of previous round, turn.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into ch. sp. at end of last round, * miss 1 d.c., [3 d.tr., 4 ch. and 1 d.c.] into next ch. sp., 2 ch., miss tr.2tog., [1 d.c., 4 ch. and 3 d.tr.] into next ch. sp., miss 1 d.c., 1 d.c. into next ch. sp., 2 ch. **, miss [1 tr., 1 ch. and 1 tr.], 1 d.c. into next ch. sp., rept. from * to end, ending last rept. at **, s.s. to first d.c., turn.

Rept. last 2 rounds once more and then first of these 2 rounds again, thus finishing on a wrong side row.

Next Round (Right Side) – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c. 144 (168, 192, 192) sts.

Lace Trimmed Version Only

Rept. Lace Attachment Round once more.
Cut lace.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, s.s. to first d.c., turn.

Version Without Lace Trim

Rept. last round twice more.

Both Versions

Fasten off.

BOOTEES

Using 3.50 mm. Hook, make 21 (25, 29) ch.

Foundation Row (Right Side) – 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 20 (24, 28) sts.

Lace Trimmed Version Only

Lace Attachment Row – 1 ch. (does NOT count as st.), insert hook into first st. and then, with lace against right side of work, insert hook into lace through first hole and back out of lace through second hole, y.r.h. and draw loop through both holes of lace and st., y.r.h. and draw through 2 loops – now termed “1 lace d.c.”, 1 lace d.c. into each st. to end, inserting hook into st. then into lace through last hole used and back out of lace through next hole, turn.
Cut lace.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.

Version Without Lace Trim

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each st. to end, turn.
Rept. last row once more.

Both Versions

Next Row (Wrong Side) – 2 ch. (counts as first st.), 1 h.tr. into each st. to end, turn.
This row forms h.tr. fabric.
Work a further 2 (2, 4) rows in h.tr. fabric.
Fasten off.

Shape Instep

With right side facing and using 3.50 mm. Hook, attach yarn to 8 (10, 11)th st. from beg. of row and proceed as follows:-

Next Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each of next 5 (5, 7) h.tr., turn. Work a further 4 rows in h.tr. fabric on these 6 (6, 8) sts.
Fasten off.

Shape for Sole

With right side facing and using 3.50 mm. Hook, rejoin yarn to end of last complete row worked and proceed as follows:-

Next Row (Right Side) – 2 ch. (counts as first st.), 1 h.tr. into each of next 6 (8, 9) h.tr., 6 h.tr. along row end edge of instep, 1 h.tr. into each of next 6 (6, 8) h.tr. across toe, 6 h.tr. along other row end edge of instep, 1 h.tr. into each of last 7 (9, 10) h.tr., turn. 32 (36, 40) sts.

Lace Trimmed Version Only

Work Lace Attachment Row once more.

Work 3 rows in h.tr. fabric and then rept. the Lace Attachment Row again.

Version Without Lace Trim

Work 4 rows in h.tr. fabric.

Both Versions

Next Row (Right Side) – 2 ch. (counts as first st.), [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into each of next 7 (9, 11) sts., [h.tr.2tog. over next 2 sts.] 4 times, 1 h.tr. into each of next 7 (9, 11) sts., [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into last st., turn. 24 (28, 32) sts.

Next Row – 2 ch. (counts as first st.), [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into each of next 3 (5, 7) sts., [h.tr.2tog. over next 2 sts.] 4 times, 1 h.tr. into each of next 3 (5, 7) sts., [h.tr.2tog. over next 2 sts.] twice, 1 h.tr. into last st., turn. 16 (20, 24) sts.
Fasten off.

Join back and sole seam by top sewing.

Make second Bootie in exactly the same way.





Design 5



Design 6



Design 7

