

Peter Pan

325



Mini Knits Book One

Seventeen treasured designs for babies and toddlers in Peter Pan
Double Knitting, 3Ply and 4Ply

Mini Knits

Book One

Design One
3Ply Cardigan

Design Two
4Ply Raglan Cardigan

Design Three
4Ply Shawl

Design Four
Waistcoat and Cardigan

Design Five
Pram Blanket

Design Six
3Ply Cardigan and Mittens

Design Seven
Bolero

Design Eight
Angel Cardigan and Bonnet

Design Nine
Sweaters and Cardigans

Design Ten
Pinafore

Design Eleven
4Ply Button Shoulder Sweater





3Ply Cardigan

Design One



4 Ply Raglan Cardigan

Design Two



4 Ply Shawl

Design Three



Cardigan and Waistcoat

Design Four







Pram Blanket

Design Five

Mini Knits

Book One

Contents

Design One	3Ply Cardigan
Design Two	4Ply Raglan Cardigan
Design Three	4Ply Shawl
Design Four	Waistcoat and Cardigan
Design Five	Pram Blanket
Design Six	3Ply Cardigan and Mittens
Design Seven	Bolero
Design Eight	Angel Cardigan and Bonnet
Design Nine	Sweaters and Cardigans
Design Ten	Pinafore
Design Eleven	4Ply Button Shoulder Sweater

All designs in this book are knitted in Peter Pan D.K, 4Ply or 3Ply

All Designs

Instructions given for first size, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

Important

Use **ONLY** the Peter Pan yarns specified. We cannot accept responsibility for an imperfect garment if any other brand is used. The quantities of yarn stated are based on average requirements and are therefore approximate.

Tension

If there are too many stitches to 10cm; then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10cm; then your tension is loose and you will need to change your needle to a smaller size.

Washing and Pressing Instructions

40° mild machine wash, cool iron, dry press, NEVER wet press, cool tumble dry

Our Knitting Bureau will gladly give any assistance or advice on any designs if queries are accompanied by a Ball Band and a stamped addressed envelope.

Please note that the limitations of the printing process mean the actual colour will not always precisely match the colours in the photograph.

© Thomas B. Ramsden & Co (Bfd) Ltd
printed in England

Knitting Abbreviations

K - Knit
P - Purl
st(s) - stitch(es)
st st - stocking stitch (1 row K, 1 row P)
g st - garter stitch (every row knit)
alt - alternate
tog - together
sl - slip
psso - pass slipped stitch over
beg - beginning

rept - repeat
inc - increase
dec - decrease
tbl - through back of loop
yfwd - yarn forward
yrn - yarn round needle
cont - continue
patt - pattern
rem - remaining
foll - following
0 - no stitches or rows to be worked in that particular size.

M1 - make 1 by picking up loop before next st and purl into back of it.
MB - [K1, yfwd, K1, yfwd, K1] all into next st, turn, P5, turn, K5, turn, P2tog, P1, P2tog, turn, slip 1 st, K2tog.
Dec 3 - sl 2 purlwise, P2tog tbl, psso.
C4 - cable 4, slip first 2 sts onto a cable needle and leave at front of work, K next 2 sts then K 2 sts from cable needle.
M - main colour
C - contrast colour
cm - centimetres
ins - inches



design one

3 ply cardigan

To fit chest sizes			
41	46	51	cm
16	18	20	ins
Actual measurements			
42	48.5	53.5	cm
16½	19	21	ins
Peter Pan 3 Ply 50g			
1	1	2	balls
Length from shoulder			
20.5	23	25.5	cm
8	9	10	ins
Sleeve seam			
14	15	16.5	cm
5½	6	6½	ins

Photographed using Shade 300 Pure White.

2 - 2¼mm (UK 12 - USA 1) and 2 - 3mm (UK 11 - USA 2) Wendy Knitting Needles.

Cable Needle.

5 (5, 6) buttons. Code C437. Ask your stockist for details.

TENSION

It is important to check your tension before commencing the garment.

8 sts and 10 rows to 2.5 cm (1 inch) over st st on 3mm needles.

BACK

Using 2¼mm needles cast on 68 (76, 84) sts and work 2.5 (4, 4) cm 1 (1½, 1½) ins in K1, P1 rib.

Change to 3mm needles and proceed in st st until work measures 14 (15, 16.5) cm 5½ (6, 6½) ins from beg, ending on a P row.

Next row - cast on 36 (40, 44) sts, K into back of these sts, K to end.

Next row - Cast on 36 (40, 44) sts, P into back of these sts, P to last 8 sts, K2, P4, K2.

Next row - P2, K4, P2, K to last 8 sts, P2, K4, P2.

Next row - K2, P4, K2, P to last 8 sts, K2, P4, K2.

Next row - P2, C4, P2, K to last 8 sts, P2, C4, P2.

Next row - K2, P4, K2, P to last 8 sts, K2, P4, K2.

Continue in patt working cables on every 6th row until work measures 20.5 (23, 25.5) cm 8 (9, 10) ins from beg, ending on a wrong side row.

Shape shoulder

1st row - P2, K4, P2, K to last 11 (12, 13) sts, turn.

2nd row - Sl 1, P to last 11 (12, 13) sts, turn.

3rd row - Sl 1, K to last 22 (24, 26) sts, turn.

4th row - Sl 1, P to last 22 (24, 26) sts, turn.

5th row - Sl 1, K to last 33 (36, 39) sts, turn.

6th row - Sl 1, P to last 33 (36, 39) sts, turn.

7th row - Sl 1, K to last 44 (48, 52) sts, turn.

8th row - Sl 1, P to last 44 (48, 52) sts, turn.

9th row - Sl 1, K to last 55 (60, 65) sts, turn.

10th row - Sl 1, P to last 55 (60, 65) sts, turn.

11th row - Sl 1, K to last 8 sts, P2, K4, P2.

12th row - K2, P4, K2, P to last 8 sts, K2, P4, K2.

Cast off.

LEFT FRONT

Using 2¼mm needles cast on 36 (40, 44) sts.

1st row - * K1, P1, * rept from * to * to last 4 sts, K4.

2nd row - K4, * K1, P1, * rept from * to * to end.

Rept these 2 rows for 2.5 (4, 4) cm 1 (1½, 1½) ins, ending on a 2nd row.

Change to 3mm needles and proceed in patt as follows:-

1st row - K24 (28, 32) sts, P2, K4, P2, K4.

2nd row - K6, P4, K2, P to end.

3rd row - K24 (28, 32) sts, P2, K4, P2, K4.

4th row - K6, P4, K2, P to end.

5th row - K24 (28, 32) sts, P2, C4, P2, K4.

6th row - K6, P4, K2, P to end.

These 6 rows form patt.

Keeping patt correct, continue until work measures 12.5 (14, 15) cm 5 (5½, 6) ins from beg, ending at side edge.

Shape front

K to last 14 sts, K2tog, patt to end.

Cont to dec at front edge on every alt row inside border sts, until work measures 14 (15, 16.5) cm 5½ (6, 6½) ins from beg, ending at side edge. 34 (37, 41) sts.

Next row - Cast on 36 (40, 44) sts, K into back of these sts, K to last 14 sts, K2tog, patt to end.

Still dec at front edge as before, proceed as follows:-

Next row - Patt to last 8 sts, K2, P4, K2.

Next row - P2, K4, P2, patt to end.

Next row - Patt to last 8 sts, K2, P4, K2.

Next row - P2, C4, P2, patt to end.

Next row - Patt to last 8 sts, K2, P4, K2.

Keeping patt correct, continue in this manner until 59 (64, 69) sts remain.

Continue without further shaping until work measures 20.5 (23, 25.5) cm 8 (9, 10) ins from beg, ending at front edge.

Shape shoulder

1st row - Patt 48 (52, 56) sts, turn.

2nd row - Sl 1, patt to end.

3rd row - Patt 37 (40, 43) sts, turn.

4th row - Sl 1, patt to end.

5th row - Patt 26 (28, 30) sts, turn.

6th row - Sl 1, patt to end.

7th row - Patt 15 (16, 17) sts, turn.

8th row - Sl 1, patt to end.

9th row - Patt to end.

10th row - Cast off 55 (60, 65) sts, K to end.

Continue in g st on these 4 sts, until band is long

enough to reach to halfway across back of neck. Cast off.

Place markers on Left Front for 5 (5, 6) buttons, having 1st button 1 cm (¼ inch) from lower edge, 5 (6, 6)th button 1.5 cm (½ inch) below commencement of front shaping and remaining buttons evenly spaced between.

RIGHT FRONT

Using 2¼mm needles cast on 36 (40, 44) sts.

1st row - K4 sts, * P1, K1, * rept from * to * to end.

2nd row - * P1, K1, * rept from * to * to last 4 sts, K to end.

3rd row (buttonhole row) - K2 sts, yfwd, K2tog, * P1, K1, * rept from * to * to end.

Continue in rib, keeping 4 sts at front in g st, until work measures 2.5 (4, 4) cm 1 (1½, 1½) ins from beg, ending on a 2nd row working buttonholes as before opposite markers

Change to 3mm needles and proceed in patt as follows:-

1st row - K4, P2, K4, P2, K to end.

2nd row - P to last 12 sts, K2, P4, K6.

3rd row - K4, P2, K4, P2, K to end.

4th row - P to last 12 sts, K2, P4, K6.

5th row - K4, P2, C4, P2, K to end.

6th row - P to last 12 sts, K2, P4, K6.

These 6 rows form patt.

Keeping patt correct, continue until work measures 12.5 (14, 15) cm 5 (5½, 6) ins from beg, ending at front edge.

Shape front

Next row - K4 sts, patt 8 sts, K2tog tbl, K to end.

K to last 14 sts, K2tog, patt to end.

Cont to dec at front edge on every alt row inside border sts, until work measures 14 (15, 16.5) cm 5½ (6, 6½) ins from beg, ending at side edge. 33 (36, 40) sts.

Next row - Cast on 36 (40, 44) sts, P into back of these sts, P to last 12 sts, patt to end.

Still dec at front edge as before, proceed as follows:-

Next row - Patt to last 8 sts, P2, K4, P2.

Next row - K2, P4, K2, patt to end.

Next row - Patt to last 8 sts, P2, C4, P2.

Next row - K2, P4, K2, patt to end.

Keeping patt correct, continue in this manner until 59 (64, 69) sts remain.

Continue without further shaping until work measures 20.5 (23, 25.5) cm 8 (9, 10) ins from beg, ending at front edge.

Shape shoulder

1st row - Patt 48 (52, 56) sts, turn.

2nd row - Sl 1, patt to end.

3rd row - Patt 37 (40, 43) sts, turn.

4th row - Sl 1, patt to end.

5th row - Patt 26 (28, 30) sts, turn.

6th row - Sl 1, patt to end.

7th row - Patt 15 (16, 17) sts, turn.

8th row - Sl 1, patt to end.

9th row - Patt to end.

10th row - Cast off 55 (60, 65) sts, K to end.

Continue in g st on these 4 sts, until band is long enough to reach to halfway across back of neck.

Cast off.

Cuffs

Using top sewing, sew sleeve and shoulder seams, matching shapings.

With right side of work facing using 2³/₄-mm needles, pick up and K58 (64, 70) sts along sleeve edge.

Next row - K1, * P2tog, K1, rept from * to end. 39 (43, 47) sts.


Next row - Rib to end.

Continue in rib until cuff measures 5 cm (2 ins) from beg.

Cast off in rib.

MAKING UP

Sew side and sleeve seams. Sew on buttons to correspond to buttonholes. Turn back cuffs. Press as instructions given on ball band.



design two

4 ply raglan cardigan

To fit age	0-3	3-6	6-12	12-18	months
To fit chest sizes					
41	46	51	56		cm
16	18	20	22		ins
Actual measurements					
44	50	56	61		cm
17 ¹ / ₂	19 ¹ / ₂	22	24		ins
Peter Pan 4 ply 50g					
2	2	3	3		balls
Length to back neck					
23	27	32	37		cm
9	10 ¹ / ₂	12 ³ / ₄	14 ¹ / ₄		ins
Sleeve seam					
12	15	19	23		cm
4 ³ / ₄	6	7 ¹ / ₂	9		ins

Photographed using Shade 902 Ballet Pumps.

2 - 2³/₄-mm (UK 12 - USA 1) and 2 - 3¹/₄-mm (UK 10 - USA 3) Wendy Knitting Needles.

Stitch holders.

5 buttons. Code P650. Ask your stockist for details.

TENSION

It is important to check your tension before commencing the garment.

28 sts and 36 rows to 10 cm (4 ins) over patt on 3¹/₄-mm needles.

BACK

Using 2³/₄-mm needles cast on 62 (70, 78, 86) sts.

Work in g st for 6 rows, ending with a wrong side row. Change to 3¹/₄-mm needles.

Beg with a K row work in st st until Back measures 12 (15, 19, 23) cm 4³/₄ (6, 7¹/₂, 9) ins, ending with a wrong side row.

Shape raglan armholes

Cast off 3 sts at beg of next 2 rows. 56 (64, 72, 80) sts.

Next row (right side) - K1, sl 1, K1, pssso, K to last 3 sts, K2tog, K1.

Working all raglan decreases as set by last row, dec 1 st at each end of 4th and 3 (2, 1, 0) foll 4th rows, then on every foll alt row until 26 (28, 30, 32) sts rem.

Work 1 row, ending with a wrong side row.

Cast off.

LEFT FRONT

Using 2³/₄-mm needles cast on 34 (38, 42, 46) sts.

Work in g st for 5 rows, ending with a right side row.

6th row (wrong side) - K5 and slip these 5 sts onto a holder, inc in next st, K to end. 30 (34, 38, 42) sts.

Change to 3¹/₄-mm needles.

Starting with a K row work in st st until Left Front matches Back to start of raglan armhole shaping, ending with a wrong side row.

Shape raglan armhole

Cast off 3 sts at beg of next row. 27 (31, 35, 39) sts.

Work 1 row.

Working all raglan decreases as set by Back, dec 1 st at beg of next and 4 (3, 2, 1) foll 4th rows, then on foll 1 (5, 8, 12) alt rows. 21 (22, 24, 25) sts.

Work 1 row, ending with a wrong side row.

Shape neck

Next row (right side) - K1, sl 1, K1, pssso, patt to last 6 (7, 7, 8) sts and turn, leaving rem 6 (7, 7, 8) sts on a holder. 14 (14, 16, 16) sts.

Dec 1 st at neck edge of next 4 rows, then on foll 2 (2, 3, 3) alt rows and at same time dec 1 st at raglan armhole edge of 2nd and every foll alt row. 4 sts.

Work 1 row.

Next row (right side) - K1, sl 1, K2tog, pssso.

Next row - P2.

Next row - K2tog and fasten off.

RIGHT FRONT

Using 2³/₄-mm needles cast on 34 (38, 42, 46) sts.

Work in g st for 5 rows, ending with a right side row.

6th row (wrong side) - K to last 6 sts, inc in next st and turn, leaving rem 5 sts on a holder. 30 (34, 38, 42) sts.

Change to 3¹/₄-mm needles.

Cont in st st until Right Front matches Back to start of raglan armhole shaping, ending with a right side row.

Shape raglan armhole

Cast off 3 sts at beg of next row. 27 (31, 35, 39) sts.

Working all raglan decreases as set by Back, dec 1 st at beg of next and 4 (3, 2, 1) foll 4th rows, then on foll 1 (5, 8, 12) alt rows. 21 (22, 24, 25) sts.

Work 1 row, ending with a wrong side row.

Shape neck

Next row (right side) - Patt 6 (7, 7, 8) sts and slip these sts onto a holder, patt to last 3 sts, K2tog, K1. 14 (14, 16, 16) sts.

Dec 1 st at neck edge of next 4 rows, then on foll 2 (2, 3, 3) alt rows and at same time dec 1 st at raglan armhole edge of 2nd and every foll alt row. 4 sts.

Work 1 row.

Next row (right side) - K3tog, K1.

Next row - P2.

Next row - K2tog and fasten off.

SLEEVES (both alike)

Using 2³/₄-mm needles cast on 34 (36, 38, 40) sts.

Work in g st for 6 rows, ending with a wrong side row.

Change to 3¹/₄-mm needles.

Starting with a K row work in st st, shaping sides by inc 1 st at each end of next and foll 13 (11, 10, 7) alt rows, then on 0 (4, 7, 12) foll 4th rows, taking inc sts into patt. 62 (68, 74, 80) sts.

Cont straight until Sleeve measures 12 (15, 19, 23) cm 4³/₄ (6, 7¹/₂, 9) ins, ending with a wrong side row.

Shape raglan

Cast off 3 sts at beg of next 2 rows. 56 (62, 68, 74) sts.

Next row (right side) - K1, sl 1, K1, pssso, K to last 3 sts, K2tog, K1.

Next row - P1, P2tog, P to last 3 sts, P2tog tbl, P1.

Working all decreases as set by last 2 rows, dec 1 st at

each end of next 9 (11, 13, 15) rows, then on every foll alt row until 14 sts rem.

Work 1 row, ending with a wrong side row.

Left sleeve only

Dec 1 st at each end of next row, then cast off 4 sts at beg of foll row. 8 sts.

Next row (right side) - K1, sl 1, K1, pssso, K3, K2tog.

Next row - P2tog, P4.

Next row - K1, sl 1, K1, pssso, K2tog.

Next row - P2tog, P1.

Right sleeve only

Next row (right side) - Cast off 4 sts, K to last 3 sts, K2tog, K1.

Next row - P7, P2tog.

Next row - K2tog, K3, K2tog, K1.

Next row - P4, P2tog.

Next row - [K2tog] twice, K1.

Next row - P1, P2tog.

Both sleeves

Next row (right side) - K2tog and fasten off.

MAKING UP

Join raglan seams. Mark positions for 5 buttons along one front opening edge (left front for a girl, or right front for a boy), positioning first button 5 cm (2 ins) up from cast on edge, top button just above neck shaping and rem 3 buttons evenly spaced between.

Left front band

Slip 5 sts left on left front holder onto 2³/₄-mm needles and rejoin yarn with right side facing.

For a girl

Cont in g st until band, when slightly stretched, fits up left front opening edge to neck shaping, sewing in place as you go along and ending with a wrong side row.

For a boy

Cont in g st until band, when slightly stretched, fits up left front opening edge to neck shaping, with the addition of 4 buttonholes worked to correspond with positions marked for buttons, sewing in place as you go along and ending with a wrong side row.

To make a buttonhole (right side) - K2, yfwd, K2tog, K1.

For a girl or a boy

Break yarn and leave sts on a holder.

Right front band

Slip 5 sts left on right front holder onto 2³/₄-mm needles and rejoin yarn with wrong side facing.

For a girl

Cont in g st until band, when slightly stretched, fits up right front opening edge to neck shaping, with the addition of 4 buttonholes worked to correspond with positions marked for buttons, sewing in place as you go along and ending with a wrong side row.

To make a buttonhole (right side) - K1, K2tog, yfwd, K2.

For a boy

Cont in g st until band, when slightly stretched, fits up right front opening edge to neck shaping, sewing in place as you go along and ending with a wrong side row.

For a girl or a boy

Do NOT break yarn.

Neckband

With right side facing and 2³/₄-mm needles, knit across 5 sts of right front band, then knit across 6 (7, 7, 8) sts on right front holder, pick up and knit 11 (11, 13, 13) sts up right side of neck, 8 sts from top of right sleeve, 26 (28, 30, 32) sts from back, 8 sts from top of left sleeve and 11 (11, 13, 13) sts down left side of neck, knit across 6 (7, 7, 8) sts on left front holder, then knit 5 sts of left front band. 86 (90, 96, 100) sts.

Work in g st for 4 rows, making 5th buttonhole (as before) in 2nd of these rows and ending with a right side row. Cast off knitways on wrong side.

Join side and sleeve seams. Sew on buttons.



design three

4 ply shawl

Peter Pan 4 Ply 50g

8	balls
Finished length	
114.5	cm
45	ins
Finished width	
114.5	cm
45	ins

Photographed using Shade 300 Pure White.

2 - 4 $\frac{1}{2}$ mm (UK 7 - USA 7) Wendy Knitting Needles.

TENSION

It is important to check your tension before commencing the garment.

20 sts and 35 rows to 10 cm (4 ins) over g st on 4 $\frac{1}{2}$ mm needles.

CENTRE PANEL

Using 4 $\frac{1}{2}$ mm needles, 105 sts.

Work 208 rows g st.

Using the needle with the 105 sts on, pick up and K 104 sts down side of g st (1 st from each g st ridge). 209 sts on needle.

**** 1st inc row** - [K1, make 1 by picking up loop between st just worked and next st and K into back of it] 4 times, K96, [K1, M1] 8 times, K96, [K1, M1] 4 times, K1. 225 sts.

2nd inc row - K1, * [yfwd, K1] 4 times, K8, [yfwd, K1] 4 times, rept from * to end. 337 sts.

Commence border patt

Knit 5 rows.

Next row - K1, * [yfwd, K1] 4 times, [K2tog] 8 times, [yfwd, K1] 4 times, rept from * to end.

Rept the last 6 rows 3 times more.

Knit 5 rows.

Next row (inc row) - K1, * [yfwd, K1] 5 times, K3, [K2tog] 4 times, K3, [yfwd, K1] 5 times, rept from * to end. 421 sts.

Knit 5 rows.

Next row - K1, * [yfwd, K1] 5 times, [K2tog] 10 times, [yfwd, K1] 5 times, rept from * to end.

Rept the last 6 rows 3 times more.

Knit 5 rows.

Cast off very loosely. **

With right side of work facing, rejoin yarn, pick up and K 105 sts from cast on sts of centre piece and 104 sts from other side edge. 209 sts.

Work from ** to ** to complete border.

Edging

Using 4 $\frac{1}{2}$ mm needles cast on 11 sts.

1st row - K1, [K2tog, yfwd] twice, [K2tog] twice, yfwd, K2. 10 sts.

2nd and alt rows - Knit.

3rd row - K2, yfwd, [K2tog, yfwd, K2] twice. 11 sts.

5th row - K2, yfwd, K2tog, yfwd, K3, K2tog, yfwd, K2. 12 sts.

7th row - K2, yfwd, K2tog, yfwd, K4, K2tog, yfwd, K2. 13 sts.

9th row - K2, yfwd, K2tog, yfwd, K5, K2tog, yfwd, K2. 14 sts.

11th row - K2, yfwd, K2tog, yfwd, K6, K2tog, yfwd, K2. 15 sts.

13th row - K1, [K2tog, yfwd] twice, K2tog, K4, K2tog, yfwd, K2. 14 sts.

15th row - K1, [K2tog, yfwd] twice, K2tog, K3, K2tog, yfwd, K2. 13 sts.

17th row - K1, [K2tog, yfwd] twice, K2tog, K2, K2tog, yfwd, K2. 12 sts.

19th row - K1, [K2tog, yfwd] twice, K2tog, K1, K2tog, yfwd, K2. 11 sts.

20th row - Knit.

Rept these 20 rows until edging is long enough to fit all round edge of shawl. Cast off.

MAKING UP

Join ends of borders by top sewing.

Pin edging into position, sew on by top sewing. Join ends of edging by top sewing.



design four

round and v-neck raglan cardigans and waistcoat

in peter pan dk

To fit age, approximately

Premature sizes	0-6 mths	6-12 mths	1-2 years	2-3 years
-----------------	----------	-----------	-----------	-----------

To fit chest sizes

31	36	41	46	51	56	cm
12	14	16	18	20	22	ins

Actual measurements

37	45	48	52	59	63	cm
14 $\frac{1}{2}$	17 $\frac{1}{2}$	19	20 $\frac{1}{2}$	23 $\frac{3}{4}$	24 $\frac{1}{2}$	ins

Peter Pan DK 50g

Round Neck Cardigan (not shown)

1	2	2	2	2	3	balls
---	---	---	---	---	---	-------

V-Neck Cardigan

1	2	2	2	2	3	balls
---	---	---	---	---	---	-------

Waistcoat

1	2	2	2	2	2	balls
---	---	---	---	---	---	-------

Length from back neck, approximately

16	17	21	25	29	32	cm
6 $\frac{1}{4}$	6 $\frac{1}{2}$	8 $\frac{1}{4}$	9 $\frac{3}{4}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	ins

Sleeve seam

9	11	12	15	19	23	cm
3 $\frac{1}{2}$	4 $\frac{1}{4}$	4 $\frac{3}{4}$	6	7 $\frac{1}{2}$	9	ins

Photographed using Shades 300 Pure White and 909 Sugar Plum.

2 - 3 $\frac{1}{2}$ mm (UK 10 - USA 4) and 2 - 4mm (UK 8 - USA 6)

Wendy Knitting Needles.

Stitch Holders.

4 Buttons for Round Neck Cardigan. Code P650. Ask your stockist for details.

3 Buttons for V-Neck Cardigan. Code P650. Ask your stockist for details.

4 Buttons for Waistcoat. Code P650. Ask your stockist for details.

TENSION

It is important to check your tension before commencing the garment.

22 sts and 32 rows to 10 cm (4 ins) over patt on 4mm needles.

ROUND NECK CARDIGAN

BODY (worked in one piece to armholes)

Using 4mm needles cast on 79 (95, 103, 111, 127, 135) sts.

Commence patt

1st row (right side) - Knit.

2nd and every following alt row - Purl.

3rd row - K3, * yfwd, sl 1, K1, psso, K6, rept from * to last 4 sts, yfwd, sl 1, K1, psso, K2.

5th row - K1, * K2tog, yfwd, K1, yfwd, sl 1, K1, psso, K3, rept from * to last 6 sts, K2tog, yfwd, K1, yfwd, sl 1, K1, psso, K1.

7th row - As 3rd row.

9th row - Knit.

11th row - K7, * yfwd, sl 1, K1, psso, K6, rept from * to end.

13th row - K5, * K2tog, yfwd, K1, yfwd, sl 1, K1, psso, K3, rept from * to last 2 sts, K2.

15th row - As 11th row.

16th row - As 2nd row.

These 16 rows form patt.

Continue in patt as set until Body measures approximately 7 (6, 8, 11, 14, 16) cm 2 $\frac{3}{4}$ (2 $\frac{1}{2}$, 3, 4, 5 $\frac{1}{2}$, 6 $\frac{1}{4}$) ins, finishing on a 6th (4th, 8th, 2nd, 14th, 4th) patt row.

Divide for armholes

Next row (right side) - Patt 17 (21, 23, 25, 29, 31) sts and sl these sts onto a st holder for Right Front, cast off 4 sts, patt until there are 37 (45, 49, 53, 61, 65) sts on right needle and sl these sts onto another st holder for Back, cast off 4 sts, patt to end. ***

Work on this last set of 17 (21, 23, 25, 29, 31) sts only for Left Front as follows:-

Next row (wrong side) - Purl.

Next row - K1, sl 1, K1, psso, patt to end.

Rept last 2 rows 4 (7, 11, 12, 13, 14) times more. 12 (13, 11, 12, 15, 16) sts.

Next row (wrong side) - Purl.

Shape neck

Next row (right side) - K1, sl 1, K1, psso, patt to last 2 sts, K2tog.

Next row - [P2tog] 0 (1, 1, 1, 1) time, P to end.

Next row - K1, sl 1, K1, psso, patt to last 0 (0, 2, 2, 2) sts, [K2tog] 0 (0, 1, 1, 1) time.

Next row - [P2tog] 0 (0, 0, 1, 1) time, P to last 3 (3, 0, 0, 0) sts, [P2tog tbl, P1] 1 (1, 0, 0, 0) time.

Next row - K1, sl 1, K1, psso, patt to last 0 (0, 0, 0, 2) sts, [K2tog] 0 (0, 0, 0, 1) time.

Next row - [P2tog] 0 (0, 0, 0, 1) time, P to last 3 (3, 0, 0, 0) sts, [P2tog tbl, P1] 1 (1, 0, 0, 0) time.

Next row - K1, sl 1, K1, psso, patt to end.

Next row - P to last 3 (3, 0, 0, 0) sts, [P2tog tbl, P1] 1 (1, 0, 0, 0) time. 4 (4, 4, 4, 6) sts.

5th and 6th sizes only

Next row - K1, sl 1, K1, psso, patt 3.

Next row - P2, P2tog tbl, P1. 4 sts.

All sizes

Next row - K1, sl 1, K1, psso, K1.

Next row - P2tog tbl, P1.

K2tog and fasten off.

**** Shape Back

Return to 37 (45, 49, 53, 61, 65) sts left on st holder for Back and rejoin yarn with **wrong** side facing.

Next row (wrong side) - Purl.

Next row - K1, sl 1, K1, pssso, patt to last 3 sts, K2tog, K1.

Rept last 2 rows until 23 (25, 15, 17, 23, 25) sts remain, thus finishing on a right side row.

Next row - P1, P2tog, P to last 3 sts, P2tog tbl, P1. 21 (23, 13, 15, 21, 23) sts.

1st, 2nd, 5th and 6th sizes only

Next row (right side) - K1, sl 1, K1, pssso, patt to last 3 sts, K2tog, K1.

Next row - P1, P2tog, P to last 3 sts, P2tog tbl, P1.

Rept last 2 rows 2 (2, 0, 0) times more.

All sizes

Break yarn and leave remaining 9 (11, 13, 15, 17, 19) sts on st holder for back neck. ****

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts left on st holder for Right Front and rejoin yarn with **wrong** side facing.

Next row (wrong side) - Purl.

Next row - Patt to last 3 sts, K2tog, K1.

Rept last 2 rows 4 (7, 11, 12, 13, 14) times more. 12 (13, 11, 12, 15, 16) sts.

Next row (wrong side) - Purl.

Shape neck

Next row (right side) - K2tog, patt to last 3 sts, K2tog, K1.

Next row - P to last 0 (2, 2, 2, 2, 2) sts, [P2tog] 0 (1, 1, 1, 1, 1) time.

Next row - [K2tog] 0 (0, 1, 1, 1, 1) time, patt to last 3 sts, K2tog, K1.

Next row - [P1, P2tog] 1 (1, 0, 0, 0, 0) time, P to last 0 (0, 0, 2, 2, 2) sts, [P2tog] 0 (0, 0, 1, 1, 1) time.

Next row - [K2tog] 0 (0, 0, 0, 1, 1) time, patt to last 3 sts, K2tog, K1.

Next row - [P1, P2tog] 1 (1, 0, 0, 0, 0) time, P to last 0 (0, 0, 0, 0, 2) sts, [P2tog] 0 (0, 0, 0, 0, 1).

Next row - Patt to last 3 sts, K2tog, K1.

Next row - [P1, P2tog] 1 (1, 0, 0, 0, 0) time, P to end. 4 (4, 4, 4, 6, 6) sts.

5th and 6th sizes only

Next row - Patt 3, K2tog, K1.

Next row - P1, P2tog, P2. 4 sts.

All sizes

Next row - K1, K2tog, K1.

Next row - P1, P2tog.

K2tog and fasten off.

SLEEVES (both alike)

Using 4mm needles cast on 23 (23, 31, 31, 39, 39) sts. Commencing with 1st row and working inc sts into patt, now work in patt as given for body, shaping sides by inc 1 st at each end of the needle on the 5th and every following 4 (4, 5, 4, 7, 7)th row until 31 (35, 41, 49, 51, 55) sts are on the needle.

Continue without further shaping until Sleeve measures approximately 7 (9, 10, 13, 17, 21) cm 2³/₄ (3¹/₂, 4, 5, 6¹/₂, 8¹/₄) ins, finishing on a 6 (12, 16, 10, 6, 4)th patt row.

Shape raglan

Keeping patt correct, cast off 2 sts at beg of next 2 rows.

Working all raglan decreases as set by shape back, dec 1 st at each end of next and every following alt (alt, 4th, alt, 4th, alt) row until 7 (5, 31, 9, 43, 9) sts remain.

1st and 4th sizes only

Dec 1 st at each end of next row, thus finishing on a wrong side row. 5 (7) sts.

3rd and 5th sizes only

Dec 1 st at each end of every following alt row until (7, 9) sts remain.

All sizes

Work 0 (1, 1, 0, 1, 1) row, thus finishing on a wrong side row.

Break yarn and leave remaining 5 (5, 7, 7, 9, 9) sts on a safety pin.

MAKING UP

Cuff edging

With right side facing and using 3¹/₄mm needles, pick up and K21 (221, 31, 31, 36, 36) sts evenly across cast on edge of Sleeve.

** Knit 3 rows.

Change to 4mm needles.

Starting with a K row, work 4 rows in st st.

Casting off sts as you go along, now work scalloped cast off as follows:-

* K next st 4 rows below (do NOT pull up st. but leave it short and tight to gather up st st), now K and cast off next st again, K and cast off each of next 4 sts, rept from * to last st, K last st 4 rows below (do NOT pull up st but leave it short and tight to gather up st st), now K and cast off last st again. **

Join sleeve seams by top sewing. Join raglan seams by top sewing.

Neck edging

With right side facing and using 3¹/₄mm needles, pick up and K11 (10, 10, 11, 13, 14) sts up right side of neck, K5 (5, 7, 7, 9, 9) sts from Right Sleeve safety pin, 9 (11, 13, 15, 17, 19) sts from back neck st holder dec 0 (0, 1, 0, 0, 0) st at centre, 5 (5, 7, 7, 9, 9) sts from Left Sleeve safety pin, then pick up and K11 (10, 10, 11, 13, 15) sts down left side of neck. 41 (41, 46, 51, 61, 66) sts.

Work as given for cuff edging from ** to **.

Hem edging

With right side facing and using 3¹/₄mm needles, pick up and K76 (91, 101, 111, 126, 131) sts evenly along cast on edge of body.

Work as given for cuff edging from ** to **.

Button border

With right side facing and using 3¹/₄mm needles, pick up and K31 (36, 41, 51, 61, 66) sts evenly along left front opening edge, starting and ending at cast off edges of edgings.

Work as given for cuff edging from ** to **.

Buttonhole border

Work as given for button border, picking up sts along other front opening edge and with the addition of 4 buttonholes worked in 2nd row as follows:-

2nd row (right side) - K3 (3, 4, 3, 3, 3), * yfwd, K2tog, K6 (8, 9, 13, 16, 18), rept from * twice more, yfwd, K2tog, K2 (1, 2, 1, 2, 1).

Sew on buttons.

V-NECK CARDIGAN

BODY (worked in one piece to armholes)

Work as given for body of Round neck Cardigan to ***

Work on this last set of 17 (21, 23, 25, 29, 31) sts only for Left Front as follows:-

Next row (wrong side) - Purl.

Shape front slope

Place marker at beg of last row to denote start of front slope shaping.

Next row - K1, sl 1, K1, pssso, patt to last 2 sts, K2tog.

Next row - Purl.

Last 2 rows set raglan shaping.

***** Keeping raglan shaping correct as set, dec 1 st at raglan edge on next and following 5 (8, 15, 16, 17, 18) alt rows and at same time dec 1 st at front slope edge on every following 0 (12th, 12th, 10th, 8th, 7th) row from previous dec. 9 (9, 3, 3, 5, 5) sts.

Dec 1 st at raglan edge **only** on next 7 (7, 1, 1, 3, 3) rows, thus finishing on a wrong side row.

K2tog and fasten off. *****

Shape Back

Work as given for Back of Round Neck Cardigan from **** to ****.

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts left on st holder for Right Front and rejoin yarn with **wrong** side facing.

Next row (wrong side) - Purl.

Shape front slope

Place marker at end of last row to denote start of front slope shaping.

Next row - K2tog, patt to last 3 sts, K2tog, K1.

Next row - Purl.

Last 2 rows set raglan shaping.

Complete to match Left Front from ***** to *****.

SLEEVES (both alike)

Work as given for Sleeves of Round Neck Cardigan.

MAKING UP

Cuff edging

Work as given for cuff edging of Round Neck Cardigan.

Join sleeve seams by top sewing. Join raglan seams by top sewing.

Hem edging

With right side facing and using 3¹/₄mm needles, pick up and K76 (91, 101, 111, 126, 131) sts evenly along cast on edge of body.

Work as given for cuff edging of Round Neck Cardigan from ** to **.

Front edging

With right side facing and using 3¹/₄mm needles, starting and ending at cast off edge of hem edging, pick up and K20 (20, 22, 29, 37, 41) sts up right front opening edge to marker, and 16 (20, 25, 27, 29, 31) sts up right front slope, K5 (5, 7, 7, 9, 9) sts from Right Sleeve safety pin, 9 (11, 13, 15, 17, 19) sts from back neck st holder dec 0 (0, 0, 0, 1, 0) st at centre, 5 (5, 7, 7, 9, 9) sts from Left Sleeve safety pin, then pick up and K16 (20, 25, 27, 29, 31) sts down left front slope to marker and 20 (20, 22, 29, 37, 41) sts down left front opening edge to lower edge. 91 (101, 121, 141, 166, 181) sts.

Work as given for cuff edging from ** to **, with the addition of 3 buttonholes made in 2nd row as follows:-

2nd row (right side) - K3, * yfwd, K2tog, K6 (6, 7, 10, 14, 16), rept from * once more, yfwd, K2tog, K to end.

Sew on buttons.

WAISTCOAT

BODY (worked in one piece to armholes)

Work as given for body of Round Neck Cardigan to ***.

Work on this last set of 17 (21, 23, 25, 29, 31) sts only for Left Front as follows:-

***** Dec 1 st at armhole edge on next 4 (4, 4, 4, 6, 6) rows, then on following 2 (4, 4, 4, 4) alt rows. 11 (13, 15, 17, 19, 21) sts.

Continue without further shaping until armhole measures 4 (6, 8, 9, 10) cm 1¹/₂ (2¹/₄, 3, 3¹/₂, 3¹/₂, 4) ins, finishing at front opening edge.

Shape neck

Cast off 2 (3, 3, 4, 4, 5) sts at beg of next row. 9 (10, 12, 13, 15, 16) sts.

Dec 1 st at neck edge on next 4 (4, 5, 5, 6, 6) rows. 5 (6, 7, 8, 9, 10) sts.

Continue without further shaping until armhole measures 7 (9, 11, 12, 13, 14) cm 2³/₄ (3¹/₂, 4¹/₄, 4³/₄, 5, 5¹/₂) ins, finishing at armhole edge.

Shape shoulder

Cast off remaining 5 (6, 7, 8, 9, 10) sts. *****

Shape Back

Return to 37 (45, 49, 53, 61, 65) sts left on st holder for Back and rejoin yarn with **wrong** side facing.

Dec 1 st at each end of next 4 (4, 4, 4, 6, 6) rows, then on following 2 (4, 4, 4, 4) alt rows. 25 (29, 33, 37, 41, 45) sts.

Continue without further shaping until armholes measure 7 (9, 11, 12, 13, 14) cm 2³/₄ (3¹/₂, 4¹/₄, 4³/₄, 5, 5¹/₂) ins, finishing on a wrong side row.

Shape shoulders

Cast off 5 (6, 7, 8, 9, 10) sts at beg of next 2 rows.

Leave remaining 15 (17, 19, 21, 23, 25) sts on a st holder.

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts left on st holder for Right Front and rejoin yarn with **wrong** side facing.

Complete as given for Left Front from ***** to *****.

MAKING UP

Hem edging

With right side facing and using 3¼mm needles, pick up and K76 (91, 101, 111, 126, 131) sts evenly along cast on edge of body.

** Knit 3 rows.

Change to 4mm needles.

Starting with a K row, work 4 rows in st st.

Casting off sts as you go along, now work scalloped cast off as follows:-

* K next st 4 rows below (do NOT pull up st but leave it short and tight to gather up st st), now K and cast off next st again, K and cast off each of next 4 sts, rept from * to last st, K last st 4 rows below (do NOT pull up st but leave it short and tight to gather up sts st), now K and cast off last st again. **

Armhole edging

With right side facing and using 3¼mm needles, pick up and K36 (46, 56, 61, 66, 71) sts evenly around entire armhole edge.

Work as given for hem edging from ** to **.

Join shoulder seams by top sewing.

Neck edging

With right side facing and using 3¼mm needles, pick up and K13 (12, 14, 15, 17, 18) sts up right side of neck, K15 (17, 19, 21, 23, 25) sts from back neck st holder, dec 0 (0, 1, 0, 1, 0) st at centre, then pick up and K13 (12, 14, 15, 17, 18) sts down left side of neck. 41 (41, 46, 51, 56, 61) sts.

Work as given for hem edging from ** to **.

Button border

With right side facing and using 3¼mm needles, pick up and K31 (36, 41, 51, 61, 66) sts evenly along left front opening edge, starting and ending at cast off edges of edgings.

Work as given for hem edging from ** to **.

Buttonhole border

Work as given for button border, picking up sts along other front opening edge and with the addition of 4 buttonholes worked in 2nd row as follows:-

2nd row (right side) - K3 (3, 4, 3, 3, 3), * yfwd, K2tog, K6 (8, 9, 13, 16, 18), rept from * twice more, yfwd, K2tog, K2 (1, 2, 1, 2, 1).

Sew on buttons.



design five pram blanket in peter pan dk.

Peter Pan DK 50g

Main	3	balls
Contrast	2	balls
Length	71	cm
	28	ins
Width	56	cm
	22	ins

Photographed using Shades 381 Rose, 905 Bubbles, 330 Soft Cream and 300 Pure White.

2 - 5mm (UK 6 - USA 8) Wendy Knitting Needles.

TENSION

It is important to check your tension before commencing the garment.

13 sts and 12 rows to 5 cm (2 ins) over patt on 5mm needles.

BORDER

Using 5mm needles and M cast on 143 sts.

1st row - K1, * P1, K1, rept from * to end.

2nd row - P1, * K1, P1, rept from * to end.

3rd row - As 2nd row.

4th row - As 1st row.

Rept these 4 rows once.

Commence patt (with moss st border in M)

Note:

When changing colour at inside of border, twist yarns together to avoid a hole.

1st row - Using M, K1, [P1, K1] 3 times.

Join in C, using C K the last 7 sts, join in another ball of M, [K1, P1] 3 times, K1.

2nd row - Using M, P1, [K1, P1] 3 times.

Using C, K1, * P3tog, do not sl sts off the needle, yrn, P the same 3 sts tog, K1, rept from * to last 7 sts, using M, [P1, K1] 3 times, P1.

3rd row - Using M, P1 [k1, P1] 3 times, K to last 7 sts, [P1, K1] 3 times, P1.

4th row - Using M, [K1, P1] 3 times, K2, P1, K1, * P3tog, do not sl sts off needle, yrn, P the same 3 sts tog, K1, rept from * to last 9 sts, P1, K2, [P1, K1] 3 times.

These 4 rows form the patt.

Rept the last 4 rows 38 times more, then the 1st, 2nd and 3rd rows once.

Break off C.

Next row - As 4th row of moss st border.

Work 8 rows of moss st border.

Cast off in rib.

PRESSING

With wrong side facing, pin out to measurements given.



design six 3 ply cardigan and mitts

To fit age, approximately

0-6	6-12	12-18	months
-----	------	-------	--------

To fit chest sizes

41	46	51	cm
16	18	20	ins

Peter Pan 3 Ply 50g

Cardigan			
2	2	3	balls

Mitts			
1	1	1	ball

Length from shoulder, approximately

25	27	29	cm
10	10½	11½	ins

Sleeve seam

13	14	16	cm
5	5½	6¼	ins

Photographed using Shade 300 Pure White.

2 - 2¼mm (UK 12 - USA 1) and 2 - 3mm (UK 11 - USA 2) Wendy Knitting Needles.

5 Buttons for Cardigan. Code 0075. Ask your stockist for details.

75 cm (29½ ins) narrow ribbon for Cardigan.

75 cm (29½ ins) narrow ribbon for Mitts.

TENSION

It is important to check your tension before commencing the garment.

34 sts and 42 rows to 10 cm (4 ins) over st st on 3mm needles.

CARDIGAN

BODY (worked in one piece to armholes)

Using 3mm needles cast on 267 (289, 311) sts and knit 1 row.

Work scalloped edge as follows:-

1st row (right side) - K1, * [K1, yfwd] twice, [sl 1, K1, pss] twice, [K2tog] twice, yfwd, K1, yfwd, rept from * to last 2 sts, K2.

2nd row - Purl.

3rd row - As 1st row.

4th row - Purl.

5th row - As 1st row.

6th row - P2, * P3, dec 3 (see abbreviations), P4, rept from * to last st, P1. 195 (211, 227) sts.

Work lace band as follows:-

1st row (right side) - K1, K2tog, * yfwd, K5, yfwd, sl 1, K2tog, pss, rept from * to last 8 sts, yfwd, K5, yfwd, sl 1, K1, pss, K1.

2nd and every alt row - Purl.

3rd row - As 1st row.

5th row - K3, * yfwd, sl 1, K1, pss, K1, K2tog, yfwd, K3, rept from * to end.

7th row - K1, K2tog, * yfwd, K1, yfwd, sl 1, K2tog, psso, rept from * to last 4 sts, yfwd, K1, yfwd, sl 1, K1, psso, K1.

8th row - Purl.

Rept these 8 rows 4 (4, 5) times more.

Cont in main patt as follows:-

1st row (right side) - K1, K2tog, * yfwd, K5, yfwd, sl 1, K2tog, psso, rept from * to last 8 sts, yfwd, K5, yfwd, sl 1, K1, psso, K1.

2nd and every alt row - Purl.

Rept last 2 rows until work measures 16 (16, 18) cm 6 1/4 (6 1/4, 7) ins at side edge, ending with a right side row.

Divide for fronts and back

Next row - P45 (49, 53), cast off next 7 sts, P91 (99, 107) including st used in casting off, cast off next 7 sts, P to end.

Work on first set of 45 (49, 53) sts for Right Front as follows:-

2nd and 3rd sizes only

Next row - Patt to last 2 sts, K2tog.

Next row - P2tog, P to end.

Rept these 2 rows (0, 1) time more. (47, 49) sts.

All sizes

Next row - Patt to last 2 sts, K2tog.

Next row - P2tog, P38 sts and turn.

Next row - Sl 1, patt 36, K2tog.

Next row - P2tog, P30 sts and turn.

Next row - Sl 1, patt 28, K2tog.

Next row - P2tog, P22 sts and turn.

Next row - Sl 1, patt 20, K2tog.

Next row - P2tog, P14 sts and turn.

Next row - Sl 1, patt 12, K2tog.

Next row - P2tog, P6 sts and turn.

Next row - Sl 1, patt 4, K2tog.

Leave rem 34 (36, 38) sts on a spare needle.

With right side facing and using 3mm needles, rejoin yarn to sts on spare needle and work across next 91 (99, 107) sts for Back as follows:-

Next row - K2tog, patt 87 (95, 103), K2tog and turn.

Keeping patt correct, dec 1 st at each end of next 10 (12, 14) rows. 69 (73, 77) sts.

Leave rem sts on a spare needle.

With right side facing and using 3mm needles, rejoin yarn to sts on spare needle and work on rem 45 (49, 53) sts for Left Front as follows:-

2nd and 3rd sizes only

Next row - K2tog, patt to end.

Next row - Patt to last 2 sts, P2tog.

Rept these 2 rows (0, 1) time more. (47, 49) sts.

All sizes

Next row - K2tog, patt 39 sts and turn.

Next row - Sl 1, P37, P2tog.

Next row - K2tog, patt 31 sts and turn.

Next row - Sl 1, P29, P2tog.

Next row - K2tog, patt 23 sts and turn.

Next row - Sl 1, P21, P2tog.

Next row - K2tog, patt 15 sts and turn.

Next row - Sl 1, P13, P2tog.

Next row - K2tog, patt 7 sts and turn.

Next row - Sl 1, P5, P2tog.

Next row - K2tog, patt to end.

Leave rem 34 (36, 38) sts on a spare needle.

SLEEVES

Using 2 3/4-mm needles cast on 35 (35, 39) sts and knit 4 rows.

Inc row - K2 (2, 0), inc in next st, * K1, inc in next st, rept from * to last 2 (2, 0) sts, K2 (2, 0). 51 (51, 59) sts.

Change to 3mm needles and work 24 rows in lace band patt as given for body then cont in main patt until Sleeve measures 13 (14, 16) cm 5 (5 1/2, 6 1/4) ins or desired length from beg, ending with a wrong side row.

Shape top

Keeping patt correct, cast off 4 sts at beg of next 2 rows then dec 1 st at each end of next and foll 5 (6, 7) alt rows, ending with a right side row.

Leave rem 31 (29, 35) sts on a spare needle.

YOKE

With wrong side of work facing and using 3mm needles, P across 34 (36, 38) sts of Left Front, 31 (29, 35) sts from top of Left Sleeve, 69 (73, 77) sts of Back, 31 (29, 35) sts from top of right sleeve and 34 (36, 38) sts of Right Front. 199 (203, 223) sts.

1st row - K4 (9, 1), K2tog, * K1, K2tog, rept from * to last 4 (9, 1) sts, K4 (9, 1). 135 (141, 149) sts.

2nd row (make eyelets) - P2 (2, 3), * P1, yrn, P2tog, rept from * to last 1 (1, 2) sts, P1 (1, 2).

3rd row - Knit

4th row - Purl.

5th row - K1 (1, 2), * K3 (3, 4), sl 1, K1, psso, K12 (13, 12), K2tog, K3 (3, 4), * rept from * to * twice more, K1, rept from * to * 3 times, K1 (1, 2). 123 (129, 137) sts.

Starting with a P row, work 3 rows in st st.

9th row - K1 (1, 2), * K3 (3, 4), sl 1, K1, psso, K10 (11, 10), K2tog, K3 (3, 4), * rept from * to * twice more, K1, rept from * to * 3 times, K1 (1, 2). 111 (117, 125) sts.

Starting with a P row, work 3 rows in st st.

13th row - K1 (1, 2), * K3 (3, 4), sl 1, K1, psso, K8 (9, 8), K2tog, K6 (6, 8), sl 1, K1, psso, K8 (4, 3), [K2tog, K3] 0 (1, 1) time, K2tog, K6 (6, 8), sl 1, K1, psso, K8 (9, 8), K2tog, K3 (3, 4), * K1, rept from * to *, K1 (1, 2). 99 (103, 111) sts.

Starting with a P row, work 3 rows in st st.

17th row - K1 (1, 2), * K3 (3, 4), sl 1, K1, psso, K6 (7, 6), K2tog, K6 (6, 8), sl 1, K1, psso, K6 (6, 1), [K2tog, K2] 0 (0, 1) time, K2tog, K6 (6, 8), sl 1, K1, psso, K6 (7, 6), K2tog, K3 (3, 4), * K1, rept from * to *, K1 (1, 2). 87 (91, 97) sts.

Starting with a P row, work 3 rows in st st.

21st row - K1 (1, 2), * K3 (3, 4), sl 1, K1, psso, K4 (5, 4), K2tog, K6 (6, 8), sl 1, K1, psso, K1 (1, 0), K2tog, K1 (1, 0), K2tog, K6 (6, 8), sl 1, K1, psso, K4 (5, 4), K2tog, K3 (3, 4), * K1, rept from * to *, K1 (1, 2). 73 (77, 83) sts.

Starting with a P row, work 3 rows in st st.

1st and 2nd sizes only

25th row - K1, * K3, sl 1, K1, psso, K2 (3), K2tog, K6, sl 1, K1, psso, K1, K2tog, K6, sl 1, K1, psso, K2 (3), K2tog, K3, * K1, rept from * to *, K1. 61 (65) sts.

3rd size only

25th row - K2, * K4, sl 1, K1, psso, K2, K2tog, K8, sl 1, K2tog, psso, K8, sl 1, K1, psso, K2, K2tog, K4, * K1, rept from * to * K2. 71 sts.

All sizes

Change to 2 3/4-mm needles and knit 4 rows.

Using a 3mm needle, cast off neatly knitwise.

Buttonhole band

With right side facing and using 2 3/4-mm needles, pick up and K73 (77, 81) sts evenly up Right Front and knit one row.

Buttonhole row - K36 (40, 44), K2tog, yfwd, [K6, K2tog, yfwd] 4 times, K3.

Knit 2 rows then using a 3mm needle, cast off neatly knitwise.

Button band

With right side facing and using 2 3/4-mm needles, pick up and K73 (77, 81) sts evenly down Left Front and knit 4 rows then using a 3mm needle cast off neatly knitwise.

MITTS

Using 2 3/4-mm needles cast on 51 (51, 59) sts and knit 3 rows.

Change to 3mm needles and work in lace patt as follows:-

1st row (right side) - K1, K2tog, * yfwd, K5, yfwd, sl 1, K2tog, psso, rept from * to last 8 sts, yfwd, K5, yfwd, sl 1, K1, psso, K1.

2nd and every alt row - Purl.

3rd row - As 1st row.

5th row - K3, * yfwd, sl 1, K1, psso, K1, K2tog, yfwd, K3, rept from * to end.

7th row - K1, K2tog, * yfwd, K1, yfwd, sl 1, K2tog, psso, rept from * to last 4 sts, yfwd, K1, yfwd, sl 1, K1, psso, K1.

8th row - Purl.

Starting with a K row, work 3 rows in st st.

Dec row - * P1 (2, 1), P2tog, P1 (2, 1), rept from * to last 3 sts, P2tog, P1. 38 (42, 44) sts.

Next row (make eyelets) - K1 (0, 1), * K2tog, yfwd, K1, rept from * to last 1 (0, 1) st, K1 (0, 1).

Starting with a P row, cont in st st until work measures 5 (6, 7) cm 2 (2 1/2, 2 1/4) ins from eyelets, ending with a P row.

Shape top

1st row - K1, [K2tog tbl, K14 (16, 17), K2tog] twice, K1.

2nd row - Purl.

3rd row - K1, [K2tog tbl, K12 (14, 15), K2tog] twice, K1.

4th row - Purl.

5th row - K1, [K2tog tbl, K10 (12, 13), K2tog] twice, K1.

6th row - P1, [P2tog, P8 (10, 11), P2tog tbl] twice, P1.

2nd and 3rd sizes only

7th row - K1, [K2tog tbl, K (8, 9), K2tog] twice, K1.

All sizes

Cast off rem 22 (22, 24) sts.

MAKING UP

Cardigan

Join sleeve seams, taking care to match patt then set sleeves into armholes. Thread ribbon through eyelets and sew ends neatly to inside of front bands. Sew on buttons. Make a bow and sew to buttonhole band level with eyelets as shown.

Mitts

Sew side and top seams, taking care to match patt on cuff section. Cut ribbon in half, thread through eyelets and tie.



design seven bolero in peter pan dk

To fit age, approximately				
0-6 months	6-12 months	1-2 years	2-3 years	
To fit chest sizes				
41	46	51	56	cm
16	18	20	22	ins
Actual measurements				
46	52	57	64	cm
18	20½	22½	25¼	ins
Peter Pan DK 50g				
Long Sleeved Version (two colour)				
Main Colour (M)				
2	2	2	3	balls
Contrast Colour (C)				
1	1	1	1	ball
Long Sleeved Version (one colour)				
2	3	3	4	balls
Short Sleeved Version (two colour)				
Main Colour (M)				
1	2	2	2	balls
Contrast Colour (C)				
1	1	1	1	ball
Short Sleeved Version (one colour)				
1	2	2	2	balls
Length from shoulder				
22	26	30	34.5	cm
8¾	10¼	11¾	13½	ins
Sleeve seam				
14	17	21	25	cm
5½	6¾	8¼	9¾	ins

Photographed using Shades 300 Pure White.

2 - 3¼mm (UK 10 - USA 4) and 2 - 4mm (UK 8 - USA 6)
Wendy Knitting Needles.
Ribbon to thread through border (optional).

TENSION

It is important to check your tension before commencing the garment.
24 sts and 32 rows to 10 cm (4 ins) over st st on 4mm needles.

TWO COLOUR BOLERO

BACK

Using 4mm needles and M cast on 55 (63, 69, 77) sts.
Work in st st until Back measures 11 (13.5, 16, 19) cm
4¼ (5¼, 6¼, 7½) ins from commencement finishing on a P row.

Shape armholes

Cast off 3 (3, 4, 4) sts at beg of next 2 rows.
Dec 1 st at each end of the needle on next and following

2 alt rows. 43 (51, 55, 63) sts.
Continue without further dec until armholes measure 9
(10, 11, 12) 3½ (4, 4¼, 4¾) ins, finishing on a P row.

Shape shoulders

Cast off 6 (8, 8, 10) sts at beg of next 2 rows, then 6 (7, 8, 9) sts at beg of following 2 rows.
Cast off remaining 19 (21, 23, 25) sts.

LEFT FRONT

Using 4mm needles and M cast on 10 (14, 16, 20) sts.
K 1 row.

Shape front curve

Continue in st st, cast on 3 sts at beg of next and following alt row. 16 (20, 22, 26) sts.
Inc 1 st at end of next row and at same edge of following 5 rows, thus finishing on a P row. 22 (26, 28, 32) sts.
Tie a marker at beg of last row.
Continue without further inc until Front measures same as Back to armholes, finishing on a P row.

Shape armhole and front slope

1st row - Cast off 3 (3, 4, 4) sts, K to last 2 sts, K2tog.
P 1 row.
** Dec 1 st at armhole edge on next and following alt row.
P 1 row.
Dec 1 st at each end of next row. 14 (18, 19, 23) sts.
Continue to dec 1 st at neck edge only on every following 6th row until 12 (15, 16, 19) sts remain.
Continue without further dec until armholes measure same as Back to start of shoulder shaping, finishing at side edge.

Shape shoulder

Cast off 6 (8, 8, 10) sts at beg of next row.
Work 1 row.
Cast off remaining 6 (7, 8, 9) sts. **

RIGHT FRONT

Using 4mm needles and M cast on 10 (14, 16, 20) sts.
Work 2 rows in st st.

Shape front curve

Continuing in st st, cast on 3 sts at beg of next and following alt row. 16 (20, 22, 26) sts.
Inc 1 st at end of next row and at same edge of following 5 rows, thus finishing on a K row. 22 (26, 28, 32) sts.
Tie a marker at beg of last row.
Continue without further inc until Front measures same as Back to armholes, finishing on a P row.

Shape armhole and front slope

1st row - K2tog tbl, K to end.
2nd row - Cast off 3 (3, 4, 4) sts, P to end.
Work as instructions given for Left Front from ** to **.

LONG SLEEVES (both alike)

Using 4mm needles and M cast on 36 (39, 41, 43) sts.
Starting with a K row work 8 (8, 10, 10) rows in st st.
Continue in st st increasing 1 st at each end of the needle on 3rd and every following 8th row until there are 44 (49, 55, 59) sts on the needle.
Continue without further inc until Sleeve measures 14 (17, 21, 25) cm 5½ (6¾, 8¼, 9¾) ins from commencement, finishing on a P row.

Shape top

Cast off 3 (3, 4, 4) sts at beg of next 2 rows.
Dec 1 st at each end of the needle on next and following 2 alt rows.
P 1 row.
Cast off remaining 32 (37, 41, 45) sts.

SHORT SLEEVES (both alike)

Using 4mm needles and M cast on 44 (49, 55, 59) sts.
Starting with a K row work 2.5 cm (1 inch) in st st.
Follow instructions for Long Sleeved version from shape top.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP


Join shoulder seams. Join side seams. Join sleeve seams. Insert Sleeves.

Front and hem edging

Using C.
Using 3¼mm needles, cast on 4 sts.
1st row (wrong side) - K4.
Patt thus:-
1st row (right side) - K2, [yfwd] twice, K2.
2nd row - K2, [K1, P1] into double yfwd of previous row, K2. 6 sts.
3rd row - Knit.
4th row - Cast off 2 sts, K to end. 4 sts.
These 4 rows form patt.
Cont in patt until straight edge of edging fits around entire hem, front opening, front slope and back neck edge, starting and ending at base of left side seam, sewing in place as you go along, ensuring edge lays flat and ending after a 4th patt row.
Cast off knitways.
Join cast on and cast off ends of edging.
In same way, make and attach edging to lower edge of sleeves.

ONE COLOUR BOLERO

Work as given for Two Colour Bolero using one colour throughout.
Thread ribbon through border (optional).



design eight angel cardigan, bonnet, mittens and booties in peter pan dk

To fit chest sizes				
36	41	46	51	cm
14	16	18	20	ins
Peter Pan DK 50g				
Angel Cardigan				
2	2	2	3	balls
Length from back of neck				
24	26	28	30	cm
9½	10¼	11	11¾	ins
Sleeve seam				
11	12.5	15	17	cm
4¼	5	6	6¾	ins
Peter Pan DK 50g				
Bonnet, Mittens and Booties (Mitts and Booties not shown)				
1	1	2	2	balls

Photographed using Shade 300 Pure White.

4 - 4mm (UK 8 - USA 6) Wendy Knitting Needles.
Stitch Holders.
3 Buttons for Angel Cardigan. Code 0075. Ask your stockist for details.
69 cm (27 ins) narrow ribbon for Bonnet.
69 cm (27 ins) narrow ribbon for Mittens.
69 cm (27 ins) narrow ribbon for Booties.

TENSION

It is important to check your tension before commencing the garment.

22 sts and 34 rows to 10 cm (4 ins) over Lace Patt on 4mm needles.

ANGEL CARDIGAN

BACK

Using 4mm needles cast on 67 (73, 79, 85) sts.

** Next row - Knit.

Commence patt

1st row (right side) - K1, * yrn, P1, P3tog, P1, yon, K1, rept from * to end.

2nd row - Purl.

3rd row - Knit.

4th row - Purl.

These 4 rows form the patt.

Continue in patt until work measures 12 (14, 16, 18) cm 4³/₄ (5¹/₂, 6¹/₄, 7) ins from commencement finishing on a 2nd patt row. **

Shape armholes

Keeping patt correct.

Cast off 3 sts at beg of next 2 rows.

Dec 1 st at each end of the needle on the next and every following alt row until 49 (55, 61, 67) sts remain, finishing on a right side row.

Next row (dec row) - P4 (3, 2, 1) sts, [P2tog] 21 (25, 29, 33) times, P3 (2, 1, 0). 28 (30, 32, 34) sts.

Sl these sts onto a st holder.

LEFT FRONT

Using 4mm needles cast on 31 (31, 37, 37) sts.

Work as instructions given for Back from ** to **. (Work 1 row more for Right Front).

Shape armhole

Keeping patt correct.

Next row - Cast off 3 sts, patt to end.

Work 1 row. (Omit this row for Right Front).

Dec 1 st at armhole edge on the next and every following alt row until 22 (22, 28, 28) sts remain, finishing on a right side row.

Next row (dec row) - P1 (4, 0, 1) sts, [P2tog] 10 (9, 14, 13) times, P1 (0, 0, 1). 12 (13, 14, 15) sts.

Sl these sts onto a st holder.

RIGHT FRONT

Work as instructions given for Left Front.

SLEEVES (both alike)

Using 4mm needles cast on 29 (29, 31, 31) sts.

Work 2 rows in g st.

Next row (inc row) - K4, M1, * K3 (3, 2, 2), M1, rept from * to last 4 (4, 5, 5) sts, K4 (4, 5, 5). 37 (37, 43, 43) sts.

Commence patt

Continue in patt as given for Back until work measures 11 (12.5, 15, 17) cm 4¹/₄ (5, 6, 6³/₄) ins from commencement, finishing on a 2nd patt row.

Shape top

Keeping patt correct.

Cast off 3 sts at beg of next 2 rows.

Dec 1 st at each end of the needle on the next and every following alt row until 19 (19, 25, 25) sts remain, finishing on a wrong side row.

Sl these sts onto a st holder.

Left front band

*** Using 4mm needles cast on 5 sts.

Continue in g st (2nd row is right side) until band is long enough when slightly stretched to fit up Left Front finishing on a wrong side row. ***

Sl these sts onto a st holder.

Right front band

Work as instructions given for Left Front Band from *** to ***.

Leave these sts on a needle.

YOKE

With right side facing using 4mm needles, K5 sts from right front band, 12 (13, 14, 15) sts from st holder at Right Front, 19 (19, 25, 25) sts from Sleeve, 28 (30, 32, 34) sts from Back, 19 (19, 25, 25) sts from Sleeve, 12 (13, 14, 15) sts from Left Front and 5 sts from left front band. 100 (104, 120, 124) sts.

1st row - Knit.

2nd row (buttonhole row) - K2, yfwd, K2tog, K to end.

3rd row - K5, P to last 5 sts, K5.

4th row (dec row) - K9 (6, 9, 6), * K2tog, K6 (7, 8, 9), rept from * to last 11 (8, 11, 8) sts, K2tog, K9 (6, 9, 6). 89 (93, 109, 113) sts.

5th to 8th rows - Knit.

9th row - K5, P to last 5 sts, K5.

10th row (buttonhole and dec row) - K2, yfwd, K2tog, K5 (2, 5, 2), * K2tog, K5 (6, 7, 8), rept from * to last 10 (7, 10, 7) sts, K2tog, K8 (5, 8, 5). 78 (82, 98, 102) sts.

11th to 13th rows - Knit.

14th and 15th rows - As 8th and 9th rows.

16th row (dec row) - K8 (5, 8, 5), * K2tog, K4 (5, 6, 7), rept from * to last 10 (7, 10, 7) sts, K2tog, K8 (5, 8, 5). 67 (71, 87, 91) sts.

17th row - Knit.

18th row (dec row) - K8 (5, 8, 7), * K2tog, K3 (4, 1, 1), rept from * to last 9 (6, 10, 9) sts, K2tog, K7 (4, 8, 7). 56 (60, 63, 65) sts.

19th row - Knit.

20th row (buttonhole row) - K2, yfwd, K2tog, K to end.

21st row - K5, P to last 5 sts, K5.

22nd and 23rd rows - Knit.

Cast off.

BONNET

Using 4mm needles cast on 67 (67, 73, 73) sts.

Next row - Knit.

Commence patt

Work 20 rows in patt as given for Back of Matinee Coat.

Next row - K1, * P1, K1, rept from * to end.

Next row - P1, * K1, P1, rept from * to end.

Work 5 rows more in rib, dec 1 st in centre of last row for 36 (46) cm 14 (18) inch sizes only. 66 (66, 73, 73) sts.

Commence ridge patt

1st row (right side) - Knit.

2nd row - Purl.

3rd to 6th rows - Knit.

These 6 rows form the ridge patt.

Continue in ridge patt until work measures 10 (11, 11.5, 12) cm 4 (4¹/₄, 4¹/₂, 4³/₄) ins from commencement of ridge patt finishing on a wrong side row.

Shape crown

Keeping ridge patt correct.

1st row - K4, * K2tog, K5, rept from * to last 6 sts, K2tog, K4.

2nd and alt rows - Patt to end.

3rd row - K3, * K2tog, K4, rept from * to last 6 sts, K2tog, K4.

5th row - K2, * K2tog, K3, rept from * to last 6 sts, K2tog, K4.

7th row - K1, * K2tog, K2, rept from * to last 2 sts, K2tog.

9th row - * K2tog, K1, rept from * to last 2 sts, K2tog.

11th row - K1, [K2tog] 9 (9, 10, 10) times. 10 (10, 11, 11) sts.

Break off yarn leaving enough to thread through remaining sts, draw up tight and fasten off.

MITTENS (both alike)

Using 4mm needles cast on 31 sts.

Next row - Knit.

Commence patt

Work 7 rows in patt as given for Back of Matinee Coat.

Next row - P2, [P2tog, P4] 4 times, P2tog, P3. 26 sts.

Next row (eyelet holes) - K2, * yfwd, K2tog, rept from * to end.

Next row - Purl.

Commence ridge patt

Work in ridge patt as given for Bonnet until work measures 5 cm (2 ins) from eyelet hole row finishing on a wrong side row.

Shape top

1st row - [K1, K2tog, K7, K2tog, K1] twice.

2nd row - Patt to end.

3rd row - [K1, K2tog, K5, K2tog, K1] twice.

4th row - Patt to end.

5th row - [K1, K2tog, K3, K2tog, K1] twice.

6th row - Patt to end.

Cast off, dec as before.

BOOTEES (both alike)

Using 4mm needles cast on 31 (31, 37, 37) sts.

Next row - Knit.

Commence patt

Work 12 rows in patt as given for Back of Matinee Coat, inc 1 st at each end of last row for 36 (41) cm 14 (16) inch sizes only. 33 (33, 37, 37) sts.

Next row (eyelet holes) - K2 (2, 1, 1) * yfwd, K2tog, K1, rept from * to last 4 (4, 3, 3) sts, yfwd, K2tog, K2 (2, 1, 1).

Next row - Purl.

Shape instep

Next row - K22 (22, 25, 25), turn.

Next row - P11 (11, 13, 13), turn.

Working on these 11 (11, 13, 13) sts only, work 12 rows in st st.

Break off yarn.

With right side facing, rejoin yarn to right side of instep and pick up and K9 (9, 10, 10) sts evenly up right side of instep, K11 (11, 13, 13) sts of instep, pick up and K9 (9, 10, 10) sts down left side of instep and K across remaining 11 (11, 12, 12) sts.

Next row - P across all 51 (51, 57, 57) sts.

Work 6 rows in st st.

Shape foot

1st row - K1, K2tog, K17 (17, 19, 19), K2tog tbl, K7 (7, 9, 9), K2tog, K17 (17, 19, 19), K2tog tbl, K1.

2nd row - Purl.

3rd row - K1, K2tog, K16 (16, 18, 18), K2tog tbl, K5 (5, 7, 7), K2tog, K16 (16, 18, 18), K2tog tbl, K1. 43 (43, 49, 49) sts.

4th row - Purl.

Cast off.

MAKING UP

Angel Cardigan

Pin front bands into position, sew in by top sewing.

Join side and sleeve seams by top sewing. Pin sleeves in position. Sew in sleeves by top sewing. Sew on buttons.

Bonnet

Commencing at centre of crown, join back seam by top sewing for 5 cm (2 ins).

Cut ribbon in half to make a ribbon rosette and sew to each side of Bonnet (optional).

Mittens

Join seam by top sewing. Cut ribbon in half and thread through eyelet holes, bring ends out to front. Tie in a bow.

Bootees

Join back and foot seam by top sewing. Cut ribbon in half and thread through eyelet holes, bring ends out to front. Tie in a bow.



design nine

sweaters and cardigans

in peter pan dk

To fit age, approximately			1-2 years	2-3 years	
0-3 mths	3-6 mths	6-12 mths			
To fit chest sizes					
35	40	45			
14	16	18	20	22	cm ins
Finished measurement					
39	46	52			
15½	18½	21	23	25	cm ins
Peter Pan DK 50g					
Sweater					
2	2	2	3	4	balls
V-Neck Cardigan					
2	2	2	3	3	balls
Round Neck Cardigan					
2	2	2	3	4	balls
Length to back neck					
20	23	27	31	35	cm
8	9	10½	12	13½	ins
Sleeve length					
10	13	16	19	22	cm
4	5	6½	7½	8½	ins

Photographed using Shades 301 Spring Lamb, 903 Freckles, 300 Pure White and 902 Ballet Pumps.

2 - 3¼mm (UK 10 - USA 4) and 2 - 4mm (UK 8 - USA 6) Wendy Knitting Needles.
4 (4, 4, 5, 5) Buttons for V-Neck Cardigan. Code P430. Ask your stockist for details.
6 (6, 6, 7, 7) Buttons for Round Neck Cardigan. Code 0075. Ask your stockist for details.
3 Buttons for Sweater if required. Code P650. Ask your stockist for details.

TENSION

It is important to check your tension before commencing the garment.

22 sts and 31 rows to 10 cm (4 ins) over st st on 4mm needles.

Lace panel - optional (count as 17 sts throughout)

1st row - [P1, K3] twice, yfwd, sl 1, K1, psso, K2, P1, K3, P1.

2nd row - K1, P3, K1, P7, K1, P3, K1.

3rd row - P1, sl 1, K2, psso the K2, P1, K2, [yfwd, sl 1, K1, psso] twice, K1, P1, sl 1, K2, psso the K2, P1.

4th row - K1, P1, yrn, P1, K1, P7, K1, P1, yrn, P1, K1.

5th row - P1, K3, P1, K1, [yfwd, sl 1, K1, psso] 3 times, P1, K3, P1.

6th row - K1, P3, K1, P7, K1, P3, K1.

7th row - P1, sl 1, K2, psso the K2, P1, K2, [yfwd, sl 1, K1, psso] twice, K1, P1, sl 1, K2, psso the K2, P1.

8th row - K1, P1, yrn, P1, K1, P7, K1, P1, yrn, P1, K1.

9th row - [P1, K3] twice, yfwd, sl 1, K1, psso, K2, P1, K3, P1.

10th row - K1, P3, K1, P7, K1, P3, K1.

11th row - P1, sl 1, K2, psso the K2, P1, K7, P1, sl 1, K2, psso the K2, P1.

12th row - K1, P1, yrn, P1, K1, P7, K1, P1, yrn, P1, K1.

These 12 rows form lace panel.

SWEATER

Instructions are given for Sweater with lace panel on Front and Sleeves. For Plain Sweater work in st st throughout omitting lace panels.

BACK

Using 3¼mm needles cast on 43 (51, 57, 63, 69) sts.

1st row - K1, * P1, K1, rept from * to end.

2nd row - P1, * K1, P1, rept from * to end.

Rept the last 2 rows 4 (4, 4, 5, 5) times more. ★

Change to 4mm needles and work in st st, starting knit, until Back measures 11 (13, 15, 17, 20) cm 4¼ (5, 6, 6½, 7¼) ins, ending with a P row.

Shape raglan armholes

Cast off 2 sts at beg of next 2 rows.

Work 2 (0, 2, 2, 2) rows straight.

Next row - K1, sl 1, K1, psso, K to last 3 sts, K2tog, K1.

Next row - Purl.

Rept the last 2 rows until 19 (21, 23, 23, 25) sts rem, ending with the P row.

Next row - K1, sl 1, K2tog, psso, K to last 4 sts, K3tog, K1.

Next row - P.

Slip rem 15 (17, 19, 19, 21) sts on a holder.

FRONT

Work as given for Back to ★.

Change to 4mm needles and commence lace panel.

1st row - K13 (17, 20, 23, 26), work 1st row of lace panel across next 17 sts, K13 (17, 20, 23, 26).

2nd row - P13 (17, 20, 23, 26), work 2nd row of lace panel, P13 (17, 20, 23, 26).

These 2 rows form st st at either side of lace panel.

Keeping continuity of 12 rows of lace panel correct throughout, work straight until Front measures same as Back to start of raglan shaping, ending with a wrong side row.

Shape raglan armholes

Cast off 2 sts at beg of next 2 rows.

Work 2 (0, 2, 2, 2) rows straight.

Next row - K1, sl 1, K1, psso, work to last 3 sts, K2tog, K1.

Next row - P2, work to last 2 sts, P2.

Rept the last 2 rows until 27 (29, 31, 33, 35) sts rem, ending with the right side row.

Shape neck

Next row - Work 11 (11, 11, 13, 13) sts, turn and complete this side first.

★★ Cont to dec 1 st at raglan edge on next and every alt row, at the same time, dec 1 st at neck edge on next 3 rows, then foll 1 (1, 1, 2, 2) alt rows. 4 sts rem.

Dec 1 st at raglan edge only on foll alt row.

Work 1 row. ★★

Next row - K2tog, K1.

Next row - P2tog and fasten off.

Slip next 5 (7, 9, 7, 9) sts at centre onto a holder.

With wrong side facing rejoin yarn to neck edge of rem 11 (11, 11, 13, 13) sts and patt to end.

Work as given for first side from ★★ to ★★.

Next row - K1, sl 1, K1, psso.

Next row - P2tog and fasten off.

SLEEVES

Using 3¼mm needles cast on 29 (31, 33, 35, 37) sts and work 10 (10, 10, 12, 12) rows in rib as given for Back.

Change to 4mm needles.

1st row - K6 (7, 8, 9, 10), work 1st row of lace panel across next 17 sts, K6 (7, 8, 9, 10).

2nd row - P6 (7, 8, 9, 10), work 2nd row of lace panel, P6 (7, 8, 9, 10).

These 2 rows form st st at either side of lace panel.

Keeping continuity of 12 rows of lace panel correct throughout, inc 1 st at each end of next and every foll 2nd (2nd, 2nd, 2nd, 4th) row until these are 37 (39, 37, 39, 51) sts, then every foll 4 (4, 4, 4, 6)th row until there are 41 (45, 49, 53, 57) sts.

Work straight until Sleeve measures 10 (13, 16, 19, 22) cm 4 (5, 6½, 7½, 8½) ins, ending with a wrong side row.

Shape raglan top

Cast off 2 sts at beg of next 2 rows.

3rd row - K1, sl 1, K1, psso, work to last 3 sts, K2tog, K1.

4th row - P2, work to last 2 sts, P2.

Rept the last 2 rows until 19 (19, 15, 11, 11) sts rem, ending with a wrong side row.

Next row - K1, sl 1, K2tog, psso, work to last 4 sts, K3tog, K1.

Next row - P2, work to last 2 sts, P2.

Rept the last 2 rows 2 (2, 1, 0, 0) times more.

Slip rem 7 sts onto a holder.

MAKING UP

Join front raglan seams and right back raglan seam.

Neckband

With right side facing and using 3¼mm needles knit across 7 sts of left sleeve top, pick up and K10 (9, 10, 11, 12) sts down left front slope, knit across 5 (7, 9, 7, 9) sts at front neck, pick up and K10 (9, 10, 11, 12) sts up right front slope, knit across 7 sts of right sleeve top and 15 (17, 19, 19, 21) sts at back neck inc 1 st at centre. 55 (57, 63, 63, 69) sts.

Starting with a 2nd row work 7 rows in rib as given for Back.

Cast off loosely in rib.

Collar

Pick up sts as given for neckband.

Starting with a 1st row work 5 rows in rib as given for Back.

Next row - Rib 18 (18, 20, 20, 22), P2tog, turn and complete this side first.

Work 14 more rows in rib on these 19 (19, 21, 21, 23) sts.

Cast off loosely in rib.

With right side of body facing rejoin yarn to rem 35 (37, 41, 41, 45) sts and rib to end.

Work 14 more rows in rib.

Cast off in rib.

Join rem raglan seam and ends of neckband or collar, reversing seam on collar.

Join side and sleeve seams.

Note

If neck opening is required for Sweater with neckband, leave 7 cm (2¾ ins) open from top of neckband.

With right side facing and using 3¼mm needles, starting at top of neckband, pick up and K30 sts all round opening. Cast off knitways.

Make 3 buttonloops evenly along raglan opening by forming a loop with a strand of yarn and working buttonhole stitch around loop. Sew on buttons securely to correspond with buttonloops.

ROUND NECK CARDIGAN

Instructions are given for Cardigan with lace panels. For Plain Cardigan work in st st throughout omitting lace panels.

BACK AND SLEEVES

Work as given for Back and Sleeves of Sweater.

LEFT FRONT

Using 3¼mm needles cast on 19 (23, 27, 29, 33) sts and work 10 (10, 10, 12, 12) rows in rib as given for Back.

Change to 4mm needles and commence patt.
1st row - K1 (5, 9, 11, 15), work 1st row of lace panel across next 17 sts, K1.

2nd row - P1, work 2nd row of lace panel, P1 (5, 9, 11, 15).

★★ These 2 rows form st st at either side of lace panel. Keeping continuity of 12 rows of lace panel correct throughout, cont until Front measures same as Back to start of raglan shaping, ending with a wrong side row (work 1 row more here for Right Front).

Shape raglan armhole

Keeping patt correct cast off 2 sts at beg of next row.

★★

Work 3 (1, 3, 3, 3) rows straight.

Next row - K1, sl 1, K1, pssso, patt to end.

Next row - Patt to last 2 sts, P2.

Rept the last 2 rows until 10 (12, 14, 14, 16) sts rem, ending at front edge.

Shape neck

Next row - Patt 1 (1, 3, 1, 3), slip these sts onto a safety pin, patt to end.

★★★ Cont to dec 1 st at raglan edge on right side rows as before, at the same time, dec 1 st at neck edge on next 3 rows, then foll 0 (1, 1, 2, 2) alt rows. 4 sts rem. Work 1 more raglan dec ending with the wrong side row. ★★★

Next row - K1, sl 1, K1, pssso.

Next row - P2tog and fasten off.

RIGHT FRONT

Using 3¼mm needles cast on 19 (23, 27, 29, 33) sts and work 10 (10, 10, 12, 12) rows in rib as given for Back. Change to 4mm needles and commence patt.

1st row - K1, work 1st row of lace panel across next 17 sts, K1 (5, 9, 11, 15).

2nd row - P1 (5, 9, 11, 15), work 2nd row of lace panel, P1.

Work as given for Left Front from ★★ to ★★ working 1 row more where indicated.

Work 2 (0, 2, 2, 2) rows straight.

Next row - Patt to last 3 sts, K2tog, K1.

Next row - P2, patt to end.

Rept the last 2 rows until 10 (12, 14, 14, 16) sts rem, ending at front edge.

Shape neck

Next row - Patt 1 (1, 3, 1, 3) sts, slip these sts onto a safety pin, patt to last 3 sts, K2tog, K1.

Work as given for Left Front from ★★★ to ★★.

Next row - K2tog, P1.

Next row - P2tog and fasten off.

MAKING UP

Button band

Using 3¼mm needles cast on 7 sts.

Work in rib as given for Back until band, when slightly stretched, fits up left front edge for a girl or right front edge for a boy to start of neck shaping, ending with a wrong side row for a girl or a right side row for a boy and sewing in place as you go along.

Break yarn and slip sts onto a safety pin.

Mark positions on band for 5 (5, 5, 6, 6) buttons, the first 1 cm (½ inch) above cast on edge and allowing for a 6 (6, 6, 7, 7)th to be placed 1 cm (½ inch) above sts on safety pin. Space remainder evenly between.

Buttonhole band

Work as given for button band at the same time making buttonholes to match markers on right side rows as follows:- rib 3, yfwd, K2tog, rib 2.

Join raglan seams.

Neckband

Cont on from sts of right front band, knit across 1 (1, 3, 1, 3) sts on safety pin at right front neck, pick up and K10 (10, 10, 12, 12) sts up right front slope, knit across 7 sts of right sleeve top, 15 (17, 19, 19, 21) sts at back neck and 7 sts of left sleeve top, pick up and K10 (10,

10, 12, 12) sts down left front slope, knit across 1 (1, 3, 1, 3) sts on safety pin at left front neck then rib across 7 sts of left front band. 65 (67, 73, 73, 79) sts.

Starting with a 2nd row work 7 rows in rib, making buttonhole as before on 4th of these rows.

Cast off in rib.

Join side and sleeve seams. Sew on buttons.

PLAIN V-NECK CARDIGAN

BACK AND SLEEVES

Work as given for Back and Sleeves of Sweater, omitting lace panel on Sleeves and casting off at end instead of slipping them onto holder.

LEFT FRONT

Using 3¼mm needles cast on 19 (23, 27, 29, 33) sts and work 10 (10, 10, 12, 12) rows in rib as given for Back.

Change to 4mm needles and work in st st, starting knit, until Front measures same as Back to start of raglan shaping, ending with a P row (work 1 row more here for Right Front).

Shape raglan armhole and front slope

Cast off 2 sts at beg of next row.

Work 3 (1, 3, 3, 3) rows straight (work 1 row less here for Right Front).

Next row - K1, sl 1, K1, pssso, knit to last 3 sts, K2tog, K1.

Cont to dec 1 st at raglan edge as before on every alt row, at the same time dec 1 st at front edge as before on every foll 4 (4, 4, 6, 4)th row until 9 (13, 5, 5, 17) sts rem.

1st, 2nd and 5th sizes only

Cont to dec 1 st at raglan edge on every alt row at the same time dec 1 st at front edge on every foll 6th row until 5 sts rem.

All sizes

Dec 1 st at raglan edge only on foll 2 alt rows.

Work 1 row. 3 sts. ★★

Next row - K1, sl 1, K1, pssso.

Next row - P2tog and fasten off.

RIGHT FRONT

Work as given for Left Front to ★★ reversing shapings by working 1 row more and 1 row less where indicated.

Next row - K2tog, K1.

Next row - P2tog and fasten off.

MAKING UP

Join raglan seams.

Button band

Using 3¼mm needles cast on 7 sts and work in rib as given for Back until band, when slightly stretched, fits up left front edge for a girl or right front edge for a boy, across sleeve top and round centre back neck, sewing in place as you go along.

Cast off in rib.

Mark positions on band for 4 (4, 4, 5, 5) buttons, the first 1 cm (½ inch) above cast on edge and the 4 (4, 5, 5, 5)th to be 1 cm (½ inch) below start of front slope shaping. Space remainder evenly between.

Buttonhole band

Work as given for button band at the same time making buttonholes to match markers on right side rows as follows:- rib 3, yfwd, K2tog, rib 2.

Join bands at centre back. Join side and sleeve seams. Sew on buttons.



design ten

pinafore dress

in peter pan dk

To fit chest sizes

40	45	50	cm
16	18	20	ins

Peter Pan DK 50g

2	2	3	balls
---	---	---	-------

Photographed using Shade 905 Bubbles.

2 - 3¼mm (UK 10 - USA 4), 2 - 3¼mm (UK 9 - USA 5)

and 2 - 4mm (UK 8 - USA 6) Wendy Knitting Needles.

6 Buttons. Code K629. Ask your stockist for details.

3.25 metres (3¼ yards) of 2 cm (¾ ins) ribbon.

TENSION

It is important to check your tension before commencing the garment.

24 sts and 32 rows to 10 cm (4 ins) over st st on 4mm needles.

DRESS (back and front alike)

Using 3¼mm needles cast on 94 (104, 116) sts and work 2 rows in st st, starting with a K row.

Next row (picot) - K1, * yfwd, K2tog, rept from * to last st, K1.

Work 3 rows in st st, starting with a P row.

Change to 4mm needles and cont in st st until skirt measures 17 (19, 21) cm 6¾ (7½, 8¼) ins from picot row or required length ending with a P row.

Next row (dec) - K1, * K2tog, rept from * to last st, K1. 48 (53, 59) sts.

Next row - P.

Next row (eyelets) - K4 (3, 3), * yfwd, K2tog, K1, rept from * to last 5 sts, yfwd, K2tog, K3.

Work 3 rows in st st, starting with a P row.

Rept the last 4 rows 2 (3, 3) times more, then work the eyelet row again.

Work 5 rows in st st, starting with a P row.

Next row (picot) - K1 (2, 2), * yfwd, K2tog, rept from * to last st, K1.

Change to 3¼mm needles and work 2 rows in st st, starting with a P row.

Cast off purlwise.

SHOULDER STRAPS (make 2)

Using 3¼mm needles cast on 3 sts.

1st row - K1, * P1, K1, rept from * to end.

2nd row - P1, * K1, P1, rept from * to end.

3rd row - Inc in 1st st, P1, inc in last st.

4th row - As 1st row.

5th row - Inc in 1st st, K1, P1, K1, inc in last st. 7 sts.

6th row - As 2nd row.

Work 4 more rows in rib.

Next row (buttonhole row) - Rib 3, yfwd, K2tog, rib 2.

Cont in rib until strap measures 16 (18, 20) cm 6¼ (7, 8) ins or required length.

Cast off in rib.

MAKING UP

Join side seams by top sewing leaving 10 cm (4 ins) open at top of one seam.
Fold picot edgings to inside along picot row and sl st in place.

Button border

With right side facing using 3¼mm needles, pick up and K19 sts along open edge of side seam, starting from base of opening.
Cast off in rib.

Buttonhole border

With right side facing using 3¼mm needles, pick up and K19 sts along open edge of side seam from top edge to base of opening.

Starting first row with a P st, work in rib for 1 row, finishing on a wrong side row.

2nd row (right side) - Rib 3, * yfwd, K2tog, K2, rept from * to end.

Work in rib for a further 1 row.

Cast off in rib.

Lay front buttonhole border over button border and stitch ends neatly in position.


Join side seams by top sewing.

Sew straps to back 5 cm (2 ins) in from side seams.

Sew on buttons.

Thread ribbon through eyelets and draw up to fit securing firmly at each end.

Press as instructions given on ball band.



design eleven

buttoned sweater

in peter pan 4 ply

To fit age	0-3 months	3-6 months	6-12 months	1-2 years	2-3 years	
To fit chest sizes	36	41	46	51	56	cm
	14	16	18	20	22	ins
Actual measurements	41	46	51	56	61	cm
	16¼	18¼	20¼	22¼	24	ins
Peter Pan 4 Ply 50g	2	2	2	3	3	balls
Length from back neck	20	24	28	32	36	cm
	7¾	9½	11	12½	14	ins
Sleeve seam	11	12	15	19	23	cm
	4¼	4¾	6	7½	9	ins

Photographed using Shade 910 Raindrop.

2 - 2¼mm (UK 12 - USA 2) and 2 - 3¼mm (UK 10 - USA 3) Wendy Knitting Needles.

Stitch holders.

4 buttons. Code P650. Ask your stockist for details.

TENSION

It is important to check your tension before commencing the garment.

28 sts and 36 rows to 10 cm (4 ins) over st st on 3¼mm needles.

BACK

Using 2¼mm needles cast on 58 (65, 72, 79, 86) sts.

Commencing with a K row, now work in st st throughout as follows:-

Work 8 rows, thus finishing on a wrong side row.

Change to 3¼mm needles and continue straight until Back measures 12 (14, 17, 20, 23) cm 4¾ (5½, 6½, 7¾, 9) ins from lower edge allowing first 8 rows to roll to right side, finishing on a wrong side row.

Shape armholes

Cast off 3 (4, 4, 4, 4) sts at beg of next 2 rows. 52 (57, 64, 71, 78) sts.

Dec 1 st at each end of next 3 rows, then on every following alt row until 42 (45, 50, 57, 64) sts remain.

Continue without further shaping until armholes measure 8 (10, 11, 12, 13) cm 3 (4, 4¼, 4¾, 5) ins, finishing on a wrong side row.

Shape shoulders

Cast off 4 (4, 4, 5, 5) sts at beg of next 4 rows, then 3 (3, 4, 4, 6) sts at beg of following 2 rows.

Leave remaining 20 (23, 26, 29, 32) sts on a st holder.

FRONT

Work as given for Back until 10 (10, 12, 12, 14) rows less have been worked than on Back to start of shoulder shaping, finishing on a wrong side row.

Shape neck

Next row (right side) - K15 (16, 18, 21, 24) and turn, leaving remaining sts on a st holder.

Work on this set of sts only for first side as follows:-

**** Dec 1 st at neck edge of next 4 (5, 6, 7, 8) rows. 11 (11, 12, 14, 16) sts.**

Work 1 (0, 1, 0, 1) row, thus finishing on a wrong side row. (For second side, work 1 extra row here).

Shape shoulder

Cast off 4 (4, 4, 5, 5) sts at beg of next and following alt row.

Work 1 row.

Cast off remaining 3 (3, 4, 4, 6) sts.

Return to sts left on st holder for second side and sl centre 12 (13, 14, 15, 16) sts onto another st holder for front neck.

Rejoin yarn to remaining sts with right side facing and K to end.

Complete to match first side from **, noting the bracketed exception.

SLEEVES (both alike)

Using 2¼mm needles, cast on 29 (32, 36, 39, 43) sts.

Commencing with a K row, work 8 rows in st st, thus finishing on a wrong side row.

***** Change to 3¼mm needles and commencing with a K row, continue in st st throughout as follows:-**

Inc 1 st at each end of next and every following alt (alt, alt, alt, 4th) row until there are 39 (56, 56, 49, 73) sts.

1st, 3rd and 4th sizes only

Inc 1 st at each end of every following 4th row until there are 45 (62, 67) sts.

All sizes

Continue without further shaping until Sleeve measures 11 (12, 15, 19, 23) cm 4¼ (4¾, 6, 7½, 9) ins from lower edge allowing first 8 rows to roll to right side, finishing on a wrong side row.

Shape top

Cast off 3 (4, 4, 4, 4) sts at beg of next 2 rows. 39 (48, 54, 59, 65) sts.

Dec 1 st at each end of next 8 (10, 12, 12, 14) rows.

Cast off remaining 23 (28, 30, 35, 37) sts.

MAKING UP

Back shoulder borders (both alike)

With right side facing and using 2¼mm needles, pick up and K11 (11, 12, 14, 16) sts evenly across back shoulder edge.

Knit 2 rows.

Cast off loosely knitways (on wrong side).

Left front shoulder border

With right side facing and using 2¼mm needles, pick up and K11 (11, 12, 14, 16) sts evenly across left front shoulder edge.

Knit 3 rows.

4th row (right side) - K4 (4, 4, 5, 6), yfwd, K2tog, K2 (2, 3, 4, 5), yfwd, K2tog, K1.

Knit 2 rows.

Cast off loosely knitways (on wrong side).

Right front shoulder border

Work to match left front shoulder border, making buttonholes in 4th row as follows:-

4th row (right side) - K1, K2tog, yfwd, K2 (2, 3, 4, 5), K2tog, yfwd, K4 (4, 4, 5, 6).

Front neck border

With right side facing and using 2¼mm needles, starting and ending at cast off edge of shoulder borders, pick up and K10 (10, 12, 12, 14) sts down left front slope, K across 12 (13, 14, 15, 16) sts left on front neck st holder, then pick up and K10 (10, 12, 12, 14) sts up right front slope. 32 (33, 38, 39, 44) sts.

Commencing with a purl row, work 7 rows in st st.

Cast off loosely knitways.

Back neck border

With right side facing and using 2¼mm needles, starting and ending at cast off edge of shoulder borders, pick up and K4 sts down right shoulder border, K across 20 (23, 26, 29, 32) sts left on back neck st holder, then pick up and K4 sts up left shoulder border. 28 (31, 34, 37, 40) sts.

Commencing with a purl row, work 7 rows in st st.

Cast off loosely knitways.

Join side seams by top sewing. Join sleeve seams by top sewing.

Insert Sleeves. Sew on buttons.

Press as instructions given on ball band.



3Ply Cardigan and Mittens

Design Six



Bolero

Design Seven



Angel Cardigan and Bonnet

Design Eight



Sweaters and Cardigans

Design Nine







4 ply Button Shoulder Sweater

Design Eleven

