

The best of Peter Pan

UK 60p

Baby Knits 3

including crochet



Wendy The Great Knit People

Baby Knits 3

The best
of Peter Pan

Here's everything you'll want to knit or crochet
for your baby, all together in the new
collection of patterns especially chosen
from the best of Peter Pan Darling designs.
Only our Darling is good enough
for your little darling!



CONTAINING

BRI-NYLON
Bri Nylon and ICI Roundel
are Registered Trade Marks of ICI




The best of Peter Pan its 3

you'll want to knit or crochet
baby, all together in the new
of patterns especially chosen
of Peter Pan Darling designs.
y our Darling is good enough
for your little darling!





No. T37



No. T38



No. T39 ★



No. T39 ★







No. T41



No. T42





No. T44



No. T45



No. T46 ★



No. T47



No. T48



B

Only our Da
for your little

Wer

Designed by Con
Printed by Macde







Peter Pan Baby Knits 3

Only our Darling is good enough
for your little darling!

Wendy

CONTAINING 
BRI-NYLON
Bri-Nylon and ICI Roundel
are Registered Trade Marks of ICI



★ Denotes simple designs.



The best of Peter Pan Baby Knits 3

All designs

Instructions given for first size, larger sizes given in brackets. Where only one figure is given this applies to all sizes.

Note

Use only the Peter Pan Darling yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used). Follow the instructions exactly, make certain you have the right tension. Measure without stretching to see you're working the right number of stitches as stated. Too many? — use larger needles or hook. Too few? — use finer needles or hook. Once the tension is right the size will be right.

The quantities of yarn stated are based on average requirements and are therefore approximate.

Pressing

With wrong side facing, pin out all pieces to measurements given. Press as instructions. Press all seams.

Knitting Abbreviations

K. — Knit
P. — Purl
st(s). — stitch(es)
st.st. — stocking stitch
g.st. — garter stitch
inc. — increase
dec. — decrease
rept. — repeat
alt. — alternate
beg. — beginning
tog. — together
t.b.l. — through back of loop
sl. — slip
sl.1. — slip one
p.s.s.o. — pass slip stitch over
kw. — knitwise
pw. — purlwise
y.fwd. — yarn forward
y.o.n. — yarn over needle
T.2F. — twist 2 front, knit into front of 2nd st. on left hand needle, then K. the first st., sl. both sts. off needle together
C.2F. — cable 2 front, sl. next st. onto a cable needle leave at front of work, P.1, then K.1 from cable needle
C.2B. — cable 2 back, sl. next st. onto a cable needle, leave at back of work, K.1, then P.1 from cable needle
C.3R. — cross 3 right, knit into front of 3rd st., then P. 1st and 2nd sts., sl. all sts. off needle together
C.3L. — cross 3 left, sl. next st. onto a cable needle leave at front of work, P.2, then K.1 from cable needle
C.4 — cable 4, sl. next 2 sts. onto a

cable needle, leave at back of work, K.2, then K.2 from cable needle
C.4B. — cable 4 back, sl. next 2 sts. onto a cable needle, leave at back of work, K.2, then K.2 from cable needle
C.4F. — cable 4 front, sl. next 2 sts. onto a cable needle, leave at front of work, K.2, then K.2 from cable needle
C.6F. — cross 6 front, sl. next 2 sts. onto a cable needle, leave at front of work, sl. next 2 sts. onto another cable needle, leave at back of work, K.2 then P.2 from 2nd cable needle, then K.2 from 1st cable needle
M.1 — make one, pick up loop before next st. and K. it t.b.l.
0. — No stitches or rows to be worked in that particular size
patt. — pattern
cm. — centimetres
ins. — inches

Crochet Abbreviations

ch. — chain
d.c. — double crochet
h.tr. — half treble
tr. — treble
d.tr. — double treble
st(s). — stitch(es)
sl.st. — slip stitch
picot — (1 d.c., 3 ch., 1 d.c.) all into same ch.
crab st. — crab stitch, worked as d.c. working from left to right

PETER PAN
Darling

WASHING AND PRESSING INSTRUCTIONS

Washing

Warm water,
hand or machine
wash, short
spin, do not
wring, dry flat.



Pressing

Use a dry
cloth and
cool iron.



No. T37 ROUND NECK CARDIGANS

Shades
817 Sunkissed Apricot
807 Aqua



Materials and Measurements

To Fit Chest Sizes.

46 (51, 56) cm.
18 (20, 22) ins.

Actual Measurements.

51 (56, 61) cm.
20 (22, 24) ins.

Peach Design

Peter Pan Darling Baby Quick. (20g.)
4 (5, 5) Balls.

2 - 3¼ mm. (No. 9) and 2 - 4½ mm. (No. 7) Aero
Knitting Needles.

Stitch Holder.

Buttons. 5 (6, 6)

Green Design

Peter Pan Darling D.K., Wisp or Lustre Knit.
(20g.)

4 (5, 6) Balls.

2 - 3¼mm. (No. 10) and 2 - 4mm. (No. 8) Aero
Knitting Needles.

Stitch Holder.

Buttons. 5 (6, 6)

Both Designs

Length from Back of Neck.

26.5 (29, 31) cm.
10½ (11½, 12½) ins.

Sleeve Seam.

15 (16.5, 21.5) cm.
6 (6½, 8½) ins.

PEACH DESIGN (Baby Quick)

Tension

11 sts. and 14 rows to 5 cm. (2 ins.) on 4½ mm.
(No. 7) Needles.

Back

Using 3¼ mm. (No. 9) Needles, cast on 55 (59,
65) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 cm. (1½ ins.)

finishing on a 2nd Row, inc. 1 st. at end of last

row for (51) cm. (20) inch size only.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row (Right Side) — * P.1, K.3, P.1, rept.
from * to end.

2nd Row — Purl.

3rd Row — * P.1, y.o.n., sl.1, K.2tog., p.s.s.o.,
y.r.n., P.1, rept. from * to end.

4th Row — Purl.

The last 4 rows form the patt. Continue in patt.
until work measures 17.5 (19, 20.5) cm. 7 (7½,

8) ins. from commencement finishing on a
wrong side row.

Shape Armholes

Keeping patt. correct.

Cast off 3 sts. at beg. of next 2 rows.

1st Row — P.2, sl.1, K.2tog., p.s.s.o., patt. to
last 5 sts., K.3tog., P.2.

2nd Row — Purl.

3rd Row — P.2, sl.1, K.1, p.s.s.o., patt. to last 4
sts., K.2tog., P.2.

4th Row — Purl.

Rept. the last 4 rows 1 (0,0) times more, then
the 3rd and 4th Rows only until 19 (22, 23) sts.
remain finishing on a wrong side row.

Sl. sts. onto a st. holder. Break off yarn.

Left Front

Using 3¼ mm. (No. 9) Needles, cast on 25 (27,
31) sts.

Work 4 cm. (1½ ins.) in rib as given for Back
finishing on a 2nd Row, inc. 1 st. at end of last
row for 46 (51) cm. 18 (20) inch sizes only.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row (Right Side) — * P.1, K.3, P.1, rept.
from * to last 1 (3, 1) sts., P.1, (P.1, K.2) (P.1).

2nd Row — Purl.

3rd Row — * P.1, y.o.n., sl.1, K.2tog., p.s.s.o.,
y.r.n., P.1, rept. from * to last 1 (3, 1) sts., P.1
(P.1, y.o.n., K.2tog.) (P.1).

4th Row — Purl.

Continue in patt. until Front measures same as
Back to armholes, finishing on a wrong side
row.

Shape Armhole

Keeping patt. correct.

Cast off 3 sts. at beg. of next row.

Next Row — Patt. to end.

1st Row — P.2, sl.1, K.2tog., p.s.s.o., patt. to
end.

2nd Row — Purl.

3rd Row — P.2, sl.1, K.1, p.s.s.o., patt. to end.

4th Row — Purl.

Rept. the last 4 rows 1 (0, 0) times more, then
the 3rd and 4th Rows only until 12 (13, 15) sts.
remain finishing on a right side row.

Shape Neck

**** Next Row** — Cast off 3 sts., work to end.

Continue to dec. at armhole edge as before at
the same time dec. 1 st. at neck edge on every
row until 4 (3, 4) sts. remain, then at armhole
edge only until 2 sts. remain. K.2tog. Fasten
off. **

Right Front

Using 3¼ mm. (No. 9) Needles, cast on 25 (27,
31) sts.

Work 4 cm. (1½ ins.) in rib as given for Back
finishing on a 2nd Row, inc. 1 st. at beg. of last
row for 46 (51) cm. 18 (20) inch sizes only.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row — P.1 (K.2, P.1) (P.1), * P.1, K.3, P.1,
rept. from * to end.

2nd Row — Purl.

3rd Row — P.1 (sl.1, K.1, p.s.s.o., y.r.n., P.1)
(P.1), * P.1, y.o.n., sl.1, K.2tog., p.s.s.o., y.r.n.,
P.1, rept. from * to end.

4th Row — Purl.

The last 4 rows form the patt.

Continue in patt. until Front measures same as
Back to armholes finishing on a right side row.

Shape Armhole

Next Row — Cast off 3 sts., P. to end.

1st Row — Patt. to last 5 sts., K.3tog., P.2.

2nd Row — Purl.

3rd Row — Patt. to last 4 sts., K.2tog., P.2.

4th Row — Purl.

Rept. the last 4 rows 1 (0, 0) times more, then
the 3rd and 4th Rows only until 12 (13, 15) sts.
remain finishing on a wrong side row.

Shape Neck

Work from ** to ** of Left Front.

Sleeves (Both Alike)

Using 3¼ mm. (No. 9) Needles, cast on 27 (29,
31) sts.

Work 4 (4, 5) cm. 1½ (1½, 2) ins. in rib as given
for Back, inc. 1 st. at end of last row for (51, 56)
cm. (20, 22) inch sizes only.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row — P.1 (0, 1), * P.1, K.3, P.1, rept. from
* to last 1 (0, 1) sts., P.1 (0, 1).

2nd Row — Purl.

3rd Row — P.1 (0, 1), * P.1, y.o.n., sl.1,
K.2tog., p.s.s.o., y.r.n., P.1, rept. from * to last 1
(0, 1) sts., P.1 (0, 1).

4th Row — Purl.

Continue in patt., inc. 1 st. at each end of the
needle on the next and every following 4th (4th,
6th) rows until 37 (40, 42) sts. are on the
needle.

Continue without further inc. until sleeve
measures 15 (16.5, 21.5) cm. 6 (6½, 8½) ins.
from commencement finishing on same patt.
row as Back to armholes.

Shape Top

Cast off 3 sts. at beg. of next 2 rows.

1st Row — P.2, patt. to last 2 sts., P.2.

2nd Row — Purl.

3rd Row — P.2, sl.1, K.1, p.s.s.o., patt. to last 4
sts., K.2tog., P.2.

4th Row — Purl.

Rept. the last 4 rows 0 (1, 0) times more, then
the 3rd and 4th Rows only until 7 (8, 8) sts.
remain finishing on a wrong side row.

Sl. sts. onto a safety pin. Break off yarn.

GREEN DESIGN (D.K.)

Tension

12 sts. and 16 rows to 5 cm. (2 ins.) over st.st.
on 4 mm. (No. 8) Needles.

Back

Using 3¼ mm. (No. 10) Needles, cast on 61
(67, 73) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 (4, 5) cm. 1½ (1½, 2)
ins. finishing on a 2nd Row.

Change to 4 mm. (No. 8) Needles and st.st. (1
row knit, 1 row purl).

Continue in st.st. until work measures 17.5 (19,
20.5) cm. 7 (7½, 8) ins. from commencement
finishing on a P. row.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.

1st Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3
sts., K.2tog., K.1.

2nd Row — P.1, P.2tog., P. to last 3 sts.,
P.2tog.t.b.l., P.1.

Rept. the last 2 rows until 41 (47, 57) sts.
remain.

Next Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3
sts., K.2tog., K.1.

Next Row — Purl.

Rept. the last 2 rows until 21 (23, 27) sts.
remain finishing on a P. row.

Sl. sts. onto a st. holder. Break off yarn.

Left Front

Using 3¼ mm. (No. 10) Needles, cast on 35
(37, 41) sts.

Work 4 rows in rib as given for Back.

If required for a **Boy** work a buttonhole on the
next 2 rows as follows:—

Next Row — Rib to last 4 sts., cast off 1, rib to
end.

Next Row — Rib 3, cast on 1, rib to end.

Continue in rib until work measures 4 (4, 5) cm.
1½ (1½, 2) ins. from commencement finishing
on a 1st Row.

Next Row — Rib 7, sl. these sts. onto a safety
pin, rib to end.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row (Right Side) — K.19 (21, 25), P.2, K.4,
P.2, K.1.

2nd Row — K.3, P.4, K.2, P. to end.
3rd Row — K.19 (21, 25), P.2, C.4F., P.2, K.1.
4th Row — As 2nd Row.
 These 4 rows form the patt.
 Continue in patt. until Front measures same as Back to armholes finishing on a wrong side row.

Shape Armhole

Next Row — Cast off 4, patt. to end.
 Work 1 row.
Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to end.
Next Row — Patt. to last 3 sts., P.2tog.t.b.l., P.1.
 Rept. the last 2 rows until 18 (20, 26) sts. remain.
Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to end.
Next Row — Patt. to end.
 Rept. the last 2 rows until 13 (14, 17) sts. remain finishing on a right side row.

Shape Neck

Next Row — Cast off 2 (2, 3) sts., patt. to end.
 ** Continue to dec. at armhole edge as before at the same time dec. 1 st. at neck edge on every row until 5 (6, 5) sts. remain.
 Continue to dec. at armhole edge only until 2 sts. remain. K.2tog. Fasten off. **

Right Front

Using 3¼ mm. (No. 10) Needles, cast on 35 (37, 41) sts.
 Work 4 rows in rib as given for Back.
 If required for a Girl work a buttonhole on the next 2 rows as follows:—
Next Row — Rib 3, cast off 1, rib to end.
Next Row — Rib to cast off st., cast on 1, rib to end.
 Continue in rib until work measures 4 (4, 5) cm. 1½ (1½, 2) ins. from commencement finishing on a 1st Row.
Next Row — Rib to last 7 sts., sl. these sts. onto a safety pin, turn.
 Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row (Right Side) — K.1, P.2, K.4, P.2, K. to end.
2nd Row — P.19 (21, 25), K.2, P.4, K.3.
3rd Row — K.1, P.2, C.4B., P.2, K. to end.
4th Row — As 2nd Row.
 These 4 rows form the patt.
 Continue in patt. until Front measures same as Back to armholes finishing on a right side row.

Shape Armhole

Next Row — Cast off 4 sts., patt. to end.
Next Row — Patt. to last 3 sts., K.2tog., K.1.
Next Row — P.1, P.2tog., patt. to end.
 Rept. the last 2 rows until 18 (20, 26) sts. remain.
Next Row — Patt. to last 3 sts., K.2tog., K.1.
Next Row — Patt. to end.
 Rept. the last 2 rows until 13 (14, 17) sts. remain finishing in a wrong side row.

Shape Neck

Next Row — Cast off 2 (2, 3) sts., patt. to last 3 sts., K.2tog., K.1.
 Work from ** to ** of Left Front.

Sleeves (Both Alike)

Using 3¼ mm. (No. 10) Needles, cast on 33 (35, 37) sts.
 Work 4 (4, 5) cm. 1½ (1½, 2) ins. in rib as given for Back finishing on a 2nd Row.
 Change to 4 mm. (No. 8) Needles and st.st.
 Continue in st.st., inc. 1 st. at each end of the needle on the 5th and every following 6th (6th, 8th) row until 41 (45, 49) sts. are on the needle.
 Continue without further inc. until sleeve measures 15 (16.5, 21.5) cm. 6 (6½, 8½) ins. from commencement finishing on a P. row.

Shape Top

Cast off 4 sts. at beg. of next 2 rows.
Next Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.
Next Row — Purl.

Rept. the last 2 rows until 7 sts. remain, finishing on a P. row.
 Sl. sts. onto a safety pin. Break off yarn.

MAKING UP

Both Designs

Pin sleeves into position, sew in by backstitching.

Peach Design

Left Front Band

Using 3¾ mm. (No. 9) Needles, cast on 5 sts.
 Work in g.st. (every row knit, first row is right side) until band is long enough when slightly stretched to fit up left front to commencement of neck shaping, finishing on a wrong side row.
 Break off yarn. Sl. sts. onto a safety pin.
 Mark positions for buttons on left front band, the first one 1 cm. (½ inch) from lower edge, allow for one in neckband and 3 (4, 4) more equally spaced between.

Right Front Band

Work as instructions given for left front band working buttonholes to correspond with positions marked for buttons as follows:—
Buttonhole Row — K.2, cast off 1, K. to end.
Next Row — K.2, cast on 1, K. to end.
 Finish on a wrong side row. Do not break off yarn.

Neckband

Using 3¾ mm. (No. 9) Needles, K. across 5 sts. of right front band, pick up and K.9 (9, 10) sts. up right front neck, K.7 (8, 8) sts. from sleeve top, 19 (22, 23) sts. from back neck, 7 (8, 8) sts. from sleeve top, pick up and K.9 (10, 10) sts. down left front neck, K.5 sts. from left front band. 61 (67, 69) sts.
Next Row — K.5, rib to last 5 sts., K.5.
 Rept. the last row 4 times more, working buttonhole as before on the 1st and 2nd Rows.
 Cast off in rib.

Green Design

Button Band

Sl. sts. from safety pin onto a 3¼ mm. (No. 10) Needle. Continue in rib until band is long enough when slightly stretched to fit up front to neck shaping finishing on a 2nd Row.
 Mark positions for buttons on button band, the first one to correspond with buttonhole already worked, allow for 1 in the neckband and 3 (4, 4) more equally spaced between.
 Sl. sts. onto a safety pin.

Buttonhole Band

Work as instructions given for button band working buttonholes as before to correspond with positions marked for buttons finishing on a 2nd Row.

Neckband


With right side facing, using 3¼ mm. (No. 10) Needles, rib 7 sts. from right front band, pick up and K.10 (12, 13) sts. up right front neck, K.7 sts. from sleeve top, 21 (23, 27) sts. from back neck, 7 sts. from sleeve top, pick up and K.10 (12, 13) sts. down left front neck and rib across 7 sts. on left front band. 69 (75, 81) sts.
 Commencing on a 2nd Row, work 7 rows in rib as given for back working a buttonhole on the 4th and 5th rows.
 Cast off in rib.

Both Designs

Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.
 Pin bands into position, sew on by top sewing.
 Sew on buttons.

No. T38 CROCHET ANGEL TOP

Shade
801 Pink



Materials and Measurements

To Fit Chest Sizes.

46 (51) cm.
18 (20) ins.

Peter Pan Darling 4 Ply. (20g.)
4 (4) Balls.

2.5 mm. and 3 mm. Aero Crochet Hooks for 46 cm. (18 ins.) size only.
3 mm. and 3.5 mm. Aero Crochet Hooks for 51 cm. (20 ins.) size only.
6 Buttons.

Length from Back of Neck.
28 (31) cm.
11 (12¼) ins.

Sleeve Seam.
15 (16.5) cm.
6 (6½) ins.

Tension

23 tr. to 10 cm. (4 ins.) on 3 mm. hook for 46 cm. (18 ins.) size only.
22 tr. to 10 cm. (4 ins.) on 3.5 mm. hook for 51 cm. (20 ins.) size only.

Commence at neck edge

Using 3 mm. hook (3.5 mm. for 51 cm. 20 ins. size) make 58 ch.

Foundation Row — 1 tr. into 4th ch. from hook, 1 tr. into each ch. to end, turn. (56 sts.)

1st Row — 3 ch., 1 tr. into each of next 2 tr., 3 tr. into next tr., * 1 tr. into each of next 6 tr., 3 tr. into next tr., rept. from * to last 3 sts., 1 tr. into each of next 2 tr., 1 tr. into top of turning ch., turn. (72 sts.)

2nd Row — 3 ch., 1 tr. into each of next 3 tr., 3 tr. into next tr., * 1 tr. into each of next 8 tr., 3 tr. into next tr., rept. from * to last 4 sts., 1 tr. into each of next 3 tr., 1 tr. into top of turning ch., turn. (88 sts.)

3rd Row — 3 ch., 1 tr. into each of next 4 tr., 3 tr. into next tr., * 1 tr. into each of next 10 tr., 3 tr. into next tr., rept. from * to last 5 sts., 1 tr. into each of next 4 tr., 1 tr. into top of turning ch., turn. (104 sts.)

4th Row — 3 ch., 1 tr. into each of next 5 tr., 3 tr. into next tr., * 1 tr. into each of next 12 tr., 3 tr. into next tr., rept. from * to last 6 sts., 1 tr. into each of next 5 tr., 1 tr. into top of turning ch., turn. (120 sts.)

5th Row — 3 ch., 1 tr. into each of next 6 tr., 3 tr. into next tr., * 1 tr. into each of next 14 tr., 3 tr. into next tr., rept. from * to last 7 sts., 1 tr. into

each of next 6 tr., 1 tr. into turning ch., turn. (136 sts.)

6th Row — 5 ch., miss 2 tr., 1 d.c. into next tr., * 3 ch., miss 2 tr., 1 d.c. into next tr., rept. from * to last 3 sts., 5 ch., miss 2 tr., 1 d.c. into top of turning ch., turn.

Commence Patt.

1st Row — 5 ch., 1 picot into centre ch. of 5 ch. loop, * 5 ch., 1 picot into centre ch. of 3 ch. loop, rept. from * to last 5 ch. loop, 5 ch., 1 d.c. into 3rd of 5 ch. loop, turn.

2nd Row — * 5 ch., 1 picot into centre ch. of 5 ch. loop, rept. from * to last 5 ch. loop, 5 ch., 1 d.c. into 3rd of 5 ch. loop, turn.

The 2nd Row forms the patt.

Continue in patt. Work 3 more rows.

Divide for Armholes

Next Row — * 5 ch., 1 picot into centre ch. of 5 ch. loop, * rept. from * to * 6 times more, 9 ch., miss 9 picots for sleeve, 1 picot into centre ch. of next 5 ch. loop, rept. from * to * 13 times, 9 ch., miss 9 picots for 2nd sleeve, work 1 picot into centre ch. of next 5 ch. loop, rept. from * to * to last 5 ch. loop, 1 d.c. into 3rd of 5 ch., turn.

Next Row — * 5 ch., 1 picot into centre ch. of 5 ch. loop, * rept. from * to * 6 times more, 5 ch., working across 9 ch. at underarm work 1 picot into 3rd ch., 5 ch., miss 3 ch., 1 picot into next ch., rept. from * to * 13 times, 5 ch., working across 9 ch. at underarm work 1 picot into 3rd ch., 5 ch., miss 3 ch., 1 picot into next ch., rept. from * to * to last 5 ch. loop, 1 d.c. into 3rd of 5 ch. loop, turn.

Continue in patt. until work measures 26 (29) cm. 10¼ (11½) ins. from commencement. Fasten off.

Sleeves (Both Alike)

With wrong side of work facing, rejoin yarn to centre of 9 ch. at underarm, 5 ch., miss 3 ch., work 1 picot into next ch., * 5 ch., 1 picot into centre ch. of next 5 ch. loop, rept. from * 7 times more, 5 ch., 1 picot into next ch. from underarm, 5 ch., miss 3 ch., 1 d.c. into centre ch. of 9 ch. at underarm, turn.

Next Row — * 5 ch., 1 picot into centre ch. of 5 ch. loop, rept. from * 9 times more, 5 ch., 1 d.c. into 3rd of 5 ch. loop, turn.

Rept. the last row until sleeve measures 15 (16.5) cm. 6 (6½) ins. from underarm finishing on a right side row.

Next Row — 2 ch., * 1 d.c. into 2nd ch. of 5 ch. loop, miss 1 ch., 1 d.c. into 4th ch. of 5 ch. loop, rept. from * to end, turn.

Work 2 rows d.c. working 1 d.c. into each d.c. and turning each row with 1 ch.

Edging — * 5 ch., 1 d.c. into first of 5 ch. worked, miss 1 d.c., 1 d.c. into next d.c., rept. from * to end. Fasten off.

MAKING UP

Join sleeve seams by top sewing.

Left Back Edging

With right side of work facing, using 2.5 mm. hook (3 mm. for 51 cm. 20 inch size), commencing at lower edge, rejoin yarn, work 1 row of d.c. evenly along left back opening to neck edge, turn.

Mark positions for buttonloops on left back, the first one at top of neck, the last one 4 cm. (1½ ins.) from lower edge and 4 more equally spaced between, allowing 2 d.c. for each buttonloop.

Work 1 more row in d.c. working buttonloops to correspond with positions marked as follows:—

3 ch., miss 2 d.c.
Fasten off.

Right Back Edging

With right side of work facing, using 2.5 mm. hook (3 mm. for 51 cm. 20 inch size), rejoin yarn at neck edge. Work 2 rows d.c. evenly along back opening, turning each row with 1 ch. Fasten off.

Neck Edging

With right side of work facing, using 2.5 mm. hook (3 mm. for 51 cm. 20 inch size), rejoin yarn at neck edge, * 5 ch., 1 d.c. into first of 5 ch. worked, miss 1 tr., 1 d.c. into next tr., rept. from * to end. Fasten off.

Lower Edge

With right side of work facing, using 2.5 mm. hook (3 mm. for 51 cm. 20 inch size), rejoin yarn. Work 2 rows d.c. evenly along lower edge, turn with 1 ch.

Work 1 row of edging as given for sleeves. Fasten off.

Sew on buttons to correspond with buttonloops.

No. T39 ★ BONNET AND HATS

Shades
801 Pink
802 Blue
810 Cream



Materials and Measurements

Pink Bonnet

Peter Pan Darling D.K., Wisp or Lustre Knit. (20g.)

1 (2) Balls.

2 - 4 mm. (No. 8) and 2 - 3¼ mm. (No. 10) Aero Knitting Needles.
Ribbon.

Measurements round face.
28 (30.5) cm.
11 (12) ins.

Blue Hat

Peter Pan Darling D.K., Wisp or Lustre Knit. (20g.)

2 (3) Balls.

2 - 4 mm. (No. 8) and 2 - 3¼ mm. (No. 10) Aero Knitting Needles.
Cable Needle.

Measurements round head.
34.5 (37) cm.
13½ (14½) ins.

Cream Hat

Peter Pan Darling Chunky. (40g.)

2 (2) Balls.

2 - 7 mm. (No. 2) Aero Knitting Needles.

Measurements round head.
35.5 (38) cm.
14 (15) ins.

PINK BONNET (D.K.)

Tension

16 sts. and 12 rows to 5 cm. (2 ins.) over patt. on 4 mm. (No. 8) Needles.

Using 4 mm. (No. 8) Needles, cast on 90 (98) sts.

Next Row — K.2, * P.1, K.1, rept. from * to end.

Next Row — K.1, * (K.1, y.fwd., K.1) all into next st., P.3tog., rept. from * to last st., K.1.

Commence Patt.

1st Row (Right Side) — K.1, * P.1, K.3, rept. from * to last st., K.1.

2nd Row — K.1, * P.3tog., (K.1, y.fwd., K.1) all into next st., rept. from * to last st., K.1.

3rd Row — K.4, P.1, * K.3, P.1, rept. from * to last st., K.1.

4th Row — K.1, * (K.1, y.fwd., K.1) all into next st., P.3tog., rept. from * to last st., K.1.

These 4 rows form the patt.

Continue in patt. until work measures 11.5 (12.5) cm. 4½ (5) ins. from commencement finishing on a wrong side row.

Shape Crown

Change to g.st. (every row knit).

1st Row — K.4, sl.1, K.1, p.s.s.o., * K.8 (9), sl.1, K.1, p.s.s.o., rept. from * to last 4 sts., K.4. 81 (89) sts.

Knit 3 rows.

5th Row — K.3, sl.1, K.2tog., p.s.s.o., * K.6 (7), sl.1, K.2tog., p.s.s.o., rept. from * to last 3 sts., K.3. 63 (71) sts.

Knit 3 rows.

9th Row — K.2, sl.1, K.2tog., p.s.s.o., * K.4 (5), sl.1, K.2tog., p.s.s.o., rept. from * to last 2 sts., K.2. 45 (53) sts.

Knit 3 rows.

13th Row — K.1, sl.1, K.2tog., p.s.s.o., * K.2 (3), sl.1, K.2tog., p.s.s.o., rept. from * to last st., K.1. 27 (35) sts.

Knit 3 rows.

17th Row — Sl.1, K.2tog., p.s.s.o., * K.0 (1), sl.1, K.2tog., p.s.s.o., rept. from * to end. 9 (17) sts.

2nd size only

18th Row — K.1, * K.2tog., rept. from * to end. (9) sts.

Both Sizes

Break off yarn leaving enough to thread through remaining sts. Draw up tight and fasten off.

BLUE HAT (D.K.)

Tension

14 sts. and 16 rows to 5 cm. (2 ins.) over patt. on 4 mm. (No. 8) Needles.

Using 3¼ mm. (No. 10) Needles, cast on 95 (101) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows for 5 cm. (2 ins.) finishing on a 1st Row, inc. 1 st. at end of last row.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row (Right Side) — * K.10 (11) sts., (C.3R., C.3L.) twice, K.10 (11), rept. from * to end.

2nd Row — * P.10 (11) sts., (P.1, K.4, P.1) twice, P.10 (11), rept. from * to end.

3rd Row — * K.10 (11) sts., (K.1, P.4, K.1) twice, K.10 (11), rept. from * to end.

4th Row — As 2nd Row.

5th Row — * K.10 (11) sts., (C.3L., C.3R.) twice, K.10 (11), rept. from * to end.

6th Row — * P.10 (11) sts., (K.2, P.2, K.2) twice, P.10 (11), rept. from * to end.

7th Row — * K.10 (11) sts., (P.2, K.2, P.2) twice, K.10 (11), rept. from * to end.

8th Row — As 6th Row.

The last 8 rows form the patt.

Continue in patt. until work measures 15 (16.5) cm. 6 (6½) ins. from commencement finishing on a wrong side row.

Shape Top

1st Row — * K.8 (9), K.2tog., patt. 12, sl.1, K.1, p.s.s.o., K.8 (9), rept. from * to end. 90 (96) sts.

2nd Row — * P.7 (8), P.2tog.t.b.l., patt. 12, P.2tog., P.7 (8), rept. from * to end. 84 (90) sts.

3rd Row — * K.6 (7), K.2tog., patt. 12, sl.1, K.1, p.s.s.o., K.6 (7), rept. from * to end. 78 (84) sts.

4th Row — * P.7 (8), patt. 12, P.7 (8), rept. from * to end.

5th Row — * K.5 (6), K.2tog., patt. 12, sl.1, K.1, p.s.s.o., K.5 (6), rept. from * to end. 72 (78) sts.

6th Row — * P.4 (5), P.2tog.t.b.l., patt. 12, P.2tog., P.4 (5), rept. from * to end. 66 (72) sts.

7th Row — * K.3 (4), K.2tog., patt. 12, sl.1, K.1, p.s.s.o., K.3 (4), rept. from * to end. 60 (66) sts.

8th Row — * P.4 (5), patt. 12, P.4 (5), rept. from * to end.

Continue to dec. in this manner until 2 sts.

remain between each patt. panel. 42 sts.

Next Row — K.2tog. all along the row. 21 sts. Break off yarn leaving enough to thread through remaining sts., draw up tight and fasten off.

Ear Flaps (Make 2)

Using 4 mm. (No. 8) Needles, cast on 15 (17) sts.

1st Row (Wrong Side) — K.2, P.11 (13), K.2.

2nd Row — K.2, sl.1, K.1, p.s.s.o., K. to last 4 sts., K.2tog., K.2.

3rd Row — K.2, P. to the last 2 sts., K.2.

4th Row — Knit.

5th Row — As 3rd Row.

Rept. the last 4 rows until 7 sts. remain.

Next Row — K.2, sl.1, K.2tog., p.s.s.o., K.2. Continue in g.st. (every row knit) for 22 cm. (8½ ins.) from last dec. row.

Cast off.

CREAM HAT (Chunky)

Tension

13 sts. and 18 rows to 10 cm. (4 ins.) over patt. on 7 mm. (No. 2) Needles.

Using 7 mm. (No. 2) Needles, cast on 45 (49) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. last 2 rows for 5 cm. (2 ins.) finishing on a 1st Row, dec. 1 st. at end of last row. 44 (48) sts.

Commence Patt.

1st Row — * K.1, P.1, rept. from * to end.

2nd Row — * P.1, K.1, rept. from * to end.

These 2 rows form the moss st. patt.

Continue in patt. until work measures 18 (19) cm. 7 (7½) ins. from commencement finishing on a 2nd Row.

Shape Top

Next Row — * K.2tog., P.2tog., rept. from * to end. 22 (24) sts.

Next Row — * P.1, K.1, rept. from * to end.

Next Row — * K.1, P.1, rept. from * to end.

Next Row — * K.2tog., P.2tog., rept. from * to last 2 (0) sts., K.2tog. (K.0). 11 (12) sts.

Break off yarn leaving enough to thread through remaining sts. Draw up tight and fasten off.

Ear Flaps (Make 2)

Using 7 mm. (No. 2) Needles, cast on 9 sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — K.2, * P.1, K.1, rept. from * to last st. K.1.

Work 8 more rows in rib.

Dec. 1 st. at each end of the needle on the next and following 6th row.

Continue without further dec. until work measures 23 cm. (9 ins.) from commencement.

Cast off in rib.

MAKING UP

Pink Bonnet

Join crown by top sewing.

Neckband

With right side facing, using 3¼ mm. (No. 10) Needles, pick up and K.59 (69) sts. evenly round neck edge.

Next Row — P.1, * K.1, P.1, rept. from * to end.

Cast off in rib.

Sew ribbon to each side of bonnet.

Blue Hat

Join back seam by top sewing, reverse seam 5 cm. (2 ins.) from lower edge to form brim, sl.st. ear flaps into position.

Make pompon and sew to top.

Cream Hat


Join seam by top sewing reverse seam for turnback.

Sew on earflaps.

Make a tassel and attach to crown.

No. T40 ★ CHILD'S SUIT

Shade
328 Green Raindrop



Materials and Measurements

To Fit Chest Sizes.

46 (51, 56) cm.

18 (20, 22) ins.

Actual Measurements.

51 (56, 61) cm.

20 (22, 24) ins.

Peter Pan Darling D.K., Wisp or Lustre Knit. (20g.)

Sweater

4 (5, 6) Balls.

Pants

3 (3, 4) Balls.

2 - 3¼ mm. (No. 10) and 2 - 4 mm. (No. 8) Aero Knitting Needles.

Stitch Holders.

3 Buttons for Sweater.

Elastic for Pants.

Sweater

Length from Back of Neck.

24 (26.5, 31.5) cm.

9½ (10½, 12½) ins.

Sleeve Seam.

15 (16.5, 23) cm.

6 (6½, 9) ins.

Pants

Side Seam.

15 (17.5, 20.5) cm.

6 (7, 8) ins.

Tension

12 sts. and 16 rows to 5 cm. (2 ins.) over st.st. on 4 mm. (No. 8) Needles.

SWEATER

Back

Using 3¼ mm. (No. 10) Needles, cast on 61 (67, 73) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 cm. (1½ ins.) finishing on a 2nd Row.

Change to 4 mm. (No. 8) Needles and st.st. (1 row knit, 1 row purl).

Continue in st.st. until work measures 15 (16.5, 20.5) cm. 6 (6½, 8) ins. from commencement finishing on a P. row.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — P.3, P.2tog., P. to last 5 sts., P.2tog.t.b.l., P.3.

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — Purl.

Rept. the last 2 rows until 35 (37, 39) sts. remain finishing on a P. row.

Divide for back opening

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.15 (16, 17), turn.

Continue on the last set of sts. as follows:—

Next Row — K.5, P. to end.

1st Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to end.

2nd Row — K.5, P. to end.

3rd Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 3 sts., y.fwd., K.2tog., K.1.

4th Row — As 2nd Row.

Rept. the 1st and 2nd Rows once.

Next Row — As 3rd Row.

Next Row — As 2nd Row.

Rept. the 1st and 2nd Rows once. 14 (15, 16) sts.

Sl. sts. onto a st. holder. Break off yarn.

Using 4 mm. (No. 8) Needles, cast on 5 sts., commencing at back opening K.10 (11, 12), K.2tog., y.fwd., K.1, K.2tog.

Next Row — P. to last 5 sts., K.5.

Keeping 5 sts. in g.st. for back opening continue to dec. at armhole edge on every alt. row until 14 (15, 16) sts. remain finishing on a P. row.

Sl. sts. onto a st. holder. Break off yarn.

Front

Work as instructions given for Back to armholes.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — P.3, P.2tog., P. to last 5 sts., P.2tog.t.b.l., P.3.

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — Purl.

Rept. the last 2 rows until 35 (39, 43) sts. remain finishing on a K. row.

Shape Neck

Next Row — P.22 (25, 28), sl. the last 9 (11, 13) sts. just worked onto a safety pin, P. to end.

Continue on the last set of sts. as follows:—

Continue to dec. at armhole edge as before at the same time dec. 1 st. at neck edge on every row until 5 (6, 7) sts. remain, then at armhole edge only until 4 sts. remain finishing on a P. row.

Next Row — K.2tog., K.2.

Next Row — Purl.

Next Row — K.2tog., K.1.

Next Row — Purl.

K.2tog. Fasten off.

With right side facing rejoin yarn at neck edge. Work to correspond with other side reversing all shapings.

Sleeves (Both Alike)

Using 3¼ mm. (No. 10) Needles, cast on 33 (35, 37) sts.

Work 4 cm. (1½ ins.) in rib as given for Back finishing on a 2nd Row.

Change to 4 mm. (No. 8) Needles and st.st.

Inc. 1 st. at each end of the needle on the 3rd (3rd, 5th) row and every following 6th (6th, 8th) row until 43 (47, 49) sts. are on the needle. Continue without further inc. until sleeve measures 15 (16.5, 23) cm. 6 (6½, 9) ins. from commencement finishing on a P. row.

Shape Top

Cast off 4 sts. at beg. of next 2 rows.

46 (51) cm. 18 (20) inch sizes only

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1,

p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — P.3, P.2tog., P. to last 5 sts., P.2tog.t.b.l., P.3.

All Sizes

Next Row — K.2tog., K.1, y.fwd., sl.1, K.1, p.s.s.o., K. to last 5 sts., K.2tog., y.fwd., K.1, K.2tog.

Next Row — Purl.

Rept. the last 2 rows until 9 sts. remain finishing on a P. row.

Next Row — K.2tog., y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2tog., y.fwd., K.2tog.

Next Row — Purl.

Next Row — K.2tog., y.fwd., sl.1, K.2tog., p.s.s.o., y.fwd., K.2tog.

Next Row — Purl.

Sl. remaining 5 sts. onto a safety pin. Break off yarn.

PANTS

Back (Commence at crotch)

Using 4 mm. (No. 8) Needles, cast on 17 (19, 21) sts.

Work 4 rows st.st. (1 row knit, 1 row purl).

Continue in st.st. cast on 2 sts. at beg. of every row until 61 (67, 73) sts. are on the needle.

Continue without further shaping until side edge measures 12.5 (15, 17.5) cm. 5 (6, 7) ins. finishing on a P. row.

Shape Back

Next Row — K. to last 6 sts., turn.

Next Row — Sl.1, P. to last 6 sts., turn.

Next Row — Sl.1, K. to last 12 sts., turn.

Next Row — Sl.1, P. to last 12 sts., turn.

Next Row — Sl.1, K. to last 21 sts., turn.

Next Row — Sl.1, P. to last 21 sts., turn.

Next Row — Sl.1, K. to end.

Next Row — P. across all sts.

Change to 3¼ mm. (No. 10) Needles.

Work 5 cm. (2 ins.) in rib as given for Sweater.

Cast off in rib.

Front

Using 4 mm. (No. 8) Needles, cast on 17 (19, 21) sts.

Work 12 rows st.st.

Continue in st.st. cast on 2 sts. at beg. of every row until 41 (47, 53) sts. are on the needle, then 10 sts. at beg. of next 2 rows. 61 (67, 73) sts.

Continue without further shaping until side edge measures 12.5 (15, 17.5) cm. 5 (6, 7) ins. finishing on a P. row.

Change to 3¼ mm. (No. 10) Needles.

Work 5 cm. (2 ins.) in rib as given for Sweater.

Cast off in rib.

MAKING UP

Sweater

Pin sleeves into position, sew in by backstitching.

Neckband

With right side facing, using 3¼ mm. (No. 10) Needles, K.14 (15, 16) sts. from left back neck, 5 sts. from sleeve top, pick up and K.11 (13, 15) sts. down left front neck, K.9 (11, 13) sts. from front neck, pick up and K.11 (13, 15) sts. up right front neck, K.5 sts. from sleeve top and 14 (15, 16) sts. from right back neck. 69 (77, 85) sts.

Next Row — K.6, * P.1, K.1, rept. from * to last 5 sts., K.5.

Next Row — K.5, rib to last 5 sts., K.2, y.fwd., K.2tog., K.1.

Keeping 5 sts. in g.st. on back opening, work 3 rows in rib. Cast off in rib.

Sew on buttons.

Sl. st. cast on sts. of back opening to wrong side of work.

Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.

Pants

Join crotch seam by backstitching.

Leg Bands (Both Alike)

With right side facing, using 3¼ mm. (No. 10) Needles, pick up and K.63 (69, 75) sts. evenly round leg.

Commencing on a 2nd Row, work 3 cm. (1½ ins.) in rib as given for Sweater.

Cast off in rib.

Join side seams by backstitching omitting rib, join rib by top sewing.

Fold waist band and leg bands in half onto wrong side, sl. st. into position.

Insert elastic into waist and leg bands as required, join ends.

No. T41 POLO AND ROUND NECK SWEATERS

Shades
810 Cream
819 Lagoon



Materials and Measurements

To Fit Chest Sizes.

46 (51, 56) cm.
18 (20, 22) ins.

Actual Measurements.

51 (56, 61) cm.
20 (22, 24) ins.

Peter Pan Darling Baby Quick. (20g.)

Polo Collar Design

4 (5, 6) Balls.

Round Neck Design

4 (4, 5) Balls.

2 - 3¼ mm. (No. 9) and 2 - 4½ mm. (No. 7) Aero

Knitting Needles.

Cable Needles.

Stitch Holders.

Both Designs

Length from Back of Neck.

24 (28, 31.5) cm.
9½ (11, 12½) ins.

Sleeve Seam.

15 (16.5, 23) cm.
6 (6½, 9) ins.

Tension

11 sts. and 14 rows to 5 cm. (2 ins.) over st.st.
on 4½ mm. (No. 7) Needles.

BOTH DESIGNS

Back

Using 3¾ mm. (No. 9) Needles, cast on 55 (61, 67) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.
Rept. the last 2 rows 6 times more.

Change to 4½ mm. (No. 7) Needles and st.st.
(1 row knit, 1 row purl).

Continue in st.st. until work measures 14 (16.5, 17.5) cm. 5½ (6½, 7) ins. from commencement
finishing on a P. row.

Shape Armholes

Cast off 3 (4, 4) sts. at beg. of next 2 rows.

1st Row — K.1, sl.1, K.2tog., p.s.s.o., K. to last
4 sts., K.3tog., K.1.

2nd Row — Purl.

3rd Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3
sts., K.2tog., K.1.

4th Row — Purl.

Rept. the last 4 rows 1 (0, 0) times more, then
the 3rd and 4th Rows only until 19 (21, 23) sts.

remain finishing on a P. row.

Sl. sts. onto a st. holder. Break off yarn.

Front

Using 3¾ mm. (No. 9) Needles, cast on 55 (61, 67) sts.

Work 13 rows in rib as given for Back.

Next Row — Rib 18 (21, 24) sts., (inc. in next
st., rib 2) 6 times, inc. in next st., rib 18 (21, 24).
62 (68, 74) sts.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row (Right Side) — K.18 (21, 24) sts., (P.2,
T.2F.) 6 times, P.2, K.18 (21, 24).

2nd and Alt. Rows — P.18 (21, 24) sts., (K.2,
P.2) 6 times, K.2, P.18 (21, 24).

3rd Row — As 1st Row.

5th Row — K.18 (21, 24), P.2, C.6F., (P.2,
T.2F.) twice, P.2, C.6F., P.2, K.18 (21, 24).

7th and 9th Rows — As 1st Row.

11th Row — K.18 (21, 24) sts., (P.2, T.2F.)
twice, P.2, C.6F., (P.2, T.2F.) twice, P.2, K.18
(21, 24).

12th Row — P.18 (21, 24) sts., (K.2, P.2) 6
times, K.2, P.18 (21, 24).

These 12 rows form the patt.

Continue in patt. until work measures 14 (16.5,
17.5) cm. 5½ (6½, 7) ins. from commencement
finishing on a wrong side row.

Shape Armholes

Cast off 3 (4, 4) sts. at beg. of next 2 rows.

1st Row — K.1, sl.1, K.2tog., p.s.s.o., patt. to
last 4 sts., K.3tog., K.1.

2nd Row — Patt. to end.

3rd Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3
sts., K.2tog., K.1.

4th Row — Patt. to end.

Rept. the last 4 rows 1 (0, 0) times more, then
the 3rd and 4th Rows only until 36 (38, 44) sts.
remain finishing on a right side row.

Shape Neck

Next Row — Patt. 25 (26, 30), sl. the last 14
(14, 16) sts. just worked onto a st. holder, patt.
to end.

Continue on the last set of sts. as follows:—

** Continue to dec. at armhole edge as before
at the same time dec. 1 st. at neck edge on
every row until 5 (4, 5) sts. remain, then at
armhole edge only until 2 sts. remain. K.2tog.
Fasten off. **

With right side facing rejoin yarn to remaining
sts., work from ** to ** of other side.

Sleeves (Both Alike)

Using 3¾ mm. (No. 9) Needles, cast on 29 (31,
33) sts.

Work 4 (4, 5) cm. 1½ (1½, 2) ins. in rib as given
for Back finishing on a 1st Row.

Next Row (Inc. Row) — Inc. in first st., rib 10
(11, 12) sts., (inc. in next st., rib 2) twice, inc. in
next st., rib 10 (11, 12) sts., inc. in last st. 34 (36,
38) sts.

Change to 4½ mm. (No. 7) Needles.

Commence Patt.

1st Row (Right Side) — K.12 (13, 14) sts., (P.2,
T.2F.) twice, P.2, K.12 (13, 14).

2nd Row — P.12 (13, 14) sts., (K.2, P.2) twice,
K.2, P.12 (13, 14).

3rd Row — As 1st Row.

4th Row — As 2nd Row.

5th Row — Inc. in first st., K.11 (12, 13), P.2,
C.6F., P.2, K.11 (12, 13), inc. in last st.

6th, 8th and 10th Rows — P.13 (14, 15) sts.,
(K.2, P.2) twice, K.2, P.13 (14, 15).

7th Row — K.13 (14, 15) sts., (P.2, T.2F.)
twice, P.2, K.13 (14, 15).

9th Row — K.13 (14, 15) sts., (P.2, T.2F.)
twice, P.2, K.13 (14, 15).

11th Row — Inc. in first st., K.12 (13, 14) sts.,
(P.2, T.2F.) twice, P.2, K.12 (13, 14), inc. in last
st.

12th Row — P.14 (15, 16) sts., (K.2, P.2) twice,
K.2, P.14 (15, 16).

Continue in patt. as set, inc. 1 st. at each end of
the needle on the 5th and every following 6th
row until 40 (44, 48) sts. are on the needle.

Continue in patt. without further inc. until sleeve
measures 15 (16.5, 23) cm. 6 (6½, 9) ins. from
commencement finishing on a wrong side row.

Shape Top

Cast off 3 (4, 4) sts. at beg. of next 2 rows.

(51) cm. (20) inch size only

Patt. 2 rows.

All Sizes

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last
3 sts., K.2tog., K.1.

Next Row — Patt. to end.

Rept. the last 2 rows until 8 sts. remain finishing
on wrong side row.

Sl. sts. onto a safety pin. Break off yarn.

MAKING UP

Both Designs

Pin sleeves into position, leaving left back
raglan open. Sew in by backstitching.

Polo Collar and Neckband

With right side facing, using 3¾ mm. (No. 9)
Needles, K.8 sts. from sleeve top, pick up and
K.10 (11, 12) sts. down left front neck, K.14 (14,
16) sts. from front neck, pick up and K.10 (11,
12) sts. up right front neck, K.8 sts. from sleeve
top and K.19 (21, 23) sts. from back neck.
69 (73, 79) sts.


Commencing on a 2nd Row, work in rib as
given for back for 7.5 (7.5, 9) cm. 3 (3, 3½) ins.
for polo collar and 2 cm. (¾ inch for round
neck). Cast off loosely in rib.

Join left back raglan by backstitching, join
collar by top sewing, reverse seam for polo
collar. Zip can be sewn in left back raglan of
round neck if required.

Join side and sleeve seams by backstitching
omitting rib, join rib by top sewing.

No. T42 HOODED JACKET AND LEGGINGS

Shade
819 Lagoon



Materials and Measurements

To Fit Chest Sizes.

46 (51) cm.
18 (20) ins.

Actual Measurements.

51 (56) cm.
20 (22) ins.

Peter Pan Darling D.K., Wisp or Lustré Knit.
(20g.)

Jacket
6 (7) Balls.

Leggings
5 (6) Balls.

2 - 4 mm. (No. 8) and 2 - 3¼ mm. (No. 10) Aero
Knitting Needles.

Cable Needle.

5 Buttons.

Elastic for leggings.

Jacket
Length from Back of Neck.
24 (28) cm.
9½ (11) ins.

Sleeve Seam.
15 (16.5) cm.
6 (6½) ins.

Hood (round face).
34.5 (37) cm.
13½ (14½) ins.

Leggings
Waist to ankle.
37 (40.5) cm.
14½ (16) ins.

Tension

26 sts. and 36 rows to 10 cm. (4 ins.) over patt.
on 4 mm. (No. 8) Needles.
12 sts. and 16 rows to 5 cm. (2 ins.) over st.st.
on 4 mm. (No. 8) Needles.

JACKET

Back

Using 3¼ mm. (No. 10) Needles, cast on 66
(74) sts.
Work 12 rows g.st. (every row knit).
Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row (Right Side) — Knit.

2nd Row — P.1, * C.2F., C.2B., rept. from * to
last st., P.1.

3rd Row — K.2, * P.2, K.2, rept. from * to end.

4th Row — P.2, * K.2, P.2, rept. from * to end.

5th Row — As 3rd Row.

6th Row — Purl.

7th Row — Knit.

8th Row — P.1, * C.2B., C.2F., rept. from * to
last st., P.1.

9th Row — As 4th Row.

10th Row — As 3rd Row.

11th Row — As 4th Row.

12th Row — Purl.

These 12 rows form the patt.

Continue in patt. until work measures 14 (16.5)
cm. 5½ (6½) ins. from commencement
finishing in a wrong side row.

Shape Armholes

Keeping patt. correct, cast off 3 sts. at beg. of
next 2 rows.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last
3 sts., K.2tog., K.1.

Next Row — P.2, patt. to last 2 sts., P.2.

Rept. the last 2 rows until 26 (28) sts. remain
finishing on a wrong side row.

Cast off.

Left Front

Using 3¼ mm. (No. 10) Needles, cast on 30
(34) sts. Work 12 rows g.st.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

Continue in patt. as given for Back until Front
measures same as Back to armholes finishing
on a wrong side and same patt. row.

Shape Armhole

Keeping patt. correct, cast off 3 sts. at beg. of
next row.

Work 1 row.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to
end.

Next Row — Patt. to last 2 sts., P.2.

Rept. the last 2 rows until 15 (17) sts. remain
finishing at Front edge.

Shape Neck

Next Row — Cast off 4 sts., patt. to last 2 sts.,
P.2.

** Continue to dec. at armhole edge as before
at the same time dec. 1 st. at neck edge on
every row until 4 (5) sts. remain, then at
armhole edge only until 2 sts. remain. K.2tog.
Fasten off. **

Right Front

Using 3¼ mm. (No. 10) Needles, cast on 30
(34) sts.

Work 12 rows g.st.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

Continue in patt. as given for Back until Front
measures same as Back to armholes finishing
on a right side row.

Shape Armhole

Keeping patt. correct, cast off 3 sts. at beg. of
next row.

Next Row — Patt. to last 3 sts., K.2tog., K.1.

Next Row — P.2, patt. to end.

Rept. the last 2 rows until 15 (17) sts. remain
finishing at Front edge.

Shape Neck

Next Row — Cast off 4 sts., patt. to last 3 sts.,
K.2tog., K.1.

Work from ** to ** of Left Front.

Sleeves (Both Alike)

Using 3¼ mm. (No. 10) Needles, cast on 36
sts.

Work 12 rows g.st., inc. 1 st. at each end of the
needle on the last row.

Change to 4 mm. (No. 8) Needles.

Continue in patt. as given for Back, working all
inc. sts. into patt., inc. 1 st. at each end of the
needle on the 5th and every following 6th row
until 46 (50) sts. are on the needle.

Continue without further inc. until sleeve
measures 15 (16.5) cm. 6 (6½) ins. from
commencement finishing on the same patt.
row as Back to armholes.

Shape Top

Keeping patt. correct, cast off 3 sts. at beg. of
next 2 rows.

(51) cm. (20) inch size only

Work 2 rows in patt.

Both Sizes

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last
3 sts., K.2tog., K.1.

Next Row — P.2, patt. to last 2 sts., P.2.

Rept. the last 2 rows until 6 sts. remain finishing
on a wrong side row.

Cast off.

Hood

Using 3¼ mm. (No. 10) Needles, cast on 86
(94) sts.

Work 12 rows g.st.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

Continue in patt. as given for Back until work
measures 13.5 (16) cm. 5¼ (6¼) ins. from
commencement, finishing on a wrong side row.
Cast off 10 (11) sts. at beg. of next 6 rows.

Cast off.

LEGGINGS

Right Leg

Using 3¼ mm. (No. 10) Needles, cast on 53
(59) sts.

**** 1st Row** — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.
Rept. the 1st Row once.

Next Row (Make Holes) — * Rib 2, y.fwd.,
K.2tog., rept. from * to last 1 (3) sts., rib 1 (3).

Work 4 rows. **

Change to 4 mm. (No. 8) Needles and st.st. (1
row knit, 1 row purl).

Work 2 rows.

Shape Back

1st Row — K.6, turn.

2nd Row — Sl.1, P. to end.

3rd Row — K.12, turn.

4th Row — Sl.1, P. to end.

Continue in this manner working 6 sts. more on
each turn until rows K.24 (30), turn, sl.1, P. to
end have been worked.

Continue in st.st. working across all sts., inc. 1
st. at beg. (end for left leg) of the next and every
following 6th row until 60 (66) sts. are on the
needle.

Continue without further inc. until work
measures 17 (18.5) cm. 6¾ (7¼) ins. from
commencement measured at short edge,
finishing on a P. row.

Inc. 1 st. at each end of the needle on the next 3
rows.

Cast on 2 sts. at beg. (end for left leg) of next
row. 68 (74) sts.

Work 2 rows.

Shape Leg

K.2tog. at each end of the needle on the next
and every following alt. row until 58 (64) sts.,
then on every following 4th row until 40 (44) sts.
remain.

Continue without further dec. until work
measures 39.5 (43) cm. 15½ (17) ins. from
commencement measured down centre
finishing on a K. row.

Next Row (Dec. Row) — * P.1, P.2tog., P.1,
rept. from * to end. 30 (33) sts.

Change to 3¼ mm. (No. 10) Needles.

Next Row (Make Holes) — * K.1, y.fwd.,
K.2tog., rept. from * to end.

Next Row — Purl.

Shape Instep

Next Row — K.20 (22), turn.

Next Row — K.10 (11), turn.

Continue in g.st. (every row knit) on these 10
(11) sts.

Work 22 (24) rows. Break off yarn.
With right side facing, pick up and K.10 (11) sts. up right side of instep, K.10 (11) sts. from needle, pick up and K.10 (11) sts. down left side of instep, K. remaining 10 (11) sts. 50 (55) sts.

Work 7 rows g.st.

Shape Sole

1st Row — K.1, sl.1, K.1, p.s.s.o., K.17 (19), K.2tog., K.6 (7), sl.1, K.1, p.s.s.o., K.17 (19), K.2tog., K.1. 46 (51) sts.

2nd Row — Knit.

3rd Row — K.1, sl.1, K.1, p.s.s.o., K.16 (18), K.2tog., K.4 (5), sl.1, K.1, p.s.s.o., K.16 (18), K.2tog., K.1. 42 (47) sts.

4th Row — Knit.

Continue to dec. 4 sts. in this manner on every alt. row until 34 (39) sts. remain.
Cast off.

Left Leg

Using 3¼ mm. (No. 10) Needles, cast on 53 (59) sts.

Work from ** to ** of Right Leg.

Change to 4 mm. (No. 8) Needles and st.st.

Next Row — Knit.

Shape Back

Next Row — P.6, turn.

Next Row — Sl.1, K. to end.

Next Row — P.12, turn.

Next Row — Sl.1, K. to end.

Continue in this manner working 6 sts. more before each turn until rows P.24 (30), turn, sl.1, K. to end have been worked.

Next Row — Purl.

Continue as instructions given for Right Leg.

MAKING UP

Jacket

Pin sleeves into position, sew in by backstitching.

Join side and sleeve seams by backstitching omitting g.st., join g.st. by top sewing.

Button Band

Using 3¼ mm. (No. 10) Needles, cast on 8 sts. Continue in g.st. until band is long enough, when slightly stretched, to fit up front to commencement of neck. Cast off.

Mark positions for buttons on button band, the first one 1 cm. (½ inch) from cast on edge, the last one 1 cm. (½ inch) from cast off edge and 3 more equally spaced between.

Buttonhole Band

Work exactly as instructions given for button band, working buttonholes to correspond with positions marked for buttons as follows:—

Buttonhole Row — K.3, cast off 2 sts., K. to end.

Next Row — K.3, cast on 2 sts., K. to end.

Pin bands into position, sew on by top sewing. Fold hood in half, join cast off edges by backstitching.

Pin hood into position round neck, commencing at centre st. on front band, sew on by backstitching.

Sew on buttons.

Leggings

Join seams by backstitching omitting rib and g.st., join rib and g.st. by top sewing.

Thread elastic through holes at waist, sew ends together.

Ties (Make 2)

Using 3 strands of yarn 1.5 metres (59 ins.) long make twisted cords and thread through holes at ankles. Knot and fray ends.

No. T43 ★ CHILD'S JACKET AND CAP

Shade
813 Picnic Blue



Materials and Measurements

To Fit Chest Sizes.

51 (56, 61, 66) cm.

20 (22, 24, 26) ins.

Actual Measurements.

56 (61, 66, 71) cm.

22 (24, 26, 28) ins.

Peter Pan Darling Chunky. (40g.)

Jacket

5 (6, 7, 8) Balls.

Cap

2 (2, 2, 2) Balls.

2 - 6 mm. (No. 4) and 2 - 7 mm. (No. 2) Aero Knitting Needles.

Stitch Holders.

Buttons. 10 (10, 12, 12)

Length from Back of Neck.

29 (31.5, 37, 42) cm.

11½ (12½, 14½, 16½) ins.

Sleeve Seam.

16.5 (21.5, 26.5, 31.5) cm.

6½ (8½, 10½, 12½) ins.

Cap

Width round head.

37 (39.5, 41, 44.5) cm.

14½ (15½, 16½, 17½) ins.

Tension

8 sts. and 12 rows to 5 cm. (2 ins.) over patt. on 7 mm. (No. 2) Needles.

JACKET

Back

Using 6 mm. (No. 4) Needles, cast on 43 (47, 51, 55) sts.

Work 5 rows g.st. (every row knit).

Change to 7 mm. (No. 2) Needles.

Commence Patt.

1st Row (Right Side) — K.4, * K.3, sl.1 pw., rept. from * to last 7 sts., K.7.

2nd Row — K.4, * P.3, sl.1 pw., rept. from * to last 7 sts., P.3, K.4.

3rd Row — As 1st Row.

4th Row — Knit.

5th Row — K.4, * K.1, sl.1 pw., K.2, rept. from * to last 3 sts., K.3.

6th Row — K.4, * P.1, sl.1 pw., P.2, rept. from *

to last 7 sts., P.1, sl.1 pw., P.1, K.4.

7th Row — As 5th Row.

8th Row — Knit.

Rept. rows 1-4 inclusive once.

This completes the side slits.

Main Patt.

1st Row — K.1, sl.1 pw., * K.3, sl.1 pw., rept. from * to last st., K.1.

2nd Row — P.1, sl.1 pw., * P.3, sl.1 pw., rept. from * to last st., P.1.

3rd Row — As 1st Row.

4th Row — Knit.

5th Row — K.3, * sl.1 pw., K.3, rept. from * to end.

6th Row — P.3, * sl.1 pw., P.3, rept. from * to end.

7th Row — As 5th Row.

8th Row — Knit.

The last 8 rows form the patt.

Continue in Patt. until work measures 17.5 (19, 23, 26.5) cm. 7 (7½, 9, 10½) ins. from commencement finishing on a wrong side row.

Shape Armholes

** Keeping patt. correct, cast off 2 sts. at beg. of next 2 rows.

1st Row — K.2, patt. to last 2 sts., K.2.

2nd Row — K.2, patt. to last 2 sts., K.2.

3rd Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

4th Row — K.2, patt. to last 2 sts., K.2.

Rept. the last 4 rows 2 (3, 2, 3) times more, then the 3rd and 4th Rows only ** until 19 (21, 21, 23) sts. remain finishing on a wrong side row.

Cast off.

Pocket Linings (Make 2)

Using 7 mm. (No. 2) Needles, cast on 11 (12, 13, 13) sts.

Work 11 rows st.st. (1 row knit, 1 row purl).

Sl. sts. onto a st. holder. Break off yarn.

Left Front

Using 6 mm. (No. 4) Needles, cast on 17 (19, 21, 23) sts.

Work 5 rows g.st.

Change to 7 mm. (No. 2) Needles.

Commence Patt.

1st Row — K.4, * K.1, sl.1 pw., K.2, rept. from * to last 1 (3, 1, 3) sts., K.1 (K.1, sl.1 pw., K.1) (K.1) (K.1, sl.1 pw., K.1).

2nd Row — P.2 (0, 2, 0), * P.1, sl.1 pw., P.2, rept. from * to last 7 sts., P.1, sl.1 pw., P.1, K.4.

3rd Row — As 1st Row.

4th Row — Knit.

5th Row — K.4, * K.3, sl.1 pw., rept. from * to last 1 (3, 1, 3) sts., K.1 (3, 1, 3).

6th Row — P.1 (3, 1, 3), * sl.1 pw., P.3, rept. from * to last 4 sts., K.4.

7th Row — As 5th Row.

8th Row — Knit.

Rept. rows 1-4 inclusive once.

This completes the side slit.

Pocket Top

Keeping patt. correct and working 4 sts. for side slit into patt.

Next Row — Patt. 4 (4, 5, 6), K.11 (12, 13, 13), patt. 2 (3, 3, 4) sts.

Next Row — Patt. 2 (3, 3, 4), K.11 (12, 13, 13), patt. 4 (4, 5, 6) sts.

Next Row — Patt. 4 (4, 5, 6), cast off 11 (12, 13, 13) sts. kw., patt. 2 (3, 3, 4) sts.

Next Row — Patt. 2 (3, 3, 4), patt. 11 (12, 13, 13) sts. from pocket lining, patt. 4 (4, 5, 6) sts.

Continue in patt. working across all sts. until work measures 17.5 (19, 23, 26.5) cm. 7 (7½, 9, 10½) ins. from commencement finishing on a wrong side row.

Shape Armholes

Keeping patt. correct, cast off 2 sts., at beg. of next row.

Next Row — Patt. to last 2 sts., K.2.

1st Row — K.2, patt. to end.

2nd Row — Patt. to last 2 sts., K.2.

3rd Row — K.1, sl.1, K.1, p.s.s.o., patt. to end.

4th Row — Patt. to last 2 sts., K.2.

Rept. the last 4 rows 2 (3, 2, 3) times more than the 3rd and 4th Rows only until 9 (10, 12, 13) sts. remain finishing on a right side row.

Shape Neck

Dec. 1 st. at neck edge on the next 3 (4, 4, 5) rows, at the same time continue to dec. at armhole edge on every alt. row as before until 2 sts. remain. K.2tog. Fasten off.

Right Front

Using 6 mm. (No. 4) Needles, cast on 17 (19, 21, 23) sts.
Work 5 rows g.st.
Change to 7 mm. (No. 2) Needles.

Commence Patt.

1st Row — K.1 (K.1, sl.1 pw., K.1) (K.1) (K.1, sl.1 pw., K.1), * K.2, sl.1 pw., K.1, rept. from * to last 4 sts., K.4.

2nd Row — K.4, * P.1, sl.1 pw., P.2, rept. from * to last 1 (3, 1, 3) sts., P.1 (P.1, sl.1 pw., P.1) (P.1) (P.1, sl.1 pw., P.1).

3rd Row — As 1st Row.

4th Row — Knit.

5th Row — K.1 (3, 1, 3), * sl.1 pw., K.3, rept. from * to last 4 sts., K.4.

6th Row — K.4, * P.3, sl.1 pw., rept. from * to last 1 (3, 1, 3) sts., P.1 (3, 1, 3).

7th Row — As 5th Row.

8th Row — Knit.

Rept. rows 1-4 inclusive once.

This completes the side slit.

Pocket Top

Keeping patt. correct and working 4 sts. for side slit into patt.

Next Row — Patt. 2 (3, 3, 4), K.11 (12, 13, 13), patt. 4 (4, 5, 6) sts.

Next Row — Patt. 4 (4, 5, 6), K.11 (12, 13, 13), patt. 2 (3, 3, 4) sts.

Next Row — Patt. 2 (3, 3, 4), cast off 11 (12, 13, 13) sts. kw., patt. 4 (4, 5, 6) sts.

Next Row — Patt. 4 (4, 5, 6), patt. 11 (12, 13, 13) sts. from pocket lining, patt. 2 (3, 3, 4) sts. Continue in patt. working across all sts. Work to correspond with Left Front reversing all shapings and working armhole shaping
K.2tog. not sl.1, K.1, p.s.s.o.

Sleeves (Both Alike)

Using 6 mm. (No. 4) Needles, cast on 21 (23, 25, 27) sts.

Work 5 rows g.st., inc. 1 st. at each end of the needle on the last row for 51 (61) cm. 20 (24) inch sizes only. 23 (23, 27, 27) sts.

Change to 7 mm. (No. 2) Needles.

Commence Patt.

Continue in main patt. as given for Back, working all inc. sts. into patt. inc. 1 st. at each end of the needle on the 5th and every following 10th row until 27 (31, 35, 39) sts. are on the needle.

Continue without further inc. until sleeve measures 16.5 (21.5, 26.5, 31.5) cm. 6½ (8½, 10½, 12½) ins. from commencement finishing on a wrong side row.

Shape Top

Work from ** to ** of Back until 3 (5, 5, 7) sts. remain finishing on a wrong side row.
Cast off.

Button Band (Double Breasted)

Using 6 mm. (No. 4) Needles, cast on 14 sts. Work in g.st. until band is long enough when slightly stretched to fit up front to commencement of neck shaping. Cast off.

Mark positions for 4 (4, 5, 5) pairs of buttons on band, the 1st pair 6 rows from lower edge, the last pair 2 rows from neck edge and 2 (2, 3, 3) more pairs equally spaced between.

Buttonhole Band

Using 6 mm. (No. 4) Needles, cast on 14 sts. Work to correspond with button band working buttonholes as follows:—

1st Row — K.2, cast off 2, K.6, cast off 2, K.2.

2nd Row — K.2, cast on 2, K.6, cast on 2, K.2.

Collar

Using 6 mm. (No. 4) Needles, cast on 15 (17, 17, 19) sts.

Knit 1 row.

Continue in g.st., cast on 6 (7, 8, 9) sts. at beg. of next 4 rows.

Continue without further inc. until side edge measures 9 (10, 10, 11.5) cm. 3½ (4, 4, 4½) ins. Cast off loosely.

Belt

Using 6 mm. (No. 4) Needles, cast on 29 (31, 33, 35) sts.

Work 7 (7, 9, 9) rows g.st. Cast off.

Cap

Using 6 mm. (No. 4) Needles, cast on 55 (59, 63, 67) sts.

Work 16 rows g.st.

Change to 7 mm. (No. 2) Needles.

Commence Patt.

1st Row — K.3, * sl.1 pw., K.3, rept. from * to end.

2nd Row — P.3, * sl.1 pw., P.3, rept. from * to end.

3rd Row — As 1st Row.

4th Row — Knit.

5th Row — K.1, * sl.1 pw., K.3, rept. from * to last 2 sts., sl.1 pw., K.1.

6th Row — P.1, * sl.1 pw., P.3, rept. from * to last 2 sts., sl.1 pw., P.1.

7th Row — As 5th Row.

8th Row — Knit.

The last 8 rows form the patt.

Continue in patt. until work measures 11.5 (12.5, 14, 15) cm. 4½ (5, 5½, 6) ins. from commencement of patt. finishing on a wrong side row.

Shape Top

1st Row — * K.2, K.2tog., rept. from * to last 3 sts., K.3. 42 (45, 48, 51) sts.

2nd Row — Knit.

3rd Row — * K.2tog., rept. from * to last 0 (1, 0, 1) sts., K.0 (1, 0, 1). 21 (23, 24, 26) sts.

4th Row — * K.2tog., rept. from * to last 1 (1, 0, 0) sts., K.1 (1, 0, 0). 11 (12, 12, 13) sts.

Break off yarn leaving enough to thread through remaining sts. Draw up tight and fasten off.

MAKING UP

Jacket

Pin sleeves into position, sew in by backstitching.

Join sleeve seams by backstitching omitting g.st., join g.st. by top sewing.

Join side seams by backstitching leaving side slits open.

Pin front bands into position, button band on the left front for a girl, right front for a boy, sew on by top sewing.

Commencing at centre of band, pin collar into position round neck, sew on by backstitching. Sl. stitch pocket linings into position.

Sew on buttons to correspond with buttonholes.

Stitch belt on back at waist level, sew one button to each end of belt.


Cap

Join seam by backstitching reversing seam for g.st. turnback.

Make a pompon, stitch to crown.

No. T44 PRAM SET

Shade
802 Blue



Materials and Measurements

To Fit Chest Sizes.

51 (56) cm.

20 (22) ins.

Actual Measurements.

56 (61) cm.

22 (24) ins.

Peter Pan Darling D.K., Wisp or Lustre Knit. (20g.)

Jacket

6 (7) Balls.

Trousers

5 (6) Balls.

Helmet

2 (2) Balls all qualities.

2 - 4 mm. (No. 8) and 2 - 3¼ mm. (No. 10) Aero Knitting Needles.

Cable Needle.

Stitch Holders.

Elastic for Trousers.

Jacket

Buttons. 5 (6)

Helmet

Buttons. 1 (1)

Helmet (width round head).

35 (41) cm.

14 (16) ins.

Jacket

Length from Back of Neck.

29 (31.5) cm.

11½ (12½) ins.

Sleeve Seam.

16.5 (23) cm.

6½ (9) ins.

Trousers

Outside Leg.

44.5 (48) cm.

17½ (19) ins.

Tension

12 sts. and 16 rows to 5 cm. (2 ins.) over st.st. on 4 mm. (No. 8) Needles.

JACKET

Left Front

Using 3¼ mm. (No. 10) Needles, cast on 31 (33) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows for 2.5 cm. (1 inch) finishing on a 2nd Row, inc. 1 st. at end of last row for 56 cm. (22) inch size only.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row — K.24 (27), P.1, K.4, P.2.

2nd and 4th Rows — K.2, P.4, K.1, P.24 (27).

3rd Row — As 1st Row.

5th Row — K.24 (27), P.1, C.4, P.2.

6th Row — As 2nd Row.

These 6 rows form the patt.

Continue in patt. until work measures 17.5 (20.5) cm. 7 (8) ins. from commencement finishing on a 6th patt. row.

Shape Armhole

Next Row — Cast off 2 (3) sts., patt. to end.

Work 1 row.

Sl. remaining 29 (31) sts. onto a st. holder. Break off yarn.

Right Front

Using 3¼ mm. (No. 10) Needles, cast on 31 (33) sts.

Work 2.5 cm. (1 inch) in rib as given for Left Front finishing on a 2nd Row, inc. 1 st. at beg. of last row for 56 cm. (22 inch) size only. Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row — P.2, K.4, P.1, K.24 (27).

2nd and 4th Rows — P.24 (27), K.1, P.4, K.2.

3rd Row — As 1st Row.

5th Row — P.2, C.4, P.1, K.24 (27).

6th Row — As 2nd Row.

These 6 rows form the patt.

Continue in patt. until work measures same as Left Front to armhole finishing on a 1st patt. row.

Shape Armhole

Next Row — Cast off 2 (3) sts., patt. to end.

Sl. remaining 29 (31) sts. onto a st. holder. Do not break off yarn.

Back

Using 3¼ mm. (No. 10) Needles, cast on 65 (71) sts.

Work 2.5 cm. (1 inch) in rib as given for Left Front finishing on a 2nd Row.

Change to 4 mm. (No. 8) Needles and st.st. (1 row knit, 1 row purl).

Continue in st.st. until Back measures same as Fronts to armholes finishing on a P. row.

Shape Armholes

Cast off 2 (3) sts. at beg. of next 2 rows.

Sl. remaining 61 (65) sts. onto a st. holder. Break off yarn.

Sleeves (Both Alike)

Using 3¼ mm. (No. 10) Needles, cast on 37 (39) sts.

Work 4 cm. (1½ ins.) in rib as given for Left Front finishing on a 2nd Row, inc. 1 st. at end of last row.

Change to 4 mm. (No. 8) Needles.

Commence Patt.

1st Row — K.16 (17), P.1, K.4, P.1, K.16 (17).

2nd and 4th Rows — P.16 (17), K.1, P.4, K.1, P.16 (17).

3rd Row — As 1st Row.

5th Row — Inc. in first st., K.15 (16), P.1, C.4, P.1, K.15 (16), inc. in last st.

6th Row — P.17 (18), K.1, P.4, K.1, P.17 (18).

Continue in patt. inc. 1 st. at each end of the needle on the 5th and every following 6th row until 52 (56) sts. are on the needle.

Continue without further inc. until sleeve measures 16.5 (23) cm. 6½ (9) ins. from commencement finishing on a same patt. row as Left Front to armhole.

Shape Top

Cast off 2 (3) sts. at beg. of next 2 rows.

Sl. remaining 48 (50) sts. onto a st. holder. Break off yarn.

Yoke

With right side of work facing, using 4 mm. (No. 8) Needles, work across sts. on st. holder for **Right Front** as follows:—

P.2, K.4, P.1, K.17 (19), K.2tog., P.1, K.2; then across sts. on st. holder for **1st Sleeve** K.2, P.1, sl.1, K.1, p.s.s.o., K.16 (17), P.1, K.4, P.1, K.16 (17), K.2tog., P.1, K.2; work across sts. on st. holder for **Back** K.2, P.1, sl.1, K.1, p.s.s.o., K.51 (55) K.2tog., P.1, K.2; then across sts. on st. holder for **2nd Sleeve** K.2, P.1, sl.1, K.1, p.s.s.o., K.16 (17), P.1, K.4, P.1, K.16 (17), K.2tog., P.1, K.2; then across sts. on st. holder for **Left Front** K.2, P.1, sl.1, K.1, p.s.s.o., K.17 (19), P.1, K.4, P.2. 207 (219) sts.

Next Row — K.2, P.4, K.1, P.18 (20), K.1, P.4, K.1, P.17 (18), K.1, P.4, K.1, P.17 (18), K.1, P.4, K.1, P.53 (57), K.1, P.4, K.1, P.17 (18), K.1, P.4, K.1, P.17 (18), K.1, P.4, K.1, P.18 (20), K.1, P.4, K.2.

Next Row — P.2, C.4, P.1, K.16 (18), K.2tog., P.1, C.4, P.1, sl.1, K.1, p.s.s.o., K.15 (16), P.1, C.4, P.1, K.15 (16), K.2tog., P.1, C.4, P.1, sl.1, K.1, p.s.s.o., K.49 (53), K.2tog., P.1, C.4, P.1, sl.1, K.1, p.s.s.o., K.15 (16), P.1, C.4, P.1, K.15 (16), K.2tog., P.1, C.4, P.1, sl.1, K.1, p.s.s.o., K.16 (18), P.1, C.4, P.2. 199 (211) sts.

Keeping the cable panels correct. Continue to dec. 1 st. at each side of raglan cables on every following alt. row until 111 (115) sts. remain.

Work 1 row.

Shape Neck

Next Row — Cast off 3 sts., K.2, P.1, K.4 (5), K.2tog., patt. 6, sl.1, K.1, p.s.s.o., K.3, patt. 6, K.3, K.2tog., patt. 6, sl.1, K.1, p.s.s.o., K.25 (27), K.2tog., patt. 6, sl.1, K.1, p.s.s.o., K.3, patt. 6, K.3, K.2tog., patt. 6, sl.1, K.1, p.s.s.o., K.4 (5), patt. 7.

Next Row — Cast off 3 sts., work to end. 97 (101) sts.

Continue to dec. 1 st. as before at each side of raglan cables on the next and every following alt. row at the same time dec. 1 st. at each end of the needle on every row until 6 neck dec. have been worked, then each side of raglan cable only until 53 (57) sts. remain. Cast off.

TROUSERS

Right Leg

Using 3¼ mm. (No. 10) Needles, cast on 67 (71) sts.

** Work 3 rows in rib as given for Front of Jacket.

Next Row (Make Holes) — * Rib 2, y.fwd., K.2tog., rept. from * to last 3 sts., rib 3.

Work 4 rows in rib. **

Change to 4 mm. (No. 8) Needles and st.st. Work 2 rows.

Shape Back

Next Row — K.7, turn.

Next Row — Sl.1, P. to end.

Next Row — K.14, turn.

Next Row — Sl.1, P. to end.

Continue in this manner, working 7 sts. more before each turn until rows K.35 (42), turn, sl.1, P. to end has been worked.

Continue in st.st. working across all sts., inc. 1 st. at beg. (end on left leg) of the next and every following 6th row until 74 (79) sts. are on the needle.

Continue without further inc. until short edge measures 17.5 (20.5) cm. 7 (8) ins. from commencement finishing on a P. row.

Inc. 1 st. at each end of the needle on the next 2 rows.

Cast on 3 sts. at the end (beg. on left leg) of next row. 81 (86) sts.

Shape Leg

Work 3 rows.

K.2tog. at each end of the needle on the next and every following alt. row until 69 (74) sts., then on every following 4th row until 43 (46) sts. remain.

Continue without further dec. until work measures 37 (40.5) cm. 14½ (16 ins.) from commencement measured down centre finishing on a P. row.

Next Row (Dec. Row) — * K.3, K.2tog., K.2,

rept. from * to last 1 (4) sts., K.1 (K.2tog., K.2). 37 (39) sts.

Next Row — Purl.

Change to 3¼ mm. (No. 10) Needles.

Work 7.5 cm. (3 ins.) in rib as given for Jacket finishing on a 2nd Row.

Cast off in rib.

Left Leg

Using 3¼ mm. (No. 10) Needles, cast on 67 (71) sts.

Work from ** to ** of Right Leg.

Change to 4 mm. (No. 8) Needles and st.st.

Next Row — Knit.

Shape Back

Next Row — P.7, turn.

Next Row — Sl.1, K. to end.

Next Row — P.14, turn.

Next Row — Sl.1, K. to end.

Continue in this manner working 7 sts. more before each turn until rows P.35 (42), turn, sl.1, P. to end has been worked.

Continue as instructions given for Right Leg.

HELMET

Tension

14 sts. and 24 rows to 5 cm. (2 ins.) over g.st. on 3¼ mm. (No. 10) Needles.

Using 3¼ mm. (No. 10) Needles, cast on 36 (40) sts.

1st Side Section

1st Row — K.1, P.1, K.4, P.1, M.1, K. to last 3 sts., K.2tog., K.1.

2nd Row — K.30 (34), P.4, K.2

3rd Row — As 1st Row.

4th Row — As 2nd Row.

5th Row — K.1, P.1, C.4, P.1, M.1, K. to last 3 sts., K.2tog., K.1.

6th Row — As 2nd Row.

Rept. the 1st to 6th Rows inclusive 4 (5) times more.

Keeping the cable border correct continue as follows:—

** **Next Row** — Patt. 7, K.2tog., K.26 (30), M.1, K.1.

Next Row — K.30 (34), P.4, K.2. **

Rept. the last 2 rows 14 (17) times more.

Commence Top Section

Rept. rows 1-6 inclusive 4 times.

Work from ** to ** 12 times.

2nd Side Section

Rept. rows 1-6 inclusive 5 (6) times. Work from ** to ** 15 (18) times.

Cast off.

Button Strap

Using 3¼ mm. (No. 10) Needles, cast on 6 sts.

Work 7.5 (9) cm. 3 (3½) ins. in g.st. (every row knit).

Next Row (Buttonhole Row) — K.2, y.fwd., K.2tog., K. to end.

Next Row — Knit.

Next Row — K.2tog., K.2, K.2tog.

Next Row — Knit.

Next Row — (K.2tog.) twice.

Next Row — K.2.

Next Row — K.2tog. Fasten off.

MAKING UP

Jacket

Join side, underarm and sleeve seams by backstitching omitting rib, join rib by top sewing.

Button Band

Using 3¼ mm. (No. 10) Needles, cast on 9 sts.

Continue in rib as given for left front until band is long enough when slightly stretched to fit up right front to shape neck.

Cast off.

Mark position for buttons, the first one 1 cm. (½ inch) from lower edge, the top one 1 cm. (½

inch) from cast off edge and 3 (4) more equally spaced between.

Buttonhole Band

Using 3/4 mm. (No. 10) Needles, cast on 9 sts. Work as instructions given for right front band, working buttonholes to correspond with positions marked for buttons as follows:—

Buttonhole Row — Rib 3, cast off 2, rib to end.

Next Row — Rib to cast off sts., cast on 2, rib to end.

Pin front bands into position. Sew on by top sewing. Sew on buttons.

Collar

Using 3/4 mm. (No. 10) Needles, cast on 25 (27) sts.

Work 2 rows st.st.

Continue in st.st., cast on 11 (12) sts. at beg. of next 4 rows. 69 (75) sts.

Next Row — Knit.

Next Row — K.5, P. to last 5 sts., K.5.

Rept. the last 2 rows 10 (12) times more.

Work 5 rows g.st.

Cast off loosely.

Pin collar round neck, sew on by top sewing.

Trousers

Join seams by backstitching omitting rib, join rib by top sewing.

Thread elastic through holes at waist, join ends together.

Helmet

Join back seam and shaped edges of crown by top sewing.

Sew on strap and button.

No. T45 MATINEE JACKET, BONNET AND BOOTEES

Shade
801 Pink



Materials and Measurements

To Fit Chest Sizes.

46 (51) cm.

18 (20) ins.

Actual Measurements.

51 (56) cm.

20 (22) ins.

Peter Pan Darling 4 Ply. (20g.)

Matinee Jacket

4 (5) Balls.

Bonnet or Bootees

1 (1) Ball.

2 - 3/4 mm. (No. 10) and 2 - 2 3/4 mm. (No. 12)

Aero Knitting Needles.

Stitch Holders.

3 Buttons for Jacket.

2 Buttons for Bootees.

Ribbon for Bonnet.

Length from Back of Neck

25.5 (29) cm.

10 (11 1/2) ins.

Sleeve Seam.

15 (16.5) cm.

6 (6 1/2) ins.

Bonnet (width round face).

29 (34.5) cm.

11 1/2 (13 1/2) ins.

Tension

14 sts. and 28 rows over g.st. and 14 sts. and 18 rows over patt. to 5 cm. (2 ins.) on 3/4 mm. (No. 10) Needles.

MATINEE JACKET

Back

Using 3/4 mm. (No. 10) Needles, cast on 85 (91) sts.

Work 7 rows g.st. (every row knit).

Commence Patt.

1st Row (Right Side) — K.1, * y.fwd., K.2tog.t.b.l., K.1, K.2tog., y.fwd., K.1, rept. from * to end.

2nd and Alt. Rows — Purl.

3rd Row — K.1, * y.fwd., K.1, sl.1, K.2tog., p.s.s.o., K.1, y.fwd., K.1, rept. from * to end.

5th Row — K.1, * K.2tog., y.fwd., K.1, y.fwd., K.2tog.t.b.l., K.1, rept. from * to end.

7th Row — K.2tog., * (K.1, y.fwd.) twice, K.1, sl.1, K.2tog., p.s.s.o., rept. from * to last 5 sts., (K.1, y.fwd.) twice, K.1, K.2tog.t.b.l.

8th Row — Purl.

These 8 rows form the patt.

Continue in patt. until work measures 16.5 (17.5) cm. 6 1/2 (7) ins. from commencement finishing on a P. row.

Shape Armholes

Change to g.st., cast off 5 sts. at beg. of next 2 rows.

Next Row (Dec. Row) — K.7 (10), K.2tog., (K.2, K.2tog.) 6 times, K.10, (K.2tog., K.2) 6 times, K.2tog., K.6 (9). 61 (67) sts.

Next Row — Knit.

Sl. sts. onto a st. holder. Break off yarn.

Left Front

Using 3/4 mm. (No. 10) Needles, cast on 49 (55) sts.

Work 7 rows g.st.

Commence Patt.

1st Row — K.1, * y.fwd., K.2tog.t.b.l., K.1, K.2tog., y.fwd., K.1, rept. from * to last 6 sts., K.6.

2nd and Alt. Rows — K.6, P. to end.

3rd Row — K.1, * y.fwd., K.1, sl.1, K.2tog., p.s.s.o., K.1, y.fwd., K.1, rept. from * to last 6 sts., K.6.

5th Row — K.1, * K.2tog., y.fwd., K.1, y.fwd., K.2tog.t.b.l., K.1, rept. from * to last 6 sts., K.6.

7th Row — K.2tog., * (K.1, y.fwd.) twice, K.1, sl.1, K.2tog., p.s.s.o., rept. from * to last 11 sts., (K.1, y.fwd.) twice, K.1, K.2tog.t.b.l., K.6.

8th Row — K.6, P. to end.

These 8 rows form the patt.

Continue in patt. until same number of rows as Back to armhole have been worked, finishing on a P. row.

Shape Armhole

Change to g.st.

Next Row — Cast off 5 sts., K. to end.

Next Row — Knit.

Next Row (Dec. Row) — K.0 (4) sts., (K.2tog., K.1) 12 times, K.2tog., K.6 (8). 31 (37) sts.

Next Row — Knit.

Sl. sts. onto a st. holder. Break off yarn.

Right Front

Using 3/4 mm. (No. 10) Needles, cast on 49 (55) sts.

Work 7 rows g.st.

Commence Patt.

1st Row — K.7, * y.fwd., K.2tog.t.b.l., K.1, K.2tog., y.fwd., K.1, rept. from * to end.

2nd and Alt. Rows — P. to last 6 sts., K.6.

3rd Row — K.7, * y.fwd., K.1, sl.1, K.2tog., p.s.s.o., K.1, y.fwd., K.1, rept. from * to end.

5th Row — K.7, * K.2tog., y.fwd., K.1, y.fwd., K.2tog.t.b.l., K.1, rept. from * to end.

7th Row — K.6, K.2tog., * (K.1, y.fwd.) twice, K.1, sl.1, K.2tog., p.s.s.o., rept. from * to last 5 sts., (K.1, y.fwd.) twice, K.1, K.2tog.t.b.l.

8th Row — P. to last 6 sts., K.6.

These 8 rows form the patt.

Continue in patt. until same number of rows as Left Front to armhole have been worked.

Shape Armhole

Change to g.st.

Next Row — K.3, (y.fwd., K.2tog.) for 1st buttonhole, K. to end.

Next Row — Cast off 5 sts. K. to end.

Next Row (Dec. Row) — K.6 (8), K.2tog., (K.1, K.2tog.) 12 times, K.0 (4). 31 (37) sts.

Next Row — Knit.

Sl. sts. onto a st. holder. Do not break off yarn.

Sleeves (Both Alike)

Using 2 3/4 mm. (No. 12) Needles, cast on 39 sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows 4 times more. Change to 3¼ mm. (No. 10) Needles.

Commence Patt.

1st Row — K.2, * y.fwd., K.2tog.t.b.l., K.1, K.2tog., y.fwd., K.1, rept. from * to last st., K.1.
2nd and Alt. Rows — Purl.

3rd Row — K.2, * y.fwd., K.1, sl.1, K.2tog., p.s.s.o., K.1, y.fwd., K.1, rept. from * to last st., K.1.

5th Row — K.2, * K.2tog., y.fwd., K.1, y.fwd., K.2tog.t.b.l., K.1, rept. from * to last st., K.1.

7th Row — K.1, K.2tog., * (K.1, y.fwd.) twice, K.1, sl.1, K.2tog., p.s.s.o., rept. from * to last 6 sts., (K.1, y.fwd.) twice, K.1, K.2tog.t.b.l., K.1.

8th Row — Purl.

Continue in patt. working all inc. sts. in st.st., inc. 1 st. at each end of the needle on the next and every following 6th row until 49 (53) sts. are on the needle. Continue without further shaping until sleeve measures 15 (16.5) cm. 6 (6½) ins. from commencement finishing on a same patt. row as Back to armholes.

Shape Top

Change to g.st., cast off 5 sts. at beg. of next 2 rows.

Work 2 rows g.st.

Sl. sts. onto a st. holder. Break off yarn.

Yoke

With right side facing, using 3¼ mm. (No. 10) Needles, commence at **Right Front** K.28 (34), K.2tog., K.1, working across **Right Sleeve** K.2tog.t.b.l., K.35 (39), K.2tog., **Back** K.1, K.2tog.t.b.l., K.55 (61), K.2tog., K.1, **Left Sleeve** K.2tog.t.b.l., K.35 (39), K.2tog., and **Left Front** K.1, K.2tog.t.b.l., K.28 (34). 193 (219) sts.

Next Row — Working across all sts., Knit.

Next Row (Dec. Row) — K.27 (33), K.2tog., K.1, K.2tog.t.b.l., K.33 (37), K.2tog., K.1, K.2tog.t.b.l., K.53 (59), K.2tog., K.1, K.2tog.t.b.l., K.33 (37), K.2tog., K.1, K.2tog.t.b.l., K.27 (33). 185 (211) sts.

Next Row — Knit.

Next Row (Dec. Row) — K.26 (32), K.2tog., K.1, K.2tog.t.b.l., K.31 (35), K.2tog., K.1, K.2tog.t.b.l., K.51 (57), K.2tog., K.1, K.2tog.t.b.l., K.31 (35), K.2tog., K.1, K.2tog.t.b.l., K.26 (32). 177 (203) sts.

Next Row — Knit.

Making a buttonhole as before on the 14th (16th) row from 1st buttonhole, continue to dec. in this manner on every alt. row until 113 (123) sts. remain finishing on a wrong side row. Do not break off yarn.

Shape Neck

Next Row — Sl. the first 6 (9) sts. onto a safety pin, rejoin another ball of yarn, dec. as before, K. to last 6 (9) sts., sl. the last 6 (9) sts. onto a safety pin.

Continue to dec. for armhole shaping as before, **at the same time**, K.2tog. at each end of the needle (neck edge) on the next and every following alt. row until 53 (47) sts. remain, then at armhole shaping only until 37 (39) sts. remain finishing on a wrong side row. Leave sts. on needle. Break off yarn.

Neckband

Change to 2¾ mm. (No. 12) Needles, K.6 (9) sts. from safety pin, pick up and K.13 sts. up right front neck, K.37 (39) sts. from spare needle, pick up and K.13 sts. down left front neck, K.6 (9) sts. from safety pin. 75 (83) sts.

Next Row — Knit.

Next Row (Buttonhole Row) — K.3, y.fwd., K.2tog., K.1, * P.1, K.1, rept. from * to last 7 sts., P.1, K.6.

Next Row — K.6, rib to last 6 sts., K.6.

Rept. the last row 4 times more.

Cast off.

BONNET

Using 3¼ mm. (No. 10) Needles, cast on 79 (85) sts.

Work 9 rows g.st.

Commence Patt.

Continue in patt. as given for Back of Matinee Jacket until work measures 11 (12) cm. 4¼ (4¾) ins. from commencement finishing on a P. row.

Shape Crown

1st Row — K.1, * K.2tog., K.4, rept. from * to end. 66 (71) sts.

Work 5 rows g.st.

7th Row — K.1, * K.2tog., K.3, rept. from * to end. 53 (57) sts.

Work 5 rows g.st.

13th Row — K.1, * K.2tog., K.2, rept. from * to end. 40 (43) sts.

Work 3 rows g.st.

17th Row — K.1, * K.2tog., K.1, rept. from * to end. 27 (29) sts.

Work 3 rows g.st.

21st Row — K.1, * K.2tog., rept. from * to end. 14 (15) sts.

Break off yarn, leaving enough to thread through remaining sts., draw up tight and fasten off.

BOOTEES

Using 2¾ mm. (No. 12) Needles, cast on 35 (37) sts.

Work 7 (9) rows g.st.

Change to 3¼ mm. (No. 10) Needles.

Commence Patt.

1st Row — K.3 (4), * y.fwd., K.2tog.t.b.l., K.1, K.2tog., y.fwd., K.1, rept. from * to last 2 (3) sts., K.2 (3).

2nd and Alt. Rows — Purl.

3rd Row — K.3 (4), * y.fwd., K.1, sl.1, K.2tog., p.s.s.o., K.1, y.fwd., K.1, rept. from * to last 2 (3) sts., K.2 (3).

5th Row — K.3 (4), * K.2tog., y.fwd., K.1, y.fwd., K.2tog.t.b.l., K.1, rept. from * to last 2 (3) sts., K.2 (3).

7th Row — K.2 (3), K.2tog., * (K.1, y.fwd.) twice, K.1, sl.1, K.2tog., p.s.s.o., rept. from * to last 7 (8) sts., (K.1, y.fwd.) twice, K.1, K.2tog.t.b.l., K. to end.

8th Row — Purl.

Rept. the last 8 rows once, then rows 1-4 inclusive once.

Instep

Next Row — K.15 (16), patt. 6, K.1 (2), turn.

Next Row — P.9 (11), turn.

Continue in patt. on these 9 (11) sts.

Work 18 rows.

Break off yarn.

Foot

With right side facing, using right hand needle, pick up and K.10 sts. along row ends of instep (1 st. for each 2 rows), K.9 (11) sts. from instep, pick up and K.10 sts. down second side of instep, K. remaining 13 sts. 55 (57) sts.

Work 13 (15) rows g.st.

Shape Foot

1st Row — K.1, * K.2tog.t.b.l., K.22 (23), K.2tog., K.1, rept. from * to end. 51 (53) sts.

2nd and 4th Rows — Knit.

3rd Row — K.1, * K.2tog.t.b.l., K.20 (21), K.2tog., K.1, rept. from * to end. 47 (49) sts.

5th Row — K.1, * K.2tog.t.b.l., K.18 (19), K.2tog., K.1, rept. from * to end. 43 (45) sts.

6th Row — Knit.

Cast off.

Ankle Straps (Make 2)

Using 2¾ mm. (No. 12) Needles, cast on 39 (41) sts.

Work 2 rows g.st.

Next Row (Buttonhole Row) — K.3, y.fwd., K.2tog., K. to end.

Work 2 rows g.st.

Cast off.

MAKING UP

Matinee Jacket

Join sleeve and armhole shapings at underarm by backstitching. Join side and sleeve seams by backstitching omitting rib and g.st., join rib and g.st. by top sewing. Sew on buttons.

Bonnet

Join g.st. by top sewing.

Neckband

With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.55 (61) sts. round neck edge.

Work 4 rows g.st.

Cast off.

Sew on ribbon.

Bootees (Both Alike)

Join back and foot seams by top sewing.

Sew centre of strap to back seam.

Sew on button.

No. T46 ★ CARRYING CAPE

Shade
800 Pure White



Materials and Measurements

To Fit Birth to 6 Months.

Peter Pan Darling 4 Ply. (20g.)
9 Balls.

1 spare and 2 - 3¼ mm. (No. 10) Aero Knitting
Needles.
Stitch Holder.

Length from Back of Neck.
56 cm.
22 ins.

Hood.
Measurement Round Face.
35.5 cm.
14 ins.

Tension

14 sts. and 28 rows to 5 cm. (2 ins.) over g.st.
on 3¼ mm. (No. 10) Needles.

Back

Using 3¼ mm. (No. 10) Needles, cast on 128
sts.
Work 6 rows g.st. (every row knit).

Commence Patt.

1st Row (Right Side) — K.1, * y.fwd., K.2,
K.2tog., K.2, rept. from * to last st., K.1.

2nd Row — Purl.

3rd Row — K.1, * K.2, K.2tog., K.2, y.fwd., rept.
from * to last st., K.1.

4th Row — Purl.

The last 4 rows form the patt.
Continue in patt. until work measures 45.5 cm.
(18 ins.) from commencement finishing on a
right side row. Sl. sts. onto a st. holder. Break
off yarn.

Left Front

Using 3¼ mm. (No. 10) Needles, cast on 72
sts.
Work 6 rows g.st.

Commence Patt.

1st Row (Right Side) — K.1, * y.fwd., K.2,
K.2tog., K.2, rept. from * to last 11 sts., K.11.

2nd Row — K.10, P. to end.

3rd Row — K.1, * K.2, K.2tog., K.2, y.fwd., rept.
from * to last 11 sts., K.11.

4th Row — K.10, P. to end.

Rept. the last 4 rows until Front measures
same as Back finishing on a right side row.
Leave sts. on a spare needle, do not break off
yarn.

Right Front

Using 3¼ mm. (No. 10) Needles, cast on 72
sts.

Work 6 rows g.st.

Commence Patt.

1st Row (Right Side) — K.11, * y.fwd., K.2,
K.2tog., K.2, rept. from * to last st., K.1.

2nd Row — P. to last 10 sts., K.10.

3rd Row — K.11, * K.2, K.2tog., K.2, y.fwd.,
rept. from * to last st., K.1.

4th Row — P. to last 10 sts., K.10.

Rept. the last 4 rows until Front measures
same as Back finishing on a right side row.
Break off yarn.

Yoke

Next Row — K.72 sts. from Left Front, 128 sts.
from Back and 72 sts. from Right Front. 272 sts.
Work 4 rows g.st.

Next Row (Dec. Row) — K.10, * K.2tog., rept.
from * to last 10 sts., K.10. 146 sts.

Work 5 rows g.st.

Next Row (Dec. Row) — K.13, * sl.1, K.2tog.,
p.s.s.o., K.10, rept. from * to last 16 sts., sl.1,
K.2tog., p.s.s.o., K.13. 126 sts.

Work 5 rows g.st.

Next Row (Dec. Row) — K.12, * sl.1, K.2tog.,
p.s.s.o., K.8, rept. from * to last 15 sts., sl.1,
K.2tog., p.s.s.o., K.12. 106 sts.

Work 5 rows g.st.

Next Row (Dec. Row) — K.11, * sl.1, K.2tog.,
p.s.s.o., K.6, rept. from * to last 14 sts., sl.1,
K.2tog., p.s.s.o., K.11. 86 sts.

Work 5 rows g.st.

Next Row (Dec. Row) — K.10, * sl.1, K.2tog.,
p.s.s.o., K.4, rept. from * to last 13 sts., sl.1,
K.2tog., p.s.s.o., K.10. 66 sts.

Work 3 rows g.st.

Next Row (Make eyelet holes) — K.4, y.fwd.,
K.2tog., K. to last 6 sts., K.2tog., y.fwd., K. to
end.

Next Row — Knit.

Hood

Next Row (Inc. Row) — Cast on 10 sts., K.22, *
inc. in next st., K.1, rept. from * to last 10 sts.,
K.10, cast on 10. 108 sts.

Continue in g.st. until hood measures 17.5 cm.
(7 ins.) from inc. row.

Cast off.

MAKING UP

Join side seams by backstitching omitting g.st.,
join g.st. by top sewing.

Join top of hood by backstitching, reverse 10
sts. at face edge, join by top sewing.

Fold 10 cast on sts. onto right side and sl.st.
into position at neck edge.

Cords (Make 2)

Using 4 strands of yarn 1.50 metres (59 ins)
long make a twisted cord. Thread folded end
through eyelet hole at neck, open folded end
and thread knotted end through.

Make 2 pompons, attach to each end of cords.

No. T47 KNITTED SHAWL AND CROCHET PRAM COVER

Shade
800 Pure White



Materials and Measurements

Knitted Shawl

Peter Pan Darling 4 Ply. (20g.)
25 Balls.

2 - 3¼ mm. (No. 10) Aero Knitting Needles.

Square.
122 cm.
48 ins.

Crochet Pram Cover

Peter Pan Darling Chunky. (40g.)
8 Balls.

10 mm. Aero Crochet Hook.

Length.
71 cm.
28 ins.
Width.
56 cm.
22 ins.

KNITTED SHAWL (in 4 Ply)

Tension

12 sts. and 16 rows to 5 cm. (2 ins.) over patt.
on 3¼ mm. (No. 10) Needles.

Centre Piece

Using 3¼ mm. (No. 10) Needles, cast on 265
sts.

Commence Patt.

1st Row — Knit.

2nd Row — As 1st Row.

3rd Row — K.5, * (K.1 winding yarn 3 times
round needle) 5 times, K.5, rept. from * to end.

4th Row — Knit, dropping the extra loops.

5th Row — As 1st Row.

6th Row — As 1st Row.

7th Row — (K.1 winding yarn 3 times round
needle) 5 times, * K.5, (K.1 winding yarn 3
times round needle) 5 times, rept. from * to end.

8th Row — Knit, dropping the extra loops.

The last 8 rows form the patt.

Continue in patt. until work measures 114.5
cm. (45 ins.) from commencement finishing on
a 3rd Row.

Cast off.

Border

Using 3¼ mm. (No. 10) Needles, cast on 7 sts.

Commence Patt.

1st Row — Sl.1, K. to end.

Rept. 1st Row 4 times more.

6th Row — K.2, (y.r.n. twice, K.1) 4 times, K.1.

7th Row — Sl.1, (K.1, then K.1 P.1 into next loop) 4 times, K.2. 15 sts.

8th Row — Sl.1, K. to end.

Rept. 8th Row twice more.

11th Row — (K.1 winding yarn 3 times round needle) 12 times, (y.r.n.) 3 times, K.3.

12th Row — Sl.1, K.2, (K.1, P.1, K.1) all into next loop, (sl.1, letting extra loops fall off needle) 12 times, sl. all 12 long loops back onto left hand needle and K. them all tog. 7 sts.

The last 12 rows form the patt.

Continue in patt. until border is long enough to fit all round edge of centre piece allowing extra to gather at each corner, finishing on a 12th Row.

Cast off. Join edges of border by top sewing.

Pin border into position round shawl, make gathers at each corner. Sew on by top sewing.

CROCHET PRAM COVER (in Chunky)

Tension

2 repts. of patt. in width and 1 rept. of patt. in depth (1 row patt., 1 row d.c.) to measure 5 cm. (2 ins.) on 10 mm. hook.

Note

When working this patt. the length of the st. must be 4 cm. (1½ ins.) to give the desired effect. Hold the sts. on the wide part of the hook with the forefinger of the right hand, this will hold the yarn in position until the st. is complete.

Using 10 mm. hook, make 43 ch. very loosely.

Foundation Row (Right Side) — 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 42 sts.

1st Row — 4 ch. (stands for 1 d.tr.), * y.o.h., insert hook into front loop of next d.c., y.o.h., draw yarn through loosely to a length of 4 cm. (1½ ins.), y.o.h., insert hook into front loop of next d.c., y.o.h., draw yarn through loosely to a length of 4 cm. (1½ ins.), y.o.h. and draw through 5 loops on hook, 2 ch., working behind sts. just worked, y.o.h., insert hook into back loop of first d.c., y.o.h., draw yarn through loosely to a length of 4 cm. (1½ ins.), y.o.h., insert hook into back loop of 2nd d.c., y.o.h., draw yarn through loosely to a length of 4 cm. (1½ ins.), y.o.h. and draw through 5 loops on hook, 1 ch., rept. from * to last st., 1 d.tr. into turning ch.

2nd Row — 2 ch. (for first d.c.), * miss 1 ch. sp., 2 d.c. into 2 ch. sp., rept. from * to last st., 1 d.c. into last d.tr., turn.

These 2 rows form the patt.

Continue in patt. until work measures 70 cm. (27½ ins.) from commencement finishing on a 2nd Row. Fasten off.

Edging

With right side facing, work 1 row of d.c. evenly along 2 long edges, working 2 d.c. round long st. and 1 d.c. into d.c., do not break off yarn on 2nd edge. Work 1 round of d.c. all round cover, join with a sl.st. Work 1 round of crab st., join with a sl.st. Fasten off.

No. T48 ROMPER AND SWEATER

Shade

804 Turquoise



Materials and Measurements

To Fit Chest Sizes.

46 (51) cm.

18 (20) ins.

Actual Measurements.

51 (56) cm.

20 (22) ins.

Peter Pan Darling 4 Ply. (20g.)

Romper

4 (5) Balls.

Sweater

4 (4) Balls.

1 Ball less when knitting full set.

2 - 3¼ mm. (No. 10) and 2 - 2¾ mm. (No. 12)

Aero Knitting Needles.

Stitch Holder.

8 Buttons — Romper.

10 cm. (4 ins.) Zip — Sweater.

Romper

Side Seam (excluding leg and armbands).

18.5 (21.5) cm.

7¼ (8½) ins.

Sweater

Length from Back of Neck.

24 (28) cm.

9½ (11) ins.

Sleeve Seam.

15 (16.5) cm.

6 (6½) ins.

Tension

14 sts. and 18 rows to 5 cm. (2 ins.) over st.st. on 3¼ mm. (No. 10) Needles.

ROMPER

Back (Commence at crotch)

Using 3¼ mm. (No. 10) Needles. cast on 18 (22) sts.

Work 4 rows st.st. (1 row knit, 1 row purl).

Continue in st.st., cast on 2 sts. at beg. of every row until 66 (74) sts. then 3 sts. at beg. of every row until 78 (86) sts. are on the needle.

Continue without further inc. until side edge measures 12.5 (15) cm. 5 (6) ins. finishing on a P. row.

Shape Back

Next Row — K. to last 8 sts., turn.

Next Row — Sl.1, P. to last 8 sts., turn.

Next Row — K. to last 16 sts., turn.

Next Row — Sl.1, P. to last 16 sts., turn.

Next Row — K. to last 24 sts., turn.

Next Row — Sl.1, P. to last 24 sts., turn.

Next Row — K. to end.

**** Next Row** (Dec. Row) — * P.4 (5), P.2tog., * rept. from * to * 3 times more, P.30, P.2tog., rept. from * to * 3 times, P.4 (5). 70 (78) sts. Change to 2¾ mm. (No. 12) Needles.

Work 4 rows in K.1, P.1, rib.

Next Row (make eyelet holes) — K.1, * P.1, K.1, y.fwd., K.2tog., rept. from * to last st., P.1. Work 3 rows in rib.

Change to 3¼ mm. (No. 10) Needles. **

Continue in st.st. for 3 (4) cm. 1¼ (1½) ins. finishing on a P. row.

Shape Armholes

Cast off 5 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of the needle on every row until 54 (58) sts. remain. Continue without further dec. until armholes measure 7.5 (9) cm. 3 (3½) ins. finishing on a K. row.

Shape Neck

Next Row — P.14 (16), cast off 26, P. to end.

Continue on the last set of sts. as follows:—

Work 4 rows.

Cast off.

With right side facing, rejoin yarn at neck edge.

Work 4 rows.

Cast off.

Front

Using 3¼ mm. (No. 10) Needles, cast on 18 (22) sts. Work 2 rows st.st.

1st Row (Right Side) — K.0 (2), * K.4, y.fwd., sl.1, K.1, p.s.s.o., K.3, rept. from * once more, K.0 (2).

2nd and Alt. Rows — Purl.

3rd Row — K.0 (2), * K.2, K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.2, rept. from * once more, K.0 (2).

5th Row — K.0 (2), * K.1, K.2tog., y.fwd., K.3, y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * once more, K.0 (2).

7th Row — K.0 (2), * K.2tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., rept. from * once more, K.0 (2).

8th Row — Purl.

Rept. rows 1-6 inclusive once.

15th Row — Cast on 2 sts., P.0 (2), K.2, * K.2tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., rept. from * once more, K.0 (2).

16th Row — Cast on 2, P. to end.

1st Row — Cast on 2, K.0 (2), P.2, K.2, * K.4, y.fwd., sl.1, K.1, p.s.s.o., K.3, rept. from * once more, K.2, P.0 (2).

2nd and Alt. Rows — Cast on 2, P. to end.

3rd Row — Cast on 2, K.2 (4), P.2, K.2, * K.2, K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.2, rept. from * once more, K.2, P.2, K.0 (2).

5th Row — Cast on 2, K.4 (6), P.2, K.2, * K.1, K.2tog., y.fwd., K.3, y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * once more, K.2, P.2, K. to end.

7th Row — Cast on 2, K.6 (8), P.2, K.2, * K.2tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., rept. from * once more, K.2, P.2, K. to end.

8th Row — Cast on 2, P. to end.

Continue in the 8 row patt. as set, casting on 2 sts. at beg. of every row until 66 (74) sts. then 3 sts. at beg. of every row until 78 (86) sts. are on the needle.

Continue in patt. without further shaping until side edge measures 12.5 (15) cm. 5 (6) ins. finishing on a right side row.

Work from ** to ** of Back.

Next Row — K.22 (26), P.2, K.2, patt. 18, K.2, P.2, K. to end.

Next Row — Purl.

Keeping centre 26 sts. in patt. continue until work measures 3 (4) cm. 1¼ (1½) ins. from top or rib finishing on a P. row.

Shape Armholes

Cast off 5 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of the needle on every row until 54 (58) sts. remain.

Continue in patt. until Front measures 6 rows less than Back to Shape Neck finishing on a right side row.

Shape Neck

Next Row — P.14 (16), cast off 26, P. to end. Continue on the last set of sts. as follows:—
Work 10 rows st.st.
Cast off.
With right side facing, rejoin yarn at neck edge.
Work 10 rows st.st.
Cast off.

SWEATER

Back

Using 2¾ mm. (No. 12) Needles, cast on 69 (77) sts.
1st Row — K.1, * P.1, K.1, rept. from * to end.
2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows for 4 cm. (1½) ins. finishing on a 2nd Row, inc. 1 st. at end of last row.
Change to 3¼ mm. (No. 10) Needles and st.st. (1 row knit, 1 row purl).
Continue in st.st. until work measures 14 (15) cm. 5½ (6) ins. from commencement finishing on a P. row.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.
Next Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.
Next Row — Purl.
Rept. the last 2 rows until 28 (30) sts. remain finishing on a P. row.
Sl. sts. onto a st. holder. Break off yarn.

Front

Using 2¾ mm. (No. 12) Needles, cast on 69 (77) sts.
Work 4 cm. (1½ ins.) in rib as given for Back finishing on a 2nd Row, inc. 1 st. at end of last row.
Change to 3¼ mm. (No. 10) Needles.

Commence Patt.

1st Row (Right Side) — K.22 (26), P.2, K.2, * K.4, y.fwd., sl.1, K.1, p.s.s.o., K.3, rept. from * once more, K.2, P.2, K. to end.
2nd and Alt. Rows — Purl.
3rd Row — K.22 (26), P.2, K.2, * K.2, K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.2, rept. from * once more, K.2, P.2, K. to end.
5th Row — K.22 (26), P.2, K.2, * K.1, K.2tog., y.fwd., K.3, y.fwd., sl.1, K.1, p.s.s.o., K.1, rept. from * once more, K.2, P.2, K. to end.
7th Row — K.22 (26), P.2, K.2, * K.2tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., rept. from * once more, K.2, P.2, K. to end.
8th Row — Purl.
The last 8 rows form the patt.
Continue in patt. until Front measures same as Back to armholes finishing on a wrong side row.

Shape Armholes

Cast off 4 sts. at beg. of next 2 rows.
Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.
Next Row — Purl.
Rept. the last 2 rows until 38 (42) sts. remain finishing on a right side row.

Shape Neck

Next Row — P.25 (27), sl. the last 12 sts. just worked onto a safety pin, P. to end.
Continue on the last set of sts. as follows:—
Continue to dec. at armhole edge as before at the same time dec. 1 st. at neck edge on every row until 4 sts. remain.
Continue to dec. at armhole edge only until 2 sts. remain. K.2tog. Fasten off.
With right side facing rejoin yarn at neck edge.
Work to correspond with other side.

Sleeves (Both Alike)

Using 2¾ mm. (No. 12) Needles, cast on 35 (37) sts.
Work 4 cm. (1½ ins.) in rib as given for Back finishing on a 2nd Row.
Change to 3¼ mm. (No. 10) Needles and st.st.
Continue in st.st., inc. 1 st. at each end of the

needle on the 5th and every following 8th row until 43 (47) sts. are on the needle.
Continue without further inc. until sleeve measures 15 (16.5) cm. 6 (6½) ins. from commencement finishing on a P. row.

Shape Top

Cast off 4 sts. at beg. of next 2 rows.
1st Row — Knit.
2nd Row — Purl.
3rd Row — K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.
4th Row — Purl.
Rept. the last 4 rows 2 (3) times more, then the 3rd and 4th Rows only until 7 sts. remain finishing on a P. row.
Sl. sts. onto a safety pin. Break off yarn.

MAKING UP

Romper

Join side seams by backstitching.

Leg Bands

With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.83 (93) sts. evenly round leg.
Commencing on a 2nd Row, work 3 cm. (1¼) ins. in rib as given for back of sweater.
Cast off in rib.

Armbands

With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.61 (69) sts. evenly round armhole.
Commencing on a 2nd Row, work 5 rows in rib as given for back of sweater.
Cast off in rib.

Back Neck Band

With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.39 sts. evenly on back neck.
Work as instructions given for armbands.

Front Neck Band

With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.47 sts. evenly on front neck.
Work as instructions given for armbands.

Back Shoulders

*** With right side facing, using 2¾ mm. (No. 12) Needles, pick up and K.21 (23) sts. evenly on shoulder.
Commencing on a 2nd Row, work 5 rows in rib as given for back of sweater.
Cast off in rib. ***

Front Shoulders

Work from *** to *** of back shoulders, working buttonholes on the 3rd Row as follows:—
Buttonhole Row — (P.1, K.1) once (twice), y.fwd., K.2tog., P.1, K.1, P.1, y.o.n., P.2tog., K.1, P.1, K.1, y.fwd., K.2tog., P.1, K.1, P.1, y.o.n., P.2tog., K.1, P.1.
Join crotch by top sewing.
Fold leg bands onto wrong side and sl.st. into position.
Sew on buttons.
Using 3 strands of yarn 1.5 metres (59 ins.) long, make a twisted cord, knot and fray ends.
Thread through holes at waist.

Sweater

Pin sleeves into position leaving left back raglan open, sew in by backstitching.

Neckband

With right side facing, using 2¾ mm. (No. 12) Needles, K.7 sts. from sleeve top, pick up and K.10 (12) sts. down left front neck, K.12 sts. from front neck, pick up and K.9 (11) sts. up right front neck, K.7 sts. from sleeve top and 28 (30) sts. from back neck. 73 (79) sts.
Commencing on a 2nd Row, work 4 cm. (1½ ins.) in rib as given for back.

Cast off in rib.
Join left raglan by backstitching omitting 10 cm. (4 ins.) for Zip.
Pin Zip into position, top of zip to fold of neckband, sew in by backstitching.
Fold neckband in half onto wrong side and sl.st. into position.
Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.