



a **Wendy** design
in 4 ply
18"/20" Chest

Pram Set

Knitted in Peter Pan Darling
Shade 801 Pink

in

Peter Pan Darling

SPECIALLY SPUN FOR BABIES

(Instructions given for 18 inch (46 cm.) Chest, larger sizes given in brackets.)

MATERIALS REQUIRED

COAT	— 5 (6) Balls	}	PETER PAN DARLING 4 PLY
BONNET	— 1 (1) Ball		
MITTS	— 1 (1) Ball		
SHOES	— 1 (1) Ball		

NOTE: 1 Ball less required for COMPLETE SET.

2 No. 11 and 2 No. 13 Aero Knitting Needles.

3 Buttons — **COAT.**

1 yard (91 cm.) ribbon $1\frac{1}{2}$ ins. (4 cm.) wide — **BONNET.**

1 yard (91 cm.) ribbon $\frac{1}{4}$ inch (1 cm.) wide — **MITTS.**

2 Buttons — **SHOES.**

Stitch holder — Crochet hook.

MEASUREMENTS

COAT	— Length from back of neck —	$10\frac{1}{2}$ ($11\frac{1}{2}$) ins. 27 (29) cm.	
To Fit	— 18 (20) inch 46 (51) cm.	}	Chest.
Sleeve seam	— $5\frac{1}{2}$ (6) ins. 14 (15) cm.		

ABBREVIATIONS

K.—knit; P.—Purl; sts.—stitches; st.st.—stocking stitch; inc.—increase; dec.—decrease; tog.—together; beg.—beginning; alt.—alternate; rept.—repeat; sl.1.—slip one; p.s.s.o.—pass slipped stitch over; g.st.—garter stitch; y.fwd.—yarn forward; d.c.—double crochet; C. 2F.—Cross 2 front, knit into front of 2nd stitch on left hand needle, then K. first st., slip both sts. off needle together; 0—No stitches or rows to be worked in that particular size.

Success will be assured if you . . .

Use **ONLY** the Wendy or Peter Pan yarn specified (we cannot accept responsibility for an imperfect garment if any other brand is used). Follow our instructions exactly, make certain you have the right tension. Measure (without stretching) to see you're knitting the right number of stitches to an inch. Too many?—use larger needles. Too few?—use finer needles. Once the tension is right, the size will be right.

TENSION.—15 sts. to 2 ins. (5 cm.) over st. st. on No. 11 needles.

COAT

BACK

Using No. 13 needles, cast on 112 (120) sts.

Work 8 rows in g.st. (every row knit).

Change to No. 11 needles and pattern.

1st Row.—* K.1, C. 2F., K.1, rept. from * to end.

2nd Row.—* K.1, P.2, K.1, rept. from * to end.

3rd Row.—K.1. * K.2, C. 2F., rept. from * to last 3 sts., K.3.

4th Row.—K.1. * K.2, P.2, rept. from * to last 3 sts., K.3.

Rept. the last 4 rows twice more.

Continue in st.st. (1 row plain, 1 row purl) until work measures $6\frac{1}{4}$ (7) ins 16 (18) cm. from commencement, finishing on a right side row.

Next Row.—(Dec. Row) - P.2 (5), * P.3 tog., P.2, rept. from * to last 0 (5) sts., P.0 (5). 68 (76) sts.

SHAPE ARMHOLES

1st Row.—Cast off 2 (2) sts., C. 2F., K.1, * K.1, C. 2F., K.1, rept. from * to last 2 sts., K.2.

2nd Row.—Cast off 2 (2) sts., P.2, K.1, * K.1, P.2, K.1, rept. from * to end.

3rd Row.—K.2 tog., K.1, * C. 2F., K.2, rept. from * to last 5 sts., C. 2F., K.1, K.2 tog.

4th Row.—* K.2, P.2, rept. from * to last 2 sts., K.2.

Keeping pattern correct, K.2 tog. at each end of the needle on the next and every following alt. row until 24 (28) sts. remain. Cast off.

LEFT FRONT

**

Using No. 13 needles, cast on 52 (56) sts.

Work 8 rows in g.st.

Change to No. 11 needles.

Work the 4 rows of pattern as given for Back 3 times.

Continue in st.st. until work measures $6\frac{1}{4}$ (7) ins. 16 (18) cm. from commencement, finishing on a right side row.

Next Row.—(Dec. Row) - P.2 (5), * P.3 tog., P.2, rept. from * to last 0 (1) st., P.0 (1). 32 (36) sts. **

SHAPE ARMHOLE

1st Row.—Cast off 2 (2) sts., C. 2F., K.1, * K.1, C. 2F., K.1, rept. from * to last 2 sts., K.2.

2nd Row.—K.1. * K.2, P.2, rept. from * to last st., K.1.

3rd Row.—K.2 tog., * K.1, C. 2F., K.1, rept. from * to end.

4th Row.—K.1. * P.2, K.2, rept. from * to end.

Keeping pattern correct, continue to dec. at beg. of the next and every following alt. row until 15 (19) sts. remain, finishing at front edge.

SHAPE NECK

Still dec. at armhole edge as before, cast off 3 (3) sts. at beg. of the next row.

K.2 tog. at neck edge on the following 6 (8) rows.

Continue dec. at armhole edge only until 2 sts. remain. K.2 tog. Fasten off.

RIGHT FRONT

Work exactly as instructions given for Left Front from ** to **.

Next Row.—K.2, * K.1, C. 2F., K.1, rept. from * to last 2 sts., K.2.

SHAPE ARMHOLE

Next Row.—Cast off 2 (2) sts., * P.2, K.2, rept. from * to last st., K.1.

Next Row.—Pattern to the last 2 sts., K.2 tog.

Continue working to correspond with left front reversing all shapings.

SLEEVES - (Both alike)

Using No. 13 needles, cast on 40 (44) sts.

Work 10 rows in g.st.

Change to No. 11 needles, work 12 rows in pattern as given for Back, inc. 1 st. at each end of the needle on the 5th row.

Continue in st.st. inc. 1 st. at each end of the needle on the next and every following 6th row until 50 (54) sts. are on the needle.

Continue without further inc. until work measures $5\frac{1}{2}$ (6) ins. 14 (15) cm. from commencement, finishing on a P. row.

SHAPE TOP

Cast off 2 (2) sts. at beg. of the next 2 rows.

K.2 tog. at each end of the needle on the next and every following alt. row until 6 sts. remain. Cast off.

LEFT FRONT BAND

Using No. 13 needles, cast on 7 sts.

Continue in g.st. until band is long enough, when slightly stretched, to fit up left front to commencement of neck shaping. Cast off.

Mark positions for buttons on left front band, the first one to correspond with commencement of Yoke pattern, the last one $\frac{1}{4}$ inch (1 cm.) from cast off edge and one more equally spaced between.

RIGHT FRONT BAND

Work exactly as instructions given for Left Front Band, working buttonholes to correspond with positions marked for buttons as follows:-

Buttonhole Row.—K.3, y.fwd., K.2 tog., K. to end.

COLLAR

Using No. 11 needles, cast on 23 (27) sts.

Purl one row.

Continue in st.st. cast on 10 sts. at beg. of the next 2 rows then 9 (11) sts. at beg. of the following 2 rows. 61 (69) sts.

Work 8 (10) rows in st.st.

Cast off 2 sts. at beg. of the next 4 rows, slip remaining sts. onto a st. holder.

Using No. 13 needles, cast on 15 (17) sts.

With right side of work facing, knit across 53 (61) sts. from st. holder, cast on 15 (17) sts., K. to end. 83 (95) sts.

Work 5 rows in g.st. Cast off.

BONNET

Using No. 13 needles, cast on 84 (92) sts.

Work 10 rows in g.st. (every row knit).

Change to No. 11 needles. Continue working the 4 rows of pattern as given for Back of Coat until work measures $4\frac{1}{2}$ (5) ins. 11 (13) cm. from commencement, finishing on a wrong side row.

SHAPE TOP

1st Dec Row.—* K.5 (5), sl.1, K.2 tog., p.s.s.o., K.4 (5), rept. from * to last 0 (1) st., K.0 (1).

Knit 3 rows between each dec. row.

2nd Dec. Row.—* K.4 (4), sl.1, K.2 tog., p.s.s.o., K.3 (4), rept. from * to last 0 (1) st., K.0 (1).

3rd Dec. Row.—* K.3 (3), sl.1, K.2 tog., p.s.s.o., K.2 (3), rept. from * to last 0 (1) st., K.0 (1).

4th Dec. Row.—* K.2 (2), sl.1, K.2 tog., p.s.s.o., K.1 (2), rept. from * to last 0 (1) st., K.0 (1).

Knit 1 row.

Break off yarn, draw through remaining sts.

Fasten off.

MITTENS - (MAKE 2)

Using No. 13 needles, cast on 40 (44) sts.

Work 4 rows in g.st. (every row knit).

Change to No. 11 needles, work 10 (12) rows in pattern as given for back of Coat.

Next Row.—(Make Holes) - * K.1, y.fwd., X.2 tog., K.1, rept. from * to end.
Commencing with a P. row continue in st.st. until work measures 2 ins. (5 cm) from holes, finishing on a P. row.

SHAPE TOP

1st Row.—* K.1, sl.1, K.1, p.s.s.o., K.14 (16), K.2 tog., K.1, rept. from * once more.

2nd Row.—Purl.

3rd Row.—* K.1, sl.1, K.1, p.s.s.o., K.12 (14), K.2 tog., K.1, rept. from * once more.

4th Row.—Purl.

Continue to dec. in this manner on every alt. row, working 2 sts. less between each dec. until 12 sts. remain. Cast off.

SHOES - (Make 2)

Using No. 11 needles, cast on 32 sts.

1st Row.—Knit.

2nd Row.—K.1, inc. 1 st. by picking up loop between st. just worked and next st. on needle and knit into the back of it, K.14, inc. 1 st., K.2, inc. 1 st., K.14, inc. 1 st., K.1.

3rd Row.—Knit.

4th Row.—K.1, inc. 1 st., K.16, inc. 1 st., K.2, inc. 1 st., K.16, inc. 1 st., K.1.

Continue to inc. in this manner until 56 (60) sts. are on the needle.

Knit 1 row.

Commencing with a K. row work 4 rows in st.st.

Next Row.—(Make Ridge)—K. tog. the first st. on the needle and the corresponding st. at back of work from first row of st.st.

Continue in this manner across all sts.

Purl 1 row.

Work 9 (11) rows in pattern as given for Back of Coat.

Knit 1 row.

SHAPE INSTEP

1st Row.—K.31 (33), sl.1, K.1, p.s.s.o., turn.

2nd Row.—K.7, K.2 tog., turn.

3rd Row.—K.7, sl.1, K.1, p.s.s.o., turn.

Rept. the last 2 rows until 40 (42) sts. remain, finishing on a wrong side row.

Next Row.—K.8 sts. from instep, K.16 (17) sts.

Knit 3 rows across all sts.

Next Row.—K.5, cast off 30 (32) sts., K.5.

Break off yarn. Slip all sts. onto a spare needle.

Using No. 11 needles, cast on 12 (14) sts.

Commencing at the end of the 30 (32) cast off sts., knit across 10 sts. from spare needle, cast on 12 (14) sts.

Knit one row.

Next Row.—(Make buttonhole)—K.2, cast off 1, K. to end.

Next Row.—K. to last 2 sts., cast on 1, K.2.

Knit 1 row. Cast off.

Work 2nd shoe in the same manner working buttonhole at the other end of the row.

PRESSING

It is important to follow these instructions when making up the garment.

With wrong side of work facing, pin out all pieces to measurements given. Using a warm iron and dry cloth press carefully.

COAT

MAKING UP

Pin sleeves into position, sew in by back stitching. Join side and sleeve seams by back stitching.

omitting g.st., join g.st. by top sewing.

Pin front bands into position, sew on by top sewing. Top sew edges of collar.

Pin collar into position, front edges of collar to centre of front bands, sew on by top sewing.

Sew on buttons to correspond with buttonholes. Buttonhole stitch buttonholes.

BONNET

Top sew seam of shaped section and 1 inch (3 cm.) of pattern.

Work 1 row of d.c. round lower edge, sew on ribbon.

MITTS.—Top sew seams. Thread ribbon through holes at wrist.

SHOES

Top sew sole and back seam.

Sew on buttons.

Press seams lightly.

A FINAL WORD

You have taken a lot of care in knitting this Peter Pan Design. Your garment deserves equal care when washing. By following these instructions, you will find that the life, shape and softness of your garment will be preserved.

- (1) NEVER USE HOT WATER.
- (2) **Washing.** Place your garment in a well-dissolved solution of **Soap Flakes** and WARM WATER. Work the garment gently with the hands for approximately two minutes. NEVER RUB the garment and do NOT leave it to soak.
- (3) **Rinsing.** EVERY TRACE OF SOAP MUST BE REMOVED. Rinse in three changes of clean, warm water, squeezing gently, but NEVER wring the garment.
- (4) **Removing Water.** Place the garment between dry towels and squeeze without twisting.
- (5) **Drying.** Immediately spread the garment out to its original shape and size and DRY FLAT on a clean towel, SLOWLY, and in a warm place. NEVER hang up your garment to dry

MACHINE WASHING

Instructions on Ball band