

*Peter  
Pan*

*Darling*  
SPECIALLY SPUN FOR BABIES

P252

7p



a *Wendy* design  
in 4 Plys 18"/20"

# Coat and Bonnet Set

Crocheted in Darling  
Shade 802 Blue

in

## Peter Pan

(Instructions given for 18 inch (46 cm) Chest, larger size given in brackets)

### MATERIALS REQUIRED

|               |               |   |                                                                     |
|---------------|---------------|---|---------------------------------------------------------------------|
| <b>COAT</b>   | — 4 (5) Balls | } | PETER PAN DARLING 4 ply <i>or</i><br>PETER PAN BABY COURTELLE 4 ply |
| <b>BONNET</b> | — 2 (2) Balls |   |                                                                     |
| <i>or</i>     |               |   |                                                                     |
| <b>COAT</b>   | — 5 (7) Balls | } | PETER PAN BABY BRI NYLON 4 ply                                      |
| <b>BONNET</b> | — 2 (3) Balls |   |                                                                     |

2.50 mm and 3.00 mm Aero Crochet Hooks.  
3 Buttons—COAT.

### MEASUREMENTS

|             |                                |                             |       |
|-------------|--------------------------------|-----------------------------|-------|
| COAT        | — Length from top of shoulder— | 10 (11) ins.<br>25 (28) cm. |       |
| To Fit      | — 18 (20) ins.<br>46 (51) cm.  | }                           | Chest |
| Sleeve seam | — 5 (6) ins.<br>13 (15) cm.    |                             |       |

BONNET — To fit average head.

### ABBREVIATIONS

Ch., Chain; d.c., double crochet; tr., treble; dec., decrease; sts., stitches; sl.st., slip stitch; ins., inches; cm., centimetre; y.o.h., yarn over hook.

## Success will be assured if you . . .

Use ONLY the Wendy or Peter Pan yarn specified (we cannot accept responsibility for an imperfect garment if any other brand is used).

Follow our instructions exactly, make certain you have the right tension. Measure (without stretching) to see you're crocheting the right number of stitches to an inch. Too many?—use larger hook. Too few?—use finer hook. Once the tension is right, the size will be right.

THE TENSION FOR THIS GARMENT IS: 4 patterns (12 sts.) to 2½ ins. (6 cm) and 10 d.c. to 2 ins. (5 cm) on 3.00 mm hook.

## COAT

### BACK

Using 3·00 mm hook, make 77 (86) ch.

**1st row:** 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 76 (85) d.c.

**2nd row:** 2 ch., (for first tr.) 1 tr. into first d.c., \* miss 2 d.c., 3 tr. into next d.c., rept. from \* to last 3 d.c., miss 2 d.c., 2 tr. into last d.c.

**3rd row:** 2 ch. to turn, 1 tr. into 2nd tr., 2 ch., \* 1 tr. into each of next 3 tr. leaving last loop of each tr. on hook, y.o.h. draw through all sts. (3 tr. group), 2 ch., rept. from \* to last tr., 1 tr. into last tr. 1 tr. into 2 ch., turn leaving last loop of each tr. on hook, y.o.h. draw through all sts. (2 tr. group).

**4th row:** 2 ch. to turn, \* 3 tr. into 2 ch. space, rept. from \* to end, 1 tr. into 2 ch. turn of previous row.

**5th row:** 2 ch. to turn, \* 3 tr. group into next 3 tr., 2 ch., rept. from \* to last 3 tr., 3 tr. group into last 3 tr., 1 ch., 1 tr. into 2 ch. turn of previous row.

**6th row:** 2 ch. to turn, 1 tr., into 1 ch. space, \* 3 tr. into 2 ch. space, rept. from \* to end, 2 tr. into 2 ch. turn of previous row.

Rows 3–6 form the pattern.

Continue in pattern until work measures 6 (6½) ins. 15 (16) cm from commencement finishing on a 4th or 6th row. Change to 2·50 mm hook.

### SHAPE ARMHOLES

Sl. st. over 6 sts., \* 1 d.c. into first and 3rd tr. of each group, rept. from \* to the last 2 groups, 1 d.c. into next tr. turn. 43 (49) sts.

#### 18 inch (46 cm) SIZE ONLY

Work 2 rows in d.c., dec. 1 st. at each end of the first row. (41 sts.)

#### 20 inch (51 cm) SIZE ONLY

**Next row:** Work in d.c. dec. 1 st. at each end of the row. Rept. the last row once more. (45 sts.)

### BOTH SIZES

Change to 3·00 mm hook.

**Next row:** 2 ch., 1 tr. into first st., \* miss 1 d.c., 3 tr. into next d.c., miss 1 d.c., rept. from \* to last 1 (2) d.c., 1 tr. into last 1 (2) d.c.

**Next row:** 2 ch., 1 tr. into 2nd tr., 2 ch., \* 3 tr. group into next 3 tr., 2 ch., rept. from \* to last 2 sts., 2 tr. group into last 2 sts.

**Next row:** 1 ch. to turn, 2 d.c. into each 2 ch. space, 1 d.c. into top of each group.

Work 3 rows in d.c.

Rept. the last 6 rows until armholes measure 3¾ (4¼) ins. 9 (11) cm.

### SHAPE SHOULDERS

Sl. st. over 6 (7) sts., work to within 6 (7) sts. of end. Fasten off.

## LEFT FRONT

Using 3·00 mm hook, make 41 (47) ch.

Continue in pattern as given for Back until work measures 6 (6½) ins. 15 (16) cm.

Change to 2·50 mm hook.

### SHAPE ARMHOLE

Sl. st. over 6 sts., \* 1 d.c. into first and 3rd tr. of each group, 1 d.c. into last st. 23 (27) sts.

#### 18 inch (46 cm) SIZE ONLY

Work 2 rows in d.c., dec. 1 st. at armhole edge on the first row. (22 sts.)

#### 20 inch (51 cm) SIZE ONLY

**Next row:** Work in d.c., dec. 1 st. at armhole edge. Rept. the last row once more. (25 sts.)

### BOTH SIZES

Change to 3·00 mm hook.

**Next row:** 2 ch. 1 tr. into first st., \* miss 1 d.c. 3 tr. into next d.c. miss 1 d.c. Rept. from \* to last 2 (3) d.c. 2 tr. into last st.

Continue in pattern as given for back yoke until armhole measures 3 (3¼) ins. 7 (8) cm finishing at front edge.

### SHAPE NECK

**Next row:** Sl. st. over 6 (7) sts., pattern to end. 16

Dec. 1 st. at neck edge on the next 4 rows. 12

Continue without further dec. until armhole measures same as back to shoulder shaping, finishing at side edge.

### SHAPE SHOULDER

Sl. st. over 6 (7) sts., work to end. Fasten off.

## RIGHT FRONT

Work exactly as instructions given for Left Front reversing all shapings.

### SLEEVES—(Both alike)

Using 3·00 mm hook, make 35 (41) ch.

Continue in pattern as given for Back until work measures 4 (5) ins. 10 (13) cm from commencement.

### SHAPE TOP

**1st row:** Sl. st. over 1 group, work to within 1 group of end, turn.

Rept. the last row once more.

Work 1 row.

Rept. the first row 2 (3) times. Fasten off.

### CUFFS

With right side of work facing, using 3·00 mm hook, rejoin yarn at lower edge of sleeve.

**1st row:** 1 d.c. into first st., \* 1 d.c. between groups, 1 d.c. into top of group, rept. from \* to last st., 1 d.c. into last st. 23 (27) d.c.

Work 6 rows in d.c. Fasten off.

## COLLAR

Using 3·00 mm hook, make 40 (44) ch.

1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end.  
Turning every row with 1 ch., work 6 rows in d.c.  
Fasten off.

With right side of work facing, rejoin yarn at short edge of collar, work 1 row of d.c. down short edge, across last row and up other short edge, turn.

**Next row:** Work in d.c., working 2 d.c. into each corner, commencing with a 2nd row, work 2 rows in pattern, then 1 row in d.c. Fasten off.

## BONNET

### SIDE PIECES—(Make 2)

Using 3·00 mm hook, make 3 ch., join into a ring with a sl.st.

**1st round:** 6 d.c. into ring, join with sl.st.

**2nd round:** 2 ch. (for first tr.) 2 tr. into same st., 1 ch., \* 3 tr., 1 ch. into each st., join with sl.st. (6 groups of 3 tr.).

**3rd round:** 4 ch., \* 3 tr. group into 3 tr., 2 ch., 1 tr. into 1 ch. space, 2 ch., rept. from \* to end, join with a sl.st. into 2nd of 4 ch.

**4th round:** 2 ch., 2 tr. into 2 ch. space, 1 ch., \* 3 tr., into next ch. space, 1 ch., rept. from \* to end, join with a sl.st. (12 groups).

**5th round:** As 3rd round.

**6th round:** As 4th round (24 groups).

### 18 inch (46 cm) SIZE ONLY

**7th round:** 1 d.c. into each tr. and every alt. space to end, join with a sl.st. Fasten off (84 d.c.).

### 20 inch (51 cm) SIZE ONLY

**7th round:** As 3rd round.

**8th round:** 2 d.c. into each ch. space, join with a sl.st. Fasten off. (96 d.c.)

## CENTRE PIECE

Using 3·00 mm hook, make 17 (20) ch.

1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 16 (19) d.c.

Continue in pattern as given for Coat, until work measures 5½ (6) ins. 14 (16) cm from commencement.

Dec. 1 st. at each end of the next and every following 3rd row until 2 groups remain.

Continue without further dec. until work measures 11 (12) ins. 28 (31) cm from commencement. Fasten off.

## PRESSING

It is **important** to follow these instructions when making up the garment.

**PETER PAN BABY COURTELLE ONLY**—Work over the right side of each piece of the garment with a cool iron. Taking a small area at a time, stretch your work lengthways and sideways (pull hard) let it relax, then pat over with the iron, using no pressure. This evens out the crochet and sets it.

**PETER PAN BABY BRI NYLON AND DARLING**—With wrong side of work facing, pin out all pieces to measurements given. Using a warm iron and dry cloth press carefully.

## MAKING UP

## COAT

Join shoulder seams by back stitching.

Join side and sleeve seams by top sewing.

Pin sleeves into position, sew in by back stitching.

Using 3·00 mm hook work 1 row of d.c. down left front, round lower edge and up right front. Fasten off.

Pin collar into position, round neck edge, leaving 2 sts. free at each front, sew on by top sewing.

Sew buttons on to left front to correspond with holes in pattern.

## BONNET

Using 3·00 mm hook work 56 (64) d.c. along long side of centre piece, d.c. along last row. 56 (64) d.c. along other long side. Place centre piece between side sections and join with d.c.

## Ties—(Make 2)

Using 3·00 mm hook make 60 ch.

1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. Work 2 more rows in d.c. Fasten off.

Join a tie to each side of bonnet.

Press seams lightly.

## A FINAL WORD

You have taken a lot of care in working this Peter Pan Design. Your garment deserves equal care when washing. By following these instructions, you will find that the life, shape and softness of your garment will be preserved.

- (1) **NEVER USE HOT WATER.**
- (2) **Washing.** Place your garment in a well-dissolved solution of **Soap Flakes** and **WARM WATER**. Work the garment gently with the hands for approximately two minutes. **NEVER RUB** the garment and do **NOT** leave it to soak.
- (3) **Rinsing.** **EVERY TRACE OF SOAP MUST BE REMOVED.** Rinse in three changes of clean, warm water, squeezing gently but **NEVER** wring the garment.
- (4) **Removing Water.** Place the garment between dry towels and squeeze without twisting.
- (5) **Drying.** Immediately spread the garment out to its original shape and size and **DRY FLAT** on a clean towel, **SLOWLY**, and in a warm place.  
**NEVER** hang up your garment to dry.

## WASHING <img alt="Courtelles logo: a stylized eye shape with a horizontal line through it." data-bbox="645 707 705 721"/> COURTELLE

### SO EASY TO WASH AND CARE FOR

Treat your own make of garments in Courtelles just as you would bought ones. That is, **WASH** by hand, as soon as they get slightly dirty. Use soapless detergent or soap flakes or powder dissolved in water comfortably hot to the hand. **RINSE** thoroughly, squeeze lightly or roll in towel. Do **NOT** put through wringer. **DRY** flat.

**DO NOT PRESS WITH A DAMP CLOTH**, instead, work over the right side of each garment piece with a **COOL** iron (set at Rayon temperature). Taking a small area at a time, stretch your crochet lengthways and sideways (pull hard), let it relax, then pat over it with the iron, using no pressure. This evens out the crochet and sets it.

Our Knitting Bureau will gladly give you any assistance or advice on Wendy Designs if queries are accompanied by a Wendy or Peter Pan Ball Band

**CARTER & PARKER LTD., GUISELEY, YORKS.**

Prices apply only in Great Britain and Northern Ireland

Printed in England