



CHILD'S CABLE SWEATER AND PANTS

in Peter Pan Darling D.K.

No. P.435
Knitted in Darling
Shade 813 Picnic
Blue

Instructions given for 46 cm. (18 inch) Chest, larger size given in brackets.
Where only one figure is given this applies to both sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes										46	51	cm.
Actual Measurements										18	20	ins.
										51	56	cm.
										20	22	ins.
SWEATER												
Peter Pan Darling D.K. (20g.)										4	5	Balls.
Twinkle (20g.)										4	5	Balls.
or												
Lustre Knit. (20g.)										3	4	Balls.
PANTS												
Peter Pan Darling D.K. (20g.)										3	4	Balls.
Twinkle (20g.)										3	4	Balls.
or												
Lustre Knit. (20g.)										2	3	Balls.
2 — 3¼ mm. and 2 — 4 mm. Milward Knitting Needles.												
Stitch Holders.												
Cable Needle.												
Elastic for Pants.												
SWEATER										24	26.5	cm.
Length from Back of Neck										9½	10½	ins.
Sleeve Seam										15	16.5	cm.
										6	6½	ins.
PANTS										12.5	15	cm.
Side Seam										5	6	ins.
NEEDLE SIZES												
Metric	7	6½	6	5½	5	4½	4	3¾	3¼	3	2¾	mm.
English	2	3	4	5	6	7	8	9	10	11	12	
American	10½	10	9	8	7	6	5	4	3	2	1	

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. — Knit; P. — Purl; st(s). — stitch(es); st.st. — stocking stitch; rept. — repeat; dec. — decrease; inc. — increase; tog. — together; beg. — beginning; sl. — slip; sl.1 — slip one; p.s.s.o. — pass slipped stitch over; C.4B. — cable 4 back, slip next 2 sts. onto a cable needle and leave at back of work, K.2, then K.2 from cable needle; patt. — pattern; cm. — centimetres; ins. — inches.

TENSION

12 sts. and 16 rows to 5 cm. (2 ins.) over st.st. on 4 mm. Needles.

SWEATER

Success will be assured if you...

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used). Follow our instructions exactly, make certain you have the right tension. Measure (without stretching) to see you're knitting the right number of stitches as stated. Too many? — use larger needles. Too few? — use finer needles. Once the tension is right, the size will be right.

BACK

Using 3¼ mm. Needles, cast on 59 (65) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 cm. (1½ ins.) finishing on a 2nd Row, inc. 1 st. at end of last row. 60 (66) sts.

Change to 4 mm. Needles.

Continue in st.st. (1 row knit, 1 row purl) until work measures 15 (16.5) cm. 6 (6½) ins. from commencement finishing on a P. row.

Shape Armholes

Cast off 5 sts. at beg. of next 2 rows.

Next Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Next Row – Purl.

Rept. the last 2 rows until 24 (26) sts. remain finishing on a P. row.

Sl. sts. onto a st. holder. Break off yarn.

FRONT

Using $3\frac{1}{4}$ mm. Needles, cast on 59 (65) sts.

Work 4 cm. ($1\frac{1}{2}$ ins.) in rib as given for Back finishing on a 1st Row.

Next Row (Inc. Row) – Rib 17 (19), * inc. in next st., rib 2, inc. in next st., rib 7 (8), rept. from * twice more, rib 8 (9), inc. in last st. 66 (72) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) – K.17 (19), * P.1, K.4, P.1, K.7 (8), rept. from * twice more, K.10 (11).

2nd and Alt. Rows – Purl.

3rd Row – As 1st Row.

5th Row – K.17 (19), * P.1, C.4B., P.1, K.7 (8), rept. from * twice more, K.10 (11).

6th Row – Purl.

These 6 rows form the patt.

Continue in patt. until Front measures same as Back to armholes finishing on a P. row.

Shape Armholes

Keeping patt. correct, cast off 5 sts. at beg. of next 2 rows.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row – Purl.

Rept. the last 2 rows until 42 (46) sts. remain, finishing on a right side row.

Shape Neck

Next Row – P.28 (31), sl. the last 14 (16) sts. just worked onto a st. holder, P. to end.

Continue on the last set of sts. as follows:–

Keeping patt. correct, continue to dec. at armhole edge as before **at the same time** dec. 1 st. at neck edge on every row until 5 (6) sts. remain. Continue to dec. at armhole edge only until 2 sts. remain. K.2tog. Fasten off.

With right side facing, rejoin yarn at neck edge, work to correspond with other side working armhole dec. K.2tog. not sl.1, K.1, p.s.s.o.

SLEEVES (Both Alike)

Using $3\frac{1}{4}$ mm. Needles, cast on 31 (33) sts.

Work 4 cm. ($1\frac{1}{2}$ ins.) in rib as given for Back finishing on a 2nd Row, inc. 1 st. at each end of the needle on the last row for (51) cm. (20) inch size only. 31 (35) sts.

Change to 4 mm. Needles.

Continue in st.st., inc. 1 st. at each end of the needle on the 5th and every following 4 (6)th row until 43 (45) sts. are on the needle. Continue without further inc. until sleeve measures 15 (16.5) cm. 6 ($6\frac{1}{2}$) ins. from commencement finishing on a P. row.

Shape Top

Cast off 5 sts. at beg. of next 2 rows.

(51) cm. (20) inch size only

Work 2 rows.

Next Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Work 3 rows.

BOTH SIZES

Next Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Next Row – Purl.

Rept. the last 2 rows until 7 (9) sts. remain finishing on a P. row.

Sl. sts. onto a safety pin. Break off yarn.

PANTS

BACK (Commence at crotch)

Using 4 mm. Needles, cast on 18 (22) sts.

Work 4 rows in st.st. (1 row knit, 1 row purl).

Continue in st.st., cast on 2 sts. at beg. of every row until 62 (66) sts. are on the needle.

Continue without further shaping until side seam measures 10 (12.5) cm. 4 (5) ins. finishing on a P. row.

Shape Back

Next Row – K. to last 6 sts., turn.

Next Row – Sl.1, P. to last 6 sts., turn.

Next Row – Sl.1, K. to last 12 sts., turn.

Next Row – Sl.1, P. to last 12 sts., turn.

Next Row – Sl.1, K. to last 21 sts., turn.

Next Row – Sl.1, P. to last 21 sts., turn.

Next Row – Sl.1, K. to end.

Next Row – P. to last 2 sts., P.2tog. 61 (65) sts.

Change to $3\frac{1}{4}$ mm. Needles.

Work 5 cm. (2 ins.) in rib as given for Back of Sweater finishing on a 2nd Row.

Cast off in rib.

FRONT

Using 4 mm. Needles, cast on 18 (22) sts.

Work 10 rows st.st.

1st Row – Cast on 2 sts., K. to end.

2nd and Alt. Rows – Cast on 2 sts., P. to end.

3rd Row – Cast on 2 sts., K.3, P.1, K.18 (22), P.1, K.1.

5th Row – Cast on 2 sts., K.5, P.1, K.18 (22), P.1, K.3.

7th Row – Cast on 2 sts., K.2, P.1, K.4, P.1, K.18 (22), P.1, K.4, P.1.

9th Row – Cast on 2 sts., K.4, P.1, K.4, P.1, K.18 (22), P.1, K.4, P.1, K.2.

11th Row – Cast on 2 sts., K.6, P.1, C.4B., P.1, K.18 (22), P.1, C.4B., P.1, K.4.

13th Row – Cast on 2 sts., K.8, P.1, K.4, P.1, K.18 (22), P.1, K.4, P.1, K.6.

15th Row – Cast on 10 sts., K.18, P.1, K.4, P.1, K.18 (22), P.1, K.4, P.1, K.8.

16th Row – Cast on 10 sts., P. to end. 66 (70) sts.

Commence Patt.

1st Row – K.18, P.1, C.4B., P.1, K.18 (22), P.1, C.4B., P.1, K.18.

2nd and Alt. Rows – Purl.

3rd Row – K.18, P.1, K.4, P.1, K.18 (22), P.1, K.4, P.1, K.18.

5th Row – As 3rd Row.

6th Row – Purl.

These 6 rows form the patt.

Continue in patt. until side seam measures same as Back to commencement of rib finishing on a P. row, dec. 1 st. at end of last row. 65 (69) sts.

Change to $3\frac{1}{4}$ mm. Needles.

Work 5 cm. (2 ins.) in rib as given for Back of Sweater finishing on a 2nd Row. Cast off in rib.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions.

MAKING UP

SWEATER

Pin sleeves into position, leaving left back raglan open, sew in by backstitching.

Neckband

With right side facing, using $3\frac{1}{4}$ mm. Needles, K.7 (9) sts. from sleeve top, pick up and K.10 (12) sts. down left side neck. K.14 (16) sts. from front neck, pick up and K.9 (11) sts. up right side neck, K.7 (9) sts. from sleeve top and 24 (26) sts. from back neck st. holder. 71 (83) sts.

Commencing on a 2nd Row, work 5 cm. (2 ins.) in rib as given for back.

Cast off loosely in rib.

Join left back raglan by backstitching, join neckband by top sewing.

Fold neckband in half onto wrong side and sl.st. into position.

Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.

PANTS

Join crotch seam by backstitching.

Leg Bands (Both Alike)

With right side facing, using $3\frac{1}{4}$ mm. Needles, pick up and K.61 (63) sts. evenly round leg.

Commencing on a 2nd Row, work 3 cm. ($1\frac{1}{2}$ ins.) in rib as given for back of sweater.

Cast off loosely in rib.

Join side seams by backstitching omitting rib, join rib by top sewing.

Fold waistband and leg bands in half onto wrong side, sl.st. into position.

Insert elastic into waist and leg bands if required, join ends.

Press seams.

WASHING AND PRESSING INSTRUCTIONS

	WASHING	PRESSING
PETER PAN DARLING	 Warm water, hand or machine wash, short spin, do not wring, dry flat.	 Use a dry cloth and cool iron.