


Peter Pan



P 441
Darling 4 ply



HOODED SWEATER AND TIGHTS

in Peter Pan Darling 4 Ply

No. P441
Knitted in Darling
Shade 810 Cream

Instructions given for 46 cm. (18 inch) Chest, larger sizes given in brackets.
Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes	46 18	51 20	56 22	cm ins
Actual Measurements	49 19½	56 22	61 24	cm ins
Peter Pan Darling 4 Ply (20g) Sweater Tights	5 5	6 6	7 7	Balls Balls
2—2¾ (No. 12) and 2—3¼mm (No. 10) Milward Knitting Needles, Stitch Holders. 3 Buttons for Sweater. Elastic for tights.				
Sweater Length from Back of Neck.	26 10	28 11	30 12	cm ins
Sleeve Seam	16 6½	18 7	23 9	cm ins
Tights Waist to Ankle	37 14½	40.5 16	45.5 18	cm ins

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt. — alternate; beg. — beginning; cm. — centimetres; dec. — decrease; inc. — increase; ins. — inches; K. — Knit; P. — Purl; p.s.s.o. — pass slipped stitch over; rept. — repeat; sl. — slip; st(s). — stitch(es); st.st. — stocking stitch (1 row knit, 1 row purl); tog — together; y.fwd. — yarn forward; patt. — pattern; M1. — make 1 st by picking up loop that lies before next st. and K. into back of it.

Success will be assured if you . . .

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used.) Follow our instructions exactly, make certain you have the right tension. Measure (without stretching) to see you're knitting the right number of stitches as stated. Too many? — use larger needles. Too few? — use finer needles. Once the tension is right, the size will be right.

TENSION

14sts. and 18 rows to 5 cm. (2ins.) over st.st. on 3¼mm. (No. 10) Needles.

SWEATER

BACK

★ Using 2¾mm (No. 12) Needles cast on 71(77,85) sts.

1st Row: (Right Side) K.1, * P.1, K.1, rept. from * to end.

2nd Row: P.1 * K.1, P.1, rept. from * to end.

Rept. last 2 rows until rib measures 4cm. (1½ins) ending with a 2nd Row.

Change to 3¼mm (No.10) Needles and work in patt. as follows:

1st Row (Right Side): K.4(1,5), * sl.1, K.1. p.s.s.o. y.fwd, K4, rept. from * to last 7(4,8) sts., sl.1, K.1, p.s.s.o. y.fwd; K. to end.

2nd Row: P.

3rd Row: K.5(2,6), * y.fwd, K.2tog, K.4, rept. from * to last 6(3,7) sts, y.fwd, K.2 tog, K. to end.

4th Row: P.

These 4 rows form patt.

Continue in patt. until back measures 16(17,17)cm. 6¼(6½,6½)ins. ending with a P. Row.

Shape Raglans

Keeping continuity of patt. correct cast off 3 sts at beg. of next 2 rows. ★

Dec. 1st. at each end of next and every alt. row until 35(37,41) sts remain ending with a P. Row. Dec. 2 sts at each end of next and every alt row until 27(29,29) sts. remain ending with a P. Row. Leave remaining sts. on a holder.

FRONT

Work as given for Back from ★ to ★

Dec. 1 st at each end of next and following alt. row.
Work 1 row.

Divide for Neck

Next Row: K.2 tog, patt 25(28,32), turn and leave remaining sts. on a Holder.

Work 1 row.

Keeping neck edge straight continue to dec. 1 st at raglan edge on next and every alt row until 17(20,22) sts. remain ending with a P. row.

Shape Neck

Next Row: K.2 tog, patt 11(13,15) turn and leave remaining 4(5,5) sts on a safety pin.

Dec. 1 st at neck edge on next 4 rows at the same time continue to dec. 1 st at raglan edge on every alt row. until 6(8,10) sts. remain ending with a P. row.

2nd and 3rd sizes only

Dec. 1 st at raglan edge only on next row.

Work 1 row.

Rept. last 2 rows once more.

All sizes

Dec. 2 sts. at raglan edge only on next and every alt. row until 2 sts. remain.

Next Row: P.

Next Row: K.2 tog. and fasten off.

With right side facing rejoin yarn to next st, cast off 7 sts. patt. to last 2 sts. K.2 tog.

Complete to match first side reversing shapings.

SLEEVES

Using 2¾mm. (No. 12) Needles cast on 35(39,43) sts and work 4 cm. (1½ ins). in K.1, P.1, rib as given for Back ending with a 1st Row.

Next Row (Increase): Rib 4(4,5) * M.1, rib 4(10,3), rept. from * to last 3(5,5) sts, M.1. rib to end, 43(43,55) sts.

Change to 3¼ mm. (No. 10) Needles and work in patt. as follows:

1st Row (Right Side): K. 2, * sl.1, K.1, p.s.s.o. y.fwd. K.4 rept. from * to last 5 sts, sl.1., K.1, p.s.s.o. y.fwd, K. to end.

2nd Row: P.

3rd Row: K.3*, y.fwd, K.2 tog, K.4, rept. from * to last 4 sts, y.fwd. K.2 tog, K. to end.

4th Row: P.

These 4 rows form patt. Bringing inc. sts. into patt. shape sides by inc. 1 st at each end of 7th and every following 5th(3rd,7th) row until there are 57(65,71) sts. Work straight until sleeve seam measures 16(18,23)cm 6½(7,9) ins. ending with a P. row.

Shape Raglans

Keeping continuity of patt. Cast off 3 sts. at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 27(35,35) sts remain ending with a P. row

Dec 2 sts at each end of next and every alt row until 7 sts remain ending with a P. row. Leave sts. on a safety pin.

PRESSING

With wrong side facing pin out all pieces to

measurements given. Press using a dry cloth and cool iron.

MAKING UP

Pin sleeves into position, sew in by backstitching.

Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.

Neckband

With right side of front facing and 2¾mm (No. 12) Needles K. 4(5,5) sts from right front, pick up and K.6(8,10) sts, up right front slope K.7 from right sleeve, K. across 27(29,29) sts from back, K.7 from left sleeve, pick up and K.6(8,10) sts down left front slope, K.4(5,5) from left front. 61(69,73) sts.

Starting with a 2nd Row. Work 5 rows in rib as given for Back. Cast off evenly in rib.

Buttonhole Band

With right side of front facing and 2¾mm. (No. 12) Needles start at lower edge of right side of front opening pick up and K.25(25,29) sts to top of Neckband.

1st Row (Wrong Side): P.1, * K.1, P.1, rept. from * to end.

2nd Row: K.1, * P.1, K.1, rept. from * to end.

Rept. last 2 rows once more.

Next Row (Buttonhole): P.1, * K.2 tog, y.fwd, [K.1, P.1] 4(4,5) times, rept. from * once more, K.2 tog, y.fwd, K.1., P.1.

Rept. 2nd and 1st rows twice more.

Cast off evenly in rib.

Button Band

Work as given for Buttonhole Band but starting at top of neckband and omitting buttonholes.

Sew bands in position at base of opening.

Sew on buttons.

HOOD

Using 2¾mm (No.12) Needles cast on 83(89,95) sts, and work 2 cm. (¾ inch) in rib as given for back of Sweater.

Change to 3¼ mm. (No. 10) Needles and work in patt. as follows:

1st Row (Right side): K4, * sl.1, K.1, p.s.s.o., y.fwd, K.4, rept. from * to last 7 sts. sl.1, K.1, p.s.s.o. y.fwd, K. to end.

2nd Row: P.

3rd Row: K.5, * y.fwd, K.2 tog, K.4, rept. from * to last 6 sts, y.fwd, K.2 tog, K. to end.

4th Row: P.

These 4 rows form patt. Continue in patt until piece measures 14(14,15) cm. 5½(5½,6) ins. ending with a P. row.

Shape Back

1st Row: Work to last 4 sts, turn.

2nd Row: Work to last 4 sts, turn.

3rd and 4th Rows: Work to last 8 sts, turn.

5th and 6th Rows: Work to last 12 sts, turn.

7th and 8th Rows: Work to last 16 sts, turn.

9th and 10th Rows: Work to last 20 sts, turn.

11th and 12th Rows: Work to last 24 sts, turn.

13th Row: K. to end.



14th Row: P. across all sts.

Cast off.

Fold in half and join cast off edge by backstitching.

With right side facing and 2¾mm. (No. 12) Needles, pick up and K.59(61,65) sts evenly along neck edge and work 9 rows in rib as given for neckband of sweater.

Cast off evenly in rib.

Starting and ending inside front bands and overlapping neckband sew in position round neck. Make a twisted cord 20 cm (8 ins) long and attach centre to point of hood.

TIGHTS

Tension

20 sts. and 20 rows to 5cm. (2ins.) over rib on 2¾mm. (No. 12) needles.

Using 2¾mm. (No. 12) needles cast on 191 (215, 239)sts.

1st Row: (Right Side) K.1, *P.1, K.1 rept. from * to end.

2nd Row: P.1, *K.1, P.1 rep from * to end.

Continuing in rib work 6 more rows.

Shape Back

1st Row: Rib 10, turn.

2nd and every alt row: Sl.1, Rib to end.

3rd Row: Rib 18, turn.

5th Row: Rib 26, turn.

7th Row: Rib 34, turn.

9th Row: Rib 42, turn.

10th Row: Sl.1, rib to end.

Next Row: Rib across all sts.

Rept. rows 1 – 10.

Continue in rib across all sts until work measures 20(23, 26)cm. 8(9, 10)ins. measured at centre.

Divide for Legs

Next Row: Rib 95(107, 119)sts., slip sts onto holder, cast off next st, rib to end.

Work on these 95(107, 119)sts.

★Continuing in rib work 12 more rows. Dec 1 st at each end of next and every alt. row until 55(59, 67) sts remain. Work straight until leg measures 16.5(17.5, 20.5) 6½(7, 8)ins. or length required.

Commence Foot

Continuing in rib work 32(40, 46)rows straight.

Next Row: Work 2tog rib 23(25, 29)sts, Sl.1, K.1, p.s.s.o., rib 1, K.2tog, rib to last 2 sts, work 2tog. 51(55, 63)sts. remain.

Work 1 row.

Next Row: Work 2tog, rib 21(23, 27)sts, Sl.1, K.1, p.s.s.o., rib 1, K.2tog, rib to last 2 sts, work 2tog. 47(51, 59)sts, remain.

Work 1 row.

Next Row: Work 2 tog, rib 19(21, 25)sts, Sl.1, K.1, p.s.s.o., rib 1, K.2tog, rib to last 2 sts, K.2tog. 43(47, 55)sts remain.

Work 1 row.

Next Row: Work 2tog, rib 17(19, 23)sts, Sl.1, K.1, p.s.s.o., rib 1, K.2tog, rib to last 2 sts, K.2tog. 39(43, 51)sts remain.

Work 1 row.

Next Row: Work 2tog, rib 15(17, 21)sts, Sl.1, K.1, p.s.s.o., rib 1, K.2tog, rib to last 2 sts, K.2tog. 35(39, 47)sts remain.

Work 1 row, then cast off in rib.

Rejoin yarn to inner edge of remaining sts on holder at division for legs and complete as given for first side from ★ to end.

Straps (Make 2)

Using 2¾mm. (No. 12) needles cast on 11 sts. and work in K.1, P.1, rib as given for Body and legs until Strap measures 36(41, 45,)cm, 14(16, 17½)ins or required length cast off in rib.

MAKING UP

Do not press.

Join inside leg and back seams by backstitching. Join elastic into a ring and place inside waistband, work a herringbone st, over elastic into every alt.st of ribbing thus enclosing the elastic. Sew straps to inside of front of waistband, cross straps over and sew other ends in place at back in same way.



Our Knitting Bureau will gladly give you any assistance or advice on Wendy Designs if queries are accompanied by a Wendy or Peter Pan Ball Band and stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.