


Peter Pan



P491
Darling 3ply



41-51cm.(16-20ins.)

a **Wendy** design

BABY'S CROCHET COAT, BONNET AND BOOTEES in Peter Pan Darling 3 Ply.

No. P 491
Knitted in Darling
Shade 800 Pure White

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in brackets.
Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes.	41 16	46 18	51 20	cm. ins.							
Actual Measurements.	46 18	51 20	56 22	cm. ins.							
Peter Pan Darling 3 Ply. (20g.)											
COAT	4	5	5	Balls.							
BONNET	1	2	2	Balls.							
BOOTEES	1	1	1	Ball.							
FULL SET	6	6	7	Balls.							
2.5 mm. and 3 mm. Milward Crochet Hooks. 4 Buttons for Coat.											
COAT Length from Back of Neck.	26.5 10½	28 11	29 11½	cm. ins.							
Sleeve Seam.	12.5 5	15 6	16.5 6½	cm. ins.							
BONNET Round Face.	28 11	30.5 12	33 13	cm. ins.							
BOOTEES Length of Foot.	9 3½	9.5 3¾	10 4	cm. ins.							
HOOK SIZES Metric.	7.5	7	6	5.5	5	4.5	4	3.5	3	2.5	2
American.		K10¼	I/9	H/8	H/8	G/6	F/5	E/4	D/3	B/1	

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Ch.-chain; d.c.-double crochet; tr.-treble; sp(s).-space(s); sl.-slip; st(s).-stitch(es); rept.-repeat; inc.-increase; patt.-pattern; y.o.h.-yarn over hook; dec. 1 tr.-decrease 1 treble, *y.o.h. and insert hook into next st., y.o.h. and draw a loop through, y.o.h. and draw through 2 loops on hook, rept. from * once more, y.o.h. and draw through remaining 3 loops on hook; B.-Bobble, * y.o.h. and insert hook into next st., y.o.h. and draw a loop through, pull loops up to the height of a treble, rept. from * 4 times more, y.o.h. and draw through 11 loops on hook, 1 ch.; 0- No tr. in that particular size; cm.-centimetres; ins.-inches.

IMPORTANT

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used). Follow our

instructions exactly. We advise **everyone** to check their tension carefully before commencing the garment. All measurements in this design are based on the stated tension therefore it is essential that the correct tension be obtained and maintained throughout the garment to achieve success.

We recommend the hook size as the size we have used to obtain the tension **but** as each person works differently it may be necessary for some to change their hook size accordingly.

Check your tension carefully.

If there are too many stitches to the inch then your tension is tight and you will need to change your hook to a larger size. If there are too few stitches to the inch then your tension is loose and you will need to change your hook to a smaller size.

Keep measuring your work throughout to ensure that you are maintaining correct tension and therefore correct measurements.

TENSION

26 tr. and 15 rows to 10 cm. (4 ins.) on 3 mm. Hook.

COAT

Worked in one piece to armholes.

Using 3 mm. Hook, make 139 (149, 159) ch.

Foundation Row (Right Side): 1 tr. into 4th ch. from Hook (the 3 ch. before this tr. is counted as first tr.), * 1 tr. into next ch., rept. from * to end, turn. 137 (147, 157) tr.

Commence Patt.

1st Row: 3 ch. (this 3 ch. stands for first tr.), 1 tr. into 2nd tr., 1 tr. into each of next 5 tr., * (1 ch., miss next tr., 1 tr. into next tr.) twice, 1 tr. into each of next 6 tr., rept. from * to end working last tr. into turning ch., turn.

2nd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 4 tr., * 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., 3 ch., miss next tr., 1 tr. into each of next 5 tr., rept. from * to turning ch., 1 tr. into top of ch., turn.

3rd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 4 tr., * 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., 3 ch., 1 tr. into each of next 5 tr., rept. from * to turning ch., 1 tr. into top of ch., turn.

4th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 4 tr., * 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., 1 ch., 1 tr. into 3 ch. sp., 1 tr. into each of next 5 tr., rept. from * to turning ch., 1 tr. into top of ch., turn.

5th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 5 tr., * 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into next 1 ch. sp., 1 tr. into each of next 7 tr., rept. from * to end working last tr. into turning ch., turn.

6th Row: 3 ch., 1 tr. into 2nd tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, * 1 tr. into each of next 6 tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, rept. from * to turning ch., 1 tr. into top of ch., turn.

7th Row: 6 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., * 3 ch., miss next tr., 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., rept. from * to last tr. and turning ch., 3 ch., miss next tr., 1 tr. into top of ch., turn.

8th Row: 6 ch., 1 d.c. into first d.c., B. in 1 ch. sp., 1 d.c. into next d.c., * 3 ch., 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., rept. from * to last 6 ch., 3 ch., 1 tr. into 3rd of 6 ch., turn.

9th Row: 3 ch., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., * 1 ch., 1 tr. into 3 ch. sp., 1 tr. into each of next 5 tr., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., rept. from * to last 6 ch., 1 ch., 1 tr. into 6 ch. sp., 1 tr. into 3rd of 6 ch., turn.

10th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into 1 ch. sp., 1 tr. into tr., 1 tr. into 1 ch. sp., * 1 tr. into each of next 7 tr., 1 tr. into 1 ch. sp., 1 tr. into tr., 1 tr. into 1 ch. sp., rept. from * to last tr. and turning ch., 1 tr. into next tr., 1 tr. into top of ch., turn.

These 10 rows form the patt.

Rept. 10 rows of patt. once more, then the first 4 rows once more.

NOTE: Each tr. and each 1 ch. sp. worked into on the following row are referred to as sts.

Next Row: 3 ch., 1 tr. into 2nd st., 1 tr. into each of next 3 (4, 8) sts., dec. 1 tr. over next 2 sts., * 1 tr. into each of next 4 (5, 6) sts., dec. 1 tr. over next 2 sts., rept. from * to last 4 (6, 9) sts., 1 tr. into each of next 3 (5, 8) sts., 1 tr. into top of ch., turn. 115 (127, 139) tr.

Next Row (Make holes for cord): 3 ch., 1 tr. into 2nd tr., (1 ch., miss 1 tr., 1 tr., into next tr.) twice, * 1 tr. into each of next 2 tr., (1 ch., miss 1 tr., 1 tr. into next tr.) twice, rept. from * to turning ch., 1 tr. into top of ch., turn.

Next Row: 3 ch., 1 tr. into each tr. and each 1 ch. sp. Leave this piece until required for yoke.

SLEEVES (Both Alike)

Using 3 mm. Hook, make 35 (39, 43) ch. and work Foundation Row as given for Main Piece. 33 (37, 41) tr.

Commence Patt.

1st Row: 3 ch., 1 tr. into 2nd tr., * 1 tr. into next tr., rept. from * to end working last tr. into turning ch., turn.

The 1st Row forms the patt.

Next Row (Inc. Row): 3 ch., 1 tr. into first tr. (tr. under ch.), * 1 tr. into next tr., rept. from * to turning ch., 2 tr. into top of ch., turn. 35 (39, 43) tr.

Rept. the 1st Row 3 times more.

Inc. 1 tr. at each end of the next and every following 4th row until there are 41 (47, 53) tr.

Rept. 1st Row 5 (3, 1) times more. Break yarn and fasten off.

YOKE

Return to Main Piece, using 3 mm. Hook work 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 24 (26, 28) tr., dec 1 tr. over next 2 tr.; with right side of first Sleeve facing work across Sleeve as follows:— * miss first 2 (3, 4) tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 31 (35, 39) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., miss last 2 (3, 4) tr. *; return to Main Piece and miss next 4 (6, 8) tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 47 (51, 55) tr., dec. 1 tr. over next 2 tr.; with right side of other Sleeve facing rept. from * to * as given for first Sleeve; return to Main Piece and miss next 4 (6, 8) tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 26 (28, 30) tr., turn. 173 (189, 205) tr.

Next Row: 3 ch., 1 tr. into 2nd tr., 1 tr. in each of next 23 (25, 27) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 29 (33, 37) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 45 (49, 53) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 29 (33, 37) tr., dec. 1 tr. over next 2 tr. 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 25 (27, 29) tr. working last tr. into turning ch., turn. 165 (181, 197) tr.

Next Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 22 (24, 26) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 27 (31, 35) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 43 (47, 51) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 27 (31, 35) tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 24 (26, 28) tr. working last tr. into turning ch., turn. 157 (173, 189) tr.

Work 8 (10, 12) rows more in this way, dec. 8 tr. in each row. 93 tr.

Break yarn and fasten off. Turn.

Shape Neck

Next Row: Miss first 7 tr., rejoin yarn at next tr. and work 3 ch., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 9 tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into each of next 21 tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 9 tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., leave last 7 tr., turn. 63 tr.

Next Row: 3 ch., 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 7 tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into each of next 17 tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into each of next 7 tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) 3 times, turn. 50 tr.

Next Row: 3 ch., dec. 1 tr. over next 2 tr., * 1 tr. into next tr., (dec. 1 tr. over next 2 tr.) twice, * rept. from * to * twice more, 1 tr. into each of next 13 tr., (dec. 1 tr. over next 2 tr.) twice, rept. from * to * twice more, 1 tr. into next tr., dec. 1 tr. over next 2 tr., 1 tr. into next tr., leave last tr. 35 tr.

Break yarn and fasten off.

BONNET

Using 3 mm. Hook, make 73 (80, 87) ch. and work Foundation Row as given for Main Piece of Coat. 71 (78, 85) tr.

Rept. 1st Row of patt. as given for Sleeves of Coat 10 (12, 14) times.

Shape Crown

1st Row (Wrong Side): 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 3 tr., dec. 1 tr. over next 2 tr., * 1 tr. into each of next 5 tr., dec. 1 tr. over next 2 tr., rept. from * to turning ch., 1 tr. into top of ch., turn. 61 (67, 73) tr.

2nd and 4th Rows: 3 ch., 1 tr. into 2nd tr., * 1 tr. into next tr., rept. from * to end working last tr. into turning ch., turn.

3rd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of

next 2 tr., dec. 1 tr. over next 2 tr., * 1 tr. into each of next 4 tr., dec. 1 tr. over next 2 tr., rept. from * to turning ch., 1 tr. into top of ch., turn. 51 (56, 61) tr.

5th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into next tr., dec. 1 tr. over next 2 tr., * 1 tr. into each of next 3 tr., dec. 1 tr. over next 2 tr., rept. from * to turning ch., 1 tr. into top of ch., turn. 41 (45, 49) tr.

6th Row: 3 ch., dec. 1 tr. over 2nd and 3rd tr., 1 tr. into each of next 2 tr., * dec. 1 tr. over next 2 tr., 1 tr. into each of next 2 tr., rept. from * to end. 31 (34, 37) tr.

7th Row: 3 ch., dec. 1 tr. over 2nd and 3rd tr., 1 tr. into next tr., * dec. 1 tr. over next 2 tr., 1 tr. into next tr., rept. from * to end. 21 (23, 25) tr.

8th Row: 3 ch., dec. 1 tr. over 2nd and 3rd tr., * dec. 1 tr. over next 2 tr., rept. from * to end. 11 (12, 13) tr.

Break off yarn, leaving enough to thread through top of remaining 11 (12, 13) tr., draw up tight and fasten off.

BRIM

Using 3 mm. Hook, make 73 (81, 87) ch. and work Foundation Row as given for Main Piece of Coat. 71 (79, 85) tr.

Commence Patt.

1st Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 2 (1, 4) tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, * 1 tr. into each of next 6 tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, rept. from * to last 2 (1, 4) tr. and turning ch., 1 tr. into each of last 2 (1, 4) tr., 1 tr. into top of ch., turn.

2nd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 1 (0, 3) tr., 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., 3 ch., * miss next tr., 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., 3 ch., rept. from * to last 3 (2, 5) tr. and turning ch., miss next tr., 1 tr. into each of last 2 (1, 4) tr., 1 tr. into top of ch., turn.

3rd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 1 (0, 3) tr., 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., 3 ch., * 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., 3 ch., rept. from * to last 2 (1, 4) tr. and turning ch., 1 tr. into each of last 2 (1, 4) tr., 1 tr. into top of ch., turn.

4th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 1 (0, 3) tr., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., 1 ch., 1 tr. into 3 ch. sp., * 1 tr. into each of next 5 tr., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., 1 ch., 1 tr. into 3 ch. sp., rept. from * to last 2 (1, 4) tr. and turning ch., 1 tr. into each of last 2 (1, 4) tr., 1 tr. into top of ch., turn.

5th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 2 (1, 4) tr., 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into next 1 ch. sp., * 1 tr. into each of next 7 tr., 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into next 1 ch. sp., rept. from * to last 3 (2, 5) tr. and turning ch., 1 tr. into each of last 3 (2, 5) tr., 1 tr. into top of ch., turn.

Break yarn and fasten off.

BOOTEES (Make 2)

Using 3 mm. Hook, make 33 ch. and work Foundation Row as given for Main Piece of Coat. 31 tr.

Commence Patt.

1st Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 2 tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, * 1 tr. into each of next 6 tr., (1 ch., miss next tr., 1 tr. into next tr.) twice, rept. from * to last 2 tr. and turning ch., 1 tr. into each of last 2 tr., 1 tr. into top of ch., turn.

2nd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into next tr., 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., 3 ch., * miss next tr., 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into 1 ch. sp., 1 ch., 1 d.c. into next 1 ch. sp., 3 ch., rept. from * to last 3 tr. and turning ch., miss next tr., 1 tr. into each of last 2 tr., 1 tr. into top of ch., turn.

3rd Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into next tr., 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., 3 ch., * 1 tr. into each of next 5 tr., 3 ch., 1 d.c. into next d.c., B. in 1 ch. sp., 1 d.c. into next d.c., 3 ch., rept. from * to last 2 tr. and turning ch., 1 tr. into each of last 2 tr., 1 tr. into top of ch., turn.

4th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into next tr., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., 1 ch., 1 tr. into 3 ch. sp., * 1 tr. into each of next 5 tr., 1 tr. into 3 ch. sp., 1 ch., 1 tr. into top of B., 1 ch., 1 tr. into 3 ch. sp., rept. from * to last 2 tr. and turning ch., 1 tr. into each of last 2 tr., 1 tr. into top of ch., turn.

5th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 2 tr., 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into next 1 ch. sp., * 1 tr. into each of next 7 tr. 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into next 1 ch. sp., rept. from * to last 3 tr. and turning ch., 1 tr. into each of next 3 tr., 1 tr. into top of ch., turn.

6th Row (Make holes for cord): 3 ch., 1 tr. into 2nd tr., (1 ch., miss 1 tr., 1 tr. into next tr.) twice, * 1 tr. into each of next 2 tr., (1 ch., miss 1 tr., 1 tr. into next tr.) twice, rept. from * to turning ch., 1 tr. into top of ch., turn.

7th Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into 1 ch. sp., * 1 tr. into each of next 3 tr., 1 tr. into 1 ch. sp., 1 tr. into next tr., 1 tr. into 1 ch. sp., rept. from * to last 1 tr. and turning ch., 1 tr. into last tr., 1 tr. into top of ch. Break yarn and fasten off. TURN.

Divide for Instep

Next Row: Miss first 10 tr., rejoin yarn to next tr. and work 3 ch., 1 tr. into each of next 10 tr., leave remaining 10 tr., turn.

Next Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 8 tr., 1 tr. into top of ch., turn.

Rept. the last row 2 (4, 4) times more. Break yarn and fasten off.

Foot

With right side facing, rejoin yarn to top of last tr. on 7th Row and work 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 8 tr., 10 (12, 14) tr. evenly along row ends of instep, 1 tr. into each of 11 tr. from instep,

10 (12, 14) tr. evenly down second side of instep and 1 tr. into each of remaining 10 tr., turn. 51 (55, 59) tr.

Next Row: 3 ch., 1 tr. into 2nd tr., * 1 tr. into next tr., rept. from * to end working last tr. into turning ch., turn.

Rept. the last row 2 (2, 3) times more. Place a marker in last row.

Shape Sole

Next Row: 3 ch., * (dec. 1 tr. over next 2 tr.) twice, 1 tr. into each of next 16 (18, 20) tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., rept. from * to end working last tr. into turning ch., turn. 43 (47, 51) tr.

Next Row: 3 ch., * (dec. 1 tr. over next 2 tr.) twice, 1 tr. into each of next 12 (14, 16) tr., (dec. 1 tr. over next 2 tr.) twice, 1 tr. into next tr., rept. from * to end working last tr. into turning ch. 35 (39, 43) tr.

Break yarn and fasten off.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions.

MAKING UP

COAT

Sew sleeve seams by top sewing. Pin sleeves to main piece at underarm, sew in by top sewing.

Collar

With right side of work facing, using 2.5 mm. Hook, rejoin yarn at top of 2nd tr. at right front neck and work 2 ch. (this 2 ch. stands for first d.c.), work 1 d.c. into 2nd tr., 1 d.c. into each of next 4 tr., 5 d.c. evenly along row ends of shaped edge of neck, 1 d.c. into each of next 35 tr., 5 d.c. evenly along row ends of shaped edge of neck and 1 d.c. into each of next 6 tr., leave last tr., turn. 57 d.c.

Next Row: 3 ch., 1 tr. into 2nd d.c., * 1 tr. into next d.c., rept. from * to end working last tr. into top of ch., turn.

Change to 3 mm. Hook.

Next Row: 3 ch., 1 tr. into 2nd tr., 1 tr. into each of next 2 tr., 2 tr. into next tr., * 1 tr. into each of next 7 tr., 2 tr. into next tr., rept. from * to last 3 tr. and turning ch., 1 tr. into each of last 3 tr., 1 tr. into top of ch., turn. 64 tr.

Next Row: 3 ch., 1 tr. into 2nd tr., * 1 tr. into next tr., rept. from * to end working last tr. into top of ch., turn.

Rept. the last row twice more. Break yarn and fasten off.

Mark positions for 4 buttonholes on right front edge of yoke, the first one just above row of holes for cord, the last one just below neck shaping and 2 more equally spaced between.

Edging

With right side facing, using 2.5 mm. Hook, rejoin yarn at top of left front edge and work 2 ch., then 1 row of d.c. evenly along left front edge, 1 d.c. into base of each tr. along lower edge, 1 row of d.c.



evenly along right front edge to first buttonhole marker, 2 ch. leave a sp. at marker for buttonhole, * work in d.c. evenly to next buttonhole marker, 2 ch., leave a sp. at marker for buttonhole, rept. from * twice more, continue working in d.c. evenly along remainder of front and side of collar, 1 d.c. into each tr. along edge of collar and 1 row of d.c. evenly along side of collar to 2 ch. made at beg. of round, sl.st. to top of 2 ch. to complete round.

****Next Round:** 3 ch., sl.st. into same ch. as sl.st. of previous round, miss first d.c., * 1 d.c. into next d.c., 3 ch., sl.st. into same d.c., miss next d.c., rept. from * all round outer edge of Coat, working the d.c. into 2 ch. of each buttonhole, sl.st. to top of 2 ch. of previous round to complete round. Break yarn and fasten off.**

Sleeve Edging

With right side facing, using 2.5 mm. Hook, rejoin yarn at sleeve seam and work 2 ch., 1 d.c. into base of each tr. along edge, sl.st. to top of 2 ch. to complete round.

Rept. from ** to ** as given for Edging.
Sew on buttons.

Cord

Using 3 mm. Hook and yarn double, crochet a ch. 86 (91, 96) cm. 34 (36, 38) ins. long. Break yarn and fasten off.

Thread cord through holes at waist and finish off each end with a small pom-pon.

BONNET

Join seam from crown for 7.5 (8.5, 9) cm. 3 (3¼, 3½) ins. by top sewing.

Neck Edging

With right side facing, using 2.5 mm. Hook, rejoin yarn at corner of left front edge and work 2 ch., 2 d.c.

into each row end along neck edge, 1 d.c. into corner of right front edge, turn.

Next Row: 2 ch., 1 d.c. into 2nd d.c., * 1 d.c. into next d.c., rept. from * to end working last d.c. into top of ch.

Break yarn and fasten off.

Brim Edging

With right side facing, using 2.5 mm. Hook, rejoin yarn at right hand corner and work 2 ch., 1 d.c. into each tr. along first side, 2 d.c. into each row end along second side, 1 d.c. into each tr. along third side and 2 d.c. into each row end along 4th side, sl.st. to top of 2 ch. to complete round.

Rept. from ** to ** as given for Edging of Coat.

Sew brim into position, overlapping front edge of Bonnet with the edging.

Cords (Make 2)

Using 3 mm. Hook and yarn double, crochet a ch. 25.5 cm. (10 ins.) long. Break yarn and fasten off.

Sew one cord to each side of Bonnet and finish off each end with a small pom-pon.

BOOTEES (Both Alike)

Join seams by top sewing.

Edging

With right side facing, using 2.5 mm. Hook, rejoin yarn at seam and work 2 ch., 1 d.c. into base of each tr. along edge, sl.st. to top of 2 ch. to complete round.

Rept. from ** to ** as given for Edging of Coat.

Cords (Make 2)

Using 3 mm. Hook and yarn double, crochet a ch. 33 cm. (13 ins.) long. Break yarn and fasten off.

Thread cords through holes at ankles and finish off each end with a tiny pom-pon.

Press seams.

WASHING AND PRESSING INSTRUCTIONS		
	Washing	Pressing
PETER PAN DARLING	 Warm water, hand or machine wash, short spin, do not wring, dry flat.	 Use a dry cloth and cool iron.

Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope

CARTER & PARKER LTD., GUISELEY, YORKS.

© CARTER & PARKER LTD.

Prices apply only in Great Britain and Northern Ireland

Printed in England