

Peter Pan

a Wendy design

41-51cm. (16-20ins.)

P516
4 ply



CROCHET DRESS AND BONNET

in Peter Pan Darling 4 Ply

No. P516
Worked in Darling
Shade 803 Lemon

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes. Figures or instructions in square brackets, [], should be repeated as stated after the brackets.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes	41 16	46 18	51 20	cm. ins.										
Dress Peter Pan Darling 4 ply (40g.)	5	5	6	Balls										
Bonnet Peter Pan Darling 4 ply (40g.)	1	1	1	Ball										
1 — 3.00mm. Milward Crochet Hook. 3 Buttons for Dress. Shirring Elastic for Dress if required. Length of Baby Ribbon for Bonnet.														
Dress Length to Shoulder (approximately)	34 13½	37 14¾	41 16½	cm. ins.										
Sleeve Seam (approximately — excluding Edging)	13 5½	15 6	17 6¾	cm. ins.										
Bonnet Width around Face	28 11	33 13	38 15	cm. ins.										
NEEDLE SIZES														
Metric	15	9	7 ½	7	6 ½	6	5 ½	5	4 ½	4	3 ¾	3 ¾	3	mm.
English	—	00	1	2	3	4	5	6	7	8	9	10	11	
American	19	13	11	10 ½	10	9	8	7	6	5	4	3	2	

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt. — alternate; beg. — beginning; cm. — centimetres; ch. — chain; d.c. — double crochet; dec. — decrease; h.tr. — half treble; inc. — increase; ins. — inches; rept. — repeat; sl.st. — slip stitch; sp. — space; st(s). — stitch(es); tog. — together; tr. — treble; y.o. — yarn over; **d.c.2tog.** — pull up 1 loop in each of next 2 sts., y.o. and through all 3 loops.

IMPORTANT

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used). Follow our instructions exactly. We advise **everyone** to check their tension carefully before commencing the garment. All measurements in this design are based on the stated tension therefore it is essen-

tial that the correct tension be obtained and maintained throughout the garment to achieve success.

We recommend the hook size as the size we have used to obtain the tension **but** as each person works differently it may be necessary for some to change their hook size accordingly.

Check your tension carefully

If there are too many stitches to the inch then your tension is tight and you will need to change your hook to a larger size. If there are too few stitches to the inch then your tension is loose and you will need to change your hook to a smaller size. Keep measuring your work throughout to ensure that you are maintaining correct tension and therefore correct measurements.

TENSION

23 sts. and 24 rows to 10 cm. (4 ins.) over d.c.

2 pattern repeats to 5 cm. (2 ins.) square.

DRESS

LEFT BACK BODICE

Make 26(29,32) ch., work 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 25(28,31) d.c.

Shape Armhole

1st Row (Wrong Side): Sl.st. across 4(6,8) d.c., 1 ch., 1 d.c. into each d.c. to end. 21(22,23) d.c. remain.

★ Work straight in d.c. until armhole measures 8(9,10) cm. 3(3½,4) ins. ending with a wrong side row (work 1 row more here for Right Back Bodice).

Shape Shoulder

1st Row: 1 ch. to turn, 1 d.c. into each of next 15(16,17) d.c., turn.

2nd Row: 1 ch. to turn, 1 d.c. into each d.c. to end.

3rd Row: 1 ch. to turn, 1 d.c. into each of next 9(10,10) d.c. Fasten off.

RIGHT BACK BODICE

Make 26(29,32) ch., work 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 25(28,31) d.c.

Shape Armhole

1st Row (Wrong Side): 1 ch. to turn, 1 d.c. into each d.c. to last 4(6,8) d.c., turn. 21(22,23) d.c. remain.

Complete as given for Left Back Bodice from ★ to end.

FRONT BODICE

Make 51(57,63) ch., work 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 50(56,62) d.c.

Shape Armholes

1st Row: Sl.st. across 4(6,8) d.c., 1 ch., 1 d.c. into each d.c. to last 4(6,8) d.c., turn. 42(44,46) d.c. remain.

Work straight in d.c. until front is 8 rows shorter than left back to start

of shoulder shaping, thus ending with a wrong side row.

Shape Neck

1st Row: Work 15(15,16) d.c., d.c.2tog., turn and complete this side first.

★★ Dec. 1 st. at neck edge on next 2 rows, then following 2 alt. rows. 12(12,13) d.c. remain. Work 2 rows straight (work 1 row less here for 2nd side) thus ending at neck edge.

Shape Shoulder

1st Row: 1 ch. to turn, 1 d.c. into each of next 6(6,7) d.c., turn.

2nd Row: 1 ch. to turn, 1 d.c. into each d.c. to end. Fasten off.

Miss next 8(10,10) d.c. at centre. With right side of work facing rejoin yarn to next d.c., d.c.2tog., work to end. 16(16,17) d.c. remain.

Complete as given for first side from ★★ to end reversing shaping where indicated.

SKIRT

With right side of each piece facing, work 1 d.c. into each starting ch. of right back, front (missing 1 st. at centre) and left back. 100(112,124) d.c.

Next Row (Increase): 1 ch., work 2(4,6) d.c., work 2 d.c. into each d.c. to last 2(4,6) d.c., work 1 d.c. into each d.c. to end. 196(216,236) d.c.

Foundation Row: 1 ch. to turn, 1 d.c. into each of next 2 d.c., *3 ch., miss next 2 d.c., 1 d.c. into next d.c., 2 ch., miss next d.c., 1 d.c. into next d.c.; rept. from * to last 4 d.c., 3 ch., miss next 2 d.c., 1 d.c. into each of last 2 d.c.

Commence Pattern

1st Row: 3 ch. (count as 1 tr.), 1 tr. into last st. of previous row, miss next d.c., *2 ch., 1 d.c. into 3-ch. sp., 2 ch., 3 tr. into 2-ch. sp.; rept. from * to last 3-ch. sp., 2 ch., 1 d.c. into 3-ch. sp., 2 ch., 2 tr. into last st.

2nd Row: 3 ch., 1 d.c. into first 2-ch. sp., 2 ch., 1 d.c. into next 2-ch. sp., *3 ch., miss 3 tr., 1 d.c. into next 2-ch. sp., 2 ch., 1 d.c. into next 2-ch. sp.; rept. from * to last 2 tr., 1 ch., 1 h.tr. into 3rd of 3 ch. at beg. of previous row.

3rd Row: 1 ch., 1 d.c. into h.tr., 2 ch., *3 tr. into 2-ch. sp., 2 ch., 1 d.c. into 3-ch. sp., 2 ch.; rept. from * to last 2-ch. sp., 3 tr. into 2-ch.

sp., 2 ch., 1 d.c. into 2nd of 3 ch. at beg. of previous row.

4th Row: 2 ch., 1 d.c. into first 2-ch. sp., 3 ch., 1 d.c. into next 2-ch. sp., *2 ch., 1 d.c. into next 2-ch. sp., 3 ch., 1 d.c. into next 2-ch. sp.; rept. from * to last d.c., 1 h.tr. into last d.c.

The last 4 rows form the pattern. Continue in pattern until skirt measures approximately 22(24,27) cm. $8\frac{3}{4}$ ($9\frac{3}{4}$, $10\frac{3}{4}$) ins., or 4 cm. ($1\frac{1}{2}$ ins.) less than required finished length ending with a 4th Row of Pattern.

Next Row: 1 ch. to turn, 1 d.c. into h.tr., 1 d.c. into next d.c., *1 d.c. into each of next 3 ch., miss next d.c., 1 d.c. into each of next 2 ch., 1 d.c. into next d.c.; rept. from * to last 3-ch. sp., 1 d.c. into each of next 3 ch., miss next d.c., 1 d.c. into 2nd of 2 ch. at beg. of previous row. 234(258,282) d.c.

Next Row (Decrease): Work 11(7, 10) d.c., *d.c.2tog., work 28(20, 24) d.c.; rept. from * to last 13(9, 12) d.c., d.c.2tog., work in d.c. to end. 226(246,271) d.c. remain.

Edging

1st Row: 1 ch., 1 d.c. into first d.c., *2 ch., 1 tr. into next d.c., 3 ch., work 5 tr. around last tr. worked, miss 3 d.c., 1 d.c. into next d.c.; rept. from * to end.

2nd Row: 1 ch., 1 d.c. into first d.c., 2 ch., *1 d.c. into 3rd of 5 tr. of cluster, [2 ch., 1 d.c. into next tr.] twice, 2 ch., 1 d.c. into 2nd of 3 ch., 2 ch., 1 d.c. into first of 3 ch.; rept. from * to end, 1 tr. into last d.c. Fasten off.

SLEEVES (Both Alike)

Make 52(57,62) ch.

Foundation Row: 1 d.c. into 2nd ch. from hook, 1 d.c. into next ch., *3 ch., miss next 2 ch., 1 d.c. into next ch., 2 ch., miss next ch., 1 d.c. into next ch.; rept. from * to last 4 ch., 3 ch., miss next 2 ch., 1 d.c. into each of last 2 ch.

Work in pattern as given for Skirt until sleeve measures approximately 15(18,20) cm. $6(7\frac{1}{4}, 8)$ ins. ending with a 4th Row of Pattern (adjust length here if required).

Next Row: 1 ch. to turn, 1 d.c. into h.tr., 1 d.c. into next d.c., *2 d.c. into 3-ch. sp., miss next d.c., 1 d.c. into 2-ch. sp., 1 d.c. into next d.c.; rept. from * to last 3-ch. sp., 1 d.c. into 3-ch. sp., miss next d.c., 1 d.c. into 2nd of 2 ch. at beg. of previ-

ous row. 40(44,48) d.c. remain.

Next Row (Decrease): Work 3(3, 1) d.c., *d.c.2tog., work 2(3,2) d.c.; rept. from * to last 5(6,3) d.c., d.c.2tog., work in d.c. to end. 31(36,36) d.c. remain.

Work the 2 rows of Edging as given for Skirt. Fasten off.

COLLAR

Make 52(57,57) ch., work 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end. 51(56,56) d.c.

Next Row (Increase): 1 ch. to turn, 1 d.c. into first d.c., 2 d.c. into each d.c. to end. 101(111,111) d.c.

Work the 2 rows of Edging as given for Skirt. Fasten off.

PRESSING

With wrong side facing pin out to measurements given. Press as instructions.

MAKING UP

Join shoulder seams. Join centre back seam of skirt leaving bodice open. Join sleeve seams to within 2(3,3) cm. $\frac{3}{4}$ ($1\frac{1}{4}$, $1\frac{1}{4}$) ins. of starting ch. Insert sleeves gathering fullness evenly across sleeve head.

Neck Edging

With right side of work facing, work 9(10,10) d.c. across left back neck, 12 d.c. down left front slope, 9(12, 12) d.c. across centre front, 12 d.c. up right front slope and 9(10,10) d.c. across right back neck. 51(56, 56) d.c.

Work 1 more row of d.c.

With wrong side of collar to right side of bodice, join collar to neck as follows: work 1 row of d.c. working through each st. of collar and corresponding st. of neck edging.

Next Row (Decrease): 1 ch. to turn, 1 d.c. into each of next 2(4,4) d.c., *d.c.2tog., work 3 d.c.; rept. from * to last 4(7,7) d.c., d.c.2tog., 1 d.c. into each d.c. to end. 41(46, 46) d.c. remain.

Work 2 more rows in d.c. Do not fasten off.

Back Edging

With right side of work facing, work 1 row of firm d.c. around back opening, turn.

Work a 2nd row of d.c. making 3 buttonholes evenly spaced on right back edge by working 3 ch. in



place of 2 d.c. Fasten off.
Press seams. Sew on buttons.
Thread shirring elastic through
cuffs and top of skirt if required.

BONNET

Make 5 ch., join into a ring with a
sl.st.

1st Round: 1 ch., work 5(6,7) d.c.
into ring, sl.st. to join.

2nd Round: 1 ch., work 2 d.c. into
each d.c. to end, sl.st. to join.

3rd, 5th, 7th and 9th Rounds: 1
ch., work 1 d.c. into each d.c. to
end, sl.st. to join.

4th Round: As 2nd Round. 20(24,
28) d.c.

6th Round: 1 ch., *work 2 d.c.
into next d.c., 1 d.c. into next d.c.;
rept. from * to end, sl.st. to join.
30(36,42) d.c.

8th Round: 1 ch., *work 2 d.c.
into next d.c., 1 d.c. into each of

next 2 d.c.; rept. from * to end,
sl.st. to join. 40(48,56) d.c.

10th Round: 1 ch., work 2 d.c.
into next d.c., 1 d.c. into each of
next 3 d.c.; rept. from * to end,
sl.st. to join. 50(60,70) d.c.

11th Round: 1 ch., work 1 d.c.
into each of next 5 d.c., *2 d.c. into
next d.c., 1 d.c. into each of next
7(9,11) d.c.; rept. from * to last 5
d.c., 2 d.c. into next d.c., 1 d.c. into
each d.c. to end. 56(66,76) d.c.

Work Foundation Row as given for
Skirt of Dress **turning at end of
row.**

Work 12(16,20) rows in pattern as
given for Skirt.

Next Row: 1 ch. to turn, 1 d.c. into
h.tr., 1 d.c. into next d.c., *1 d.c.
into each of next 3 ch., miss next
d.c., 1 d.c. into each of next 2 ch.,
1 d.c. into next d.c.; rept. from * to
last 3-ch. sp., 1 d.c. into each of
next 3 ch., miss next d.c., 1 d.c.

into 2nd of 2 ch. at beg. of previ-
ous row. 66(78,90) d.c.

Next Row (Decrease): Work 6(5,
4) d.c., *d.c.2tog., work 11(9,8)
d.c.; rept. from * to last 8(7,6) d.c.,
d.c.2tog., work in d.c. to end.
61(71,81) d.c. remain. Place a mar-
ker at each end of row.

Work the 2 rows of Edging as
given for Skirt. Fasten off.

PRESSING

With wrong side facing pin out to
measurements given. Press as
instructions.

MAKING UP

Neck Edging

Work 2 rows of firm d.c. along neck
edge between markers. Fasten off.
Sew a length of ribbon to each
corner.

WASHING AND PRESSING INSTRUCTIONS		
Peter Pan Darling	WASHING	PRESSING
	 Warm water, hand or machine wash, short spin, do not wring, dry flat.	 Use a dry cloth and cool iron.

Wendy

*Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries
are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.*

CARTER & PARKER LTD., GUISELEY, YORKS.