

P583

Price Code C

Peter Pan

by Wendy

DOUBLE KNIT
46-66cm (18-26ins.)



CHILD'S JACKET, CARDIGAN AND HAT in Peter Pan D.K.

No. P.583
Knitted in D.K.
Shade 868 Spring Lamb

Instructions given for 46 cm. (18 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes	46 18	51 20	56 22	61 24	66 26	cm. ins.								
JACKET Actual Measurements	53.5 21	58.5 23	64 25¼	68.5 27	74.5 29¼	cm. ins.								
CARDIGAN Actual Measurements	51 20	56.5 22¼	62 24½	67.5 26½	73 28¾	cm. ins.								
Peter Pan D.K. (50g.) JACKET CARDIGAN HAT	3 2 1	4 3 1	4 3 2	5 4 2	5 4 2	Balls. Balls. Balls.								
2 - 3¼ mm. and 2 - 4 mm. Milward Knitting Needles. Stitch Holder for Cardigan. Cable Needle. 5 Buttons for Jacket. 3 Buttons for Cardigan.														
JACKET Length from Back of Neck	26.5 10½	29 11½	33 13	38 15	42 16½	cm. ins.								
Sleeve Seam	20.5 8	23 9	25.5 10	29 11½	33 13	cm. ins.								
CARDIGAN Length from Back of Neck	24 9½	28 11	30.5 12	35.5 14	39.5 15½	cm. ins.								
Sleeve Seam	20.5 8	23 9	25.5 10	29 11½	33 13	cm. ins.								
HAT Width around Head	42 16½	44.5 17½	48 19	51 20	54 21¼	cm. ins.								
NEEDLE SIZES														
Metric	9	7½	7	6½	6	5½	5	4½	4	3¾	3¼	3	2¾	mm.
English	00	1	2	3	4	5	6	7	8	9	10	11	12	
American	13	11	-	10½	10	9	8	7	6	5	4	-	2	

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. — Knit; P. — Purl; st(s). — stitch(es); rept. — repeat; beg. — beginning; inc. — increase; dec. — decrease; y.fwd. — yarn forward; tog. — together; sl. — slip; sl.1 — slip one; p.s.s.o. — pass slipped stitch over; cable 4 back — sl. the next 3 sts. onto a cable needle, leave at back of work, K.1, then K.3 from cable needle; cable 4 front — sl. the next st. onto a cable needle, leave at front of work, K.3, then K. st. from cable needle; 0 — No stitches or rows to be worked in that particular size; patt. — pattern; cm. — centimetres; ins. — inches.

IMPORTANT

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used). Follow our instructions exactly. We advise **every knitter** to check their tension carefully before commencing the garment. All measurements in this design are based on the stated tension, therefore it is essential that the correct tension be obtained and maintained

throughout the garment to achieve success. We recommend the needle size as the size we have used to obtain the tension, **but** as each knitter knits differently it may be necessary for some knitters to change their needle size accordingly.

Check your tension carefully

If there are too many stitches to the inch, then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to the inch, then your tension is loose and you will need to change your needle to a smaller size.

Keep measuring your knitting throughout to ensure that you are maintaining correct tension and therefore correct measurements.

TENSION

29 sts. and 33 rows to 10 cm. (4 ins.) over patt. on 4 mm. Needles for Jacket and Hat.
22 sts. and 33 rows to 10 cm. (4 ins.) over patt. on 4 mm. Needles for Cardigan.

JACKET

BACK

Using 3¼ mm. Needles, cast on 61(67, 73, 79, 85) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows for 5 cm. (2 ins.) finishing on a 1st Row.

Next Row (Inc. Row) — Rib 4(7, 7, 1, 4), inc. in next st., * rib 3(2, 2, 3, 3), inc. in next st., rept. from * to last 4(8, 8, 1, 4) sts., rib to end. 75(85, 93, 99, 105) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) — K.5(1, 5, 8, 2), P.1, cable 4 back (see abbreviations), K.1, cable 4 front (see abbreviations), P.1, * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * to last 5(1, 5, 8, 2) sts., K. to end.

2nd Row — K.1(1, 1, 0, 0) sts., [P.1, K.1] 2(0, 2, 4, 1) times, * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * to last 16(12, 16, 19, 13) sts., K.1, P.9, K.1, [K.1, P.1] 2(0, 2, 4, 1) times, K.1(1, 1, 0, 0).

3rd Row — K.5(1, 5, 8, 2), P.1, K.9, P.1, * K.7, P.1, K.9, P.1, rept. from * to last 5(1, 5, 8, 2) sts., K. to end.

4th Row — P.1(1, 1, 0, 0) sts., [K.1, P.1] 2(0, 2, 4, 1) times, * K.1, P.9, [K.1, P.1] 4 times, rept. from * to last 16(12, 16, 19, 13) sts., K.1, P.9, K.1, [P.1, K.1] 2(0, 2, 4, 1) times, P.1(1, 1, 0, 0). These 4 rows form the patt.

Continue in patt. until work measures 16.5(17.5, 20.5, 24, 26.5) cm. 6½(7, 8, 9½, 10½) ins. from commencement finishing on a 2nd patt. row.

Shape Armholes

Keeping patt. correct. Cast off 5(1, 5, 8, 2) sts. at beg. of next 2 rows. 65(83, 83, 83, 101) sts. Continue in patt. until armholes measure 10(11.5, 12.5, 14, 15) cm. 4(4½, 5, 5½, 6) ins. finishing on a wrong side row.

Shape Shoulders

Cast off, working **K.2tog., K.5, K.2tog.** over 9 sts. of cables.

LEFT FRONT

** Using 3¼ mm. Needles, cast on 25(29, 31, 35, 37) sts.

Work 5 cm. (2 ins.) in rib as given for Back finishing on a 1st Row.

Next Row (Inc. Row) — Rib 0(3, 1, 5, 1), inc. in next st., * rib 2, inc. in next st., rept. from * to last 0(4, 2, 5, 2) sts., rib 0(4, 2, 5, 2). 34(37, 41, 44, 49) sts. **

Change to 4 mm. Needles.

Commence Patt.

46(66) cm. 18(26) inch sizes only

1st Row — K.5(2), P.1, cable 4 back, K.1, cable 4 front, P.1, * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * 0(1) times more.

2nd Row — * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * 0(1) times more, K.1, P.9, K.1, [K.1, P.1] 2(1) times, K.1(0).

3rd Row — K.5(2), P.1, K.9, P.1, * K.7, P.1, K.9, P.1, rept. from * 0(1) times more.

4th Row — * K.1, P.9, [K.1, P.1] 4 times, rept. from * 0(1) times more, K.1, P.9, K.1, [P.1, K.1] 2(1) times, P.1 0).
These 4 rows form the patt.

(51, 56, 61) cm. (20, 22, 24) inch sizes only

1st Row — K.(1, 5, 8), * P.1, cable 4 back, K.1, cable 4 front, P.1, K.7, rept. from * once more.
2nd Row — * K.1, [P.1, K.1] 3 times, K.1, P.9, K.1, rept. from * once more, [K.1, P.1] (0, 2, 4) times, K.(1, 1, 0).
3rd Row — K.(1, 5, 8), * P.1, K.9, P.1, K.7, rept. from * once more.
4th Row — * [P.1, K.1] 4 times, P.9, K.1, rept. from * once more, [P.1, K.1] (0, 2, 4) times, P.(1, 1, 0).
These 4 rows form the patt.

All Sizes

Continue in patt. until Left Front measures same as Back to armholes finishing on a 2nd patt. row (work 1 row more for Right Front).

Shape Armhole

Keeping patt. correct.
Cast off 5(1, 5, 8, 2) sts. at beg. of next row.
29(36, 36, 47) sts.
Continue without further shaping until armhole measures 6.5(7, 8.5, 9, 10) cm. 2½(2¾, 3¼, 3½, 4) ins. finishing at Front edge.

Shape Neck

Keeping patt. correct.
Cast off 7(7, 7, 10) sts. at beg. of next row.
Dec. 1 st. at neck edge on every row until 18(23, 23, 29) sts. remain.
Continue without further dec. until armhole measures same as Back to shoulders finishing at armhole edge.

Shape Shoulder

Cast off, working **K.2tog.**, **K.5**, **K.2tog.** over 9 sts. of cables.

RIGHT FRONT

Work as instructions given for Left Front from ** to **.
Change to 4 mm. Needles

Commence Patt.

46(66) cm. 18(26) inch sizes only

1st Row — P.1, cable 4 back, K.1, cable 4 front, P.1, * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * 0(1) times more, K.5(2).
2nd Row — K.1(0) sts., [P.1, K.1] 2(1) times, * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * 0(1) times more, K.1, P.9, K.1.
3rd Row — P.1, K.9, P.1, * K.7, P.1, K.9, P.1, rept. from * 0(1) times more, K.5(2).
4th Row — P.1(0) sts., [K.1, P.1] 2(1) times, * K.1, P.9, [K.1, P.1] 4 times, rept. from * 0(1) times more, K.1, P.9, K.1.
These 4 rows form the patt.

(51, 56, 61) cm. (20, 22, 24) inch sizes only

1st Row — * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * once more, K.(1, 5, 8).
2nd Row — K.(1, 1, 0) sts., [P.1, K.1] (0, 2, 4) times, * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * once more.
3rd Row — * K.7, P.1, K.9, P.1, rept. from * once more, K.(1, 5, 8).
4th Row — P.(1, 1, 0) sts., [K.1, P.1] (0, 2, 4) times, * K.1, P.9, [K.1, P.1] 4 times, rept. from * once more.
These 4 rows form the patt.

All Sizes

Continue working as instructions given for Left Front.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 35(37, 37, 39, 41) sts.
Work 5(5.5, 5, 5, 5) cm. 2(2¼, 2, 2, 2) ins. in rib as given for Back finishing on a 1st Row.
Next Row (Inc. Row) — Rib 2(3, 1, 0, 1), inc. in next st., * rib 1, inc. in next st., rept. from * to last 2(3, 1, 0, 1) sts., rib 2(3, 1, 0, 1). 51(53, 55, 59, 61) sts.
Change to 4 mm. Needles.

Commence Patt.

1st Row — K.2(3, 4, 6, 7), P.1, cable 4 back, K.1, cable 4 front, P.1, * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * once more, K.2(3, 4, 6, 7).
2nd Row — K.0(1, 0, 0, 1) sts., [P.1, K.1] 1(1, 2, 3, 3) times, * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * once more, K.1, P.9, K.1, [K.1, P.1] 1(1, 2, 3, 3) times, K.0(1, 0, 0, 1).
Continue in 4 row patt. as set and working all inc. sts. into patt., inc. 1 st. at each end of the needle on the next and every following 10(6, 4, 6, 4)th row until 59(61, 61, 79, 67) sts. are on the needle.

(51, 56, 66) cm. (20, 22, 26) inch sizes only

Inc. 1 st. at each end of the needle on every following 8(6, 6)th row until (65, 73, 87) sts. are on the needle.

All Sizes

Continue without further inc. until Sleeve measures 20.5(23, 25.5, 29, 33) cm. 8(9, 10, 11½, 13) ins. from commencement finishing on a 2nd(4th, 2nd, 2nd, 4th) patt. row.
(Mark each end of last row with a coloured thread).
Work a further 8(2, 8, 12, 2) rows in patt. for Sleeve extension finishing on a 2nd patt. row.
Cast off.

CARDIGAN

LEFT FRONT

*** Using 3¼ mm. Needles, cast on 25(27, 31, 33, 37) sts.
1st Row — K.1, * P.1, K.1, rept. from * to end.
2nd Row — P.1, * K.1, P.1, rept. from * to end. Rept. the last 2 rows for 4(5, 5, 6.5, 6.5) cm. 1½(2, 2, 2½, 2½) ins. finishing on a 1st Row.
Next Row (Inc. Row) — Rib 3(1, 3, 4, 6), inc. in next st., * rib 5(5, 7, 5, 7), inc. in next st., rept. from * to last 3(1, 3, 4, 6) sts., rib to end. 29(32, 35, 38, 41) sts. ***
Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) — K.18(21, 24, 27, 30), P.1, cable 4 back (see abbreviations), K.1, cable 4 front (see abbreviations), P.1.
2nd Row — K.1, P.9, K.1, P.0(1, 0, 1, 0), * P.1, K.1, rept. from * to end.
3rd Row — K.18(21, 24, 27, 30), P.1, K.9, P.1.
4th Row — K.1, P.9, K.1, P.2(1, 2, 1, 2), * K.1, P.1, rept. from * to end.
These 4 rows form the patt.
Continue in patt. until Front measures 10(12.5, 12.5, 16, 18.5) cm. 4(5, 5, 6¼, 7¼) ins. from commencement finishing on a wrong side row.

Shape Front

Keeping patt. correct.
Next Row — Patt. to last 13 sts., K.2tog., patt. 11.
Next Row — Patt. 11, P.1, patt. to end.
**** Dec. 1 st. inside cable panel for Front shaping as before on the next and every following alt. row until 26(29, 32, 33, 36) sts., then on every following 4th row until 18(20, 22, 23, 25) sts. remain **at the same time** P. first st. of remainder of patt. on every wrong side row as before.

Continue without further dec. until work measures 24(28, 30.5, 35.5, 39.5) cm. 9½(11, 12, 14, 15½) ins. from commencement finishing on a wrong side row.

Shape Shoulder

Cast off, working **K.2tog.**, **K.5**, **K.2tog.** over 9 sts. of cable. ****

RIGHT FRONT

Work as instructions given for Left Front from *** to ***.
Change to 4 mm. Needles.

Commence Patt.

1st Row — P.1, cable 4 back, K.1, cable 4 front, P.1, K.18(21, 24, 27, 30).
2nd Row — * K.1, P.1, rept. from * 8(9, 11, 12, 14) times more, P.0(1, 0, 1, 0), K.1, P.9, K.1.
3rd Row — P.1, K.9, P.1, K.18(21, 24, 27, 30).
4th Row — * P.1, K.1, rept. from * 7(9, 10, 12, 13) times more, P.2(1, 2, 1, 2), K.1, P.9, K.1.
These 4 rows form the patt.
Continue in patt. until Right Front measures same as Left Front to front shaping finishing on a same patt. row.

Shape Front

Keeping patt. correct.
Next Row — Patt. 11, sl.1, K.1, p.s.s.o., patt. to end.
Next Row — Patt. to last 12 sts., P.1, patt. to end.
Work as instructions given for Left Front from **** to ****.

BACK

Using 3¼ mm. Needles, cast on 59(65, 71, 77, 83) sts.
Work 4(5, 5, 6.5, 6.5) cm. 1½(2, 2, 2½, 2½) ins. in rib as given for Left Front finishing on a 1st Row.
Next Row (Dec. Row) — Rib 3(6, 9, 12, 15), dec. 1 st., * rib 15, dec. 1 st., rept. from * to last 3(6, 9, 12, 15) sts., rib to end. 55(61, 67, 73, 79) sts.
Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) — Knit.
2nd Row — K.1, * P.1, K.1, rept. from * to end.
3rd Row — Knit.
4th Row — P.1, * K.1, P.1, rept. from * to end.
These 4 rows form the patt.
Continue in patt. until Back measures same as Left Front to shoulder finishing on a wrong side row.

Shape Shoulders

Next Row — Cast off 16(18, 20, 21, 23) sts., K.23(25, 27, 31, 33) including st. on needle, cast off remaining 16(18, 20, 21, 23) sts.
Sl. centre 23(25, 27, 31, 33) sts. onto a st. holder. Break off yarn.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 33(35, 37, 39, 41) sts.
Work 4(4, 5, 5, 6.5) cm. 1½(1½, 2, 2, 2½) ins. in rib as given for Left Front finishing on a 1st Row.
Next Row (Inc. Row) — Rib 1(5, 6, 4, 5), inc. in next st., * rib 5(7, 7, 9, 9), inc. in next st., rept. from * to last 1(5, 6, 4, 5) sts., rib to end. 39(39, 41, 43, 45) sts.
Change to 4 mm. Needles.

Commence Patt.

Continue in patt. as given for Back and working all inc. sts. into patt., inc. 1 st. at each end of the needle on the 3rd and every following 16(10, 8, 6, 6)th row until 45(49, 55, 51, 61) sts. are on the needle.

(61, 66) cm. (24, 26) inch sizes only
Inc. 1 st. at each end of the needle on every following 8th row until (61, 67) sts. are on the needle.

All Sizes

Continue without further inc. until Sleeve measures 20.5(23, 25.5, 29, 33) cm. 8(9, 10, 11½, 13) ins. from commencement finishing on a wrong side row.
Cast off loosely.

HAT

Using 3¼ mm. Needles, cast on 97(103, 113, 121, 127) sts.
Work 6.5 cm. (2½ ins.) in rib as given for Back of Jacket finishing on a 2nd Row.
Next Row (Inc. Row) — Rib 6(5, 10, 14, 9), inc. in next st., * rib 3, inc. in next st., rept. from * to last 6(5, 10, 14, 9) sts., rib to end. 119, 127, 137, 145, 155) sts.
Change to 4 mm. Needles.

Commence Patt.

1st Row (Right Side) — K.0(4, 0, 4, 0), P.1, cable 4 back (see abbreviations), K.1, cable 4 front (see abbreviations), P.1, * K.7, P.1, cable 4 back, K.1, cable 4 front, P.1, rept. from * to last 0(4, 0, 4, 0) sts., K.0(4, 0, 4, 0).
2nd Row — [P.1, K.1] 0(2, 0, 2, 0) times, * K.1, P.9, K.2, [P.1, K.1] 3 times, rept. from * to last 11(15, 11, 15, 11) sts., K.1, P.9, K.1, [K.1, P.1] 0(2, 0, 2, 0) times.
3rd Row — K.0(4, 0, 4, 0), P.1, K.9, P.1, * K.7, P.1, K.9, P.1, rept. from * to last 0(4, 0, 4, 0) sts., K.0(4, 0, 4, 0).
4th Row — [K.1, P.1] 0(2, 0, 2, 0) times, * K.1, P.9, [K.1, P.1] 4 times, rept. from * to last 11(15, 11, 15, 11) sts., K.1, P.9, K.1, [P.1, K.1] 0(2, 0, 2, 0) times.

These 4 rows form the patt.
Continue in patt. until work measures 12(13.5, 15, 16.5, 17.5) cm. 4¾(5¼, 6, 6½, 7) ins. from commencement finishing on a 2nd patt. row.

Shape Crown

46(56, 66) cm. 18(22, 26) inch sizes only

Next Row (Dec. Row) — P.1, K.9, * P.2tog., K.5, P.2tog., K.9, rept. from * to last st., P.1. 107(123, 139) sts.
Next Row — K.1, * P.9, K.2, [P.1, K.1] twice, K.1, rept. from * to last 10 sts., P.9, K.1.
Next Row (Dec. Row) — P.1, cable 4 back, K.1, cable 4 front, * P.2tog., K.3, P.2tog., cable 4 back, K.1, cable 4 front, rept. from * to last st., P.1. 95(109, 123) sts.
Next Row — K.1, * P.9, K.2, P.1, K.2, rept. from * to last 10 sts., P.9, K.1.
Next Row (Dec. Row) — P.1, K.9, * P.2tog., K.1, P.2tog., K.9, rept. from * to last st., P.1. 83(95, 107) sts.
Next Row — K.1, * P.9, K.3, rept. from * to last 10 sts., P.9, K.1.
Next Row (Dec. Row) — P.1, cable 4 back, K.1, cable 4 front, * P.3tog., cable 4 back, K.1, cable 4 front, rept. from * to last st., P.1. 71(81, 91) sts.

(51, 61) cm. (20, 24) inch sizes only

Next Row (Dec. Row) — K.3, P.2tog., K.9,

* P.2tog., K.5, P.2tog., K.9, rept. from * to last 5 sts., P.2tog., K.3. (113, 129) sts.
Next Row — K.1, P.1, K.2, * P.9, K.2, [P.1, K.1] twice, K.1, rept. from * to last 13 sts., P.9, K.2, P.1, K.1.
Next Row (Dec. Row) — K.2, P.2tog., cable 4 back, K.1, cable 4 front, * P.2tog., P.3, P.2tog., cable 4 back, K.1, cable 4 front, rept. from * to last 4 sts., P.2tog., K.2. (99, 113) sts.
Next Row — P.1, K.2, * P.9, K.2, P.1, K.2, rept. from * to last 12 sts., P.9, K.2, P.1.
Next Row (Dec. Row) — K.1, P.2tog., K.9, * P.2tog., K.1, P.2tog., K.9, rept. from * to last 3 sts., P.2tog., K.1. (85, 97) sts.
Next Row — K.2, * P.9, K.3, rept. from * to last 11 sts., P.9, K.2.
Next Row (Dec. Row) — P.2tog., cable 4 back, K.1, cable 4 front, * P.3tog., cable 4 back, K.1, cable 4 front, rept. from * to last 2 sts., P.2tog. (71, 81) sts.

All Sizes

Next Row — K.1, * P.9, K.1, rept. from * to end.
Next Row (Dec. Row) — K.2tog., K.2, * sl.1, K.2tog., p.s.s.o., K.2, rept. from * to last 2 sts., K.2tog. 43(43, 49, 49, 55) sts.
Next Row — Purl.
Next Row (Dec. Row) — K.2tog., * sl.1, K.2tog., p.s.s.o., rept. from * to last 2 sts., K.2tog. 15(15, 17, 17, 19) sts.
Thread yarn through remaining sts., draw up firmly and fasten off.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

JACKET

Join shoulder seams by backstitching.

Buttonband

With right side facing, using 3¼ mm. Needles, pick up and K.59(63, 71, 83, 95) sts. evenly down left front for a Girl or up right front for a Boy.
Commencing on a 2nd Row, work 11 rows in rib as given for Back.
Cast off in rib.

Buttonhole Band

With right side facing, using 3¼ mm. Needles, pick up and K.59(63, 71, 83, 95) sts. evenly up right front for a Girl or down left front for a Boy.
Commencing on a 2nd Row, work 5 rows in rib as given for Back.
Next Row (Buttonhole Row) — Rib 5(3, 3, 5, 3), y.fwd., K.2tog., * rib 10(12, 14, 16, 20), y.fwd., K.2tog., rept. from * to last 4(2, 2, 4, 2) sts., rib to end.
Work a further 5 rows in rib.
Cast off in rib.

Collar

Using 3¼ mm. Needles, cast on 71(83, 83, 87, 99) sts.

Commencing on a 2nd Row, work 1 cm. (½ inch) in rib as given for Back finishing on a 2nd Row.

Change to 4 mm. Needles.

Next Row — Rib 50(60, 60, 62, 72) sts., turn.
Next Row — Sl.1, rib 28(36, 36, 36, 44), turn.
Next Row — Sl.1, rib 26(34, 34, 34, 42), turn.
Next Row — Sl.1, rib 24(32, 32, 32, 40), turn.
Next Row — Sl.1, rib 22(30, 30, 30, 38), turn.
Next Row — Sl.1, rib 20(28, 28, 28, 36), turn.

Next Row — Sl.1, rib to end.
Continue in rib across all sts. until side edge of collar measures 5(5, 5.5, 5.5, 6.5) cm. 2(2, 2¼, 2¼, 2½) ins. from commencement finishing on a 2nd Row.
Cast off in rib.
Pin cast on edge of collar to neck, edges of collar to centre of front bands, sew on by top sewing.
Join side seams and sleeve seams to markers by backstitching omitting rib, join rib by top sewing.
Pin sleeves into position placing sleeve extension to cast off sts. at underarm, sew in by backstitching.
Sew on buttons.

CARDIGAN

Join right shoulder seam by backstitching.

Buttonband

With right side facing, using 3¼ mm. Needles, pick up and K.34(38, 44, 48, 52) sts. down left front to commencement of front shaping and 27(33, 33, 41, 47) sts. to lower edge. 61(71, 77, 89, 99) sts.
Commencing on a 2nd Row, work 7 rows in rib as given for Left Front.
Cast off in rib.

Buttonhole Band

With right side facing, using 3¼ mm. Needles, pick up and K.27(33, 33, 41, 47) sts. up right front to commencement of front shaping, 35(39, 45, 49, 53) sts. to shoulder and K.23(25, 27, 31, 33) sts. from back neck st. holder. 85(97, 105, 121, 133) sts.
Commencing on a 2nd Row, work 3 rows in rib as given for Left Front.
Next Row (Buttonhole Row) — Rib 3, y.fwd., K.2tog., * rib 8(12, 12, 16, 18), y.fwd., K.2tog., rept. from * once more, rib to end.
Work a further 3 rows in rib.
Cast off in rib.
Join left shoulder seam by backstitching, join front bands by top sewing.
Mark depth of armholes 10(11.5, 12.5, 14, 15) cm. 4(4½, 5, 5½, 6) ins. from shoulder seams.
Join side seams to markers and sleeve seams by backstitching omitting rib, join rib by top sewing.
Pin sleeves into position, sew in by backstitching.
Sew on buttons.

HAT

Join back seam by backstitching omitting rib, join rib by top sewing reversing seam for turnback.
Make a pom pon and attach to top of crown.

Press seams.

Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

Prices apply only in Great Britain and Northern Ireland.

