

# Peter Pan

## Double Knit

**P625**  
Price Code C



CLAIRECRAFTS  
44 TOWN END  
ALMONDBURY  
HUDDERSFIELD  
HD5 8NW  
TEL: 545376

Wendy

46-56cm. (18-22ins.)

# ROUND AND V NECK CARDIGANS

in Peter Pan D.K.

Instructions given for 46 cm. (18 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

## MATERIALS AND MEASUREMENTS

|                                                                                                               |             |           |             |                |
|---------------------------------------------------------------------------------------------------------------|-------------|-----------|-------------|----------------|
| To Fit Chest Sizes                                                                                            | 46<br>18    | 51<br>20  | 56<br>22    | cm.<br>ins.    |
| Actual Measurements                                                                                           | 51<br>20    | 56<br>22  | 61<br>24    | cm.<br>ins.    |
| Peter Pan D.K. or Peter Pan Spot Print D.K. (50g.)<br><b>ROUND NECK DESIGN</b><br><b>V NECK DESIGN</b>        | 3<br>3      | 3<br>3    | 4<br>4      | Balls<br>Balls |
| Peter Pan Mischief D.K. (50g.)<br><b>ROUND NECK DESIGN</b><br><b>V NECK DESIGN</b>                            | 3<br>3      | 3<br>3    | 4<br>4      | Balls<br>Balls |
| 2 – 3¼ mm. (U.K. 10 – U.S.A. 4) and 2 – 4 mm. (U.K. 8 – U.S.A. 6) Milward Knitting Needles.<br>Stitch Holder. |             |           |             |                |
| Buttons.<br><b>ROUND NECK DESIGN</b><br><b>V NECK DESIGN</b>                                                  | 5<br>4      | 5<br>4    | 6<br>5      |                |
| <b>BOTH DESIGNS</b><br>Length From Back of Neck                                                               | 26.5<br>10½ | 29<br>11½ | 34.5<br>13½ | cm.<br>ins.    |
| Sleeve Seam                                                                                                   | 17.5<br>7   | 20.5<br>8 | 25.5<br>10  | cm.<br>ins.    |

## IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

## ABBREVIATIONS

K. – Knit; P. – Purl; st(s). – stitch(es); rept. – repeat; inc. – increase; dec. – decrease; tog. – together; beg. – beginning; y.fwd. – yarn forward; sl. – slip; patt. – pattern; cm. – centimetres; ins. – inches.

## TENSION

**It is important to check your tension before commencing the garment.**

25 sts. and 33 rows to 10 cm. (4 ins.) over patt. on 4 mm. Needles

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

## ROUND NECK DESIGN BACK

Using 3¼ mm. Needles, cast on 61 (67, 73) sts.

**1st Row** – K.1, \* P.1, K.1, rept. from \* to end.

**2nd Row** – P.1, \* K.1, P.1, rept. from \* to end.

Rept. the last 2 rows for 3 (4.5, 4.5) cm. 1¼ (1¾, 1¾) ins. finishing on a 2nd Row, inc. 1 st. at each end of last row. 63 (69, 75) sts.

Change to 4 mm. Needles.

## Commence Patt.

**1st Row** (Right Side) – Knit.

**2nd Row** – Purl.

**3rd Row** – K.2 (5, 2), \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* to last 1 (4, 1) sts., K. to end.

**4th Row** – Knit.

These 4 rows form the patt.

Continue in patt. until work measures 16.5 (17.5, 21.5) cm. 6½ (7, 8½) ins. from commencement finishing on a 4th patt. row.

## Shape Armholes

Keeping patt. correct.

Cast off 1 (4, 1) sts. at beg. of next 2 rows. 61 (61, 73) sts.

Continue without further shaping until armholes measure 10 (11.5, 12.5) cm. 4 (4½, 5) ins. finishing on a wrong side row.

## Shape Shoulders

**Next Row** – Cast off 17 (17, 21) sts., patt. 27 (27, 31) including st. on needle, cast off remaining 17 (17, 21) sts.

No. P.625  
Knitted in Shades  
D.K. 987 Blushing Pink  
Spot Print D.K. 984 Fairy Lights

Sl. centre 27 (27, 31) sts. onto a st. holder. Break off yarn.

## LEFT FRONT

\*\* Using 3¼ mm. Needles, cast on 27 (31, 33) sts.

Work 3 (4.5, 4.5) cm. 1¼ (1¾, 1¾) ins. in rib as given for Back finishing on a 2nd Row, inc. 1 st. at end (beg. for Right Front) of last row for **46 (56) cm. 18 (22) inch sizes only.** 28 (31, 34) sts. \*\*

Change to 4 mm. Needles.

## Commence Patt.

**46 (51) cm. 18 (20) inch sizes only**

**1st Row** (Right Side) – Knit.

**2nd Row** – Purl.

**3rd Row** – K.2. (5), \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, K.2.

**4th Row** – Knit.

These 4 rows form the patt.

**(56) cm. (22) inch size only**

**1st Row** (Right Side) – Knit.

**2nd Row** – Purl.

**3rd Row** – K.2, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, [K.2tog.] twice, [y.fwd., K.1] twice, K.2.

**4th Row** – Knit.

These 4 rows form the patt.

## All Sizes

Continue in patt. until Front measures same as back to armholes finishing on a 4th patt. row.

## Shape Armhole

Keeping patt. correct.

Cast off 1 (4, 1) sts. at beg. of next row. 27 (27, 33) sts.

Continue without further shaping until armhole measures 6.5 (7.5, 7.5) cm. 2½ (3, 3) ins. finishing on a 1st patt. row.

## Shape Neck

**Next Row** – Cast off 10 (10, 12) sts., P. to end. 17 (17, 21) sts.

**46 (51) cm. 18 (20) inch sizes only**

**Next Row** – K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, K.4.

**(56) cm. (22) inch size only**

**Next Row** – K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] twice, K.2.

### All Sizes

Continue in patt. as set until armhole measures same as Back to shoulders finishing on a same patt. row.

## Shape Shoulder

Cast off remaining 17 (17, 21) sts.

## RIGHT FRONT

Work from \*\* to \*\* of Left Front.  
Change to 4 mm. Needles.

## Commence Patt.

**46 (51) cm. 18 (20) inch sizes only**

**1st Row** (Right Side) — Knit.

**2nd Row** — Purl.

**3rd Row** — K3., \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, K.1 (4).

**4th Row** — Knit.

These 4 rows form the patt.

**(56) cm. (22) inch size only**

**1st Row** (Right Side) — Knit.

**2nd Row** — Purl.

**3rd Row** — K.3, [y.fwd., K.1] twice, [K.2tog.] twice, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, K.1.

**4th Row** — Knit.

These 4 rows form the patt.

### All Sizes

Continue in patt. until Front measures same as Back to armholes finishing on a 4th patt. row.

Work 1 row.

## Shape Armhole

Cast off 1 (4, 1) sts. at beg. of next row. 27 (27, 33) sts.

Continue without further shaping until armhole measures 6.5 (7.5, 7.5) cm. 2½ (3, 3) ins. finishing on a 1st patt. row.

## Shape Neck

**Next Row** — P. to last 10 (10, 12) sts., cast off these sts. Break off yarn, turn.

Rejoin yarn to remaining 17 (17, 21) sts. at neck edge.

**46 (51) cm. 18 (20) inch sizes only**

**Next Row** — K.5, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice.

**(56) cm. (22) inch size only**

**Next Row** — K.3, [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

### All Sizes

Continue in patt. as set until armhole measures same as Back to shoulder finishing on a same patt. row.

## Shape Shoulder

Cast off remaining 17 (17, 21) sts.

## SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 33 (35, 37) sts.

Work 4 cm. (1½ ins.) in rib as given for Back finishing on a 1st Row.

**Next Row** (Inc. Row) — Rib 7 (6, 5), \* inc. in next st., rept. from \* to last 8 (7, 6) sts., rib to end. 51 (57, 63) sts.

Change to 4 mm. Needles.

## Commence patt.

Continue in patt. as given for Back until Sleeve measures 17.5 (20.5, 25.5) cm. 7 (8, 10) ins. from commencement finishing on a 2nd patt. row.

(Mark each end of last row with a coloured thread.)

Work a further 2 (6, 2) rows in patt. for Sleeve extension.

Cast off loosely.

## V NECK DESIGN

### BACK

Work exactly as instructions given for Back of Round Neck Design **but** cast off remaining sts.

### LEFT FRONT

Work exactly as instructions given for Left Front of Round Neck Design to armhole finishing on a 4th patt row.

## Shape Armhole and Front

**Next Row** — Cast off 1 (4, 1) sts., K. to last 2 sts., dec. 1 st. 26 (26, 32) sts.

Work 1 row.

**46 (51) cm. 18 (20) inch sizes only**

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, K.2tog., K.3tog.

**Next Row** — Knit.

**Next Row** — K. to last 2 sts., dec. 1 st.

**Next Row** — Purl.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] twice, K.3, dec. 1 st.

**Next Row** — Knit.

**Next Row** — K. to last 2 sts., dec. 1 st.

**Next Row** — Purl.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] twice, K.1, dec. 1 st.

Work 3 rows in patt.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] twice, dec. 1 st.

Work 3 rows in patt.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, y.fwd., K.1, y.fwd., dec. 1 st.

Work 3 rows in patt.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, K.4, dec. 1 st.

Work 3 rows in patt.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, K.3, dec. 1 st. 17 sts.

**(56) cm. (22) inch size only**

**Next Row** — K.1, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, [K.2tog.] twice, y.fwd., K.1, y.fwd., dec. 1 st.

**Next Row** — Knit.

**Next Row** — K. to last 2 sts., dec. 1 st.

**Next Row** — Purl.

**Next Row** — K.1, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, K.3, dec. 1 st.

**Next Row** — Knit

**Next Row** — K. to last 2 sts., dec. 1 st.

**Next Row** — Purl.

**Next Row** — K.1, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more, K.1, dec. 1 st.

**Next Row** — Knit.

**Next Row** — K. to last 2 sts., dec. 1 st.

**Next Row** — Purl.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, K.2tog., K.3tog. Work 3 rows in patt.

**Next Row** — K.1, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] 4 times, [y.fwd., K.1] twice, K.4, dec. 1 st.

Work 3 rows in patt.

Dec 1 st. at Front edge on the next and every following 4th row until 21 sts. remain.

### All Sizes

Continue without further dec. until armhole measures same as Back to shoulders finishing on a same patt. row.

## Shape Shoulder

Cast off remaining 17 (17, 21) sts.

## RIGHT FRONT

Work exactly as instructions given for Right Front of Round Neck Design to armhole finishing on a 4th patt. row.

## Shape Front and Armhole

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Cast off 1 (4, 1) sts., P. to end. 26 (26, 32) sts.

**46 (51) cm. 18 (20) inch sizes only**

**Next Row** — Dec. 1 st., \* [K.2tog.]

11 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1  
Inches CM 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more.

**Next Row** — Knit.

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Purl.

**Next Row** — Dec. 1 st., K.4, [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

**Next Row** — Knit.

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Purl.

**Next Row** — Dec. 1 st., K.2, [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

Work 3 rows in patt.

**Next Row** — Dec. 1 st., K.1, [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

Work 3 rows in patt.

**Next Row** — Dec. 1 st., [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

Work 3 rows in patt.

**Next Row** — Dec. 1 st., K.5, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice.

Work 3 rows in patt.

**Next Row** — Dec. 1 st., K.4, [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice. 17 sts.

### (56) cm. (22) inch size only

**Next Row** — Dec. 1 st., [y.fwd., K.1] twice, [K.2tog.] twice, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more.

**Next Row** — Knit.

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Purl.

**Next Row** — Dec. 1 st., K.4, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more.

**Next Row** — Knit.

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Purl.

**Next Row** — Dec. 1 st., K.2, \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more.

**Next Row** — Knit.

**Next Row** — Dec. 1 st., K. to end.

**Next Row** — Purl.

**Next Row** — Dec. 1 st., \* [K.2tog.] twice, [y.fwd., K.1] 4 times, [K.2tog.] twice, rept. from \* once more.

Work 3 rows in patt.

**Next Row** — Dec. 1 st., K.5, [y.fwd., K.1] twice, [K.2tog.] 4 times, [y.fwd., K.1] 4 times, [K.2tog.] twice.

Work 3 rows in patt.

Dec. 1 st. at Front edge on the next and every following 4th row until 21 sts. remain.

### All Sizes

Continue without further dec. until armhole measures same as Back to shoulders finishing on a same patt. row.

## Shape Shoulder

Cast off remaining 17 (17, 21) sts.

## SLEEVES (Both Alike)

Work exactly as instructions given for Sleeves of Round Neck Design.

## PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions.

## MAKING UP

Join shoulder seams by backstitching.

## ROUND NECK DESIGN Left Front Band

Using 3¼ mm. Needles, cast on 11 sts. Work in rib as given for Back until band is long enough when slightly stretched to fit up front to neck shaping finishing on a 2nd row. Sl. sts. onto a safety pin. Break off yarn.

Mark positions for buttons on left front band, the first one 1 cm. (½ inch) from lower edge allowing for one in the neckband and 3 (3, 4) more equally spaced between.

## Right Front Band

Work as instructions given for left front band working buttonholes to correspond with positions marked for buttons as follows:-

**Next Row** (Buttonhole Row) — Rib

5, y.fwd., K.2tog., rib to end.

Do not break off yarn.

## Neckband

With right side facing, using 3¼ mm. Needles, rib 11 sts. from right front band, pick up and K.6 (6, 7) sts. from cast off sts., 9(9, 11) sts. up right side neck, K.27 (27, 31) sts. from back neck st. holder, pick up and K.9 (9, 11) sts. down left side neck, 6 (6, 7) sts. from cast off sts. and rib 11 sts. from left front band. 79 (79, 89) sts.

Commencing on a 2nd Row, work 7 rows in rib working a buttonhole as before on the 4th row.

Cast off in rib.

Pin front bands into position, sew on by top sewing.

## V NECK DESIGN Front Band

Using 3¼ mm. Needles, cast on 11 sts. Work in rib as given for Back of Round Neck Design until band is long enough when slightly stretched to fit up left front, across back neck and down right front to 1 cm (½ inch) below first front dec. finishing on a 2nd Row.

**Next Row** (Buttonhole Row) — Rib 5, y.fwd., K.2tog., rib to end.

Mark positions for buttons on left front band, the first one to correspond with buttonhole already worked, the last one 1 cm. (½ inch) from lower edge and 2 (2, 3) more equally spaced between.

Continue in rib working buttonholes as before to correspond with positions marked for buttons.

Cast off in rib.

Pin front band into position, sew on by top sewing.

## BOTH DESIGNS

Join side seams and sleeve seams to markers by backstitching omitting rib, join rib by top sewing.

Pin sleeves into position placing sleeve extension to cast off sts. at underarm, sew in by backstitching.

Sew on buttons.

Press seams.

| WASHING AND PRESSING INSTRUCTIONS |                                                                                                |                                                                                                   |
|-----------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Peter Pan                         | Washing<br> | Pressing<br> |
|                                   | Warm water, hand or machine wash, short spin, do not wring, dry flat.                          | Use a dry cloth and cool iron.                                                                    |

*Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.*

**CARTER & PARKER LTD., GUISELEY, YORKS.**