

Peter Pan

double
KNIT

P810
PRICE CODE C

41-56cm (16-22ins.)
0/6 mths-2/3 yrs



CARDIGANS in Peter Pan D.K.

P810
Knitted in Peter Pan D.K.
Shades 306 Baby Blue
302 Peach Cream

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the 46 cm. size garments.

To Fit Age, approximately	0-6 mths	6-12 mths	1-2 yrs	2-3 yrs	
To Fit Chest Sizes	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements	47 18½	52 20½	59 23½	64 25½	cm. ins.
Peter Pan D.K. (50g.)	2	2	3	4	Balls
2 - 3¼ mm. (U.K. 10 - U.S.A. 4) and 2 - 4 mm. (U.K. 8 - U.S.A. 6) Wendy Knitting Needles. Stitch Holders. 5 (6, 6, 6) Buttons for Round Neck Cardigan. 4 (5, 5, 5) Buttons for V-Neck Cardigan.					
Length from Back Neck	23 9	27 10½	31 12¼	35 13¾	cm. ins.
Sleeve Seam	13 5	16 6¼	19 7½	22 8¾	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt. - alternate; **beg.** - beginning; **cm.** - centimetres; **dec.** - decrease; **inc.** - increase; **ins.** - inches; **K.** - Knit; **P.** - Purl; **patt.** - pattern; **p.s.s.o.** - pass slipped st. over; **rept.** - repeat; **sl.** - slip; **st(s).** - stitch(es); **st.st.** - stocking stitch (1 row K., 1 row P.); **tog.** - together; **y.r.n.** - yarn round needle; **t.b.l.** - through back of loop; **m.1** - make one, pick up loop before next st. and K. into back of it; **0** = no sts. to be worked in that particular size.

TENSION

It is important to check your tension before commencing the garment.

24 sts. and 32 rows to 10 cm. (4 ins.) over main patt. on 4 mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are

too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

PATT. PANEL (21 sts.)

1st Row (Right Side) - P.1, K.3, P.1, K.11, P.1, K.3, P.1.

2nd Row - K.1, P.3, K.1, P.11, K.1, P.3, K.1.

3rd Row - P.5, K.5, P.1, K.5, P.5.

4th Row - K.1, P.3, K.1, P.4, K.1, P.1, K.1, P.4, K.1, P.3, K.1.

5th Row - P.1, [K.3, P.1] twice, [K.1, P.1] twice, [K.3, P.1] twice.

6th Row - K.1, P.3, K.1, P.2, K.1, [P.1, K.1] 3 times, P.2, K.1, P.3, K.1.

7th Row - P.5, K.1, [P.1, K.1] 5 times, P.5.

8th Row - K.1, P.3, K.1, P.2, K.1, [P.1, K.1] 3 times, P.2, K.1, P.3, K.1.

9th Row - P.1, [K.3, P.1] twice, [K.1, P.1] twice, [K.3, P.1] twice.

10th Row - K.1, P.3, K.1, P.4, K.1, P.1, K.1, P.4, K.1, P.3, K.1.

11th Row - P.5, K.5, P.1, K.5, P.5.

12th Row - K.1, P.3, K.1, P.11, K.1, P.3, K.1.

These 12 rows form patt. panel.

ROUND NECK CARDIGAN

BACK

Using 3¼ mm. Needles, cast on 57 (63, 71, 77) sts.

1st Row (Right Side) - K.1, * P.1, K.1, rept. from * to end.

2nd Row - P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows 5 (5, 6, 6) times more.

Change to 4 mm. Needles.

Commence Main Patt.

1st Row - K.

2nd and Every Alt Row - P.

3rd Row - P.1 (0, 0, 1), K.3, * P.1, K.3, rept. from * to last 1 (0, 0, 1) st., P.1 (0, 0, 1).

5th Row - K.

7th Row - K.2 (1, 1, 2), P.1, * K.3, P.1, rept. from * to last 2 (1, 1, 2) sts., K.2 (1, 1, 2).

8th Row - P.

These 8 rows form main patt.

Continue in patt. until Back measures 13 (16, 18, 21) cm., 5 (6¼, 7, 8¼) ins. from commencement, finishing on a wrong side row.

Shape Raglans

Keeping patt. correct, cast off 3 (2, 2, 1) sts. at beg. of next 2 rows.

3rd Row - K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1. (1 st. decreased at each end of row).

4th Row - P.

Rept. the last 2 rows until 25 (31, 37, 43) sts. remain, finishing on a wrong side row.

Next Row - K.1, sl.1, K.2tog., p.s.s.o., patt. to last 4 sts., K.3tog., K.1. (2 sts. decreased at each end of row).

Next Row - P.

Rept. the last 2 rows 1 (2, 3, 4) times more.

Sl. remaining 17 (19, 21, 23) sts. onto a st. holder.

LEFT FRONT

Using 3¼ mm. Needles, cast on 33 (37, 41, 43) sts. and work 4 rows in rib as given for Back.

Boy's Front only

Next Row (Buttonhole) - Rib to last 5 sts., y.r.n., P.2tog., rib to end.

Boy's and Girl's Front: Continue in rib until 11 (11, 13, 13) rows have been worked in all.

Next Row - Rib 7, sl. these sts. onto a safety pin, rib 4, [m.1, rib 5] twice, m.1, rib to end. 29 (33, 37, 39) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row – K.8 (12, 16, 18), work 1st Row of Patt. Panel across last 21 sts.

2nd Row – Work 2nd Row of Patt. Panel, P.8 (12, 16, 18).

3rd Row – P.1 (0, 0, 1), [K.3, P.1] 1 (2, 3, 4) times, K.3 (4, 4, 1), work 3rd Row of Patt. Panel.

4th Row – Work 4th Row of Patt. Panel, P.8 (12, 16, 18).

5th Row – K.8 (12, 16, 18), work 5th Row of Patt. Panel.

6th Row – Work 6th Row of Patt. Panel, P.8 (12, 16, 18).

7th Row – K.2 (1, 1, 2), P.1, [K.3, P.1] 1 (2, 3, 3) times, K.1 (2, 2, 3), work 7th Row of Patt. Panel.

8th Row – Work 8th Row of Patt. Panel, P.8 (12, 16, 18).

The last 8 rows set the main patt. at side edge.

Keeping the 12 rows of patt. panel correct at front edge and the 8 rows of main patt at side edge, continue until Front measures same as Back to start of raglan shaping, finishing on a wrong side row.

Shape Raglan

Keeping patt. correct, cast off 3 (2, 2, 1) sts. at beg. of next row. Work 1 row.

3rd Row – K.1, sl.1, K.1, p.s.s.o., patt. to end.

4th Row – Patt. to last 2 sts., P.2.

Rept. the last 2 rows until 16 (20, 22, 24) sts. remain, finishing on the wrong side row.

Shape Neck

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 (4, 6, 5) sts., turn and sl. these sts. onto a safety pin.

** Dec. 2 sts. at raglan edge (as on Back) on every alt. row at the same time dec. 1 st. at neck edge on next 2 rows, then on following 1 (2, 2, 3) alt. rows. 5 sts. Work 1 row.**

Next Row – K.1, sl.1, K.2tog., p.s.s.o., patt. 1.

Next Row – Patt. 1, P.2.

Next Row – K.1, sl.1, K.1, p.s.s.o.

Cast off remaining 2 sts.

RIGHT FRONT

Using 3¼ mm. Needles, cast on 33 (37, 41, 43) sts. and work 4 rows in rib as given for Back.

Girl's Front only

Next Row (Buttonhole) – Rib 4, y.r.n., P.2tog., rib to end.

Girl's and Boy's Front: Continue in rib until 11 (11, 13, 13) rows have been worked in all.

Next Row – Rib 12 (16, 20, 22), [m.1, rib 5] twice, m.1, rib 4, turn and sl. remaining 7 sts. onto a safety pin. 29 (33, 37, 39) sts.

Change to 4 mm. Needles.

Commence Patt.

1st Row – Work 1st Row of Patt. Panel across first 21 sts., K.8 (12, 16, 18).

2nd Row – P.8 (12, 16, 18), work 2nd Row of Patt. Panel.

3rd Row – Work 3rd Row of Patt. Panel, K.3 (4, 4, 1), [P.1, K.3] 1 (2, 3, 4) times, P.1 (0, 0, 1).

4th Row – P.8 (12, 16, 18), work 4th Row of Patt. Panel.

5th Row – Work 5th Row of Patt. Panel, K.8 (12, 16, 18).

6th Row – P.8 (12, 16, 18), work 6th Row of Patt. Panel.

7th Row – Work 7th Row of Patt. Panel, K.1 (2, 2, 3), P.1, [K.3, P.1] 1 (2, 3, 3) times, K.2 (1, 1, 2).

8th Row – P.8 (12, 16, 18), work 8th Row of Patt. Panel.

Continue in patt. as set until Front measures same as Back to start of raglan shaping, finishing on a right side row.

Shape Raglan

Cast off 3 (2, 2, 1) sts. at beg. of next row.

2nd Row – Patt. to last 3 sts., K.2tog., K.1.

3rd Row – P.2, patt. to end.

Rept. the last 2 rows until 16 (20, 22, 24) sts. remain, finishing on a wrong side row.

Shape Neck

Next Row – Patt. 3 (4, 6, 5), sl. these sts. onto a safety pin, patt. to last 3 sts., K.2tog., K.1.

Work as instructions given for Left Front from ** to **.

Next Row – Patt. 1, K.3tog., K.1.

Next Row – P.2, patt. 1.

Next Row – K.2tog., K.1.

Cast off remaining 2 sts.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 35 (37, 39, 41) sts. and work 12 (12, 14,

14) rows in rib as given for Back increasing 0 (2, 0, 2) sts. evenly across last row. 35 (39, 39, 43) sts.

Change to 4 mm. Needles and work 4 rows in main patt. as given for 2nd size of Back. Keeping patt. correct and taking all inc. sts. into main patt., inc. 1 st. at each end of the needle on next and every following 6th (6th, 4th, 6th) row until 41 (45, 43, 49) sts., then every following 8th (8th, 6th, 8th) row until 43 (49, 53, 57) sts. are on the needle.

Continue without further inc. until Sleeve measures 13 (15, 18, 22) cm., 5 (6¼, 7½, 8½) ins. from commencement, finishing on a wrong side row.

Shape Raglan Top

Keeping patt. correct, cast off 3 (2, 2, 1) sts. at beg. of next 2 rows.

3rd Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

4th Row – P.

Rept. the last 2 rows until 7 (15, 15, 19) sts. remain, finishing on the wrong side row.

2nd, 3rd and 4th sizes only

Next Row – K.1, sl.1, K.2tog., p.s.s.o., patt. to last 4 sts., K.3tog., K.1.

Next Row – P.

Rept. the last 2 rows (1, 1, 2) times more.

All Sizes

Sl. remaining 7 sts. onto a st. holder.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Button Band

Using 3¼ mm. Needles, cast on 1 st. and with right side of Left Front or wrong side of Right Front facing, rib across 7 sts. on safety pin for front band. 8 sts. Continue in rib until band, when slightly stretched, fits up front to start of neck shaping sewing in place as you go along and finishing on a wrong side row for left front band or a right side row for right front band. Break yarn and sl. sts. onto a safety pin.

Mark positions on band for 4 (5, 5, 5) buttons, the first to match

existing buttonhole in right or left front welt and allowing for a 5th (6th, 6th, 6th) to be placed 1 cm. (1½ inch) above sts. on safety pin. Space remainder evenly between.

Buttonhole Band

Work as instructions given for Button Band, **at the same time** making buttonholes to match markers on right side rows as before.

Join raglan seams.

Neckband

Sl. sts. of right front band onto a 3¼ mm. Needle. With right side facing rejoin yarn and K. across 3 (4, 6, 5) sts. at right front neck, pick up and K.9 (11, 11, 13) sts. up right side of neck, K. across 7 sts. from right sleeve top, 17 (19, 21, 23) sts. from back neck and 7 sts. from left sleeve top, pick up and K.9 (11, 11, 13) sts. down left side of neck, K. across 3 (4, 6, 5) sts. at left front neck and rib across sts. of left front band. 71 (79, 85, 89) sts.

Commencing on a 2nd Row, work 7 rows in rib as given for Back making a buttonhole as before on 4th of these rows. Cast off in rib.

Join side and sleeve seams. Sew on buttons.

V-NECK CARDIGAN

BACK AND SLEEVES

Work as instructions given for Back and Sleeves of Round Neck Cardigan but cast sts. off at end.

LEFT FRONT

Work as instructions given for Left Front of Round Neck Cardigan to start of raglan shaping, finishing on a wrong side row.

Shape Raglan and Front Slope

Cast off 3 (2, 2, 1) sts. at beg. of next row. Work 1 row.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 2 sts., P.2tog.

Next Row – K.1, patt. to last 2 sts., P.2.

*** Continue to dec. 1 st. at raglan edge as before on next and every alt. row, **at the same time** dec. 1 st. at neck edge on next and every following 4th (2nd, 2nd, 2nd) row until 16 (25, 25, 30) sts. remain, then every following 6th (4th, 4th, 4th) row until 12 (13, 13, 15) sts. remain. Dec. 1 st. at raglan edge only on following 2 (1, 1, 1) alt. rows. Work 1 row. ***

Next Row – K.1, sl.1, K.2tog., p.s.s.o., patt. to last 2 sts., P.2tog.

Next Row – K.1, patt. to last 2 sts., P.2. 7 (9, 9, 11) sts.

Dec. 2 sts. at raglan edge only as before on next and every alt. row until 3 sts. remain, finishing on the wrong side row.

Next Row – K.1, sl.1, K.1, p.s.s.o.

Cast off remaining 2 sts.

RIGHT FRONT

Work as instructions given for Right Front of Round Neck Cardigan to start of raglan shaping, finishing on a right side row.

Shape Raglan and Front Slope

Cast off 3 (2, 2, 1) sts. at beg. of next row.

Next Row – P.2tog., patt. to last 3 sts., K.2tog., K.1.

Next Row – P.2, patt. to last. st., K.1.

Work as instructions given for Left

Front from *** to ***.

Next Row – P.2tog., patt. to last 4 sts., K.3tog., K.1.

Next Row – P.2, patt. to last st., K.1. 7 (9, 9, 11) sts.

Dec 2 sts. at raglan edge only as before on next and every alt. row until 3 sts. remain, finishing on the wrong side row.

Next Row – K.2tog., K.1.

Cast off remaining 2 sts.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join raglan seams.

Button Band

Using 3¼ mm. Needles, cast on 1 st., then with right side of Left Front or wrong side of Right Front facing, rib across sts. on safety pin. 8 sts. Continue in rib until band, when slightly stretched, fits up front edge, across sleeve top and round to centre back neck, sewing in place as you go along. Cast off in rib.

Mark positions on band for 4 (5, 5, 5) buttons, the first to match existing buttonhole in right or left front welt and the top one 1 cm. (1½ inch) below first neck dec. Space remainder evenly between.

Buttonhole Band

Work as instructions given for Button Band, **at the same time** making buttonholes to match markers on right side rows as before.

Join bands at centre back. Join side and sleeve seams. Sew on buttons.



Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group