

Peter Pan

double
KNIT

P813
PRICE CODE C

41-56cm (16-22ins.)
0/6 mths-2/3 yrs



CARDIGAN AND TROUSERS in Peter Pan D.K.

P813
Knitted in Peter Pan D.K.
Shade 305 Baby Pink

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the 46 cm. size garments.

To Fit Age, approximately	0-6 mths	6-12 mths	1-2 yrs	2-3 yrs	
To Fit Chest Sizes	41 16	46 18	51 20	56 22	cm. ins.
CARDIGAN Actual Measurements	47 18½	52 20½	59 23½	64 25½	cm. ins.
Peter Pan D.K. (50g.) CARDIGAN TROUSERS	2 2	3 3	3 3	4 4	Balls Balls
2 - 3¼ mm. (U.K. 10 - U.S.A. 4) and 2 - 4 mm. (U.K. 8 - U.S.A. 6) Wendy Knitting Needles. Cable Needle. Stitch Holders. 5 (6, 6, 6) Buttons for Cardigan. Waist length of 2 cm. (¾ inch) wide Elastic for Trousers.					
CARDIGAN Length from Shoulder	22 8¾	27 10½	31 12¼	36 14¼	cm. ins.
Sleeve Seam	13 5	15 6	18 7	22 8¾	cm. ins.
TROUSERS Inside Leg Seam	17 6¾	23 9	28 11	34 13½	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt. - alternate; **beg.** - beginning; **cm.** - centimetres; **dec.** - decrease; **inc.** - increase; **ins.** - inches; **K.** - Knit; **P.** - Purl; **p.s.s.o.** - pass slipped st. over; **patt.** - pattern; **rept.** - repeat; **sl.** - slip; **st(s).** - stitch(es); **st.st.** - stocking stitch (1 row K., 1 row P.); **tog.** - together; **y.fwd.** - yarn forward; **y.r.n.** - yarn round needle; **C.3tog.** - sl. next 2 sts. onto a cable needle and hold at back of work, K.1, then K.2tog. from cable needle; **0** = no sts., times or rows to be worked in that particular size.

TENSION

It is important to check your tension before commencing the garment.

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

NOTE

When shaping count each C.3tog. as 3 sts. throughout.

PATT PANEL (Worked across 12 sts.)

1st Row (Right Side) - K.3, K.2tog., y.fwd., K.2tog. but do not sl. from needle, K. the first of these 2 sts. again, then sl. both sts. off needle tog., y.fwd., sl. 1, K.1, p.s.s.o., K.3.

2nd Row - P.

3rd Row - K.2, K.2tog., y.fwd., K.4, y.fwd., sl. 1, K.1, p.s.s.o., K.2.

4th Row - P.

5th Row - K.1, K.2tog., y.fwd., K.1, K.2tog., y.fwd., y.r.n., sl. 1, K.1, p.s.s.o., K.1, y.fwd., sl. 1, K.1, p.s.s.o., K.1.

6th Row - P.5, K.1 into y.r.n., P.1 into y.fwd., P.5.

7th Row - K.3, y.fwd., sl. 1, K.1, p.s.s.o., K.2, K.2tog., y.fwd., K.3.

8th Row - P.

9th Row - K.4, y.fwd., sl. 1, K.1, p.s.s.o., K.2tog., y.fwd., K.4.

10th Row - P.

These 10 rows form patt. panel.

CARDIGAN

BACK

Using 4 mm. Needles, cast on 142 (157, 177, 192) sts.

1st Row (Right Side) - P.2, *C.3tog., P.2, rept. from * to end.

2nd Row - K.2, * P.1, y.r.n., P.1, K.2, rept. from * to end.

3rd Row - P.2, * K.3, P.2, rept. from * to end.

4th Row - K.2, * P.3, K.2, rept. from * to end.

These 4 rows form cable patt.

Rept. these 4 rows once more, then first 3 rows again.

Next Row (Decrease) - [K.2tog., P.3tog.] 2 (3, 4, 5) times, * K.2tog., P.3, [K.2tog., P.3tog.] 3 times, K.2, [P.3tog., K.2tog.] 3 times, P.3, K.2tog., [P.3tog., K.2tog.] 7 (8, 10, 11) times, P.3tog., rept. from * to *, [P.3tog., K.2tog.] 2 (3, 4, 5) times. 67 (73, 81, 87) sts.

Commence Patt

1st Row - K.4 (6, 8, 10), * P.1, C.3tog., P.1, patt. 12 (1st Row of Patt. Panel), P.1, C.3tog., P.1*, K.15 (17, 21, 23), rept. from * to *, K.4 (6, 8, 10).

2nd Row - P.4 (6, 8, 10), * K.1, P.1, y.r.n., P.1, K.1, patt. 12 (2nd Row of Patt. Panel), K.1, P.1, y.r.n., P.1, K.1*, P.15 (17, 21, 23), rept. from * to *, P.4 (6, 8, 10).

3rd Row - K.4 (6, 8, 10), * P.1, K.3, P.1, patt. 12 (3rd Row of Patt. Panel), P.1, K.3, P.1*, K.15 (17, 21, 23), rept. from * to *, K.4 (6, 8, 10).

4th Row - P.4 (6, 8, 10), * K.1, P.3, K.1, patt. 12 (4th Row of Patt. Panel), K.1, P.3, K.1*, P.15 (17, 21, 23), rept. from * to *, P.4 (6, 8, 10).

The last 4 rows set the Patt. Panels and form st.st. and cable patt. at each side and between.

Keeping patt panels and cables correct, continue in this manner until Back measures 22 (27, 31, 36)

cm., $8\frac{3}{4}$ ($10\frac{1}{2}$, $12\frac{1}{4}$, $14\frac{1}{4}$) ins. from commencement, finishing on a wrong side row.

Shape Shoulders

Cast off 11 (12, 15, 16) sts. at beg. of next 4 rows (see Note at beg.).

Sl. remaining 23 (25, 21, 23) sts. onto a st. holder.

LEFT FRONT

Using 4 mm Needles, cast on 63 (71, 81, 88) sts.

1st Row (Right Side) – * P.2, C.3tog., rept. from * to last 3 (1, 1, 3) sts., P.2 (0, 0, 2), K.1.

2nd Row – P.1, K.2 (0, 0, 2), * P.1, y.r.n., P.1, K.2, rept. from * to end.

3rd Row – * P.2, K.3, rept. from * to last 3 (1, 1, 3) sts., P.2 (0, 0, 2), K.1.

4th Row – P.1, K.2 (0, 0, 2), * P.3, K.2, rept. from * to end.

Rept these 4 rows once more, then first 3 rows again.

Next Row (Decrease) – P.1, [P.3tog.] 0 (1, 1, 0) time, [K.2tog., P.3tog.] 2 (2, 3, 4) times, K.2tog., P.3, [K.2tog., P.3tog.] 3 times, K.2, [P.3tog., K.2tog.] 3 times, P.3, K.2tog., [P.3tog., K.2tog.] 2 (3, 4, 5) times. 31 (34, 38, 41) sts.

Commence Patt

1st Row – K.4 (6, 8, 10), P.1, C.3tog., P.1, patt. 12 (1st Row of Patt. Panel), P.1, C.3tog., P.1, K.5 (6, 8, 9).

2nd Row – P.5 (6, 8, 9), K.1, P.1, y.r.n., P.1, K.1, patt. 12 (2nd Row of Patt. Panel), K.1, P.1, y.r.n., P.1, K.1, P.4 (6, 8, 10).

3rd Row – K.4 (6, 8, 10), P.1, K.3, P.1, patt. 12 (3rd Row of Patt. Panel), P.1, K.3, P.1, K.5 (6, 8, 9).

4th Row – P.5 (6, 8, 9), K.1, P.3, K.1, patt. 12 (4th Row of Patt. Panel), K.1, P.3, K.1, P.4 (6, 8, 10).

These 4 rows set the patt.

Continue in patt. to match Back until Front is 10 (12, 12, 14) rows shorter than Back to start of shoulder shaping, thus finishing on a wrong side row.

Shape Neck

Next Row – Patt. to last 4 sts., turn and slip these sts. onto a safety pin.

** Dec. 1 st. at neck edge on next 3 rows, then on following 2 (3, 1, 2) alt. rows. 22 (24, 30, 32) sts. Work 2 (2, 6, 6) rows without further dec.

(work 1 row more here for Right Front), thus finishing at side edge.

Shape Shoulder

Cast off 11 (12, 15, 16) sts. at beg. of next row. Work 1 row. Cast off remaining 11 (12, 15, 16) sts.**

RIGHT FRONT

Using 4 mm. Needles, cast on 63 (71, 81, 88) sts.

1st Row (Right Side) – K.1, P.2 (0, 0, 2), *C.3tog., P.2, rept. from * to end.

2nd Row – *K.2, P.1, y.r.n., P.1, rept. from * to last 3 (1, 1, 3) sts., K.2 (0, 0, 2), P.1.

3rd Row – K.1, P.2 (0, 0, 2), *K.3, P.2, rept. from * to end.

4th Row – *K.2, P.3, rept. from * to last 3 (1, 1, 3) sts., K.2 (0, 0, 2), P.1.

Rept. the last 4 rows once more, then first 3 rows again.

Next Row (Decrease) – [K.2tog., P.3tog.] 2 (3, 4, 5) times, K.2tog., P.3, [K.2tog., P.3tog.] 3 times, K.2, [P.3tog., K.2tog.] 3 times, P.3, K.2tog., [P.3tog., K.2tog.] 2 (2, 3, 4) times, [P.3tog.] 0 (1, 1, 0) time, P.1. 31 (34, 38, 41) sts.

Commence Patt

1st Row – K.5 (6, 8, 9), P.1, C.3tog., P.1, patt. 12 (1st Row of Patt. Panel), P.1, C.3tog., P.1, K.4 (6, 8, 10).

2nd Row – P.4 (6, 8, 10), K.1, P.1, y.r.n., P.1, K.1, patt. 12 (2nd Row of Patt. Panel), K.1, P.1, y.r.n., P.1, K.1, P.5 (6, 8, 9).

3rd Row – K.5 (6, 8, 9), P.1, K.3, P.1, patt. 12 (3rd Row of Patt. Panel), P.1, K.3, P.1, K.4 (6, 8, 10).

4th Row – P.4 (6, 8, 10), K.1, P.3, K.1, patt. 12 (4th Row of Patt. Panel), K.1, P.3, K.1, P.5 (6, 8, 9).

Continue in patt. as set until Front is 10 (12, 12, 14) rows shorter than Back to start of shoulder shaping, thus finishing on a wrong side row.

Shape Neck

Next Row – K.4, sl. these sts. onto a safety pin, patt. to end.

Work as given for Left Front from ** to ** reversing shaping by working 1 row more where indicated.

SLEEVES (Both Alike)

Using $3\frac{1}{4}$ mm. Needles, cast on 37 (42, 47, 52) sts. and work 12 rows in cable patt. as given for Back decreasing 0 (1, 2, 3) sts. evenly on

last row. 37 (41, 45, 49) sts.

Change to 4 mm. Needles.

Continue in st.st., increasing 1 st. at each end of the needle on 5th and every following 2nd (4th, 4th, 6th) row until 45 (51, 55, 57) sts., then every following 4th (6th, 6th, 8th) row until 49 (53, 59, 63) sts. are on the needle.

Continue without further shaping until Sleeve measures 13 (15, 18, 22) cm., 5 (6, 7, $8\frac{3}{4}$) ins. from commencement, finishing on a P. row. Cast off.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Left Front Band

Using $3\frac{1}{4}$ mm. Needles, cast on 9 sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end.

Continue in rib until band, **when slightly stretched**, fits up front to start of neck shaping, sewing in place as you go along and finishing on a wrong side row. Break yarn and sl. sts. onto a safety pin.

Mark positions on band for 4 (5, 5, 5) buttons, the first 1 cm. ($\frac{1}{2}$ inch) above cast on edge and allowing for a 5th (6th, 6th, 6th) to be placed 1 cm. ($\frac{1}{2}$ inch) above sts. on safety pin. Space remainder evenly between.

Right Front Band

Work as instructions given for Left Front Band but ending with a right side row, **at the same time** making buttonholes to match markers on right side rows as follows: rib 4, y.r.n., P.2tog., rib to end. Leave sts. on needle and do not break yarn at end.

Join shoulder seams.

Neckband

Continuing on from sts. of right front band, K. across 4 sts. at right front neck, pick up and K.15 (17, 17, 19) sts. up right side of neck, K. across 23 (25, 21, 23) sts. from back neck st. holder decreasing 4 (4, 0, 0) sts. evenly, pick up and K.15 (17, 17, 19) sts. down left side of neck, K. across 4 sts. at left front neck and

rib across 9 sts of left front band. 75 (81, 81, 87) sts.

Commencing on a 2nd Row work 7 rows in rib as given for Left Front Band making a buttonhole as before on 2nd of these rows. Cast off in rib.

Mark depth of armholes 10 (11, 12, 13) cm., 4 (4 $\frac{1}{4}$, 4 $\frac{3}{4}$, 5) ins. from shoulder seams.

Join side seams to markers and sleeve seams. Sew sleeves into position.

Sew on buttons.

TROUSERS

RIGHT LEG

Using 3 $\frac{1}{4}$ mm. Needles, cast on 57 (57, 67, 67) sts. and work 11 rows in cable patt. as given for Back of Cardigan.

Next Row (Increase) – Patt. 5 (5, 3, 5), inc. in next st., * [patt. 4 (3, 12, 5), inc. in next st.] 4 (5, 2, 4) times*, patt. 5 (5, 7, 7), rept. from * to *, inc. in next st., patt to end. 67 (69, 73, 77) sts.

Change to 4 mm Needles.

1st Row – K.31 (32, 34, 36), P.1, C.3tog., P.1, K.31 (32, 34, 36).

2nd Row – P.31 (32, 34, 36), K.1, P.1, y.r.n., P.1, K.1, P.31 (32, 34, 36).

3rd Row – K.31 (32, 34, 36), P.1,

K.3, P.1, K.31 (32, 34, 36).

4th Row – P.31 (32, 34, 36), K.1, P.3, K.1, P.31 (32, 34, 36).

These 4 rows form the patt.

Continuing in patt., inc. 1 st. at each end of the needle on next and every following 3rd (4th, 4th, 5th) row until 87 (93, 101, 109) sts. are on the needle.

Continue without further inc. until leg measures 17 (23, 28, 34) cm., 6 $\frac{3}{4}$ (9, 11, 13 $\frac{1}{2}$) ins. from commencement, finishing on a wrong side row.

Shape Crotch

Keeping patt. correct, cast off 4 sts. at beg. of next 2 rows. Dec. 1 st. at each end of the needle on next 5 rows, then on following 2 (2, 3, 4) alt rows. 65 (71, 77, 83) sts.

Work without further shaping until body measures 13 (15, 17, 19) cm, 5 (6, 6 $\frac{3}{4}$, 7 $\frac{1}{2}$) ins. from start of crotch shaping, finishing on a right side row.

Shape Back

1st Row – Work 28 (32, 32, 36) sts., turn.

2nd Row – Sl. 1, work to end.

3rd Row – Work 21 (24, 24, 27) sts., turn.

4th Row – Sl. 1, work to end.

5th Row – Work 14 (16, 16, 18) sts., turn.

6th Row – Sl. 1, work to end.

7th Row – Work across all sts.

Waistband

Change to 3 $\frac{1}{4}$ mm. Needles.

1st Row – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end.

Rep the last 2 rows 4 times more. Cast off loosely in rib.

LEFT LEG

Work as instructions given for Right Leg reversing shaping by working 1 row less before back shaping and 1 row more before waistband (across all sts.).

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join inside leg and crotch seams.

Join elastic into a ring, place inside waistband and work a herringbone stitch over elastic onto every alt. st. of ribbing, thus enclosing the elastic.



Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group