



P836
PRICE CODE C

DOUBLE KNIT

41-56cm. (16-22ins.)



JACKET, BLAZER, TROUSERS AND HAT in Peter Pan D.K.

Instructions given for 41 cm. (16 inch) Chest, larger sizes are given in round brackets.
Where only one figure is given, this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the size 46 cm. garments.

To fit Age, approximately	0-6 mths	6-12 mths	12-18 mths	18-24 mths	
To fit Chest Sizes	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements	46 18	51 20	56 22	61 24	cm. ins.
JACKET AND BLAZER Length from Shoulder	25 10	28 11	30 12	32 12½	cm. ins.
Sleeve Seam	13 5	14 5½	16 6¼	18 7	cm. ins.
TROUSERS Length of front seam - adjustable	17 6½	18 7	19 7½	20 8	cm. ins.
Inside leg seam - adjustable	20 8	22 8½	23 9	24 9½	cm. ins.
Peter Pan D.K. or Peter Pan Spot Print D.K. (50g.)					
JACKET or BLAZER	3	3	4	4	Balls
TROUSERS	2	3	3	4	Balls
HAT	1	1	2	2	Balls
Peter Pan D.K. (100g.)					
JACKET or BLAZER	2	2	2	2	Balls
TROUSERS	1	2	2	2	Balls
HAT	1	1	1	1	Ball
2 - 3¼ mm (U.K.10 - U.S.A.4) and 2 - 4mm (U.K.8 - U.S.A.6) Wendy Knitting Needles. Stitch Holder. Cable Needle. 10 buttons for Jacket, 8 buttons for Blazer. Waist length of narrow elastic for Trousers.					

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt - alternate; **beg** - beginning; **cm** - centimetres; **dec** - decrease(ing); **inc** - increase(ing); **ins** - inches; **K** - knit; **P** - purl; **cont** - continue; **patt** - pattern; **rep** - repeat; **foll** - following; **st(s)** - stitch(es); **st st** - stocking stitch (1 row K, 1 row P); **tog** - together; **rem** - remain(ing); **C2R** - slip next 2 sts onto cable needle and leave at back of work, K2 then K2 from cable needle; **yfwd** - yarn forward; **inc 2** - [K1, P1, K1] all into next st; **0** - no sts,

times or rows to be worked in that particular size; **M1** - make one by picking up loop between st just worked and next st and working into back of it.

TENSION

It is important to check your tension before commencing the garment.

24 sts and 32 rows to 10 cm (4 ins) over stocking stitch on 4mm Needles.

If there are too many sts to 10 cm, then your tension is tight and you will need to change your needle to a larger size. If there are too few sts to 10 cm, then your tension is loose and you will need to change your needle to a smaller size.

JACKET

BACK

Using 3¼mm Needles, cast on 53(57,61, 67) sts.

1st Row (Right Side) - K1, *P1, K1, rep from * to end.

2nd Row - P1, *K1, P1, rep from * to end. Work a further 5(5,7,7) rows in rib as set.

P836

Knitted in Peter Pan D.K.

Shade 301 Spring Lamb

Wendy Buttons - Style P763, col 451

Inc Row - Rib 1(0,3,3), inc in next st, *rib 4(3,2,2), inc in next st, rep from * to last 1(0,3,3) sts, rib 1(0,3,3). 64(72,80,88) sts.

Change to 4mm Needles and pattern.

1st Row (Right Side) - P 1(5,9,13), *P1, K4, P9, rep from * to last 7(11,15,19) sts, P1, K4, P 2(6,10,14).

2nd Row - K1, [P3tog, inc 2 - see abbreviations] 0(1,2,3) times, *K1, P4, K1, [P3tog, inc 2] twice, rep from * to last 7(11,15,19) sts, K1, P4, K1, [P3tog, inc 2] 0(1,2,3) times, K1.

3rd Row - P 1(5,9,13), *P1, C2R, P9, rep from * to last 7(11,15,19) sts, P1, C2R, P 2 (6,10,14).

4th Row - K1, [inc 2, P3tog] 0(1,2,3) times, *K1, P4, K1, [inc 2, P3tog] twice, rep from * to last 7(11,15,19) sts, K1, P4, K1, [inc 2, P3tog] 0(1,2,3) times, K1.

These 4 rows form blackberry stitch and cable panel pattern.

Cont in patt as set until work measures 25 (28,30,32) cm from beg, ending with a wrong side row.

Shape Shoulders

Next Row - Cast off first 20(24,27,30) sts loosely, patt 11(11,12,13) including st used in casting off, work 2 tog, patt 11(11,12,13) then cast off rem 20(24,27,30) sts loosely. Leave rem 23(23,25,27) sts on a stitch holder.

LEFT FRONT

****** Using 3¼ mm Needles, cast on 21 (23,25,27) sts and work 7(7,9,9) rows in rib as given for Back.

Inc Row - Rib 2(2,4,3), inc in next st, *rib 3(2,1,1), inc in next st, rep from * to last 2(2,4,3) sts, rib to end. 26(30,34,38) sts.

Change to 4mm Needles and pattern. ******

1st Row (Right Side) - P 1(5,9,13), P1, K4, P 10, K4, P6.

2nd Row - K1, P3tog, inc 2, K1, P4, K1, [P3tog, inc 2] twice, K1, P4, K1, [P3tog, inc 2] 0(1,2,3) times, K1.

3rd Row - P 1(5,9,13), P1, C2R, P 10, C2R, P6.

4th Row - K1, inc 2, P3tog, K1, P4, K1, [inc 2, P3tog] twice, K1, P4, K1, [inc 2, P3tog] 0(1,2,3) times, K1.

These 4 rows place pattern. *******

Cont in patt as set until work measures 22 (25,26,28) cm from beg, ending with a wrong side row and marking front edge of last row with a coloured thread.

Shape Neck

Keeping patt correct, dec 1 st at neck edge

on next 6(6,7,8) rows. 20(24,27,30) sts.

Work straight until Front matches Back to shoulder, ending with a wrong side row. Cast off loosely.

RIGHT FRONT

Follow instructions for Left Front from ** to **.

1st Row (Right Side) - P6, K4, P 10, K4, P 2(6,10,14).

2nd Row - K1, [P3tog, inc 2] 0(1,2,3) times, K1, P4, K1, [P3tog, inc 2] twice, K1, P4, K1, P3tog, inc 2, K1.

3rd Row - P6, C2R, P 10, C2R, P 2(6,10,14).

4th Row - K1, [inc 2, P3tog] 0(1,2,3) times, K1, P4, K1, [inc 2, P3tog] twice, K1, P4, K1, inc 2, P3tog, K1.

These 4 rows place pattern. ****

Complete to match Left Front.

SLEEVES

Using 3¼mm Needles, cast on 29(31,31,33) sts and work 7(7,9,9) rows in rib as given for Body.

Inc Row - Rib 2(5,5,0), inc in next st, *rib 1, inc in next st, rep from * to last 2(5,5,0) sts, rib 2(5,5,0). 42(42,42,50) sts.

Change to 4mm Needles and cont in patt as follows:

1st Row (Right Side) - P 4(4,4,8), *P1, K4, P9, rep from * once more, P1, K4, P 5(5,5,9).

2nd Row - K4, [P3tog, inc 2] 0(0,0,1) time, *K1, P4, K1, [P3tog, inc 2] twice, rep from * once more, K1, P4, K1, [P3tog, inc 2] 0(0,0,1) time, K4.

3rd Row - P 4(4,4,8), *P1, C2R, P9, rep from * once more, P1, C2R, P 5(5,5,9).

4th Row - K4, [inc 2, P3tog] 0(0,0,1) time, *K1, P4, K1, [K1, P1, K1 all into next st, P3tog] twice, rep from * once more, K1, P4, K1, [inc 2, P3tog] 0(0,0,1) time, K4.

These 4 rows place pattern.

Cont in patt as set, inc and working into blackberry stitch 1 st at each end of next and every foll 5th(4th,3rd,4th) row until there are 52(56,62,68) sts on the needle. Work straight until Sleeve measures 13 (14,16,18) cm from beg, ending with a wrong side row. Cast off loosely.

BUTTONHOLE BAND

With right side facing and using 3¼mm Needles, pick up and K 66(74,78,82) sts evenly up Right Front from cast on edge to marker thread for Girl's Version or down Left Front from marker thread to cast on edge for Boy's Version.

Girl's Version:

1st Row - *P1, K1, rep from * to end.

Boy's Version:

1st Row - *K1, P1, rep from * to end.

Both Versions:

Keeping continuity of rib as set, dec 1 st at neck edge on next 2 rows.

Girl's Version:

1st Buttonhole Row - Rib 4, cast off next st, [rib 13(15,16,17) including st used in casting off, cast off next st] 4 times, rib 1, work 2 tog. 63(71,75,79)sts.

Boy's Version:

1st Buttonhole Row - Work 2 tog, rib 1, cast off next st, [rib 13(15,16,17) including st used in casting off, cast off next st] 4 times, rib to end. 63(71,75,79)sts.

Both Versions:

2nd Buttonhole Row - Rib, casting on over sts cast off in previous row.

Work 8 rows in rib as set, marking neck edge of 5th row with a coloured thread.

Girl's Version:

1st Buttonhole Row - Rib 4, cast off next st, [rib 13(15,16,17) including st used in casting off, cast off next st] 4 times, rib to end.

Boy's Version:

1st Buttonhole Row - Rib 3, cast off next st, [rib 13(15,16,17) including st used in casting off, cast off next st] 4 times, rib to end.

Both Versions:

2nd Buttonhole Row - Rib, casting on over sts cast off in previous row.

Work a further 2 rows in rib as set then cast off neatly in rib.

BUTTON BAND

With right side facing and using 3¼mm Needles, pick up and K 66(74,78,82) sts evenly down Left Front from marker thread to cast on edge to marker thread for Girl's Version or up Right Front from cast on edge to marker thread for Boy's Version.

Girl's Version:

1st Row - *K1, P1, rep from * to end.

Boy's Version:

1st Row - *P1, K1, rep from * to end.

Both Versions:

Keeping continuity of rib as set, dec 1 st at neck edge on next 3 rows then work 13 rows straight, marking neck edge of 6th row with a coloured thread. Cast off neatly in rib.

COLLAR

Join shoulder seams. With right side facing and using 3¼mm Needles, pick up and K 20(23,25,27) sts evenly up right side of neck from marker thread to shoulder, K across 23(23,25,27) sts of back neck then pick up and K 20(23,25,27) sts evenly down left side of neck from shoulder to marker thread. 63(69,75,81) sts.

1st Row - K2, *P1, K1, rep from * to last st, K1.

2nd Row - K1, *P1, K1, rep from * to end. Rep these 2 rows for 7(7,8,8) cm then cast off neatly in rib.

BLAZER

BACK AND SLEEVES

Follow instructions for Back and Sleeves of Jacket.

LEFT FRONT

Follow instructions for Left Front of Jacket to ***.

Cont in patt as set until work measures 14(15,16,17) cm from beg, ending with a wrong side row and marking front edge of last row with a coloured thread.

Shape Front Edge

Keeping patt correct as set, dec 1 st at front edge on next and every foll 5th(6th,5th,5th) row until 20(24,27,30) sts rem.

Work straight until Front matches Back to shoulder, ending with a wrong side row. Cast off loosely.

RIGHT FRONT

Follow instructions for Right Front of Jacket to ****.

Complete to match Left Front.

RIGHT FRONT BAND

With right side facing and using 3¼mm Needles, pick up and K 41(43,45,47) sts evenly up Right Front from cast on edge to marker thread and 36(40,42,44) sts from marker to shoulder. 77(83,87,91) sts.

1st Row - K1, *P1, K1, rep from * to end.

2nd Row - K1, *K1, P1, rep from * to last 2 sts, K2tog.

**** 3rd Row** - Work 2 tog, rib to last 70(74,76,78) sts and turn.

4th Row - Sl 1, rib to last 2 sts, work 2 tog.

5th Row - Work 2 tog, rib to last 67(69,71,73) sts and turn.

6th Row - As 4th Row.

7th Row - Work 2 tog, rib to last 62(64,66,68) sts and turn.

Work a further 7 rows, dec 1 st at neck edge on every row and working an additional 5 sts into rib on 2nd, 4th and 6th rows. ** 64(70,74,78) sts.

15th Row - Rib to last 42(44,46,48) sts and turn.

16th Row - Sl 1, rib to end.

Girl's Version:

17th Row - K2, rib to last 38(41,44,47) sts, cast off next st, [rib 10(11,12,13) including st used in casting off, cast off next st] 3 times, rib to end.

18th Row - Rib, casting on over sts cast off in previous row and marking neck edge of last row with a coloured thread.

19th Row - K2, P1, rib to end.

20th Row - Rib to last 3 sts, M1, K1, P1, K1. Rep last 2 rows 4 times more.

29th Row - As 17th Row.

30th Row - Casting on over sts cast off in previous row, rib to last 3 sts, M1, K1, P1, K1.

Work 2 rows straight then cast off neatly in rib.

Boy's Version:

Complete as for Girl's Version, omitting buttonholes.

LEFT FRONT BAND

With right side facing and using 3¼ mm Needles, pick up and K 36(40,42,44) sts evenly down Left Front from shoulder to marker thread and 41(43,45,47) sts from marker to cast on edge. 77(83,87,91) sts.

1st Row - K1, *P1, K1, rep from * to end. Follow instructions for Right Front Band from ** to **.

14th Row - Work 2 tog, rib to last 42(44, 46,48) sts and turn. 64(70,74,78) sts.

15th Row - Sl 1, rib to end.

16th Row - Rib to end.

Boy's Version:

17th Row - Rib 4, cast off next st, [rib 10(11, 12,13) including st used in casting off, cast off next st] 3 times, rib to last 2 sts, K2.

18th Row - Rib, casting on over sts cast off in previous row and marking neck edge with a coloured thread.

19th Row - Rib to last 3 sts, P1, K2.

20th Row - K1, P1, K1, M1, rib to end. Rep last 2 rows 4 times more.

29th Row - As 17th Row.

30th Row - K1, P1, K1, M1 then casting on over sts cast off in previous row, rib to end. Work 2 rows straight. Cast off neatly in rib.

Girl's Version:

Complete as for Boy's Version, omitting buttonholes.

COLLAR

Join shoulder seams. With **wrong** side facing and using 3¼ mm Needles, pick up and K 19 sts evenly up left side of neck from marker thread to shoulder, patt across 23(23,25,27) sts of back neck then pick up and K 19 sts evenly down right side of neck. 61(61,63,65) sts.

1st Row - K1, *P1, K1, rep from * to end.

2nd Row - K2, *P1, K1, rep from * to last st, K1.

3rd and 4th Rows - Rib to last 19 sts, turn.

5th and 6th Rows - Rib to last 13 sts, turn.

7th Row - Rib to end.

Work a further 11(11,13,15) rows in rib as set then cast off neatly in rib.

TROUSERS

LEFT LEG

** Using 3¼ mm Needles, cast on 55(63,67, 75) sts.

1st Row (Right Side) - K1, *P1, K1, rep from * to end.

2nd Row - P1, *K1, P1, rep from * to end. Rep last 2 rows once more.

Next Row - (Make eyelets) Rib 2, *K1, yfwd, K2tog, P1, rep from * to last st, K1.

Work a further 3 rows in rib as set, inc 1 st at

each end of last row on 1st and 3rd sizes only. 57(63,69,75) sts.

Change to 4mm Needles. **

Starting with a K row, cont in st st (1 row K, 1 row P) and work one row.

Shape Back

1st Row - P 8 sts and turn.

2nd and every alt Row - Sl 1, K to end.

3rd Row - P 16 sts and turn.

5th Row - P 24 sts and turn.

7th Row - P 32 sts and turn.

9th Row - P 40 sts and turn.

11th Row - P to end.

Work straight until front seam (short edge) measures 17(18,19,20) cm from beg, ending with a P row and marking both ends of last row with a coloured thread.

Shape Leg

Dec 1 st at both ends of next and every foll 8th row until 51(57,63,69) sts rem.

Work straight until leg measures 17(19, 20,21) cm, ending with a P row. (Adjust length at this point if required)

Dec Row - *K1, K2tog, rep from * to end. 34(38,42,46) sts.

Change to 3¼ mm Needles.

Next Row - K1, *P3tog, inc 2, rep from * to last st, K1.

Next Row - Purl.

Next Row - K1, *inc 2, P3tog, rep from * to last st, K1.

Next Row - Purl.

Rep last 4 rows for 4 cm, ending with a wrong side row. Cast off purlwise.

RIGHT LEG

Follow instructions for Left Leg from ** to **.

Starting with a K row, work 2 rows in st st.

Shape Back

Work as for Left Leg, reading P for K and K for P.

Complete to match Left Leg.

HAT

Using 3¼ mm Needles, cast on 89(97,105, 115) sts.

1st Row (Right Side) - K1, *P1, K1, rep from * to end.

2nd Row - P1, *K1, P1, rep from * to end. Work a further 15 rows in rib as set.

Inc Row - Rib 4(8,8,12), inc in next st, *rib 7(7,10,14), inc in next st, rep from * to last 4(8,8,12) sts, rib to end. 100(108,114,122) sts.

Change to 4mm Needles.

1st Row (Right Side) - P 5(9,5,9), *P1, K4, P9, rep from * to last 11(15,11,15) sts, P1, K4, P 6(10,6,10).

2nd Row - K1, [P3tog, inc 2] 1(2,1,2) times, *K1, P4, K1, [P3tog, inc 2] twice, rep from * to last 11(15,11,15) sts, K1, P4, K1, [P3tog, inc 2] 1(2,1,2) times, K1.

3rd Row - P 5(9,5,9), *P1, C2R, P9, rep from * to last 11(15,11,15) sts, P1, C2R, P 6(10, 6,10).

4th Row - K1, [inc 2, P3tog] 1(2,1,2) times, *K1, P4, K1, [inc 2, P3tog] twice, rep from * to last 11(15,11,15) sts, K1, P4, K1, [inc 2, P3tog] 1(2,1,2) times, K1.

These 4 rows form pattern.

Cont in patt as set until work measures 13(15,16,17) cm from beg, ending with a wrong side row.

Dec Row - K 5(5,7,5), K2tog, *K 6(10,5,8), K2tog, rep from * to last 5(5,7,5) sts, K to end. 88(99,99,110) sts.

Next Row - Knit.

Shape Crown

1st Row - *K 5(6,6,7), K2tog, K1, rep from * to end.

2nd and every alt Row - Knit.

3rd Row - *K 4(5,5,6), K2tog, K1, rep from * to end.

5th Row - *K 3(4,4,5), K2tog, K1, rep from * to end.

Cont dec 11 sts in this way on every alt row until 33 sts rem, ending with a wrong side row.

Next Row - *K2tog, K1, rep from * to end.

Next Row - K1, [K2tog] 10 times, K1. Break yarn, thread through rem sts, draw up and fasten off securely.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band, omitting ribbing.

MAKING UP

Jacket and Blazer: Mark depth of armholes 8(9,10,11) cm from shoulder seams. Set in sleeves between markers then join side and sleeve seams. Sew on buttons.

Trousers: Join centre front, centre back and inside leg seams. Thread elastic through eyelets and join to fit waist.

Hat: Join centre back seam. Fold rib in half to wrong side and slip stitch loosely in place. Make a tassel 8 cm long and attach to crown of hat as shown.

Our Knitting Bureau will gladly give you any assistance or advise on Wendy designs if queries are accompanied by Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group

Prices apply only in Great Britain and Northern Ireland.

Printed in England

© CARTER & PARKER LTD.

