

DOUBLE KNIT

41-56cm. (16-22ins.)



PANELLED SWEATERS in Peter Pan D.K.

Instructions given for 41 cm. (16 inch) Chest, larger sizes are given in round brackets.
Where only one figure is given, this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the size 46 cm. garments.

To fit Age, approximately	0-6 mths	6-12 mths	12-18 mths	18-24 mths	
To fit Chest Sizes	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements	46 18	51 20	56 22	61 24	cm. ins.
Length from Shoulder	25 10	28 11	30 12	32 12½	cm. ins.
Sleeve Seam	13 5	14 5½	16 6¼	18 7	cm. ins.
Peter Pan D.K. or Peter Pan Spot Print D.K. (50g.)					
LACE PANELLED SWEATER	2	3	3	4	Balls
CABLE PANELLED SWEATER	2	3	3	4	Balls
LEAF PANELLED SWEATER	2	3	3	4	Balls
Peter Pan D.K. (100g.)					
LACE PANELLED SWEATER	1	2	2	2	Balls
CABLE PANELLED SWEATER	1	2	2	2	Balls
LEAF PANELLED SWEATER	1	2	2	2	Balls
2 - 3¼ mm (U.K.10 - U.S.A.4) and 2 - 4mm (U.K.8 - U.S.A.6) Wendy Knitting Needles. Cable Needle for Cable and Leaf Panelled Sweaters. Stitch Holders. 3 buttons.					

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

Alt - alternate; **beg** - beginning; **cm** - centimetres; **dec** - decrease(ing); **inc** - increase(ing); **ins** - inches; **K** - knit; **P** - purl; **cont** - continue; **rem** - remain(ing); **patt** - pattern; **rep** - repeat; **fol** - following; **st(s)** - stitch(es); **st st** - stocking stitch (1 row K, 1 row P); **tog** - together; **C2R (L)** - slip next 2 sts onto cable needle and leave at back (front) of work, K2 then K2 from cable needle; **yfwd** - yarn forward; **sl** - slip; **psso** - pass slipped stitch over; **tbl** - through back of loop; **MB** - make bobble by working [K1, P1, K1, P1, K1] all into next st then pass 2nd, 3rd, 4th and 5th sts over first st to complete bobble; **Cr2B(F)P** - slip next st onto cable needle and leave at back (front) of work, P1 then P1 stitch from cable needle; **Cr2F(B)** - knit into front (back) of second st on left hand needle

then K first st and slip both sts off the needle; **Tw2B** - slip next st onto cable needle and leave at back of work, K1 then P1 stitch from cable needle; **Tw2F** - slip next st onto cable needle and leave at front of work, P1 then K1 stitch from cable needle; **0** - no sts, times or rows to be worked in that particular size.

TENSION

It is important to check your tension before commencing the garment.

24 sts and 32 rows to 10 cm (4 ins) over stocking stitch or pattern on 4mm Needles.

If there are too many sts to 10 cm, then your tension is tight and you will need to change your needle to a larger size. If there are too few sts to 10 cm, then your tension is loose and you will need to change your needle to a smaller size.

LACE PANELLED SWEATER BACK

Using 3¼mm Needles, cast on 51(57,61,65) sts.

1st Row (Right Side) - K1, *P1, K1, rep from * to end.

2nd Row - P1, *K1, P1, rep from * to end. Work a further 6(6,8,8) rows in rib as set.

Inc Row - Rib 2(3,2,5), inc in next st, *rib 8(9,7,5), inc in next st, rep from * to last 3(3,2,5) sts, rib 3(3,2,5). 57(63,69,75) sts.

P837

Knitted in Peter Pan D.K.

Shades 300 Pure White
303 Pale Lemon
306 Baby Blue

Wendy Buttons - Style G2177, col 1;
Style G2178, cols 3 & 15

Change to 4mm Needles and starting with a P row, cont in st st (1 row K, 1 row P) until Back measures 16(18,19,20) cm from beg, ending with a P row.

Shape Raglan Armholes

Cast off 3(4,4,5) sts at beg of next 2 rows. Dec 1 st at each end of next and every foll alt row until 45(45,47,49) sts rem, ending with a K row.

Divide for Back Opening

Next Row - P 21(21,22,23), cast off next 3 sts, P to end.

Next Row - K2tog, K 19(19,20,21) and turn, leaving rem sts on a spare needle. Cont dec 1 st at raglan edge on every alt row until 10(10,11,12) sts rem, ending with a P row.

Leave these sts on a stitch holder.

With right side facing, rejoin yarn to rem 21(21,22,23) sts on spare needle and complete to match first side of Back.

FRONT

Using 3¼mm Needles, cast on 51(57,61,65) sts and work 8(8,10,10) rows in rib as given for Back.

Inc Row - Rib 1(4,2,2), inc in next st, *rib 7(7,6,5), inc in next st, rep from * to last 1(4,2,2) sts, rib 1(4,2,2). 58(64,70,76) sts.

Change to 4mm Needles and cont in st st with panel patt as follows:

1st and every alt Row (Wrong Side) - P 16(19,22,25), K1, P 24, K1, P 16(19,22,25).

2nd Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * K1, yfwd, K3tog, yfwd, K3, yfwd, sl 1, K2tog, psso, yfwd, K4, rep from * to *. P1, K 16(19,22,25).

4th Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * yfwd, K3tog, yfwd, K5, yfwd, sl 1, K2tog, psso, yfwd, K3, rep from * to *. P1, K 16(19,22,25).

6th Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * K5, yfwd, K3tog, yfwd, K1, yfwd, sl 1, K2tog, psso, yfwd, K2, rep from * to *. P1, K 16(19,22,25).

8th Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * K4, yfwd, K3tog, yfwd, K3, yfwd, sl 1, K2tog, psso, yfwd, K1, rep from * to *. P1, K 16(19,22,25).

10th Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * K3, yfwd, K3tog, yfwd, K5, yfwd, sl 1, K2tog, psso, yfwd, rep from * to *. P1, K 16(19,22,25).

12th Row - K 16(19,22,25), P1, *K2tog, yfwd, K1, yfwd, sl 1, K1, psso, * K2, yfwd, K3tog, yfwd, K1, yfwd, sl 1, K2tog, psso,

ytwd, K5, rep from * to *, P1, K 16(19,22,25). These 12 rows form panel pattern and are repeated.

Cont in st st with panel as set until Front matches Back to armholes, ending with a wrong side row.

Shape Raglan Armholes

Keeping patt correct, cast off 3(4,4,5) sts at beg of next 2 rows then dec 1 st at each end of next and every foll alt row until 34(34,38,40) sts rem, ending with a wrong side row.

Shape Neck

Next Row - K2tog, patt 8(8,10,10) sts and turn, leaving rem sts on a spare needle.

Cont dec 1 st at raglan edge on every alt row as before AT THE SAME TIME dec 1 st at neck edge on next 3(3,4,4) rows.

Keeping neck edge straight, dec at raglan edge on every right side row as before until 2 sts rem, ending with a P row.

Next Row - K2 tog and fasten off.

With right side facing, slip centre 14(14,14,16) sts onto a stitch holder, rejoin yarn to rem 10(10,12,12) sts, patt to last 2 sts, K2tog.

Complete to match first side of neck.

SLEEVES

Using 3¼mm Needles, cast on 29(31,33,35) sts and work 8(8,10,10) rows in rib as given for Back.

Inc Row - Rib 1(2,1,2), inc in next st, [rib 4(4,5,5), inc in next st] 5 times, rib 2(3,1,2). 35(37,39,41) sts.

Change to 4mm Needles and beg with a P row, cont in st st inc 1 st at each end of 5th and every foll 20th(8th,8th,8th) row until there are 39(45,49,53) sts on the needle.

Work straight until Sleeve measures 13 (14,16,18) cm from beg, ending with a wrong side row.

Shape Raglan Top

Cast off 3(4,4,5) sts at beg of next 2 rows. Dec 1 st at each end of next and every alt row until 5 sts rem, ending with a P row. Leave sts on a stitch holder.

NECKBAND

Join raglan seams. With right side facing and using 3¼mm Needles, K across 10 (10,11,12) sts of Left Back and 5 sts from top of Left Sleeve, pick up and K 6(7,9,10) sts evenly down left side of neck, K 6(6,6,7), K2tog, K 6(6,6,7) across 14(14,14,16) sts at centre front, pick up and K 6(7,9,10) sts evenly up right side of neck then K across 5 sts from top of Right Sleeve and 10(10,11,12) sts of Right Back. 55(57,63, 69) sts.

Work 6 rows in rib as given for Back then cast off neatly in rib.

BUTTONHOLE BAND

With right side facing and using 3¼mm Needles, pick up and K 24 sts evenly down right side of back opening and knit one row.

Buttonhole Row - K3, [ytwd, K2tog, K5] 3 times.

Knit 2 rows then cast off knitwise.

BUTTON BAND

With right side facing and using 3¼mm Needles, pick up and K 24 sts evenly up left side of back opening.

Knit 4 rows then cast off knitwise.

CABLE PANELLED SWEATER

BACK

Using 3¼mm Needles, cast on 51(57,61, 65) sts.

1st Row (Right Side) - K1, *P1, K1, rep from * to end.

2nd Row - P1, *K1, P1, rep from * to end. Work a further 6(6,8,8) rows in rib as set.

Inc Row - Rib 2(3,2,5), inc in next st, *rib 8(9,7,5), inc in next st, rep from * to last 3(3,2,5) sts, rib 3(3,2,5). 57(63,69,75) sts.

Change to 4mm Needles and pattern.

1st Row (Wrong Side) - Knit.

2nd Row - K1, *P1, K1tbl, rep from * to last 2 sts, P1, K1.

These 2 rows form pattern.

Cont in patt as set until Back measures 16(18,19,20) cm from beg, ending with a wrong side row.

Shape Raglan Armholes

Cast off 3(4,4,5) sts at beg of next 2 rows. Keeping patt correct, dec 1 st at each end of next and every foll alt row until 45(45,47, 49) sts rem, ending with a right side row.

Divide for Back Opening

Next Row - K 21(21,22,23), cast off next 3 sts, K to end.

Next Row - Work 2tog, patt 19(19,20,21) and turn, leaving rem sts on a spare needle. Cont dec 1 st at raglan edge on every alt row until 10(10,11,12) sts rem, ending with a wrong side row.

Leave these sts on a stitch holder.

With right side facing, rejoin yarn to rem 21(21,22,23) sts on spare needle and complete to match first side of Back.

FRONT

Using 3¼mm Needles, cast on 51(57,61, 65) sts and work 8(8,10,10) rows in rib as given for Back.

Inc Row - Rib 4(3,4,3), *inc in next st, rib 7(9,6,5), rep from * 1(1,2,3) times more, rib 1, inc in each of next 8 sts, rib 2, **rib 7(9,6,5), inc in next st, rep from ** 1(1,2,3) times more, rib 4(3,4,3). 63(69,75,81) sts.

Change to 4mm Needles and pattern with panel as follows:

1st Row (Wrong Side) - K 21(24,27,30), P2, K1, P6, K1, P1, K1, P6, K1, P2, K 21 (24,27,30).

2nd Row - P 1(0,1,0), [K1tbl, P1] 10(12, 13,15) times, Cr2F, P1, C2R, K2, P1, K1, P1, C2R, K2, P1, Cr2F, [P1, K1tbl] 10 (12,13,15) times, P 1(0,1,0).

3rd Row - As 1st Row.

4th Row - P 1(0,1,0), [K1tbl, P1] 10(12, 13,15) times, Cr2F, P1, K2, C2L, P1, MB, P1, K2, C2L, P1, Cr2F, [P1, K1tbl] 10(12,13, 15) times, P 1(0,1,0).

These 4 rows form panel pattern and are repeated.

Cont in patt with panel as set until Front matches Back to armholes, ending with a wrong side row.

Shape Raglan Armholes

Keeping patt correct, cast off 3(4,4,5) sts at beg of next 2 rows then dec 1 st at each end of next and every foll alt row until 39(39,43,45) sts rem, ending with a wrong side row.

Shape Neck

Next Row - Work 2tog, patt 8(8,10,10) sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, cont dec 1 st at raglan edge on every alt row as before AT THE SAME TIME dec 1 st at neck edge on next 3(3,4,4) rows.

Keeping neck edge straight, dec at raglan edge on every right side row as before until 2 sts rem, ending with a wrong side row.

Next Row - K2 tog and fasten off.

With right side facing, slip centre 19(19,19,21) sts onto a stitch holder, rejoin yarn to rem 10(10,12,12) sts, patt to last 2 sts, work 2tog. Complete to match first side of neck.

SLEEVES

Using 3¼mm Needles, cast on 29(31,33,35) sts and work 8(8,10,10) rows in rib as given for Back.

Inc Row - Rib 1(2,1,2), inc in next st, [rib 4(4,5,5), inc in next st] 5 times, rib 2(3,1,2). 35(37,39,41) sts.

Change to 4mm Needles and cont in patt as given for Back, inc and working into patt 1 st at each end of 5th and every foll 20th(8th, 8th,8th) row until there are 39(45,49,53) sts on the needle.

Work straight until Sleeve measures 13 (14,16,18) cm from beg, ending with a wrong side row.

Shape Raglan Top

Keeping patt correct, cast off 3(4,4,5) sts at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 5 sts rem, ending with a wrong side row.

Leave sts on a stitch holder.

NECKBAND

Join raglan seams. With right side facing and using 3¼ mm Needles, K across 10 (10,11,12) sts of Left Back and 5 sts from top of Left Sleeve, pick up and K 6(7,9,10) sts evenly down left side of neck, K 1(1,1,2)*K2tog, rep from * 7 times more, K 2(2,2,3) across 19(19,19,21) sts at centre front, pick up and K 6(7,9,10) sts evenly up right side of neck then K across 5 sts from top of Right Sleeve and 10(10,11,12) sts of Right Back. 53(55,61,67) sts.

Work 6 rows in rib as given for Back then cast off neatly in rib.

BUTTONHOLE AND BUTTON BANDS

Work as for Buttonhole and Button Bands of Lace Panelled Sweater.

LEAF PANELLED SWEATER

BACK AND SLEEVES

Work as for Back and Sleeves of Cable Panelled Sweater.

FRONT

Using 3¼ mm Needles, cast on 51(57,61,65) sts and work 8(8,10,10) rows in rib as given for Back.

Inc Row - Rib 4(3,4,3), *inc in next st, rib 7(9,6,5), rep from * 1(1,2,3) times more, rib 1, [inc in next st, rib 1] 5 times, **rib 7(9,6,5), inc in next st, rep from ** 1(1,2,3) times more, rib 4(3,4,3). 60(66,72,78) sts.

Change to 4mm Needles and pattern with panel as follows:

1st Row (Wrong Side) - K 23(26,29,32), P3, K3, P4, Cr2BP, K 25(28,31,34).

2nd Row - K 1(0,1,0), [P1, K1tbl] 10(12,13,15) times, P3, Cr2F, K1, Tw2B, K2, P3, Tw2F, K1, P2, [K1tbl, P1] 10(12,13,15) times, K 1(0,1,0).

These 2 rows set pattern for 21(24,27,30) sts of side panels.

3rd Row - K 23(26,29,32), P2, K4, P2, K1, P3, Cr2BP, K 23(26,29,32).

4th Row - Patt 21(24,27,30), P2, K3, Tw2B, P1, K1, Cr2B, P3, Tw2F, P2, patt to end.

5th Row - K 23(26,29,32), K4, Cr2FP, P2, K2, P4, K to end.

6th Row - Patt 21(24,27,30), P2, K2, Tw2B, P2, K1, [Cr2B] twice, P5, patt to end.

7th Row - K 25(28,31,34), Cr2FP, P4, K3, P3, K to end.

8th Row - Patt 21(24,27,30), P2, K1, Tw2B, P3, K2, Tw2F, K1, Cr2B, P3, patt to end.

9th Row - K 23(26,29,32), Cr2FP, P3, K1, P2, K4, P2, K to end.

10th Row - Patt 21(24,27,30), P2, Tw2B, P3, Cr2F, K1, P1, Tw2F, K3, P2, patt to end.

11th Row - K 23(26,29,32), P4, K2, P2, Cr2BP, K to end.

12th Row - Patt 21(24,27,30), P5, [Cr2F] twice, K1, P2, Tw2F, K2, P2, patt to end.

These 12 rows form panel pattern and are repeated.

Cont in patt with panel as set until Front matches Back to armholes, ending with a wrong side row.

Shape Raglan Armholes

Keeping patt correct, cast off 3(4,4,5) sts at beg of next 2 rows then dec 1 st at each end of next and every foll alt row until 36(36,40,42) sts rem, ending with a wrong side row.

Shape Neck

Next Row - Work 2tog, patt 8(8,10,10) sts and turn, leaving rem sts on a spare needle.

Keeping patt correct, cont dec 1 st at raglan edge on every alt row as before AT THE SAME TIME dec 1 st at neck edge on

next 3(3,4,4) rows.

Keeping neck edge straight, dec at raglan edge on every right side row as before until 2 sts rem, ending with a wrong side row.

Next Row - K2 tog and fasten off.

With right side facing, slip centre 16(16,16,18) sts onto a stitch holder, rejoin yarn to rem 10(10,12,12) sts, patt to last 2 sts, work 2tog. Complete to match first side of neck.

NECKBAND

Join raglan seams. With right side facing and using 3¼ mm Needles, K across 10 (10,11,12) sts of Left Back and 5 sts from top of Left Sleeve, pick up and K 6(7,9,9) sts evenly down left side of neck, K 2(2,2,3), [K2tog, K3] twice, K2tog, K 2(2,2,3) across 16(16,16,18) sts at centre front, pick up and K 6(7,9,0) sts evenly up right side of neck then K across 5 sts from top of Right Sleeve and 10(10,11,12) sts of Right Back. 55(57,61,67) sts.

Work 6 rows in rib as given for Back then cast off neatly in rib.

BUTTONHOLE AND BUTTON BANDS

Work as for Buttonhole and Button Bands of Lace Panelled Sweater.

PRESSING

With wrong side of work facing, pin out all pieces to measurements given. Press as instructions given on ball band, omitting ribbing.

MAKING UP

Join side and sleeve seams. Lapping Buttonhole Band over Button Band, sew ends of bands neatly in place to cast off sts at base of opening. Sew on buttons.