



Peter Pan



P845
PRICE CODE C

DOUBLE KNIT & 4 PLY

31-51cm. (12-20ins.)
Prem. - 1/2 yrs.

\$3 .30



ROUND AND V-NECK MATINEE COATS

in Peter Pan D.K. and 4 Ply

Instructions given for 31 cm. (12 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

The photograph shows the 46 cm. garments.

To Fit Age, approximately	Premature sizes		0-6 mths	6-12 mths	1-2 yrs	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	cm. ins.
Actual Measurements	36 14	41 16	46 18	51 20	56 22	cm. ins.
Peter Pan D.K. or Peter Pan Spot Print D.K. (50g.) ROUND NECK MATINEE COAT V-NECK MATINEE COAT	2 2	2 2	3 3	3 3	3 3	Balls Balls
Peter Pan 4 Ply or Peter Pan Spot Print 4 Ply (50g.) ROUND NECK MATINEE COAT V-NECK MATINEE COAT	2 2	2 2	3 3	3 3	3 3	Balls Balls
D.K. VERSIONS 2 - 3¼ mm. (U.K. 10 - U.S.A. 4) and 2 - 4 mm. (U.K. 8 - U.S.A. 6) Wendy Knitting Needles. 4 PLY VERSIONS 2 - 2¾ mm. (U.K. 12 - U.S.A. 2) and 2 - 3¼ mm. (U.K. 10 - U.S.A. 4) Wendy Knitting Needles. BOTH VERSIONS Stitch Holders. 3 Buttons for Round Neck Matinee Coat. 2 Buttons for V-Neck Matinee Coat.						
Length from Back of Neck	22 8¾	25 9¾	28 11	31 12¼	34.5 13½	cm. ins.
Sleeve Seam	12.5 5	14 5½	15 6	16.5 6½	19 7½	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. - Knit; **P.** - Purl; **st(s).** - stitch(es); **st.st.** - stocking stitch (1 row K., 1 row P.); **g.st.** - garter stitch (every row K.); **alt.** - alternate; **beg.** - beginning; **inc.** - increase; **dec.** - decrease; **fol.** - following; **rept.** - repeat; **tog.** - together; **t.b.l.** - through back of loop; **sl.** - slip; **p.s.s.o.** - pass slipped st. over; **patt.** - pattern; **y.fwd.** - yarn forward; **0** - no sts. or rows to be worked in that particular size; **cm.** - centimetres; **ins.** - inches.

TENSION

It is important to check your tension before commencing the garment.

D.K. VERSIONS

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

4 PLY VERSIONS

28 sts. and 36 rows to 10 cm. (4 ins.) over st.st. on 3¼ mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

D.K. VERSION ROUND NECK MATINEE COAT

SKIRT (Worked in one piece to armholes)

Using 3¼ mm. Needles, cast on 147 (165, 183, 210, 228) sts. and work 8 rows in g.st.

Change to 4 mm. Needles.

1st Row (Right Side) - K.2, * y.fwd., K.8, y.fwd., K.1, rept. from * to last st., K.1.

2nd Row - K.3, * P.8, K.3, rept. from * to end.

3rd Row - K.3, * y.fwd., K.8, y.fwd., K.3, rept. from * to end.

4th Row - K.4, * P.8, K.5, rept. from * to last 12 sts., P.8, K.4.

5th Row - K.4, * y.fwd., K.8, y.fwd., K.5, rept. from * to last 12 sts., y.fwd., K.8, y.fwd., K.4.

6th Row - K.5, * P.8, K.7, rept. from * to last 13 sts., P.8, K.5.

7th Row - K.5, * K.4tog.t.b.l., K.4tog., K.7, rept. from * to last 13 sts., K.4tog.t.b.l., K.4tog., K.5.

8th Row - K. to end.

These 8 rows form border patt.

Continue in border patt. until work measures approximately 10 cm. (4 ins.) from beg., finishing on an 8th row.

Continue in st.st. starting with a K. row until work measures 12 (14, 16, 18, 20) cm. 4¾ (5½, 6¼, 7, 8) ins. from beg., finishing on a P. row.

Dec. Row - K.1 (3, 1, 1, 3) * [K.2tog.] 5 (5, 3, 4, 4) times, K.1, rept. from * 12 (13, 25, 22, 23) times more, [K.2tog.] 1 (2, 0, 1, 3) times, K.1 (4, 0, 0, 3). 81 (93, 105, 117, 129) sts.

Work 3 rows in g.st.

Divide For Armholes

Next Row - K.17 (20, 22, 24, 27), cast off 4 (4, 6, 8, 8) sts, K.39 (45, 49, 53, 59) sts., including last st. used in casting off, cast off 4 (4, 6, 8, 8) sts., K. to end. ****

Work on first 17 (20, 22, 24, 27) sts. for **Left Front**.

Shape Armhole

1st Row (Wrong side) - P. to end.

2nd Row - K.1, sl.1, K.1, p.s.s.o., K. to end.

** Dec. 1 st. at armhole edge as set on every foll. alt. row to 12 (13, 13, 14, 16) sts., then on every foll. 4th row to 10 (11, 12, 13, 14) sts., finishing on a dec. row.

Work 0 (0, 2, 2, 2) rows without shaping. (Work 1 row more here for Right Front.)

Shape Neck

Next Row - Cast off 2 (3, 3, 4, 5) sts., P. to end.

Next Row - [K.1, sl.1, K.1, p.s.s.o.] 0 (0, 1, 1, 1) time, K. to end.

*** Dec. 1 st. at neck edge on next 4 rows AT THE SAME TIME, dec. 1 st. at armhole edge as set on 2nd (2nd, 4th, 4th, 4th) row. 3 sts.

Work 1 (1, 3, 3, 3) rows without shaping. ***

Next Row - K.1, sl.1, K.1, p.s.s.o. 2 sts.

Next Row - P.2tog. and fasten off. With wrong side facing, rejoin yarn to centre 39 (45, 49, 53, 59) sts for **Back**.

Shape Armholes

1st Row (Wrong side) - P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Dec. 1 st. at each end as set on every foll. alt. row to 29 (31, 31, 33, 37) sts. then on every foll. 4th row to 21 (23, 23, 25, 27) sts.

Work 1 row.

Leave sts. on a st. holder.

(Cast off sts. for V-Neck Matinee Coat).

Work on remaining 17 (20, 22, 24, 27) sts. for Right Front.

Shape Armhole

1st Row (Wrong side) – P. to end.

2nd Row – K. to last 3 sts., K.2tog., K.1. Work as given for Left Front from ** to shape neck.

Shape Neck

Next Row – Cast off 2 (3, 3, 4, 5) sts., K. to last 0 (0, 3, 3, 3) sts., [K.2tog., K.1] 0 (0, 1, 1, 1) time.

Work as given for Left Front from *** to ***.

Next Row – K.2tog., K.1.

Next Row – P.2tog. and fasten off.

SLEEVES (Both Alike)

Using 3¼ mm. Needles, cast on 27 (29, 31, 33, 35) sts. and work 8 rows in g.st. Change to 4 mm. Needles and work in st.st., inc. 1 st. at each end of 3rd and every foll. 4th (4th, 5th, 6th, 6th) row to 37 (41, 43, 45, 49) sts.

Continue without shaping until work measures 12.5 (14, 15, 16.5, 19) cm. 5 (5½, 6, 6½, 7½) ins. from beg., finishing on a P. row.

Shape Top

Cast off 2 (2, 3, 4, 4) sts. at beg. of next 2 rows.

1st Row (Wrong side) – P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Dec. 1 st. at each end as set on next and every foll. alt. row to 15 (15, 19, 21, 23) sts. then on every foll. 4th row to 11 sts., finishing on a P. row. Leave sts. on a st. holder.

(Cast off sts. for V Neck Matinee Coat).

D.K. VERSION

V-NECK MATINEE COAT

SKIRT

Work as given for Round Neck Matinee Coat to *****.

Work on first 17 (20, 22, 24, 27) sts. for Left Front.

Shape Armhole and Front Edge

1st Row (Wrong side) – P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to last 2 sts., K.2tog.

***** Dec. 1 st. at armhole as set on every foll. alt. row AT THE SAME TIME, dec. 1 st. at front edge on every foll. 4th

row to 9 (9, 8, 9, 10) sts., then at each end of every foll. 4th row from previous dec. to 3 (3, 4, 4, 4) sts.

Keeping front edge straight, dec. 1 st. at armhole edge as set on every foll. 4th row from previous dec. to 2 sts., finishing on a K. row.

Next Row – P.2tog. and fasten off.

With wrong side facing, rejoin yarn to centre 39 (45, 49, 53, 59) sts. for Back.

Work as given for Back of Round Neck Matinee Coat.

Work on remaining 17 (20, 22, 24, 27) sts. for Right Front.

Shape Armhole and Front Edge

1st Row (Wrong side) – P. to end.

2nd Row – K.2tog., K. to last 3 sts., K.2tog., K.1.

Complete as given for Left Front from *****.

SLEEVES (Both Alike)

Work as given for Sleeves of Round Neck Matinee Coat.

4 PLY VERSION

ROUND NECK MATINEE COAT

SKIRT

Using 2¾ mm. Needles, cast on 165 (192, 219, 237, 264) sts. and work 8 rows in g.st.

Change to 3¼ mm. Needles.

✓ **1st Row** (Right side) – K.2, * y.fwd., K.8, y.fwd., K.1, rept. from * to last st., K.1.

✓ **2nd Row** – K.3, * P.8, K.3, rept. from * to end.

✓ **3rd Row** – K.3, * y.fwd., K.8, y.fwd., K.3, rept. from * to end.

✓ **4th Row** – K.4, * P.8, K.5, rept. from * to last 12 sts., P.8, K.4.

✓ **5th Row** – K.4, * y.fwd., K.8, y.fwd., K.5, rept. from * to last 12 sts., y.fwd., K.8, y.fwd., K.4.

✓ **6th Row** – K.5, * P.8, K.7, rept. from * to last 13 sts., P.8, K.5.

✓ **7th Row** – K.5, * K.4tog.t.b.l., K.4tog., K.7, rept. from * to last 13 sts., K.4tog.t.b.l., K.4tog., K.5.

✓ **8th Row** – K. to end.

These 8 rows form border patt.

Continue in border patt. until work measures approximately 10 cm. (4 ins.) from beg. finishing on an 8th row.

Continue in st.st. starting with a K. row until work measures 12 (14, 16, 18, 20) cm. 4¾ (5½, 6¼, 7, 8) ins. from beg., finishing on a P. row.

Dec. Row. – K.3 (3, 0, 2, 2), * [K.2tog.] 3 (4, 3, 3, 3) times, K.1, rept. from * 21 (19, 30, 32, 36) times more, [K.2tog.] 2 (3, 1, 1, 0) times, K.4 (3, 0, 2, 3). 97 (109, 125, 137, 153) sts.

Work 3 rows in g.st.

Divide For Armholes

Next Row – K.21 (23, 27, 29, 32), cast off 4 (6, 6, 8, 10) sts., K.47 (51, 59, 63,

69) sts. including last st. used in casting off, cast off 4 (6, 6, 8, 10) sts., K. to end. *****

Work on first 21 (23, 27, 29, 32) sts. for Left Front.

Shape Armhole

1st Row (Wrong side) – P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to end.

***** Dec. 1 st. at armhole edge as set on every foll. alt. row to 12 (14, 14, 16, 17) sts., then on foll. 0 (4th, 0, 4th, 4th) row. 12 (13, 14, 15, 16) sts.

Work 2 (0, 2, 0, 0) rows without shaping. (Work 1 row more here for Right Front).

Shape Neck

Next Row – Cast off 4 (4, 5, 5, 6) sts., P. to end.

Next Row – [K.1, sl.1, K.1, p.s.s.o.] 1 (0, 1, 0, 0) time, K. to end.

***** Dec. 1 st. at neck edge on next 3 (4, 4, 5, 5) rows AT THE SAME TIME, dec. 1 st. at armhole edge as set on 0 (2nd, 4th, 2nd, 2nd) row. 4 (4, 3, 4, 4) sts.

Keeping neck edge straight, dec. 1 st. at armhole edge as set on 1st (2nd, 4th, 1st, 1st) and foll. 4th (4th, 0, 4th, 4th) row. 2 sts.

Next Row – P.2tog. and fasten off.

With wrong side facing, rejoin yarn to centre 47 (51, 59, 63, 69) sts. for Back.

Shape Armholes

1st Row (Wrong side) – P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

Dec. 1 st. at each end as set on every foll. alt. row to 29 (33, 33, 37, 39) sts. then on every foll. 4th row to 23 (25, 27, 29, 31) sts.

Work 1 row.

Leave sts. on a st. holder.

(Cast off sts. for V-Neck Matinee Coat).

Work on remaining 21 (23, 27, 29, 32) sts. for Right Front.

Shape Armhole

1st Row (Wrong side) – P. to end.

2nd Row – K. to last 3 sts., K.2tog., K.1. Work as given for Left Front from ***** to shape neck.

Shape Neck

Next Row – Cast off 4 (4, 5, 5, 6) sts., K. to last 3 (0, 3, 0, 0) sts., [K.2tog., K.1] 1 (0, 1, 0, 0) time.

Work as given for Left Front from ***** to end.

SLEEVES (Both Alike)

Using 2¾ mm. Needles, cast on 31 (33, 35, 37, 39) sts. and work 8 rows in g.st.

Change to 3¼ mm. Needles and work in st.st., inc. 1 st. at each end of 3rd and every foll. 4th (4th, 4th, 5th, 5th) row to 43 (47, 51, 53, 57) sts.

Continue without shaping until work measures 12.5 (14, 15, 16.5, 19) cm. 5 (5½, 6, 6½, 7½) ins. from beg., finishing on a P. row.

Shape Top

Cast off 2 (3, 3, 4, 5) sts. at beg. of next 2 rows.

1st Row – K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2tog., K.1.

2nd Row – P. to end.

Dec. 1 st. at each end as set on next and every foll. alt. row to 17 (19, 19, 23, 25) sts. then on every foll. 4th row to 13 sts. Work 1 row.

Leave sts. on a st. holder.

(Cast off sts. for V-Neck Matinee Coat.)

4 PLY VERSION

V-NECK MATINEE COAT

SKIRT

Work as given for 4 Ply Round Neck Matinee Coat to *****.

Work on first 21 (23, 27, 29, 32) sts. for **Left Front**.

Shape Armhole and Front Edge

1st Row (Wrong side) – P. to end.

2nd Row – K.1, sl.1, K.1, p.s.s.o., K. to last 2 sts., K.2tog.

***** Dec. 1 st. at armhole edge as set on every foll. alt. row AT THE SAME TIME, dec. 1 st. at front edge on every foll. 4th row to 7 (9, 7, 9, 9) sts. then at each end of every foll. 4th row to 3 sts. Keeping front edge straight, dec. 1 st. at armhole edge on foll. 4th row.

Next Row – P.2tog. and fasten off.

With wrong side facing, rejoin yarn to centre 47 (51, 59, 63, 69) sts. for **Back**.

Work as given for Back of 4 Ply Round Neck Matinee Coat.

Work on remaining 21 (23, 27, 29, 32) sts. for **Right Front**.

Shape Armhole

1st Row (Wrong side) – P. to end.

2nd Row – K.2tog., K. to last 3 sts., K.2tog., K.1.

Complete as given for Left Front from *****.

SLEEVES (Both Alike)

Work as given for Sleeves of Round

Neck Matinee Coat.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

MAKING UP

ROUND NECK MATINEE COATS

Both Versions

Join raglan seams by top sewing.

Left Front Band

Using 3¼ mm. Needles for D.K. Version or 2¾ mm. Needles for 4 Ply Version, cast on 7 sts.

1st Row (Right side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end.

Continue in rib until band when slightly stretched, fits up front to start of neck shaping, finishing on a 2nd Row.

Leave sts. on a safety pin. Break off yarn.

Sew band in position. Mark position for 2 buttons the first to be in line of start of armhole shaping and allowing for a 3rd to be placed in neckband.

Space remaining button evenly between.

Right Front Band

Work as given for Left Front Band, making buttonhole to match marker on right side rows as follows:- Rib 3, y.fwd., K.2tog., rib to end.

Leave sts. on needle and do not break off yarn.

NECKBAND

D.K. Version

Rib across 7 sts. of right front band, pick up and K.9 (10, 12, 13, 14) sts. evenly up right side of neck, K. across 11 sts. of right sleeve top, 21 (23, 23, 25, 27) sts. of back neck, 11 sts. across left sleeve top, pick up and K.9 (10, 12, 13, 14) sts. evenly down left side of neck then rib across 7 sts. of left front band. 75 (79, 83, 87, 91) sts.

Work 7 rows in rib as set by bands and making a buttonhole as before on 4th row.

Cast off in rib

4 Ply Version

Rib across 7 sts. of right front band, pick up and K.13 (15, 15, 16, 17) sts. evenly up right side of neck, K. across 13 sts. of right sleeve top, 23 (25, 27, 29, 31) sts. of back neck, 13 sts. across left sleeve top, pick up and K. 13 (15, 15, 16, 17) sts. evenly down left side of neck then rib across 7 sts. of left front band. 89 (95, 97, 101, 105) sts.

Work 7 rows in rib as set by bands and making a buttonhole as before on 4th row.

Cast off in rib

Both Versions

Join sleeve seams by top sewing. Sew right front band in position by top sewing. Sew on buttons.

V-NECK MATINEE COATS

Both Versions

Join raglan seams by top sewing.

Left Front Band

Using 3¼ mm. Needles for D.K. Version or 2¾ mm. Needles for 4 Ply Version, cast on 7 sts.

1st Row (Right side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end.

Continue in rib until band when slightly stretched, fits up front, across sleeve top and halfway across back neck.

Cast off in rib

Sew band in position. Mark position for 2 buttons the first to be 1 cm (½ ins.) below start of front edge shaping and the 2nd to be 4 cm (1½ ins.) below this.

Right Front Band

Work as given for Left Front Band, making buttonhole to match marker on right side rows as follows:- Rib 3, y.fwd., K.2tog., rib to end.

Sew band in position, joining at back neck.

Join sleeve seams by top sewing. Sew on buttons.

For Washing and Pressing instructions see ball band.



Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group