



Peter Pan

DOUBLE KNIT



P.903

PRICE CODE C

31-56cm (12-22ins)
Premature - 1/2 yrs



CROCHET

MATINEE COAT AND CARDIGAN in Peter Pan D.K.

P.903
Crocheted in Peter Pan D.K.
Shade:
306 Baby Blue

Instructions given for 31 cm. (12 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes	0-6 mths.	6-12 mths.	1-2 yrs.	
To Fit Chest Sizes	31 12	36/41 14/16	41/46 16/18	51/56 20/22	cm. ins.
Actual Underarm Measurement	36 14 1/4	45 17 1/2	54 21 1/4	63 24 1/4	cm. ins.
MATINEE COAT					
Peter Pan D.K. (50g.)	2	3	3	4	Balls
Peter Pan D.K. (100g.)	1	2	2	2	Balls
Peter Pan Little Darlings D.K. (50g.)	2	3	4	4	Balls
CARDIGAN					
Peter Pan D.K. (50g.)	2	2	2	3	Balls
Peter Pan D.K. (100g.)	1	1	1	2	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	3	3	Balls
1 - 3.50 mm. (U.K. 9 - U.S.A. E4) Crochet Hook. 3 Buttons for Matinee Coat. 4 (4, 5, 5) Buttons for Cardigan.					
Length from Shoulder	23 9	30 11 1/4	36 14	41 16	cm. ins.
MATINEE COAT					
CARDIGAN	18 7	23 9	29 11 1/4	34 13 1/4	cm. ins.
Sleeve Seam	10 4	13 5	16 6 1/4	26 10 1/4	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

St(s) - stitch(es); **ch.** - chain; **s.s.** - slip stitch; **d.c.** double crochet; **h.tr.** - half treble; **tr.** - treble; **tr.2tog.** - *yarn over hook and insert as indicated, yarn over hook and draw loop through, yarn over hook and draw through 2 loops, rept. from * once more, yarn over hook and draw through all 3 loops on hook; **tr.3tog.** - *yarn over hook and insert as indicated, yarn over hook and draw loop through, yarn over hook and draw through 2 loops, rept. from * twice more, yarn over hook and draw through all 4 loops on hook; **sp(s)** - space(s); **rept.** - repeat; **beg.** - beginning; **patt.** - pattern; **0** - no stitches, rows or times to be worked in that

particular size; **cm.** - centimetres; **ins.** - inches.

TENSION

It is important to check your tension before commencing the garment.

1 pattern repeat (18 sts.) to 8.5 cm. (3 1/4 ins.) and 10 rows to 10 cm. (4 ins.) over patt. on 3.50 mm. Hook. 18 sts. and 10 rows to 10 cm. (4 ins.) over tr. fabric on 3.50 mm. Hook.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your hook to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your hook to a smaller size.

MATINEE COAT

BODY (Worked in one piece to armholes)

Using 3.50 mm. Hook make 148 (184, 220, 256) ch.

Foundation Row (Right Side) - 1 tr. into 4th ch. from hook, *1 ch., miss 3 ch., [1 tr., 1 ch. and 1 tr. - now termed "1 V-st." into next ch., 3 ch., miss 4 ch., 1 tr. into next ch., 3 ch., miss 4 ch., 1 V-st. into next ch., 1 ch., miss 3 ch., *1 V-st. into next ch., rept. from * to end, ending last rept. at **, 2 tr. into last ch., turn. 8 (10, 12, 14) patt. repeats.

Commence Patt.

1st Row (Wrong Side) - 3 ch. (counts as 1 tr.), miss last 2 tr. of previous row, *1 V-st. into next ch. sp., 2 ch., miss 1 V-st., 3 tr. into next ch. sp., 1 tr. into next tr., 3 tr. into next ch. sp., 2 ch., miss 1 V-st., 1 V-st. into next ch. sp., *1 ch., miss 1 V-st., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of 3 ch. at beg. of previous row, turn.

2nd Row - 3 ch. (counts as 1 tr.), 1 tr. into base of 3 ch., *1 ch., miss [1 tr. and 1 ch.] of next V-st., 1 tr. into last tr. of same V-st., 2 tr. into next ch. sp., 1 tr. into each of next 7 tr., 2 tr. into next ch. sp., 1 tr. into first tr. of next V-st., miss [1 ch. and 1 tr.] of same V-st., 1 ch., *1 V-st. into next ch. sp., rept. from * to end, ending last rept. at **, 2 tr. into top of 3 ch. at beg. of previous row, turn.

3rd Row - 3 ch. (counts as 1 tr.), miss last 2 tr. of previous row, *1 V-st. into next ch. sp., 2 ch., miss 3 tr., 1 tr. into each of next 7 tr., 2 ch., miss 3 tr., 1 V-st. into next ch. sp., *1 ch., miss 1 V-st., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of 3 ch. at beg. of previous row, turn.

4th Row - 3 ch. (counts as 1 tr.), 1 tr. into base of 3 ch., *1 ch., miss 1 V-st., 1 V-st. into next ch. sp., 3 ch., miss 3 tr., 1 tr. into next tr., 3 ch., miss 3 tr., 1 V-st. into next ch. sp., 1 ch., miss 1 V-st., *1 V-st. into next ch. sp., rept. from * to end, ending last rept. at **, 2 tr. into top of 3 ch. at beg. of previous row, turn.

These 4 rows form patt.
Rept. last 4 rows 2 (3, 4, 5) times more.

Counting each tr. and ch. of last row as a st., proceed as follows: 145 (181, 217, 253) sts.

Decrease Row - 3 ch. (counts as 1 tr.), miss last tr. of last row, *[tr.2tog. over next 2 sts.] twice, [tr.3tog. over next 3 sts.] 3 times, [tr.2tog. over next 2 sts.] twice, 1 tr. into next st., rept. from * to end, working tr. at end of last rept. into top of 3 ch. at beg. of previous row, turn. 65 (81, 97, 113) sts.

***Shape Right Front

Next Row - 3 ch. (counts as 1 tr.), 1 tr. into each of next 12 (16, 20, 24) sts., turn.
This row forms tr. fabric.
Work a further 4 (6, 8, 8) rows in tr.

fabric on these 13 (17, 21, 25) sts. only for Right Front, thus finishing at armhole edge.

Shape Neck

Next Row – 3 ch. (counts as 1 tr.), 1 tr. into each of next 5 (7, 11, 14) tr., tr.2tog. over next 2 tr., 1 tr. into next tr., turn.

Next Row – 3 ch. (counts as 1 tr.), tr.2tog. over next 2 sts., 1 tr. into each st. to end, turn.

Working decreases as set by last 2 rows, dec. 1 st. at neck edge on next 0 (1, 1, 2) rows. 7 (9, 12, 14) sts.

Fasten off.

Shape Back

Return to last complete row worked before Right Front, miss 7 tr., rejoin yarn to next tr. and proceed as follows:-

Next Row – 3 ch. (counts as 1 tr.), 1 tr. into each of next 24 (32, 40, 48) tr., turn.

Work a further 6 (9, 11, 12) rows in tr. fabric on these 25 (33, 41, 49) sts. only for Back.

Fasten off.

Shape Left Front

Return to last complete row worked before Right Front and Back, miss 7 tr., rejoin yarn to next tr. and proceed as follows:-

Next Row – 3 ch. (counts as 1 tr.), 1 tr. into each tr. to end, turn.

Work a further 4 (6, 8, 8) rows in tr. fabric on these 13 (17, 21, 25) sts. only for Right Front, thus finishing at front opening edge.

Shape Neck

Next Row – S.s. across and into 5th (6th, 7th, 8th) st., 3 ch. (counts as 1 tr.), tr.2tog. over next 2 tr., 1 tr. into each tr. to end, turn.

Next Row – 3 ch. (counts as 1 tr.), tr.2tog. over next 2 sts., 1 tr. into each st. to end, turn.

Working decreases as set by last 2 rows, dec. 1 st. at neck edge on next 0 (1, 1, 2) rows. 7 (9, 12, 14) sts.

Fasten off.

SLEEVES (Both Alike)

Using 3.50mm. Hook make 17 (21, 25, 29) ch.

Foundation Row (Right Side) – 1 d.c. into 2nd ch. from hook, 1 d.c. into each ch. to end, turn. 16 (20, 24, 28) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, turn.

Commence Tr. Fabric and Shaping

1st Row – 3 ch. (counts as 1 tr.), 2

tr. into next st., 1 tr. into each st. to last 2 sts., 2 tr. into next st., 1 tr. into last st., turn. 18 (22, 26, 30) sts. Rept. last row 0 (3, 4, 0) times more. 18 (28, 34, 30) sts.

Next Row – As 1st Row.

Next Row – 3 ch. (counts as 1 tr.), 1 tr. into each st. to end, turn.

Rept. last 2 rows 3 (3, 4, 8) times more. 26 (36, 44, 48) sts.

Work a further 2 (2, 2, 8) rows without further shaping. (Work measures approx. 12 (15, 18, 26) cm., 4 1/4 (6, 7, 10 1/4) ins.)

Fasten off.

Place markers along row end edges 2 full rows below upper edge to denote top of sleeve seam.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

Join shoulder seams by top sewing.

Join sleeve seams below markers by top sewing. Positioning sleeve seam markers midway across underarm edge and centre of upper edge of sleeve to shoulder seam, sew Sleeves to Body by top sewing.

HEM EDGING

With right side facing and using 3.50 mm. Hook, work 1 row of tr. evenly across entire lower edge of Body, working 1 tr. into each st. of foundation ch., turn. 145 (181, 217, 253) sts.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into last tr. of previous row, *3 ch., miss 2 tr.; 1 d.c. into next tr., rept. from * to end, working last d.c. into top of 3 ch. at beg. of previous row, turn.

Next Row – *4 ch., miss 1 d.c., 1 d.c. into next ch. sp., rept. from * to end, replacing d.c. at end of last rept. with s.s. to top of d.c. at beg. of previous row.

Fasten off.

FRONT AND NECK EDGING

With right side facing and using 3.50 mm. Hook, starting at right front lower edge, work 1 row of d.c. evenly up right front opening edge, around neck edge and then down left front opening edge to lower edge, working 3 d.c. into corners, turn.

Mark positions for 3 buttonholes along right front opening edge – first buttonhole level with decrease row on Body, last 1 cm. (1/2 inch) below neck shaping and remaining buttonhole evenly spaced between.

Next Row – 1 ch. (does NOT count

as st.), 1 d.c. into each d.c. to end, making buttonholes at positions marked by replacing (1 d.c. into next d.c.) with (1 ch., miss 1 d.c.) and working extra d.c. into corners as required, turn.

Next Row – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. (or ch.) to end, working extra d.c. into corners as required.

Fasten off.

Sew on buttons.

Press seams.

CARDIGAN

BODY (Worked in one piece to armholes)

Using 3.50 mm. Hook make 76 (94, 112, 130) ch.

Foundation Row (Right Side) – 1 tr. into 4th ch. from hook, *1 ch., miss 3 ch., [1 tr., 1 ch. and 1 tr. – now termed “1 V-st.”] into next ch., 3 ch., miss 4 ch., 1 tr. into next ch., 3 ch., miss 4 ch., 1 V-st. into next ch., 1 ch., miss 3 ch., **1 V-st. into next ch., rept. from * to end, ending last rept. at **, 2 tr. into last ch., turn. 4 (5, 6, 7) patt. repeats.

Commence Patt.

1st Row (Wrong Side) – 3 ch. (counts as 1 tr.), miss last 2 tr. of previous row, *1 V-st. into next ch. sp., 2 ch., miss 1 V-st., 3 tr. into next ch. sp., 1 tr. into next tr., 3 tr. into next ch. sp., 2 ch., miss 1 V-st., 1 V-st. into next ch. sp., **1 ch., miss 1 V-st., rept. from * to end, ending last rept. at **, miss 1 tr. 1 tr. into top of 3 ch. at beg. of previous row, turn.

2nd Row – 3 ch. (counts as 1 tr.), 1 tr. into base of 3 ch., *1 ch., miss [1 tr. and 1 ch.] of next V-st., 1 tr. into last tr. of same V-st., 2 tr. into next ch. sp., 1 tr. into each of next 7 tr., 2 tr. into next ch. sp., 1 tr. into first tr. of next V-st., miss [1 ch. and 1 tr.] of same V-st., 1 ch., **1 V-st. into next ch. sp., rept. from * to end, ending last rept. at **, 2 tr. into top of 3 ch. at beg. of previous row, turn.

3rd Row – 3 ch. (counts as 1 tr.), miss last 2 tr. of previous row, *1 V-st. into next ch. sp., 2 ch., miss 3 tr., 1 tr. into each of next 7 tr., 2 ch., miss 3 tr., 1 V-st. into next ch. sp., **1 ch., miss 1 V-st., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of 3 ch. at beg. of previous row, turn.

4th Row – 3 ch. (counts as 1 tr.), 1 tr. into base of 3 ch., *1 ch., miss 1 V-st., 1 V-st. into next ch. sp., 3 ch., miss 3 tr., 1 tr. into next tr., 3 ch., miss 3 tr., 1 V-st. into next ch. sp., 1 ch., miss 1 V-st., **1 V-st. into next ch. sp., rept. from * to end, ending last rept. at **, 2 tr. into top of 3 ch. at beg. of previous row, turn.

These 4 rows form patt.

Rept. last 4 rows 0 (1, 2, 3) times more.

Counting each tr. and ch. of last row as a st., proceed as follows:- 73 (91, 108, 126) sts.

Decrease Row - 3 ch. (counts as 1 tr.), miss last tr. of last row, *1 tr. into each of next 4 sts., [tr.2tog. over next 2 sts., 1 tr. into each of next 5 sts.] twice, rept. from * to end, working tr. at end of last rept. into top of 3 ch. at beg. of previous row, turn. 65 (81, 97, 113) sts.

Next Row - 3 ch. (counts as 1 tr.), 1 tr. into each st. to end, turn.

This row forms tr. fabric.

Work a further 3 (1, 1, 1) rows in tr. fabric. (Work measures approx. 10 (12, 16, 20) cm., 4 (4 1/4, 6 1/4, 7 1/4) ins.) Complete as given for Body of Matinee Coat from ***.

SLEEVES (Both Alike)

Work as given for Sleeves of Matinee Coat.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join shoulder seams by top

sewing.

Join sleeve seams below markers by top sewing. Positioning sleeve seam markers midway across underarm edge and centre of upper edge of sleeve to shoulder seam, sew Sleeves to Body by top sewing.

FRONT AND HEM EDGING

With right side facing and using 3.50 mm. Hook, starting at beg. of neck shaping, work 1 row of d.c. evenly down row and edges of left front opening edge, across entire lower edge and then up row end edges of right front opening edge to beg. of neck shaping, working approx. 2 d.c. into each row and along front opening edges, 1 d.c. into each ch. across foundation ch. edge and 3 d.c. into corners, turn.

Mark positions for 4 (4, 5, 5) buttonholes along right front opening edge - first 1 cm. (1/2 inch) up from lower edge, last 1 cm. (1/2 inch) below neck shaping and remaining 2 (2, 3, 3) evenly spaced between.

2nd Row - 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, making buttonholes at positions marked by replacing (1 d.c. into next d.c.) with (1 ch., miss 1 d.c.) and working 3 d.c. into corners, turn.

3rd Row - 1 ch. (does NOT count as st.), 1 d.c. into each d.c. (or ch.) to end, working 3 d.c. into corners. Fasten off.

COLLAR

With right side facing and using 3.50 mm. Hook, starting and ending at ends of 2nd Row of Front and Hem Edging, work 9 (12, 13, 16) d.c. up right side of neck, 11 (14, 15, 21) d.c. across back neck, and 9 (12, 13, 16) d.c. down left side of neck, turn. 29 (38, 41, 53) sts.

Next Row - 3 ch. (counts as 1 tr.), 1 tr. into next d.c., *2 tr. into next d.c., 1 tr. into each of next 2 d.c., rept. from * to last 3 sts., 2 tr. into next d.c., 1 tr. into each of last 2 d.c., turn. 38 (50, 54, 70) sts.

This row sets position of tr. fabric.

Work a further 3 (3, 4, 4) rows in tr. fabric.

Fasten off.

COLLAR EDGING

With right side facing and using 3.50 mm. Hook, work 1 row of d.c. evenly around entire outer edge of Collar.

Fasten off.

Sew on Buttons.

Press seams.

For Washing instructions see ball band.



5 015832 409032

Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.

A Member of the Thomas Ramsden Group