



Peter Pan

DOUBLE KNIT



P.904

PRICE CODE C

31-56cm (12-22ins)
Premature - 2/3 yrs



V-NECK CARDIGAN AND BOLERO in Peter Pan D.K.

Instructions given for 31 cm. (12 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes		0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements	38 15	42 16½	46 18	50 19½	58 22½	62 24½	cm. ins.
CARDIGAN							
Peter Pan D.K. (50g.)	2	2	2	2	3	3	Balls
Peter Pan D.K. (100g.)	1	1	1	1	2	2	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	2	2	3	3	Balls
BOLERO							
Peter Pan D.K. (50g.)	2	2	2	2	2	3	Balls
Peter Pan D.K. (100g.)	1	1	1	1	1	2	Balls
Peter Pan Little Darlings D.K. (50g.)	2	2	2	2	3	3	Balls
1 - 3.00 mm. (U.K. 10 - U.S.A. D3) and 1 - 3.50 mm. (U.K. 9 - U.S.A. E4) Crochet Hook. 4 Buttons for Cardigan.							
Length from Shoulder	16 6½	18 7	22 8½	26 10½	30 11¾	34 13½	cm. ins.
CARDIGAN							
BOLERO	16 6½	18 7	20 7¾	21 8½	24 9½	27 10½	cm. ins.
Sleeve Seam	10 4	12 4¾	13 5	16 6½	20 7¾	26 10½	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

St(s). - stitch(es); **ch.** - chain; **s.s.** - slip stitch; **d.c.** - double crochet; **tr.** - treble; **sp(s)** - space(s); **rept.** - repeat; **patt.** - pattern; **inc.** - increase; **0** - no stitches, rows or times to be worked in that particular size; **cm.** - centimetres; **ins.** - inches.

TENSION

It is important to check your tension before commencing the garment.

20 sts. and 9 rows to 10 cm. (4 ins.) over patt. on 3.50 mm. Hook.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your hook to a larger size. If there are too few

stitches to 10 cm., then your tension is loose and you will need to change your hook to a smaller size.

CARDIGAN

BACK

Using 3.50 mm. Hook make 40 (44, 48, 52, 60, 64) ch.

Foundation Row (Wrong Side) - 2 tr. into 5th ch. from hook, 2 tr. into next ch., *miss 2 ch., 2 tr. into each of next 2 ch., rept. from * to last 2 ch., miss 1 ch., 1 tr. into last ch., turn. 38 (42, 46, 50, 58, 60) sts.

Commence Patt.

1st Row (Right Side) - 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of turning ch., turn.

This row forms patt.***

Patt. a further 5 (5, 7, 9, 13, 15) rows, thus finishing on a wrong side row. (Work should measure approx. 8 (8, 10, 13, 16, 19) cm., 3 (3, 4, 5, 6½, 7½) ins.)

Shape Armholes

Next Row - S.s. across and into 5th st., 3 ch. (counts as first st.), miss tr. at base of 3 ch. and next tr., 2 tr. into each of next 2 tr., patt. to last 5 sts., miss 1 tr., 1 tr. into next tr. and turn, leaving remaining 4

sts. unworked. 30 (34, 38, 42, 50, 54) sts.

Patt. a further 6 (7, 9, 10, 11, 12) rows. (Armholes should measure approx. 7 (9, 11, 12, 13, 14) cm., 2¾ (3½, 4¼, 4¾, 5, 5½) ins.)

Shape Shoulders

Fasten off, placing markers either side of centre 12 (14, 16, 18, 20, 22) sts. to denote back neck.

LEFT FRONT

Using 3.50 mm. Hook make 20 (24, 24, 28, 32, 32) ch.

Work foundation row as given for Back. 18 (22, 22, 26, 30, 30) sts.

Now work 6 (6, 8, 10, 14, 16) rows in patt. as given for Back, thus finishing on a wrong side row.

Shape Armhole and Front Slope

Keeping patt. correct, proceed as follows:-

1st Row - S.s. across and into 5th st., 3 ch. (counts as first st.), miss tr. at base of 3 ch. and next tr., 2 tr. into each of next 2 tr., patt. to last 3 sts., 1 tr. into each of next 2 tr., turn. 13 (17, 17, 21, 25, 25) sts.

2nd Row - 3 ch., miss last 2 tr. of previous row, 2 tr. into next tr., patt. to end, turn.

3rd Row - Patt. to last 5 tr., 2 tr. into each of next 2 tr., miss 2 tr., 2 tr. into last tr., turn.

4th Row - 3 ch., miss last 3 tr. of previous row, 2 tr. into each of next 2 tr., patt. to end, turn.

5th Row - Patt. to last 5 tr., miss 2 tr., 2 tr. into next tr., 1 tr. into each of next 2 tr., turn. 9 (13, 13, 17, 21, 21) sts.

2nd, 3rd, 4th, 5th and 6th sizes only

6th Row - As 2nd Row.

7th Row - As 3rd Row. (11, 11, 15, 19, 19) sts.

2nd, 4th, 5th and 6th sizes only

8th Row - As 4th Row. (10, 14, 18, 18) sts.

4th, 5th and 6th sizes only

9th Row - As 5th Row.

10th Row - As 2nd Row. (12, 16, 16) sts.

5th size only

11th Row - As 3rd Row. 15 sts.

P.904
Crocheted in Peter Pan D.K.
Shades:
300 Pure White
305 Baby Pink

All Sizes

Working front opening edge 0 (1, 2, 3, 3, 4) sts. as tr. sts. on every row, patt. a further 2 (0, 3, 1, 1, 3) rows.

Shape Shoulder

Fasten off.

RIGHT FRONT

Using 3.50 mm. Hook make 20 (24, 24, 28, 32, 32) ch.

Work foundation row as given for Back. 18 (22, 22, 26, 30, 30) sts.

Now work 6 (6, 8, 10, 14, 16) rows in patt. as given for Back, thus finishing on a wrong side row.

Shape Armhole and Front Slope

Keeping patt. correct, proceed as follows:-

1st Row – 3 ch., miss last 2 tr. of previous row, 1 tr. into next tr., 2 tr. into next tr., patt. to last 5 sts., miss 1 tr., 1 tr. into next tr. and turn leaving remaining 4 sts. unworked.

2nd Row – Patt. to last 6 tr., 2 tr. into each of next 2 tr., miss 2 tr., 2 tr. into next tr., 1 tr. into last tr., turn.

3rd Row – 3 ch., miss last tr. of previous row, 1 tr. into next tr., miss 2 tr., 2 tr. into each of next 2 tr., patt. to end, turn.

4th Row – Patt. to last 4 tr., 2 tr. into each of next 2 tr., miss 1 tr., 1 tr. into last tr., turn.

5th Row – 3 ch., miss last 2 tr. of previous row, 1 tr. into next tr., 2 tr. into next tr., patt. to end, turn. 9 (13, 13, 17, 21, 21) sts.

2nd, 3rd, 4th, 5th and 6th sizes only

6th Row – As 2nd Row.

7th Row – As 3rd Row. (11, 11, 15, 19, 19) sts.

2nd, 4th, 5th and 6th sizes only

8th Row – As 4th Row. (10, 14, 18, 18) sts.

4th, 5th and 6th sizes only

9th Row – As 5th Row.

10th Row – As 2nd Row. (12, 16, 16) sts.

5th size only

11th Row – As 3rd Row. 15 sts.

All Sizes

Working front opening edge 0 (1, 2, 3, 3, 4) sts. as tr. sts. on every row, patt. a further 2 (0, 3, 1, 1, 3) rows.

Shape Shoulder

Fasten off.

SLEEVES (Both Alike)

Using 3.50 mm. Hook make 24 (24, 28, 28, 32, 32) ch.

Work foundation row as given for

Back. 22 (22, 26, 26, 30, 30) sts.

Commence Patt. and Shape

Sleeve Seam

1st Row (Wrong Side) – 3 ch. (counts as first st.), 1 tr. into last tr. of previous row, miss 1 tr., *2 tr. into each of next 2 tr.**, miss 2 tr., rept. from * to end, ending last rept. at **, miss 1 tr., 2 tr. into top of turning ch., turn.

2nd Row – 3 ch. (counts as first st.), 2 tr. into last tr. of previous row, *miss 2 tr., 2 tr. into each of next 2 tr., rept. from * to last 3 sts., miss 2 tr., 3 tr. into top of turning ch., turn.

3rd Row – 3 ch. (counts as first st.), 1 tr. into last tr. of previous row, 2 tr. into next tr., *miss 2 tr., 2 tr. into each of next 2 tr., rept. from * to end, working last 2 tr. into top of turning ch., turn.

4th Row – 3 ch. (counts as first st.), miss last tr. of previous row, *2 tr. into each of next 2 tr.**, miss 2 tr., rept. from * to end, ending last rept. at **, 1 tr. into top of turning ch., turn. 30 (30, 34, 34, 38, 38) sts. Rept. last 4 rows 0 (1, 1, 2, 2, 2) times more. 30 (38, 42, 50, 54, 54) sts.

Keeping patt. correct as set, work a further 4 (2, 3, 1, 6, 10) rows without shaping. (Sleeve should measure 11 (13, 14, 17, 21, 27) cm., 4 1/4 (5, 5 1/4, 6 1/2, 8 1/4, 10 1/2) ins.)

Fasten off.

Place markers along row end edges 2 cm. (3/4 inch) down from upper edge.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

Join shoulder seams by top sewing.

Matching centre of cast off edge of Sleeves to shoulder seams and sleeve markers to top of side seams, sew Sleeves to Back and Fronts by top sewing.

Join side and sleeve seams by top sewing.

FRONT, NECK AND HEM EDGING

With right side facing and using 3.00 mm. Hook, rejoin yarn at base of one side seam and work 1 round of d.c. evenly around entire hem, front opening and neck edge, working 3 d.c. into corners and ending with s.s. to first d.c.

Mark positions for 4 buttonholes along one front opening edge (right front for a girl or left front for a boy)

– top buttonhole just below start of front slope shaping, lowest buttonhole just up from lower edge and remaining 2 buttonholes evenly spaced between.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, working 3 d.c. into corners and missing 4 d.c. around neck edge as required to ensure edging lays flat, making buttonholes at positions marked by replacing "1 d.c. into each of next 2 d.c." with "2 ch., miss 2 d.c.", and ending round with s.s. to first d.c.

Rept. last round once more, but working 2 d.c. into each buttonhole 2 ch. sp.

Fasten off.

CUFF EDGING

With right side facing and using 3.00 mm. Hook, rejoin yarn at base of sleeve seam and work 1 round of d.c. evenly around cuff edge, ending with s.s. to first d.c.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, s.s. to first d.c.

Rept. last round once more.

Fasten off.

Sew on buttons.

Press seams.

BOLERO

BACK

Work as given for Back of Cardigan to ***.

Patt. a further 5 (5, 5, 5, 7, 9) rows, thus finishing on a wrong side row. (Work should measure approx. 8 (8, 8, 8, 10, 12) cm., 3 (3, 3, 3, 4, 4 1/4) ins.)

Complete as given for Back of Cardigan from start of armhole shaping.

LEFT FRONT

Using 3.50 mm. Hook make 17 (21, 21, 25, 29, 29) ch.

Foundation Row (Wrong Side) – Miss 3 ch. (counts as first st.), 1 tr. into next ch. (this is 4th ch. from hook), 2 tr. into next ch., *miss 2 ch., 2 tr. into each of next 2 ch., rept. from * to last 2 ch., miss 1 ch., 1 tr. into last ch., turn. 15 (19, 19, 23, 27, 27) sts.

Commence Patt. and Shape Front Edge

1st Row (Right Side) – 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr.**, miss 2 tr., rept. from * to end, ending last rept. at **, 1 tr. into top of turning ch., turn.

2nd Row – 3 ch. (counts as first st.), 1 tr. into last tr. of previous row, miss 1 tr., *2 tr. into each of next 2 tr.**, miss 2 tr., rept. from *

to end, ending last rept. at **, miss 1 tr., 1 tr. into top of turning ch., turn.

3rd Row – 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to last st., 3 tr. into top of turning ch., turn.

4th Row – 3 ch. (counts as first st.), 1 tr. into last tr. of previous row, 2 tr. into next tr., *miss 2 tr., 2 tr. into each of next 2 tr., rept. from * to last 2 sts., miss 1 tr., 1 tr. into top of turning ch., turn.

5th Row – 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to end, ending last rept. at **, 1 tr. into top of turning ch., turn. 18 (22, 22, 26, 30, 30) sts. Keeping patt. correct as now set, work a further 1 (1, 1, 1, 3, 5) rows, thus finishing on a wrong side row. Complete as given for Left Front of Cardigan from start of armhole and front slope shaping.

RIGHT FRONT

Using 3.50 mm. Hook make 16 (20, 20, 24, 28, 28) ch.

Foundation Row (Wrong Side) – 2 tr. into 5th ch. from hook, 2 tr. into next ch., *miss 2 ch., 2 tr. into each of next 2 ch., rept. from * to end, turn. 15 (19, 19, 23, 27, 27) sts.

Commence Patt. and Shape Front Edge

1st Row (Right Side) – 3 ch. (counts as first st.), miss last tr. of

previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of turning ch., turn.

2nd Row – 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to end, ending last rept. at **, miss 1 tr., 2 tr. into top of turning ch., turn.

3rd Row – 3 ch. (counts as first st.), 2 tr. into last tr. of previous row, *miss 2 tr., 2 tr. into each of next 2 tr., rept. from * to last 2 sts., miss 1 tr., 1 tr. into top of turning ch., turn.

4th Row – 3 ch. (counts as first st.), miss last 2 tr. of previous row, *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to last 2 sts., 2 tr. into next tr., 2 tr. into top of turning ch., turn.

5th Row – 3 ch. (counts as first st.), miss last tr. of previous row., *2 tr. into each of next 2 tr., miss 2 tr., rept. from * to end, ending last rept. at **, miss 1 tr., 1 tr. into top of turning ch., turn. 18 (22, 22, 26, 30, 30) sts.

Keeping patt. correct as now set, work a further 1 (1, 1, 1, 3, 5) rows, thus finishing on a wrong side row. Complete as given for Right Front of Cardigan from start of armhole and front slope shaping.

SLEEVES (Both Alike)

Work as given for Sleeves of Cardigan.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join shoulder seams by top sewing.

Matching centre of cast off edge of Sleeves to shoulder seams and sleeve markers to top of side seams, sew Sleeves to Back and Fronts by top sewing.

Join side and sleeve seams by top sewing.

FRONT, NECK AND HEM EDGING

With right side facing and using 3.00 mm. Hook, rejoin yarn at base of one side seam and work 1 round of d.c. evenly around entire hem, front opening and neck edge, ending with s.s. to first d.c.

Next Round – 1 ch. (does NOT count as st.), 1 d.c. into each d.c. to end, working extra 4 d.c. around curved front edges to ensure edging lays flat and ending round with s.s. to first d.c.

Rept. last round once more. Fasten off.

CUFF EDGING

Work as given for Cuff Edging of Cardigan.

Press seams.

For Washing instructions see ball band.