



Peter Pan



DOUBLE KNIT

P.914

PRICE CODE C

31-56cm (12-22ins)

Premature - 2/3 yrs



RAGLAN ROUND OR V-NECK CARDIGANS AND GILET in Peter Pan D.K.

P.914
Knitted in Peter Pan D.K.
Shades:
302 Peach Cream
304 Watersprite
330 Soft Cream

Instructions given for 31 cm. (12 inch) Chest, larger sizes given in round brackets.
Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	Premature sizes		0-6 mths.	6-12 mths.	1-2 yrs.	2-3 yrs.	
To Fit Chest Sizes	31 12	36 14	41 16	46 18	51 20	56 22	cm. ins.
Actual Measurements	37 14½	45 17½	48 19	52 20½	59 23¼	63 24½	cm. ins.
ROUND NECK CARDIGAN							
Peter Pan D.K. (50g.)	1	2	2	2	2	3	Balls
Peter Pan D.K. (100g.)	1	1	1	1	1	2	Balls
Peter Pan Little Darlings D.K. (50g.)	1	2	2	2	3	3	Balls
V-NECK CARDIGAN							
Peter Pan D.K. (50g.)	1	2	2	2	2	3	Balls
Peter Pan D.K. (100g.)	1	1	1	1	1	2	Balls
Peter Pan Little Darlings D.K. (50g.)	1	2	2	2	3	3	Balls
GILET							
Peter Pan D.K. (50g.)	1	1	1	2	2	2	Balls
Peter Pan D.K. (100g.)	1	1	1	1	1	1	Ball
Peter Pan Little Darlings D.K. (50g.)	1	1	2	2	2	2	Balls
2 – 3¼ mm. (U.K. 10 – U.S.A. 3) and 2 – 4 mm. (U.K. 8 – U.S.A. 6) Wendy Knitting Needles. Stitch Holders. 4 Buttons for Round Neck Cardigan and 4 Buttons for Gilet. 3 Buttons for V-Neck Cardigan.							
Length from Back Neck, approx.	16 6¼	17 6½	21 8¼	25 9¾	29 11½	32 12½	cm. ins.
Sleeve Seam	9 3½	11 4¼	12 4¾	15 6	19 7½	23 9	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. – Knit; **P.** – Purl; **st(s).** – stitch(es); **st.st.** – stocking stitch (1 row knit, 1 row purl); **rept.** – repeat; **beg.** – beginning; **inc.** – increase; **dec.** – decrease; **alt.** – alternate; **sl.** – slip; **patt.** – pattern; **p.s.s.o.** – pass slipped stitch over; **t.b.l.** – through back of loops; **y.fwd.** – yarn forward; **tog.** – together; **cm.** – centimetres; **ins.** – inches.

TENSION

It is important to check your tension before commencing the garment.

22 sts. and 32 rows to 10 cm. (4 ins.) over patt. on 4 mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger

size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

ROUND NECK CARDIGAN

BODY (Worked in one piece to armholes)

Using 4 mm. Needles cast on 79 (95, 103, 111, 127, 135) sts.

Commence Patt.

1st Row (Right Side) – Knit.

2nd and Every Following Alt. Row – Purl.

3rd Row – K.3, *y.fwd., sl.1, K.1, p.s.s.o., K.6, rept. from * to last 4 sts., y.fwd., sl.1, K.1, p.s.s.o., K.2.

5th Row – K.1, *K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.3, rept. from * to last 6 sts., K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.1.

7th Row – As 3rd Row.

9th Row – Knit.

11th Row – K.7, *y.fwd., sl.1, K.1, p.s.s.o., K.6, rept. from * to end.

13th Row – K.5, *K.2tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.3, rept. from * to last 2 sts., K.2.

15th Row – As 11th Row.

16th Row – As 2nd Row.

These 16 rows form patt.

Continue in patt. as set until Body measures approx. 7 (6, 8, 11, 14, 16) cm., 2¾ (2½, 3, 4, 5½, 6¼) ins., finishing on a 6th (4th, 8th, 2nd, 14th, 4th) patt. row.

Divide for Armholes

Next Row (Right Side) – Patt. 17 (21, 23, 25, 29, 31) sts. and sl. these sts. onto a st. holder for Right Front, cast off 4 sts., patt. until there are 37 (45, 49, 53, 61, 65) sts. on right needle and sl. these sts. onto another st. holder for Back, cast off 4 sts., patt. to end.***

Work on this last set of 17 (21, 23, 25, 29, 31) sts. only for Left Front as follows:-

Next Row (Wrong Side) – Purl.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to end.

Rept. last 2 rows 4 (7, 11, 12, 13, 14) times more. 12 (13, 11, 12, 15, 16) sts.

Next Row (Wrong Side) – Purl.

Shape Neck

Next Row (Right Side) – K.1, sl.1, K.1, p.s.s.o., patt. to last 2 sts., K.2tog.

Next Row – [P.2tog.] 0 (1, 1, 1, 1, 1) time, P. to end.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 0 (0, 2, 2, 2, 2) sts., [K.2tog.] 0 (0, 1, 1, 1, 1) time.

Next Row [P.2tog.] 0 (0, 0, 1, 1, 1) time, P. to last 3 (3, 0, 0, 0, 0) sts., [P.2tog.t.b.l., P.1] 1 (1, 0, 0, 0, 0) time.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 0 (0, 0, 0, 2, 2) sts., [K.2tog.] 0 (0, 0, 0, 1, 1) time.

Next Row – [P.2tog.] 0 (0, 0, 0, 0, 1) time, P. to last 3 (3, 0, 0, 0, 0) sts., [P.2tog.t.b.l., P.1] 1 (1, 0, 0, 0, 0) time.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to end.

Next Row – P. to last 3 (3, 0, 0, 0, 0) sts., [P.2tog.t.b.l., P.1] 1 (1, 0, 0, 0, 0) time. 4 (4, 4, 4, 6, 6) sts.

5th and 6th sizes only

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. 3.

Next Row – P.2, P.2tog.t.b.l., P.1. 4 sts.

All Sizes

Next Row – K.1, sl.1, K.1, p.s.s.o., K.1.

Next Row – P.2tog.t.b.l., P.1. K.2tog. and fasten off.

****Shape Back

Return to 37 (45, 49, 53, 61, 65) sts. left on st. holder for Back and rejoin yarn with **wrong** side facing.

Next Row (Wrong Side) – Purl.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Rept. last 2 rows until 23 (25, 15, 17, 23, 25) sts. remain, thus finishing on a right side row.

Next Row – P.1, P.2tog., P. to last 3 sts., P.2tog.t.b.l., P.1. 21 (23, 13, 15, 21, 23) sts.

1st, 2nd, 5th and 6th sizes only

Next Row (Right Side) – K.1, sl.1, K.1,

p.s.s.o., patt. to last 3 sts., K.2tog., K.1.
Next Row – P.1, P.2tog., P. to last 3 sts., P.2tog.t.b.l., P.1.
Rept. last 2 rows 2 (2, 0, 0) times more.

All Sizes

Break yarn and leave remaining 9 (11, 13, 15, 17, 19) sts. on a st. holder for back neck.****

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts. left on st. holder for Right Front and rejoin yarn with **wrong** side facing.

Next Row (Wrong Side) – Purl.

Next Row – Patt. to last 3 sts., K.2tog., K.1.

Rept. last 2 rows 4 (7, 11, 12, 13, 14) times more. 12 (13, 11, 12, 15, 16) sts.

Next Row (Wrong Side) – Purl.

Shape Neck

Next Row (Right Side) – K.2tog., patt. to last 3 sts., K.2tog., K.1.

Next Row – P. to last 0 (2, 2, 2, 2, 2) sts., [P.2tog.] 0 (1, 1, 1, 1, 1) time.

Next Row – [K.2tog.] 0 (0, 1, 1, 1, 1) time, patt. to last 3 sts., K.2tog., K.1.

Next Row – [P.1, P.2tog.] 1 (1, 0, 0, 0, 0) time, P. to last 0 (0, 0, 2, 2, 2) sts., [P.2tog.] 0 (0, 0, 1, 1, 1) time.

Next Row – [K.2tog.] 0 (0, 0, 0, 1, 1) time, patt. to last 3 sts., K.2tog., K.1.

Next Row – [P.1, P.2tog.] 1 (1, 0, 0, 0, 0) time, P. to last 0 (0, 0, 0, 0, 2) sts., [P.2tog.] 0 (0, 0, 0, 0, 1) time.

Next Row – Patt. to last 3 sts., K.2tog., K.1.

Next Row – [P.1, P.2tog.] 1 (1, 0, 0, 0, 0) time, P. to end. 4 (4, 4, 4, 6, 6) sts.

5th and 6th sizes only

Next Row – Patt. 3, K.2tog., K.1.

Next Row – P.1, P.2tog., P.2. 4 sts.

All Sizes

Next Row – K.1, K.2tog., K.1.

Next Row – P.1, P.2tog.
K.2tog. and fasten off.

SLEEVES (Both Alike)

Using 4 mm. Needles cast on 23 (23, 31, 31, 39, 39) sts.

Commencing with 1st Row and working inc. sts. into patt., now work in patt. as given for Body, shaping sides by inc. 1 st. at each end of the needle on the 5th and every following 4 (4, 5, 4, 7, 7)th row until 31 (35, 41, 49, 51, 55) sts. are on the needle.

Continue without further shaping until Sleeve measures approx. 7 (9, 10, 13, 17, 21) cm., 2³/₄ (3¹/₂, 4, 5, 6¹/₂, 8¹/₄) ins., finishing on a 6 (12, 16, 10, 6, 4)th patt. row.

Shape Raglan

Keeping patt. correct, cast off 2 sts. at beg. of next 2 rows.

Working all raglan decreases as set by Shape Back, dec. 1 st. at each end of next and every following alt. (alt., 4th, alt., 4th, alt.) row until 7 (5, 31, 9, 43, 9) sts. remain.

1st and 4th sizes only

Dec. 1 st. at each end of next row, thus finishing on a wrong side row. 5 (7) sts.

3rd and 5th sizes only

Dec. 1 st. at each end of every following alt. row until (7, 9) sts. remain.

All Sizes

Work 0 (1, 1, 0, 1, 1) row, thus finishing on a wrong side row.

Break yarn and leave remaining 5 (5, 7, 7, 9, 9) sts. on a safety pin.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

CUFF EDGING

With right side facing and using 3¹/₄ mm. Needles, pick up and K.21 (21, 31, 31, 36, 36) sts. evenly across cast on edge of Sleeve.

**Knit 3 rows.

Change to 4 mm. Needles.

Starting with a K. row, work 4 rows in st.st.

Casting off sts. as you go along, now work scalloped cast off as follows:-

*K. next st. 4 rows below (do NOT pull up st. but leave it short and tight to gather up st.st.), now K. and cast off next st. again, K. and cast off each of next 4 sts., rept. from * to last st., K. last st. 4 rows below (do NOT pull up st. but leave it short and tight to gather up st.st.), now K. and cast off last st. again.**

Join sleeve seams by top sewing. Join raglan seams by top sewing.

NECK EDGING

With right side facing and using 3¹/₄ mm. Needles, pick up and K.11 (10, 10, 11, 13, 14) sts. up right side of neck, K.5 (5, 7, 7, 9, 9) sts. from Right Sleeve safety pin, 9 (11, 13, 15, 17, 19) sts. from back neck st. holder dec. 0 (0, 1, 0, 0, 0) st. at centre, 5 (5, 7, 7, 9, 9) sts. from Left Sleeve safety pin, then pick up and K.11 (10, 10, 11, 13, 15) sts. down left side of neck. 41 (41, 46, 51, 61, 66) sts.

Work as given for Cuff Edging from ** to **.

HEM EDGING

With right side facing and using 3¹/₄ mm. Needles, pick up and K.76 (91, 101, 111, 126, 131) sts. evenly along cast on edge of Body.

Work as given for Cuff Edging from ** to **.

BUTTON BORDER

With right side facing and using 3¹/₄ mm. Needles, pick up and K.31 (36, 41, 51, 61, 66) sts. evenly along left front opening edge, starting and ending at cast off edges of Edgings.

Work as given for Cuff Edging from ** to **.

BUTTONHOLE BORDER

Work as given for Button Border, picking up sts. along other front opening edge and with the addition of 4 buttonholes worked in 2nd Row as follows:-

2nd Row (Right Side) – K.3 (3, 4, 3, 3,

3), *y.fwd., K.2tog., K.6 (8, 9, 13, 16, 18), rept. from * twice more, y.fwd., K.2tog., K.2 (1, 2, 1, 2, 1).

Sew on buttons.

Press seams.

V-NECK CARDIGAN

BODY (Worked in one piece to armholes)

Work as given for Body of Round Neck Cardigan to ***.

Work on this last set of 17 (21, 23, 25, 29, 31) sts. only for Left Front as follows:-

Next Row (Wrong Side) – Purl.

Shape Front Slope

Place marker at beg. of last row to denote start of front slope shaping.

Next Row – K.1, sl.1, K.1, p.s.s.o., patt. to last 2 sts., K.2tog.

Next Row – Purl.

Last 2 rows set raglan shaping.

*****Keeping raglan shaping correct as set, dec. 1 st. at raglan edge on next and following 5 (8, 15, 16, 17, 18) alt. rows **and at same time** dec. 1 st. at front slope edge on every following 0 (12th, 12th, 10th, 8th, 7th) row from previous dec. 9 (9, 3, 3, 5, 5) sts.

Dec. 1 st. at raglan edge **only** on next 7 (7, 1, 1, 3, 3) rows, thus finishing on a wrong side row.

K.2tog. and fasten off.*****

Shape Back

Work as given for Back of Round Neck Cardigan from **** to ****.

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts. left on st. holder for Right Front and rejoin yarn with **wrong** side facing.

Next Row (Wrong Side) – Purl.

Shape Front Slope

Place marker at end of last row to denote start of front slope shaping.

Next Row – K.2tog., patt. to last 3 sts., K.2tog., K.1.

Next Row – Purl.

Last 2 rows set raglan shaping.

Complete to match Left Front from ***** to *****.

SLEEVES (Both Alike)

Work as given for Sleeves of Round Neck Cardigan.

PRESSING

With wrong side facing, pin out all pieces to measurements given.

Press as instructions given on ball band.

MAKING UP

CUFF EDGING

Work as given for Cuff Edging of Round Neck Cardigan.

Join sleeve seams by top sewing. Join raglan seams by top sewing.

HEM EDGING

With right side facing and using 3¹/₄ mm. Needles, pick up and K.76 (91, 101, 111, 126, 131) sts. evenly along cast on edge of Body.

Work as given for Cuff Edging of Round Neck Cardigan from ** to **.

FRONT EDGING

With right side facing and using $3\frac{1}{4}$ mm. Needles, starting and ending at cast off edge of Hem Edging, pick up and K.20 (20, 22, 29, 37, 41) sts. up right front opening edge to marker, and 16 (20, 25, 27, 29, 31) sts. up right front slope, K.5 (5, 7, 7, 9, 9) sts. from Right Sleeve safety pin, 9 (11, 13, 15, 17, 19) sts. from back neck st. holder dec. 0 (0, 0, 0, 1, 0) st. at centre, 5 (5, 7, 7, 9, 9) sts. from Left Sleeve safety pin, then pick up and K.16 (20, 25, 27, 29, 31) sts. down left front slope to marker, and 20 (20, 22, 29, 37, 41) sts. down left front opening edge to lower edge. 91 (101, 121, 141, 166, 181) sts.

Work as given for Cuff Edging from ** to **, with the addition of 3 buttonholes made in 2nd Row as follows:-

2nd Row (Right Side) - K.3, *y.fwd., K.2tog., K.6 (6, 7, 10, 14, 16), rept. from * once more, y.fwd., K.2tog., K. to end.

Sew on buttons.

Press seams.

GILET

BODY (Worked in one piece to armholes)

Work as given for Body of Round Neck Cardigan to ***.

Work on this last set of 17 (21, 23, 25, 29, 31) sts. only for Left Front as follows:-

*****Dec. 1 st. at armhole edge on next 4 (4, 4, 4, 6, 6) rows, then on following 2 (4, 4, 4, 4, 4) alt. rows. 11 (13, 15, 17, 19, 21) sts.

Continue without further shaping until armhole measures 4 (6, 8, 9, 9, 10) cm., $1\frac{1}{2}$ ($2\frac{1}{4}$, 3, $3\frac{1}{2}$, $3\frac{1}{2}$, 4) ins., finishing at front opening edge.

Shape Neck

Cast off 2 (3, 3, 4, 4, 5) sts. at beg. of next row. 9 (10, 12, 13, 15, 16) sts.

Dec. 1 st. at neck edge on next 4 (4, 5, 5, 6, 6) rows. 5 (6, 7, 8, 9, 10) sts.

Continue without further shaping until

armhole measures 7 (9, 11, 12, 13, 14) cm., $2\frac{3}{4}$ ($3\frac{1}{2}$, $4\frac{1}{4}$, $4\frac{3}{4}$, 5, $5\frac{1}{2}$) ins., finishing at armhole edge.

Shape Shoulder

Cast off remaining 5 (6, 7, 8, 9, 10) sts.*****

Shape Back

Return to 37 (45, 49, 53, 61, 65) sts. left on st. holder for Back and rejoin yarn with **wrong** side facing.

Dec. 1 st. at each end of next 4 (4, 4, 4, 6, 6) rows, then on following 2 (4, 4, 4, 4, 4) alt. rows. 25 (29, 33, 37, 41, 45) sts. Continue without further shaping until armholes measure 7 (9, 11, 12, 13, 14) cm., $2\frac{3}{4}$ ($3\frac{1}{2}$, $4\frac{1}{4}$, $4\frac{3}{4}$, 5, $5\frac{1}{2}$) ins., finishing on a wrong side row.

Shape Shoulders

Cast off 5 (6, 7, 8, 9, 10) sts. at beg. of next 2 rows.

Leave remaining 15 (17, 19, 21, 23, 25) sts. on a st. holder.

Shape Right Front

Return to 17 (21, 23, 25, 29, 31) sts. left on st. holder for Right Front and rejoin yarn with **wrong** side facing. Complete as given for Left Front from ***** to *****.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

HEM EDGING

With right side facing and using $3\frac{1}{4}$ mm. Needles, pick up and K.76 (91, 101, 111, 126, 131) sts. evenly along cast on edge of Body.

**Knit 3 rows.

Change to 4 mm. Needles.

Starting with a K. row, work 4 rows in st.st.

Casting off sts. as you go along, now work scalloped cast off as follows:-

*K. next st. 4 rows below (do NOT pull

up st. but leave it short and tight to gather up st.st.), now K. and cast off next st. again, K. and cast off each of next 4 sts., rept. from * to last st., K. last st. 4 rows below (do NOT pull up st. but leave it short and tight to gather up st.st.), now K. and cast off last st. again.**

Armhole Edging

With right side facing and using $3\frac{1}{4}$ mm. Needles, pick up and K.36 (46, 56, 61, 66, 71) sts. evenly around entire armhole edge.

Work as given for Hem Edging from ** to **.

Join shoulder seams by top sewing.

NECK EDGING

With right side facing and using $3\frac{1}{4}$ mm. Needles, pick up and K.13 (12, 14, 15, 17, 18) sts. up right side of neck, K.15 (17, 19, 21, 23, 25) sts. from back neck st. holder dec. 0 (0, 1, 0, 1, 0) st. at centre, then pick up and K.13 (12, 14, 15, 17, 18) sts. down left side of neck. 41 (41, 46, 51, 56, 61) sts.

Work as given for Hem Edging from ** to **.

BUTTON BORDER

With right side facing and using $3\frac{1}{4}$ mm. Needles, pick up and K.31 (36, 41, 51, 61, 66) sts. evenly along left front opening edge, starting and ending at cast off edges of Edgings.

Work as given for Hem Edging from ** to **.

BUTTONHOLE BORDER

Work as given for Button Border, picking up sts. along other front opening edge and with the addition of 4 buttonholes worked in 2nd Row as follows:-

2nd Row (Right Side) - K.3 (3, 4, 3, 3, 3), *y.fwd., K.2tog., K.6 (8, 9, 13, 16, 18), rept. from * twice more, y.fwd., K.2tog., K.2 (1, 2, 1, 2, 1).

Sew on buttons.

Press seams.

For Washing instructions see ball band.



5 015832 409148

199 26
\$4.00