

PINGOUIN



PA 47 France 15 F / Deutschland 4.50 DM / Belgique-Belgie 90 FB / Nederland 5,95 FL / Canada \$C 4.50 / Suisse-Schweiz 3,90 FS / Espagne 400 PTAS

TENDRESSE
FIL LAYETTE AUX 6 COLORIS DOUX ET CALINS
UNE NOUVELLE DOUCEUR POUR LES TOUT PETITS
À DÉCOUVRIR DANS CE CATALOGUE SPÉCIAL DE 20 MODÈLES






5



6



7









14

15





Collection PETIT PINGOUIN
Peluche SWEETIE CD01 0005
Bavoirs ELOÏSE BR 18
Sortie de bain ANAÏS BR 17

very important

THE TENSION SAMPLE

Your tension must be identical to that given in the instructions to obtain a garment of the correct size and shape.

To be sure of this you must knit a sample

● STITCHES

With each design we indicate the number of stitches needed for the sample. This will allow for the stitches needed in the case of a pattern repeat.

● ROWS

Work about 15 cm in length or in the case of a pattern you are not familiar with, work a longer sample. Cast off the stitches.

Checking your tension

Use some pins to mark out in the centre of the sample a square 10 cm each way. Count the number of stitches and rows included inside the square.

If you have fewer stitches to 10 cm than the stated tension you should try again with smaller needles. If you have more sts to 10 cm than the stated tension you should try again with larger needles.

Use needles which produce correct tension for the main parts of the garment making similar adjustments to needles used for the ribbing or other parts.

Tips and advice from Penguin studio

KNITTING

Single rib. * K1, P1 *, * rep from * to * on each row. If you have an odd number of sts the instructions will tell you how to arrange the rib.

Double rib. * K2, p2 *, rep from * to * along the row. Right-side rows usually end with k2 and then the wrong-side rows will read: *P2, k2 *, ending with p2. Double rib can be arranged in different ways according to the pattern and the effect required.

Stocking stitch. K on right side, p on wrong side.

Reversed stocking stitch. P on right side, k on wrong side.

Garter stitch. K each st on every row. Each ridge which you can see counts as 2 rows.

CROCHET

Chain. Beg with a loop already on hook pass hook under the yarn and draw a loop through.

Slip-sts. Insert hook under the chain or into a st in previous row, yarn over hook and draw it through the st of ch and through the ch already on hook.

Double crochet. (US, single crochet) Insert hook under a ch or into a st in previous row, yarn over hook, draw a loop through, yarn over hook and draw through the 2 loops on hook.

Treble. (US double crochet) Yarn over hook, insert hook under a ch or into a st in previous row, yarn over hook and draw a loop through, yarn over hook and draw it through 2 loops, yarn over hook and draw through rem 2 loops.

Abbreviations

K - knit; p - purl; st(s) - stitch(es), st st - stocking stitch; g st - garter stitch; m st - moss stitch; rev st st - reversed stocking stitch; rep - repeat; beg - beginning; cont - continue; rem - remaining; alt - alternate; foll - following; patt - pattern; tog - together; yfd - yarn forward to make a st between 2 k sts; yon - yarn over needle after a p st and before a k st; yrn - yarn round needle between 2 p sts or after a k st and before a p st; SKPO - slip 1, k 1, pass slipped st over; SKTPO - slip 1, k2 tog, pass slipped st over; psso - pass slipped st over; tbl - through back of loop(s); inc - increase; dec - decrease; cm - centimetres; ins - inches.

Any other abbreviations are explained in the text for each design.

Crochet: Ch - chain; dc - double crochet (US single crochet); tr - treble (US double crochet); dtr - double treble (US treble); sl st - slip stitch; sp - space; yoh - yarn over hook.

Other abbreviations used are explained in the text.

US readers should note that English terms are used in crochet patterns and the corresponding American terms are as above.

For equivalent US needle sizes please see Chart p. 2.

Asterisk

The sts given between two small stars must be worked along the row either the number of times stated or until a certain number of sts remain at the end. Square brackets are often used for the same purpose and the sts inside the brackets must be worked the number of times stated afterwards.

Sizes

Where garments are in more than one size the smallest size is given first with any necessary alterations for the larger sizes given in round brackets in size order. If there is only one figure it applies to all sizes.

Before casting on the first stitch

BRANCHES - IMPORTERS AND AGENTS OF PINGOUIN

Germany : FRIEDR. ACKERMANN GmbH & Co. - Neckgartacher Str. 111 - 74080 Heilbronn - Tél. 07131/4710 - Fax : 07131/471149
KONRAD TIEDT GmbH & Co. - Bremer Str. 2 - 30880 Laatzen - Tél. : 0510/27080 - Fax : 0510/2708295

Austria : W. SCHMIDL & SÖHNE - 1011 WI WIPPLINGERSTRASSE 24-26 - POSTFACH 982. Tél. 0222/533 1370 - Fax : 0222/535 6485

Australia : HANDICRAFTS AUSTRALIA PTY LTD - 173 Burwood Road-Burwood N.S.W. 2134. Tél. : 02747/5788 - Fax : 02747/5654

Belgium-Luxembourg : Agent Pingouin. J.C. TEX B.V.B.A. M. J. CARTON, rue du Poirier 6 - 7191 Ecaussinnes - Tél. : 67.44.22.87 - Fax : 67.44.22.87

Brazil : PARAMOUNT LANSUL S.A. - Rua Alexandre Dumas 1901 - 04717 Sao Paulo Tél. : 11.548.5200 - Tlx. : (11) 55465 Lans BR

Canada : Promafil Canada Ltd - 300 Bd Laurentien - Suite 100 - Saint-Laurent QE - H4M 2L4 - Tél. : (514) 747.29.38 - Fax : (514) 748 93 58

Cyprus : Zaco Ltd, 170 Ledra Street - P.O. Box 1860 - Nicosie - Tél. : 2.465115 - Fax : 2.461849

Espagne : PINGOUIN S.A. - 9 av. Sarria - 08029 Barcelona - Tél. : 3/410.60.00 - Fax : 3/410.75.94

United States : Lane Borgosesia - 48 23 Centennial Bld Colorado Spring - Colorado 80919

Finland : Oy Nordia Produkter Vilppulante 20A - 00700 Helsinki - Finlande - Tél. : 345.33.61 - Fax : 353.597

Great Britain : Habico Limited - 2 peary street, Rochdale Road, Manchester M4 4JB - Tél. : 61 832 0979 - Fax : 61 833 2624.

Hong-Kong : Cheer Wool Co 4 Fenwick street, G/F Wanchai - Tél. : 527.3901 - Fax : 528.5062.

Ile Maurilus : Omarjee et Cie - 35, rue Mère Barthelemy - Port-Louis - Tél. : 240.1312 - Fax : 212.0940

Ile Réunion : Omarjee - B.P. 64 - 192, rue du Mal Leclerc 97462 Saint Denis - Tél. : 21.46.30

Italy : Aries - Via Pico Della Mirandola 8/B - 20151 Milano - Tél. : 238.010.380 - Fax : 238.010.260

Japan : NICHIFUTSU BOEKI K.K. - DF - Building 8 Go, 2, 2 Chome-Minami Aoyama Minato Ku - Tokyo - Tél. : 33.403-0330 - Fax : 33.404-4472

Mexique : Exclusivas Eva S.A. De C.V. Boul. Miguel Hidalgo N° 1613 Fracc. La Presa y la Reforma CP 43660 TULANCINGO HIDALGO - Tél. : 775.34.650 - Fax : 775.31.261.


Holland : Pako Handwerken B.V. Postbus 60 Flevolaan 25 A - 1382 Jx Weesp - Tél. : 2940.15070 - Fax : 2940.15099

South Africa : Saprotex International (PTY) Ltd - PO Box 1293 - 5200 East London - Tél. : 403.631.551 - Fax : 403.631.169

Sweeden : NORDISKA TREND GARN - P.O. BOX 5015 - 44851 TOLLERED - Tél. : 302.327.30 - Fax : 302.328.47

Switzerland : PINGOUIN S.A. - Case Postale n° 48 - 12, route de Meyrin - 1211 Genève 7 - Tél. : 227.337.626 - Fax : 227.332.787

St Pierre & Miquelon : 12, rue des Français libres - BP 1014 - 97500 St Pierre & Miquelon. Tél. : 41.37.30 - Fax : 41.46.63



01 WRAPAROUND JACKET



No 94.390

SIZES

To fit a baby at birth (3 months-6 months). Actual width around chest when fastened, 18½ (20½-22) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (2-3) balls Opaline (pale green) No 4104 (A) and 1 ball or part-ball Grand blanc (white) No 103 (B). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); 5 small buttons.

STITCHES USED

G st; p g st = p every row; patt, worked from chart, as explained in the instructions.

TENSION. Over patt using 3 mm needles, 28 sts and 46 rows to 10 cm [4 ins]; work a sample on 42 sts. Mark off on chart the first 42 sts from right-hand edge and work this section of patt for sample.

INSTRUCTIONS

FRONT

With 3 mm needles and A cast on 69 (75-81) sts and work at once in patt.

1st to 6th rows. Work in p g st.

7th row. K 0 (1-4), p 1 (3-3), *[k 3, p 1] twice, k 3, p 3, k 11, p 3; * rep from * to * again, [k 3, p 1] twice, k 3, p 1 (3-3), k 0 (1-4).

8th and all wrong-side rows. P every st. Cont working in patt from chart; begin right-side rows at position indicated according to size,

work to centre st then work back from previous st to starting position. Cont without shaping until work measures 11 (12-13) cm [4¼ (4½-5) ins] from beg, ending with a wrong-side row. Make a note of the number of rows worked in patt.

Armhole Shaping. Keeping patt correct cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 4 rows then dec 1 st at both ends of next 3 (4-5) alt rows. Cont on rem 49 (53-57) sts until work measures 16 (18-20) cm [6¼ (7-8) ins] from beg, ending with a wrong-side row.

Neck Shaping. 1st row. Work 21 (22-23) sts and leave these sts of left front on a spare needle, cast off next 7 (9-11) sts, work to end. Cont on 21 (22-23) sts now rem on needle for right front and work 1 row. **Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 alt rows. ** Cont on rem 11 (12-13) sts and work 6 rows without shaping thus ending with a right-side row; cast off these sts for shoulder edge. Rejoin yarn to neck edge of left front sts; cont as given for right front from ** to ** then work 7 rows without shaping thus ending with same patt row as on right front. Cast off rem 11 (12-13) sts. Make a note of the total number of rows worked in patt.

RIGHT BACK

With 3 mm needles and A cast on 48 (52-56) sts and work in patt.

1st to 6th rows. Work in p g st.

7th row. K 0 (1-4), p 1 (3-3), then rep from * to * in 7th patt row of front once, [k 3, p 1] twice, k 3, p 3, k 5 (6-7). Cont in patt as now set until you have worked same number of rows as on front to armhole, thus ending at side edge after a wrong-side row.

Armhole Shaping. Cast off 3 sts at beg of next row and 2 sts at same edge on next 2 alt rows then dec 1 st at same edge on next 3 (4-5) alt rows. Cont on rem 38 (41-44) sts until you have worked 4 rows fewer than the total worked on front thus ending with a right-side row.

Neck Shaping. Cast off 22 (24-26) sts at beg of next row and 5 sts at same edge on next alt row. Work 1 row on rem 11 (12-13) sts then cast off these sts for shoulder edge.

LEFT BACK

With 3 mm needles and A cast on 48 (52-56) sts and work in patt.

1st to 6th rows. Work in p g st.

7th row. K 5 (6-7), p 3, then rep from * to * in 7th patt row of front once, [k 3, p 1] twice, k 3, p 1 (3-3), k 0 (1-4). Cont in patt as now set until you have worked 1 more row than on front to armhole, thus ending at side edge after a right-side row. Work armhole shaping as given for right back then cont on rem 38 (41-44) sts until you have worked 5 rows fewer than the total worked on front thus ending with a wrong-side row. Work neck shaping as given for right back, work 2 rows on rem 11 (12-13) sts then cast off these sts for shoulder edge.

SLEEVES

With 3 mm needles and A cast on 41 (43-45) sts and work in patt.

1st to 6th rows. Work in p g st.

7th row. P 1 (2-3), then rep from * to * in 7th patt row of front once, [k 3, p 1] twice, k 3, p 1 (2-3). Mark on chart with a coloured pen the position where this row begins and ends according to size then shape side edges. Working extra sts into patt inc 1 st at both ends of next row, then on every foll 8th row 2 (1-1) times, then on every foll 6th row 2 (4-5) times, then inc at both ends of every foll 4th row 0 (1-2) times. Cont on 51 (57-63) sts until work measures 10 (12-14) cm [4 (4½-5½) ins] from beg, ending with a wrong-side row.

Top Shaping. Cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 4 rows; dec 1 st at both ends of every alt row 2 (2-3) times, then dec 1 st at both ends of every foll 4th row twice after which dec 1 st at both ends of next 2 alt rows; cast off 2 sts at beg of next 4 (6-8) rows and 3 sts at beg of next 2 rows. Cast off rem 11 (13-13) sts.

COLLAR

This is worked in two halves. For first half cast on 30 (31-32) sts using 2 $\frac{3}{4}$ mm needles and B; work 2 rows in g st then begin shaping. Dec 1 st at beg of next row and next 6 (7-7) alt rows, work 1 row after last dec row thus ending at shaped edge; cast off 9 (9-10) sts at beg of next row, 3 sts at same edge on next 2 alt rows and 2 sts on next 2 alt rows. Work 1 more row then cast off rem 4 sts. For second half work in same way but work 3 rows before the first dec, thus reversing shape.

mm needles and A, pick up and k 57 (63-69) sts along straight back edge of right back and work 2 rows in g st.

3rd row. Beg at lower edge, wrong side facing, k 53 (59-65), k 2 tog, yfd, k 2. Work 3 more rows in g st then cast off rather loosely.

Pick up same number of sts along back edge of left back and work 2 rows in g st.

3rd row. Beg at upper edge, wrong side facing, k 2, yfd, k 2 tog, k to end. Work 3 more rows in g st then cast off rather loosely.

Tack the shaped edges of collar halves to front neckline, see picture. Join shoulder seams catching in upper edges of collar halves.

Neck border. With right side of work facing


and using 2 $\frac{3}{4}$ mm needles and A, pick up and 31 (33-35) sts across left back neck edge, including upper edge of back border, 37 (39-41) sts around front neck edge, including edges of collar halves, and 31 (33-35) sts across right back neck edge and upper edge of border. Immediately cast off these 99 (105-111) sts k-wise.

Sew in sleeves then join side and sleeve seams matching patt. Lap right back over left and sew on 2 buttons to correspond with buttonholes, one on wrong side of right back, the other on right side of left back. Sew rem 3 buttons in a line at centre front, see picture.


MAKE UP & BORDERS

With right side of work facing and using 2 $\frac{3}{4}$

94.390



94.390



See instructions for exact arrangement of patt on all parts of jacket.

□ = k on right side
□ = p on right side

Only right-side rows are shown on chart ; on wrong-side rows p every st.

Begin front and right back

N O T E S



No 94.379

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months). Actual width around hips when completed, 19 $\frac{3}{4}$ (21-22 $\frac{3}{4}$ -24 $\frac{1}{2}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 1 ball Grand Blanc (white) No 103 (A) and 1 ball or part-ball in each of the foll, Opaline (pale green) No 4104 (B), Poussin (pale yellow) No 151 (C) and Dragee (pale pink) No 8104 (D). Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); elastic thread.

STITCHES USED

Single rib; g st; st st; striped patt: working in st st beg with a k row work *2 rows B, 6 rows A, 2 rows D, 6 rows A, 2 rows C, 6 rows A;* cont to rep these 24 rows from * to * through-out.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With 2 $\frac{3}{4}$ mm needles and A cast on 24 (26-

29-31) sts for first leg and work 3 rows in g st. **Inc row.** K 2 (2-3-3), [inc in next st, k 1] 11 (12-12-13) times, k rem 0 (0-2-2) sts. [35 (38-41-44) sts]. Change to 3 mm needles and work in striped patt as given above. Work 6 (8-10-12) rows without shaping thus ending with a p row then shape inner leg edge. Inc 1 st at beg of next row then on every foll 8th row 0 (1-4-7) times, on every foll 6th row 5 (6-3-0) times, then for 1st size only inc at same edge on every foll 4th row twice. Cont on these 43 (46-49-52) sts until work measures 14 (16-18-20) cm [5 $\frac{1}{2}$ (6 $\frac{1}{4}$ -7-8) ins] from beg, ending at shaped edge after a p row.** Make a note of the number of rows worked in patt. Cast off 2 sts at beg of next row then p 1 row on rem 41 (44-47-50) sts. Cut yarn and leave sts on a spare needle.

Second leg. Work as given for first leg but working the incs at end of corresponding rows then cont until you have worked same number of rows as on first leg to ** thus ending at straight side edge. K 1 more row then cast off 2 sts at beg of foll row. Now join the legs.

1st row. Using correct colour k sts of second leg then beg at shaped edge k sts of first leg. P 1 row on these 82 (88-94-100) sts.

3rd row. K 38 (41-44-47), k 2 tog, k 2 (centre 2 sts), SKPO, k 38 (41-44-47). Cont to dec in this way at each side of centre 2 sts on next 3 alt rows then cont on rem 74 (80-86-92) sts until work measures 28 (32-36-40) cm [11 (12 $\frac{1}{2}$ -14 $\frac{1}{4}$ -15 $\frac{3}{4}$) ins] from beg, ending with a p row. Change to 2 $\frac{3}{4}$ mm needles and cont in A only; k 1 row on right side then work 6 rows in single rib. Cast off loosely ribwise.


FRONT

Work as given for back taking care to end with same patt row before working waistband.

MAKE UP

Join side and inner leg seams matching stripes. Pass 3 rows of elastic thread through wrong side of waistband, on 1st, 3rd and 5th rows of ribbing, securing ends in a seam.

94.379



Left half back
or
right half front

N O T E S



No 94.381

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when completed, 18 $\frac{1}{2}$ (20 $\frac{1}{2}$ -21 $\frac{3}{4}$ -23 $\frac{3}{4}$ -25) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (3-3-4-4) balls Opaline No 4104. Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 3 small buttons.

STITCHES USED

Double rib; st st; g st.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With 2 $\frac{3}{4}$ mm needles cast on 70 (78-82-90-94) sts and work in double rib.

1st row. (right side). *K 2, p 2;* rep from * to * ending k2.

2nd row. P 2, *k 2, p 2;* rep from * to *. Rep these 2 rows 3 times more. Change to 3 mm needles and beg with a k row work in st st. Cont without shaping until work measures 12 (13-14-15-16) cm [4 $\frac{3}{4}$ (5-5 $\frac{1}{2}$ -6-6 $\frac{1}{4}$) ins] from beg, ending with a p row.** Place a marker

loop of contrast yarn at each end of last row to indicate beg of armholes.

Back Opening. Next row. K 34 (38-40-44-46) sts and leave these sts of right back on a spare needle, cast off 2, k to end. Cont on 34 (38-40-44-46) sts now rem on needle for left back; cont without shaping until work measures 21 (23-25-27-29) cm [$8\frac{3}{4}$ (9-9 $\frac{3}{4}$ -10 $\frac{1}{2}$ -11 $\frac{1}{2}$) ins] from beg, ending at edge of opening.

Neck Shaping. Cast off 9 (10-11-12-13) sts at beg of next row and 5 sts at same edge on next alt row. Work 1 row on rem 20 (23-24-27-28) sts then cast off these sts for shoulder edge. With wrong side of work facing rejoin yarn to sts of right back; complete as given for left back working neck shaping at opposite edge.

FRONT

Work as given for back to **; place armhole markers at each end then cont without shaping until work measures 18 (20-22-24-26) cm [7 (8-8 $\frac{3}{4}$ -9 $\frac{1}{2}$ -10 $\frac{1}{4}$) ins] from beg, ending with a p row.

Neck Shaping. 1st row. K 30 (33-34-37-38) sts and leave these sts of left front on a spare needle, cast off next 10 (12-14-16-18) sts, k to end. Cont on 30 (33-34-37-38) sts now rem on needle for right front and p 1 row. ***Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 alt rows.*** Work 3 rows on rem 20 (23-24-27-28) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of left front sts; cont as given for right front from *** to ***; work 4 rows without shaping then cast off rem 20 (23-24-27-28) sts for shoulder edge.

SLEEVES

With 2 $\frac{3}{4}$ mm needles cast on 46 (50-50-54-54) sts and work 8 rows in rib as on back welt. Change to 3 mm needles and beg with a k row work in st st shaping sides; inc 1 st at both

ends of every foll 8th row 4 (5-0-1-0) times, then on every foll 6th row 2 (2-10-10-10) times, (then for 5th size only inc 1 st at both ends of every foll 4th row 4 times). Cont on these 58 (64-70-76-82) sts until work measures 15 (17-19-21-23) cm [6 (6 $\frac{3}{4}$ -7 $\frac{1}{2}$ -8 $\frac{1}{4}$ -9) ins] from beg. Cast off all sts rather loosely.

MAKE UP & BORDERS

Join shoulder seams. With right side of work facing and using 2 $\frac{3}{4}$ mm needles pick up and k 17 (18-19-20-21) sts along left back neck edge, 42 (44-46-48-50) sts around front neck and 17 (18-19-20-21) sts along right back neck. [76 (80-84-88-92) sts]. Work in double rib with g st edging as folls:

1st row. (wrong side). K 1, *p 2, k 2; * rep from * to * ending p 2, k 1.


2nd row. K 3, *p 2, k 2; * rep from * to * ending k 1. Rep these 2 rows twice more then cast off loosely ribwise.

Back opening borders. With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 32 (35-38-41-44) sts along right back edge of opening, including edge of neck border.

1st row. K. Now make buttonholes.

2nd row. Beg at neck edge, right side facing, k 2, yfd, k 2 tog, [k 10 (11-12-14-15), yfd, k 2 tog] twice, k rem 4 (5-6-5-6) sts. Work 2 more rows in g st then cast off rather loosely. Work similar border on left edge of opening but omitting buttonholes.

Sew cast-off edge of sleeves to sides of back and front between armhole markers then join side and sleeve seams. Sew lower edge of back borders to base of opening, lapping right border over left. Sew on buttons to correspond with buttonholes.



04 STRIPED SALOPETTE



No 94.380

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months). Actual width around chest when completed, 18 $\frac{1}{2}$ (20-21 $\frac{3}{4}$ -23 $\frac{1}{4}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 1 (1-2-2) balls Grand blanc (white) No 103 (A), and 1 ball or part-ball in each of the foll, Opaline (pale green) No 4104 (B), Poussin (pale yellow) No 151 (C) and Dragee (pale pink) No 8104 (D). Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US

sizes 2 and 3); 7 small buttons; a light-weight zip 18 (20-20-23) cm [7 (8-8-9) ins] long.

STITCHES USED

Single rib; g st; st st; SKPO, slip 1, k 1, pass slipped st over; **SKTPO**, slip 1, k 2 tog, pass slipped st over; take care to distinguish between these 2 forms of dec.

Striped patt: working in st st beg with a k row work *2 rows B, 6 rows A, 2 rows D, 6 rows A, 2 rows C, 6 rows A; * cont to rep these 24 rows from * to * throughout. Always count rows carefully so that shapings on front will begin at same position on patt as those of back.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With 2 $\frac{3}{4}$ mm needles and A cast on 38 (40-

42-44) sts for lower edge of one leg and work in single rib for 8 rows (but for 2nd and 4th sizes inc 1 st at centre of last row). [38 (41-42-45) sts]. Change to 3 mm needles and work in striped patt as given above shaping sides; inc 1 st at both ends of every foll 8th row 4 (6-5-7) times, then on every foll 6th row 2 (0-2-0) times. Cont on these 50 (53-56-59) sts until work measures 15 (16-17-18) cm [6 (6 $\frac{3}{4}$ -6 $\frac{3}{4}$ -7) ins] from beg, ending with a p row. Cut yarn and leave sts on a spare needle.

Work second leg in same way ending with same row of striped patt but do not cut yarn. Now join legs.

1st row. Using correct colour k sts of second leg then cont across sts of first leg. [100 (106-112-118) sts]. Now begin side shaping.

2nd row. P 2 tog, p to last 2 sts, p 2 tog.

3rd row. K 45 (48-51-54), k 3 tog, k 2 (centre 2 sts), SKTPO, k 45 (48-51-54).

4th row. P without shaping.

5th row. K 44 (47-50-53), k 2 tog, k 2, SKPO, k 44 (47-50-53).

6th row. P.

7th row. K 43 (46-49-52), k 2 tog, k 2, SKPO, k 43 (46-49-52).

8th row. P without shaping.

9th row. K 42 (45-48-51), k2 tog, k2, SKPO, k42 (45-48-51).

10th row. As 2nd.

11th row. K 40 (43-46-49), k2 tog, k2, SKPO, k40 (43-46-49). This completes shapings at centre. ** Work 6 rows without shaping then dec 1 st at both ends of next row, then on every foll 8th row once (once-twice-twice) more after which dec at both ends of every foll 6th row 1 (3-3-4) times, then on every foll 4th row 4 (2-1-0) times. Cont on rem 70 (76-82-88) sts until work measures 29 (31-33-35) cm [11½ (12¼-13-13½) ins] from beg, ending with a p row. Make a note of the total number of rows worked in patt.

Armhole Shaping. Cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 2 rows; dec 1 st at both ends of next 2 alt rows then at both ends of every foll 4th row 5 times. Cont on rem 46 (52-58-64) sts until work measures 42 (45-48-51) cm [16½ (17¾-19-20) ins] from beg, ending with a p row.

Neck Shaping. 1st row. K 13 (15-17-19) sts and leave these sts of right back on a spare needle, cast off next 20 (22-24-26) sts, k to end. Cont on 13 (15-17-19) sts now rem on needle for left back. Dec 1 st at neck edge on next row then cast off 4 sts at beg of foll row. Work 1 row on rem 8 (10-12-14) sts then cast off these sts for shoulder edge. Rejoin correct colour to neck edge of right back sts, cast off 4, p to end. Dec 1 st at neck edge on next row, work 1 row without shaping then cast off rem 8 (10-12-14) sts for shoulder edge.

FRONT

Work as given for back to ** then cont as folls:

1st size. Work 6 rows without shaping, dec at both ends of next row then work 6 rows on rem 82 sts. You have now worked 24 rows across full width.

2nd size. Work 6 rows without shaping, dec 1 st at both ends of next row then work 6 rows on rem 88 sts. You have now worked 24 rows across full width.

3rd size. Work 6 rows without shaping, dec 1 st at both ends of next row and again on foll 8th row then work 6 rows on rem 92 sts. You have now worked 32 rows across full width.

4th size. Work 6 rows without shaping, dec 1 st at both ends of next row and again on foll 8th row then work 2 rows on rem 98 sts. You have now worked 28 rows across full width.

Front Opening. Next row. K 41 (44-46-49) sts, leave these sts of left front on a spare needle, k to end and cont on the 41 (44-46-49) sts now rem on needle for right front. (For 4th size only work 4 rows without shaping). Dec 1 st at side edge on next row, then on every foll 6th row 1 (3-3-4) times, then on every foll 4th row 4 (2-1-0) times. Cont on rem 35 (38-41-44) sts until you have worked 1 more row than on back to armhole, thus ending at side edge.

Armhole Shaping. Cast off 3 sts at beg of next row and 2 sts at same edge on next alt row; dec 1 st at same edge on every alt row twice then on every foll 4th row 5 times. Cont on rem 23 (26-29-32) sts until work measures 39 (42-45-48) cm [15½ (16½-17¾-19) ins] from beg, ending at edge of front opening.

Neck Shaping. Cast off 6 (7-8-9) sts at beg of next row, 3 sts at same edge on next alt row, 2 sts on next 2 alt rows and 1 st on next 2 alt rows. Cont on rem 8 (10-12-14) sts for a few rows until work matches back to shoulder edge, ending with same patt row. Cast off all sts.

With wrong side facing and using 3 mm needles, rejoin correct colour to sts of left front

and complete as given for right front working all shapings at opposite edges; begin armhole shaping on same patt row as for back and begin front shaping 1 row before right front neck, casting off at shoulder after same patt row as on back.

MAKE UP & BORDERS

Join shoulder seams. All borders are worked with 2½ mm needles and A. With right side of work facing pick up and k 20 (21-22-23) sts along right front neck edge, 32 (34-36-38) sts across back neck and 20 (21-22-23) sts along left front neck. [72 (76-80-84) sts]. Work 4 rows in g st then cast off rather loosely.

Armhole borders. With right side of work facing pick up and k 46 (49-52-55) sts along right back armhole edge, 1 st in shoulder seam and 46 (49-52-55) sts along right front armhole. [93 (99-105-111) sts]. Work as for neck border. Work similar border on left armhole beg on left front when picking up sts.

Inner leg borders. With right side of work facing pick up and k 49 (52-55-58) sts along front edge of right leg, 1 st at joining point of legs

and 49 (52-55-58) sts along front edge of left leg. [99 (105-111-117) sts]. K 1 row then make buttonholes.


2nd row. K 4, yfd, k2 tog, [k 13 (14-15-16), yfd, k2 tog] 6 times, k rem 3 sts. Work 2 more rows in g st then cast off rather loosely. Work similar border on back leg edges beg on left leg when picking up sts and omitting buttonholes.

Front opening border. With right side of work facing pick up and k 54 (60-60-69) sts along front edge of right front beg at base of opening and ending just below neck border. Immediately cast off k-wise. Work similar border on left front edge but beg just below neck border, ending at base of opening.


Join side seams matching stripes and join ends of armhole borders. Sew on buttons to correspond with buttonholes. Sew zip to front opening leaving edges of front border free. If you wish to close edges of neck border make a buttonhole loop on right front edge and sew a small button to left front edge.

Note. If you cannot buy a zip of the correct length buy the nearest shorter size; do not buy a longer zip. Sew in zip placing upper edge just below neck border; neatly slip-st edges of opening tog below zip.

94.380



N O T E S



05

STRIPED CARDIGAN



No 94.377

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when fastened, 19 (21-22½-24½-25½) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 ball in each of the foll, Opaline (pale green) No 4104 (A), Grand blanc (white) No 103 (B), Poussin (pale yellow) No 151 (C) and Dragee (pale pink) No 8104 (D). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); 5 buttons.

STITCHES USED

Double rib; st st.

Stripe sequence for back and fronts: working in st st beg with a k row work 4 rows in B, 18 (20-22-24-26) rows in A, 4 rows in B, 18 (20-22-24-26) rows in D, 4 rows in B, 18 (20-22-24-26) rows in C, 4 rows in B and 18 (20-22-24-26) rows in A, Total, 88 (96-104-112-120) rows.

Stripe sequence for sleeves: working in st st beg with a k row work 8 (10-12-14-16) rows in A, 4 rows in B, 18 (20-22-24-26) rows in D, 4 rows in B and 18 (20-22-24-26) rows in C. Total, 52 (58-64-70-76) rows.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts. It is particularly important for the row tension to be correct.

INSTRUCTIONS

BACK

With 2½ mm needles and A cast on 70 (78-82-90-94) sts and work in double rib.

1st row. (right side). *K 2, p 2; * rep from * to * ending k 2.

2nd row. P 2, *k 2, p 2; * rep from * to *. Rep these 2 rows 3 times more. Change to 3 mm needles and work in stripe sequence for back and fronts as given above. Cont until you have worked 44 (48-52-56-60) rows in stripes thus completing the stripe in D. Place a marker loop of contrast yarn at each end of work to indicate beg of armholes then cont without shaping until you have worked 84 (92-100-108-116) rows in stripes thus ending with 14 (16-18-20-22) rows of the last wide stripe.

Neck Shaping. **1st row.** K 25 (28-28-31-32) sts and leave these sts of right back on a spare needle, cast off next 20 (22-26-28-30) sts, k to end. Cont on 25 (28-28-31-32) sts now rem on needle for left back. Dec 1 st at neck edge on next row then cast off 4 sts at beg of foll row. Work 1 row on rem 20 (23-23-26-27) sts thus completing stripe sequence. Cast off these sts for shoulder edge. Rejoin A to neck edge of right back sts, cast off 4, p to end. Dec 1 st at neck edge on next row, work 1 row without shaping then cast off rem 20 (23-23-26-27) sts for shoulder edge.

RIGHT FRONT

With 2½ mm needles and A cast on 35 (39-41-45-47) sts and work in double rib as folls:

1st row. (right side). K 3 (3-1-1-3), *p 2, k 2; * rep from * to *.

2nd row. *P 2, k 2; * rep from * to * ending p 3 (3-1-1-3). Rep these 2 rows 3 times more. Change to 3 mm needles and work in stripe sequence for back and fronts until you have worked 44 (48-52-56-60) rows in stripes then place armhole marker at side edge (beg of last row). Cont without shaping until you have worked 72 (80-88-96-104) rows in stripes thus

ending at front edge; you have worked 2 (4-6-8-10) rows of the last wide stripe.

Neck Shaping. **Cast off 6 (7-8-9-10) sts at beg of next row, 2 (2-3-3-3) sts at same edge on next alt row, 2 sts on next 2 alt rows and 1 st on next 3 alt rows.** Work 3 rows on rem 20 (23-23-26-27) sts thus completing stripe sequence. Cast off these sts for shoulder edge.

LEFT FRONT

With 2½ mm needles and A cast on 35 (39-41-45-47) sts and work in double rib.

1st row. (right side). *K 2, p 2; * rep from * to * ending k 3 (3-1-1-3).

2nd row. P 3 (3-1-1-3), *k 2, p 2; * rep from * to *. Rep these 2 rows 3 times more. Change to 3 mm needles and cont as given for right front placing armhole marker at opposite edge, then cont until you have worked 71 (79-87-95-103) rows in stripes thus ending with 1 (3-5-7-9) rows of the last wide stripe. Work neck shaping as given for right front from ** to ** then work 4 rows without shaping thus completing stripe sequence. Cast off rem 20 (23-23-26-27) sts for shoulder edge.

SLEEVES

With 2½ mm needles and A cast on 50 (50-54-54-58) sts; beg with a k row work 4 rows in st st then work 8 rows in rib as on back welt. Change to 3 mm needles and work in stripe sequence for sleeves as given above shaping sides as folls: inc 1 st at both ends of every foll 8th row 2 (0-0-0-0) times, on every foll 6th row 5 (6-7-4-5) times then on every foll 4th row 0 (4-4-10-10) times. Cont on 64 (70-76-82-88) sts until all rows of stripe sequence have been worked. Cast off all sts.

MAKE UP & BORDERS

Join shoulder seams. With right side of work facing and using 2½ mm needles and A, pick up and k 21 (22-24-25-26) sts along right front neck edge, 32 (34-36-38-40) sts across

back neck and 21 (22-24-25-26) sts along left front neck. [74 (78-84-88-92) sts]. Work in rib as follows:

1st row. (wrong side). K 2 (2-1-1-1), *p 2, k 2; * rep from * to * ending p 2, k 2 (2-1-1-1).

2nd row. P 2 (2-1-1-1), k 2, *p 2, k 2; * rep from * to * ending p 2 (2-1-1-1). Rep these 2 rows again then beg with a p row work 4 rows in st st. Cast off rather loosely. Allow the st st rows to roll over showing the p side and catch in place at front edges.

Front borders. With right side of work facing and using 2½ mm needles and A, pick up and


k 66 (72-78-86-92) sts along front edge of right front if cardigan is for a girl or left front for a boy, including edge of neck border and working into double thickness on the st st rows. Work in rib.

1st row. (wrong side). P 2 (3-2-2-3), *k 2, p 2; * rep from * to * ending k 2, p 2 (3-2-2-3).

2nd row. K 2 (3-2-2-3), p 2, *k 2, p 2; * rep from * to * ending k 2 (3-2-2-3). Cont in rib and make buttonholes.

3rd row. Rib 4 (3-4-4-3), cast off 2, [rib until there are 12 (14-15-17-19) sts on right needle after buttonhole, cast off 2] 4 times, rib to end.

4th row. In rib casting on 2 sts over each buttonhole. Beg with a p row work 4 rows in st st then cast off rather loosely. Work similar border on other front edge omitting buttonholes. Sew cast-off edge of sleeves to sides of back and front between armhole markers then join side and sleeve seams matching stripes and reversing seam on the st st rows at lower edge of sleeves. Allow the st st rows on front borders and at lower edge of sleeves to roll over showing the p side and catch edges neatly in place. Sew on buttons to correspond with buttonholes.



06

STRIPED SWEATER

No 94.375

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when completed, 18 ½ (20 ½-21 ¾-23 ¾-25) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 ball in each of the foll, Opaline (pale green) No 4104 (A), Grand blanc (white) No 103 (B), Poussin (pale yellow) No 151 (C) and Dragee (pale pink) No 8104 (D). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); 3 small buttons.

STITCHES USED

Double rib; g st; st st.

Stripe sequence for back and front: working in st st beg with a k row work 4 rows in B, 18 (20-22-24-26) rows in A, 4 rows in B, 18 (20-22-24-26) rows in D, 4 rows in B, 18 (20-22-

24-26) rows in C, 4 rows in B and 18 (20-22-24-26) rows in A. Total, 88 (96-104-112-120) rows.

Stripe sequence for sleeves: working in st st beg with a k row work 8 (10-12-14-16) rows in A, 4 rows in B, 18 (20-22-24-26) rows in D, 4 rows in B and 18 (20-22-24-26) rows in C. Total, 52 (58-64-70-76) rows.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts. It is particularly important for the row tension to be correct.

INSTRUCTIONS

BACK

With 2½ mm needles and A cast on 70 (78-82-90-94) sts and work in double rib.

1st row. (right side). *K 2, p 2; * rep from * to * ending k 2.

2nd row. P 2, *k 2, p 2; rep from * to *. Rep these 2 rows until work measures 4 cm [1½ ins] from beg, ending with a 2nd rib row. Change to 3 mm needles and work in stripe sequence for back and front as given above; cont until you have worked 48 (52-56-60-64) rows in stripes thus ending with the 3rd stripe in B.** Place a marker loop of contrast yarn at each end of work to indicate beg of armholes. Change to C.

Back Opening. Next row. K 34 (38-40-44-46) sts and leave these sts of right back on a spare needle, cast off 2, k to end. Cont on 34 (38-40-44-46) sts now rem on needle for left back; cont in stripe sequence and work a further 35 (39-43-47-51) rows. You have thus ended at edge of opening and you have worked 14 (16-18-20-22) rows of the last wide stripe.

Neck Shaping. Cast off 9 (10-11-12-13) sts at beg of next row and 5 sts at same edge on next alt row. Work 1 row on rem 20 (23-24-27-28) sts thus completing stripe sequence. Cast off these sts for shoulder edge.

With wrong side facing rejoin C to sts of right back and work 36 (40-44-48-52) more rows in stripe sequence; you have thus ended at edge of opening after working 15 (17-19-21-23) rows of last wide stripe. For neck shaping cast off 9 (10-11-12-13) sts at beg of next row and 5 sts at same edge on next alt row; you have thus completed stripe sequence. Cast off rem 20 (23-24-27-28) sts for shoulder edge.

FRONT

Work as given for back to **; mark beg of armholes as on back then cont without shaping until you have worked 72 (80-88-96-104) rows of stripe sequence thus ending with 2 (4-6-8-10) rows of the last wide stripe.

Neck Shaping. 1st row. K 30 (33-34-37-38) sts and leave these sts of left front on a spare needle.

dle, cast off next 10 (12-14-16-18) sts, k to end. Cont on 30 (33-34-37-38) sts now rem on needle for right front and work 1 row. ***Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 alt rows.*** Work 3 rows on rem 20 (23-24-27-28) sts thus completing stripe sequence. Cast off these sts for shoulder edge. Rejoin A to neck edge of left front sts; cont as given for right front from *** to *** then work 4 rows without shaping thus completing stripe sequence. Cast off rem 20 (23-24-27-28) sts for shoulder edge.

SLEEVES

With 2 $\frac{3}{4}$ mm needles and A cast on 46 (50-50-54-54) sts. Beg with a k row work 4 rows in st st then work 10 rows in double rib as on back welt. Change to 3 mm needles and working

stripe sequence for sleeves shape sides; inc 1 st at both ends of every foll 8th row 5 (5-0-0-0) times, on every foll 6th row 1 (2-9-10-7) times, then on every foll 4th row 0 (0-1-1-7) times. Cont on these 58 (64-70-76-82) sts until all rows of stripe sequence have been worked. Cast off all sts.

MAKE UP & BORDERS


Join shoulder seams. With right side of work facing and using 2 $\frac{3}{4}$ mm needles and B, pick up and k 15 (16-17-18-19) sts across left back neck edge, 40 (42-44-46-48) sts around front neck and 15 (16-17-18-19) sts across right back neck. [70 (74-78-82-86) sts]. Work 4 rows in g st then cast off rather loosely. With right side of work facing and using 2 $\frac{3}{4}$

mm needles and B, pick up and k 30 (33-36-39-42) sts along right edge of back opening, including edge of neck border. K 1 row then make buttonholes.

2nd row. Beg at neck edge, right side facing, k2, yfd, k2 tog, [k9 (10-11-13-14), yfd, k2 tog] twice, k rem 4 (5-6-5-6) sts. Work 2 more rows in g st then cast off rather loosely. Work similar border on left edge of opening, but omitting buttonholes.

Sew cast-off edge of sleeves to side edges between armhole markers then join side and sleeve seams matching stripes and reversing seam on the 4 rows of st st at lower edge of sleeves; this section will roll up to show the p side. Sew lower edge of back borders to base of opening lapping right back border over left. Sew on buttons to correspond with buttonholes.

94.375



N O T E S



No 94.376

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around hips when completed, $21\frac{3}{4}$ ($23\frac{1}{4}$ - 25 - $26\frac{1}{2}$ - $28\frac{1}{2}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 (2-2-3-3) balls Opaline No 4104. Pair each of needles size $2\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); elastic thread.

STITCHES USED

G st; st st; single rib.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With $2\frac{3}{4}$ mm needles cast on 82 (88-94-100-106) sts and work 4 rows in g st. Change to 3 mm needles and beg with another k row work in st st. Cont without shaping until work measures 18 (20-22-24-26) cm [7 (8-8 $\frac{1}{2}$ -9 $\frac{1}{2}$ -10 $\frac{1}{2}$) ins] from beg, ending with a p row. Change to $2\frac{3}{4}$ mm needles and work in single rib for waistband.

1st row. *K 1, p 1; * rep from * to *. Rep this row 7 times more then cast off loosely ribwise.

FRONT

This is worked in two pieces. For right front section cast on 54 (58-62-66-72) sts using $2\frac{3}{4}$ mm needles and work 4 rows in g st; change to 3 mm needles and beg with another k row work in st st. Cont until work measures 18 (20-22-24-26) cm [7 (8-8 $\frac{1}{2}$ -9 $\frac{1}{2}$ -10 $\frac{1}{2}$) ins] from beg, ending with a p row.** Cut yarn and leave sts on a spare needle.


Work left front section in same way to ** then change to $2\frac{3}{4}$ mm needles and join the two sections.

Next row. Working on sts of left front section [k 1, p 1] 14 (15-16-17-17) times; now place the first 26 (28-30-32-38) sts of right front section in front of rem sts of left front, [k next st of right front tog with next st of left front, p next st of right front tog with next st of left front] 13 (14-15-16-19) times then cont in rib across rem 28 (30-32-34-34) sts of right front. [82 (88-94-100-106) sts]. Work 7 more rows in rib then cast off loosely ribwise.

ing and using $2\frac{3}{4}$ mm needles, pick up and k 60 (66-72-78-84) sts along front edge of right front section; immediately cast off k-wise. Work similar border on front edge of

left front section. Pass 3 rows of elastic thread through wrong side of waistband, on 3rd, 5th and 7th rows of ribbing, securing ends in a seam.



94.376



N O T E S

COMPLETION

Join side seams. With right side of work fac-



No 94.382

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual measurements shown on diagram.

Note. This garment has been designed in centimetres; we give alternative measurements in inches but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 2 (2-3-4-5) balls Poussin No 151. Pair each of needles size $2\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 2 small buttons; about 1 metre [1 yard] of narrow ribbon.

STITCHES USED

Single rib; st st; picot edging, see instructions.

Patt, worked on an odd number of sts as follows:
1st row. (right side). K.

2nd row. K.

3rd row. *P 1, k 1; * rep from * to * ending p 1.

4th row. K 1, *p 1, k 1; * rep from * to *. These 4 rows form one patt.

TENSION. Over patt using 3 mm needles, 32 sts and 48 rows to 10 cm [4 ins]; work a sample on 49 sts.

INSTRUCTIONS

BACK

With $2\frac{3}{4}$ mm needles cast on 79 (85-91-97-103) sts and work in rib.

1st row. (right side). P 1, *k 1, p 1; rep from * to end. **2nd row.** K 1, *p 1, k 1; rep from * to end. Rep these 2 rows 3 times more. Change to 3 mm needles and work in patt as given above. Cont without any shaping until work measures approx. 21 (23-25-27-29) cm [$8\frac{1}{4}$ (9-10-11-12) ins] from beg, ending with a 1st patt row.

(9-9 $\frac{1}{4}$ -10 $\frac{1}{2}$ -11 $\frac{1}{2}$) ins] from beg, ending with a 1st patt row.

Neck Shaping. 2nd patt row. K 30 (32-34-36-38) sts and leave these sts of left back on a spare needle, cast off next 19 (21-23-25-27) sts, k to end. Cont on 30 (32-34-36-38) sts now rem on needle for right back. Dec 1 st at neck edge on next row then cast off 4 sts at beg of foll row. Cont on rem 25 (27-29-31-33) sts and work 1st and 2nd patt rows then cast off all sts. Rejoin yarn to neck edge of left back sts, cast off 4, work to end. Dec 1 st at neck edge on next row, work 2 rows then cast off rem 25 (27-29-31-33) sts for shoulder edge.

RIGHT FRONT

With $2\frac{3}{4}$ mm needles cast on 51 (55-57-61-65) sts and work 4 rows in rib then make buttonhole.

5th row. Rib 5, cast off 2, rib to end. On foll row cast on 2 sts over buttonhole then work 2 more rows in rib. Change to 3 mm needles and work in patt with front border in st st and making eyelet holes for ribbon.

1st row. K all sts.

2nd row. K to last 10 sts, p 10.

3rd row. K 10, *p 1, k 1; * rep from * to * ending p 1.

4th row. K 1, *p 1, k 1; * rep from * to * ending p 10.

1st row of 2nd patt. K 4, k 2 tog, yfd, k to end.

2nd, 3rd and 4th rows. Work as for 1st patt. Cont to make eyelet holes at intervals of 8 rows, that is on 1st row of every alt patt. **At same time**, work 4 more rows without shaping.

Neck Shaping. 1st row of 4th patt. K 4, k 2 tog, yfd, k 4, k 2 tog, k to end.

2nd row. K to last 10 sts, p 10.

3rd row. K 10, p 2 tog, rib to end.

4th row. Rib to last 10 sts, p 10.

1st and 2nd rows of 5th patt. Work without shaping.

3rd row. K 10, k 2 tog, rib to end.

4th row. Rib to last 10 sts, p 10. Cont to dec as on these last 8 rows, that is on 1st and 3rd

rows of one patt then on 3rd row only of foll patt, 7 (8-9-10-10) times more then dec in same position on every alt row 5 (4-1-0-2) times taking care to keep rib correct on 3rd and 4th patt rows. When all shapings have been completed cont on rem 22 (24-26-28-30) sts until work matches back to shoulder edge ending with a 2nd patt row. Cast off all sts. **Note.** Front shoulders are narrower than back shoulders to allow space for picot edging worked later.

LEFT FRONT

With $2\frac{3}{4}$ mm needles cast on 51 (55-57-61-65) sts and work 4 rows in rib then make buttonhole.

5th row. Rib to last 7 sts, cast off 2, rib to end. On foll row cast on 2 sts over buttonhole then work 2 more rows in rib. Change to 3 mm needles and work in patt with front border in st st.

1st row. K all sts.

2nd row. P 10, k to end.

3rd row. *P 1, k 1; * rep from * to * ending p 1, k 10.

4th row. P 10, rib to end.

1st row of 2nd patt. K to last 6 sts, yfd, k 2 tog, k 4.

2nd, 3rd and 4th rows. Work as on 1st patt. Cont to make eyelet holes at same intervals as on right front but **at same time**, work 4 more rows without shaping.

Neck Shaping. 1st row of 5th patt. K to last 12 sts, k 2 tog, k 4, yfd, k 2 tog, k 4.

2nd row. P 10, k to end.

3rd row. Rib to last 12 sts, p 2 tog, k 10. Cont to work the decs in this positions working them on same rows as for right front and when all decs have been worked complete as given for right front.

SLEEVES

With $2\frac{3}{4}$ mm needles cast on 51 (53-57-59-63) sts and work 8 rows in rib as on back welt. Change to 3 mm needles and work in patt shaping sides; working extra sts into patt inc 1 st at both ends of every foll 8th row 5 (4-5-

3-2) times, then on every foll 6th row 2 (5-5-9-12) times. Cont on 65 (71-77-83-91) sts until work measures 15 (17-19-21-23) cm [6 (6 $\frac{3}{4}$ -7 $\frac{1}{2}$ -8 $\frac{1}{4}$ -9) ins] from beg. Cast off all sts.

MAKE UP & BORDERS

With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 14 sts along front edge of right front ending opposite 1st dec row, then pick up and k 59 (65-71-77-83) sts

along remainder of front edge to shoulder. [73 (79-85-91-97) sts]. Work picot edging.


1st to 3rd rows. Beg with a p row work 3 rows in st st.

4th row. K 2, *yfd, k 2 tog;* rep from * to * ending k 1. Work 3 more rows in st st then cast off rather loosely. Fold the last 3 rows to wrong side, folding along centre of row of holes to form picot edging and slip-st cast-off edge in place. Work similar edging on left front picking up groups of sts in reverse order.

Join shoulder seams including picot edgings.

On each side edge of back and fronts mark a point 10 (11-12-13-14) cm [4 (4 $\frac{1}{4}$ -4 $\frac{3}{4}$ -5-5 $\frac{1}{2}$) ins] below shoulder seams for armholes and sew cast-off edge of sleeves between these points. Join side and sleeve seams matching patt. Thread a length of ribbon through the eyelet holes in each front border securing ends on wrong side. Make 2 bows of ribbon and sew one to each front border below 1st eyelet hole. Lap right front over left for 10 cm [4 ins] and sew on buttons to correspond with buttonholes, one on wrong side of right front, the other on right side of left front.

94.382



09

SALOPETTE



No 94.383

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months). Actual width around hips when fastened, 20 $\frac{1}{2}$ (22 $\frac{1}{2}$ -23 $\frac{1}{2}$ -25 $\frac{1}{2}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (2-3-4-5) balls Poussin No 151. Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 5 small buttons.

STITCHES USED

Single rib; S2KPO, slip next 2 sts as if to k them tog thus reversing their order, k next st then pass both slipped sts over k st and off needle; **picot edging**, see instructions.

Patt, worked on an odd number of sts as folls:

1st row. (right side). K.

2nd row. K.

3rd row. *P 1, k 1;* rep from * to * ending p 1.

4th row. K 1, *p 1, k 1;* rep from * to *. These 4 rows form one patt.

TENSION. Over patt using 3 mm needles, 32 sts and 48 rows to 10 cm [4 ins]; work a sample on 49 sts.

INSTRUCTIONS

FRONT

With 2 $\frac{3}{4}$ mm needles cast on 41 (45-47-51) sts for lower edge of one leg and work in rib.

1st row. (right side). P 1, *k 1, p 1; rep from * to end. **2nd row.** K 1, *p 1, k 1; rep from * to end. Rep these 2 rows twice more then 1st row again.

Inc row. Rib 3 (5-2-4), inc in next st, [rib 4 (4-5-5), inc in next st] 7 times, rib rem 2 (4-2-4) sts. [49 (53-55-59) sts]. Change to 3 mm needles and work in patt as given above; cont until you have worked 14 (15-16-18) complete patts then work 1st and 2nd rows of next patt.**

Crutch Shaping. 3rd row of patt. Cast off 2, work to end. Work 1 row on rem 47 (51-53-57) sts thus ending at shaped edge. Cut yarn and leave sts on a spare needle.

Work second leg in same way to **, work 3rd patt row then cast off 2 sts at beg of foll row. Now join the legs.

1st row of next patt. K 46 (50-52-56) sts, k rem st tog with 1st st of first leg, k to end. [93 (101-105-113) sts].

2nd row. K without shaping.

3rd row. [P 1, k 1] 22 (24-25-27) times, p 1.

S2KPO, [p 1, k 1] 22 (24-25-27) times, p 1.

Cont to work this double dec at centre of next 3 alt rows taking care to keep patt correct. [85 (93-97-105) sts].***

Cont without shaping until work measures 28 (30-32-34) cm [11 (11 $\frac{1}{2}$ -12 $\frac{1}{2}$ -13 $\frac{1}{2}$) ins] from beg, ending with a wrong-side row. Make a note of the total number of rows worked in patt. Change to 2 $\frac{3}{4}$ mm needles and work in single rib for 8 rows.

Next row. Cast off 18 (22-22-26) sts loosely ribwise, then using a 3 mm needle k next 49 (49-53-53) sts, then using a 2 $\frac{3}{4}$ mm needle, cast off rem 18 (22-22-26) sts loosely ribwise and fasten off. With wrong side facing and using 3 mm needles rejoin yarn to centre 49 (49-53-53) sts of bib section and beg with 2nd row work a further 44 (48-52-56) rows in patt thus ending with a 1st patt row.

Neck Shaping. 2nd patt row. K 9 and leave these sts of right shoulder strap on a spare needle, cast off next 31 (31-35-35) sts k-wise, k to end. Cont on 9 sts now rem on needle for left shoulder strap and work in patt for 4 cm

[1½ ins] then cast off rather loosely. With right side facing rejoin yarn to sts of right shoulder strap and complete in same way.

BACK

Work as given for front to *** then cont without shaping until work measures 19 (20-21-22) cm [7½ (8-8½-8¾) ins] from beg, ending with a wrong-side row.

Back Opening. Next row. Work 41 (45-47-51) sts and leave these sts of right back on a spare needle, cast off 3, work to end. Cont on 41 (45-47-51) sts now rem on needle for left back, without shaping until work measures 28 (30-32-34) cm [11 (11½-12½-13½) ins] from beg, ending with same patt row as on front. Change to 2¾ mm needles and work 8 rows in single rib.

Next row. Using a 3 mm needle k 23 (23-25-25) sts then using a 2¾ mm needle cast off rem 18 (22-22-26) sts loosely ribwise and fasten off. With wrong side facing and using 3 mm needles rejoin yarn to 23 (23-25-25) sts of bib section and beg with 2nd row work a further 44 (48-52-56) rows in patt thus ending at side edge after a 1st patt row.

Neck Shaping. 2nd patt row. K 9 then cast off rem 14 (14-16-16) sts k-wise and fasten off. Rejoin yarn to the 9 sts of left shoulder strap and complete as for shoulder straps of front. With wrong side of work facing and using 3 mm needles rejoin yarn to sts of right back and cont in patt until work measures 28 (30-32-34) cm [11 (11½-12½-13½) ins] from beg, ending with same patt row as on front. Change to 2¾ mm needles and work 8 rows in single rib; you have thus ended at side edge.

Next row. Cast off 18 (22-22-26) sts loosely ribwise, then using a 3 mm needle k rem 23 (23-25-25) sts of bib section. Cont with 3 mm needles and beg with 2nd row work a further 44 (48-52-56) rows in patt thus ending at centre back edge after a 1st patt row.

Neck Shaping. 2nd patt row. Cast off 14 (14-16-16) sts k-wise, k to end. Cont on rem 9 sts for right shoulder strap and complete as for other straps.

MAKE UP & BORDERS

Join cast-off edges of shoulder straps. With right side of work facing and using 2¾ mm needles pick up and k 26 sts along inner edge of left shoulder strap; immediately cast off k-wise. Work edging on right shoulder strap in same way.

Bodice borders. With right side of work facing and using 2¾ mm needles pick up and k 79 (85-91-97) sts along left side edge of bodice and shoulder strap.

1st to 3rd rows. Beg with a p row work 3 rows in st st.

4th row. K 2, *yfd, k 2 tog; * rep from * to * ending k 1. Work 3 more rows in st st then cast off rather loosely. Fold in the last 3 rows to wrong side, folding along centre of row of holes to form picot edging and slip-st cast-off edge in place. Work similar border on right side edge. Join short ends of these borders to cast-off edge of waistband.


Back opening borders. With right side of work facing and using 2¾ mm needles, pick up and k 65 (71-77-83) sts along right edge of back opening. Rep 2nd rib row then make buttonholes.

Next row. Beg at upper edge, right side facing, rib 3, cast off 2, [rib until there are 11 (12-14-15) sts on right needle after buttonhole, cast off 2] 4 times, rib to end. On foll row cast on 2 sts over each buttonhole. Work 1 more row in rib then cast off loosely ribwise. Work simi-


lar border on left edge of opening but omitting buttonholes. Join side and inner leg seams matching patt.

Sew lower edge of back borders to base of opening lapping right border over left; sew on buttons to correspond with buttonholes.

94.383



N O T E S



10 FROG-SUIT



No 94.384

SIZES

To fit a baby at birth (3 months-6 months-9 to 12 months). Actual measurements shown on diagram.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (2-3-3) balls Grand blanc (white) No 103 (A) and 1 ball Ciel (sky-blue) No 3101 (B). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); 15 small white buttons.

STITCHES USED

G st; st st; k loop, pick up loop lying between needles and k it through the back; **chenille patt**, worked on a multiple of 10 sts plus 4 as folls:

1st row. (right side). *K 4, p 6; * rep from * to * ending k 4.

2nd, 3rd and 4th rows. Beg with a p row work 3 rows in st st.

5th row. P 5, *k 4, p 6; * rep from * to * ending k 4, p 5.

6th, 7th and 8th rows. As 2nd, 3rd and 4th. These 8 rows form one patt. This patt is also shown on chart and this can be used as a guide during shapings. Patt at beg of each leg is arranged differently according to size, see instructions.

TENSION. Over patt using 3 mm needles, 30 sts and 44 rows to 10 cm [4 ins]; work a sample on 44 sts. It is important to work this sample so that you will be familiar with the patt.

INSTRUCTIONS

BACK

With 3 mm needles and A cast on 32 (37-42-47) sts for lower edge of one leg and p 1 row on wrong side; this will allow space for the leg border to be picked up later. Now work in patt as folls:

1st row. [K 4, p 6] 3 (3-4-4) times, k 2 (4-2-4), p 0 (3-0-3).

2nd, 3rd and 4th rows. Work in st st.

5th row. P 5, [k 4, p 6] 2 (3-3-4) times, k 4 (2-4-2), p 3 (0-3-0).

6th, 7th and 8th rows. Work in st st. This completes 1st patt. **Working extra sts into patt inc 1 st at both ends of next row, then on every foll 8th (10th-12th-14th) row 4 times more. ** Work 8 rows on these 42 (47-52-57) sts thus ending with a right-side row; you have worked 49 (57-65-73) rows in patt.

Crutch Shaping. Cast off 2 sts at beg of next row and 1 st at same edge on next 2 alt rows. Work 1 row on rem 38 (43-48-53) sts thus ending at shaped edge. Cut yarn and leave sts on a spare needle.

For second leg cast on 32 (37-42-47) sts using 3 mm needles and A; p 1 row on wrong side then work in patt, reversing rows of first leg.

1st row. P 0 (3-0-3), k 2 (4-2-4), [p 6, k 4] 3 (3-4-4) times.

2nd, 3rd and 4th rows. Work in st st.

5th row. P 3 (0-3-0), k 4 (2-4-2), [p 6, k 4] 2 (3-3-4) times, p 5.

6th, 7th and 8th rows. Work in st st. Cont in patt as now set and work shapings as on first leg from ** to ** then work 9 rows on these 42 (47-52-57) sts thus ending with a wrong-side row. You have worked 50 (58-66-74) rows. For crutch shaping cast off 2 sts at beg of next row and 1 st at same edge on next 2 alt rows.

Next row. (wrong side). P 37 (42-47-52) sts, p rem st tog with 1st and 2nd sts of first leg, p 36 (41-46-51). [74 (84-94-104) sts]. The patt will now fit correctly across all sts beg with 5th patt row. Cont without shaping until work measures 17 (19-21-23) cm [6¾ (7½-8½-9) ins] from beg, ending with a right-side row. ***

Back Opening. Next row. P 36 (41-46-51) sts and leave these sts of left back on a spare needle, cast off 2, p to end. Cont on 36 (41-46-51) sts now rem on needle for right back, without shaping until work measures 21 (23-25-27) cm [8¼ (9-9¾-10½) ins] from beg, ending at side edge. Dec 1 st at beg of next row, then at same edge on every foll 8th (7th-6th-5th) row 2 (3-4-5) times more. Cont on rem 33 (37-41-45) sts until work measures 27 (30-33-36) cm [10½ (11½-13-14¼) ins] from beg, ending at side edge.

Armhole Shaping. Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 (2-3-3) alt rows and 1 st on next 4 (5-5-6) alt rows. Cont on rem 22 (25-27-30) sts until work measures 37 (41-45-49) cm [14½ (16½-17¾-19¼) ins] from beg. Cast off all sts for shoulder and neck edges.

With right side of work facing rejoin yarn to sts of left back and complete as given for right back working all shapings at opposite edges.

FRONT

First work pocket linings; with 3 mm needles and A cast on 22 sts. Work 2 rows in g st then work in st st with g st borders.

1st row. K all sts.

2nd row. K 2, p 18, k 2. Rep these 2 rows until work measures 6 cm [2¼ ins] from beg, ending with a 2nd row. Cut yarn and leave sts on a spare needle. Work another lining in same way.

Work main part as given for back to *** then make pocket openings.

Next row. P 5, cast off 22 sts, p until there are 20 (30-40-50) sts on right needle after opening, cast off 22, p to end. On foll row work across sts of pocket linings in place of cast-off sts. Cont without shaping until work measures 21 (23-25-27) cm [8¼ (9-9¾-10½) ins] from beg; dec 1 st at both ends of next row, then on every foll 8th (7th-6th-5th) row 2 (3-4-5) times more. Cont on rem 68 (76-84-92) sts until work matches back to armhole.

Armhole Shaping. Cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 4 (4-6-6) rows

then dec 1 st at both ends of every alt row 4 (5-5-6) times. Cont on rem 46 (52-56-62) sts until work measures 33 (37-40-44) cm [13 (14½-15½-17½) ins] from beg, ending with a wrong-side row.

Neck Shaping. Next row. Work 19 (21-23-25) sts and leave these sts off left front on a spare needle, cast off next 8 (10-10-12) sts, work to end. Cont on 19 (21-23-25) sts now rem on needle for right front and work 1 row. ***Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 (3-4-4) alt rows. Cont on rem 9 (11-12-14) sts for a few rows until work matches back to shoulder and neck edge. Cast off all sts. Rejoin yarn to neck edge of left front sts; complete as given for right front from **** to end.

SLEEVES

With 3 mm needles and A cast on 44 (54-54-64) sts and p 1 row on wrong side then work in patt as given in Stitches Used paragraph. When 1st patt has been completed shape sides, working extra sts into patt.

1st size. Inc 1 st at both ends of next row, then on every foll 6th row twice then on every foll 4th row 5 times. [60 sts].

2nd size. Inc 1 st at both ends of next row, then on every foll 8th row 5 times. [66 sts].

3rd size. Inc 1 st at both ends of next row, then on foll 8th row then on every foll 6th row 7 times. [72 sts].

4th size. Inc 1 st at both ends of next row then on every foll 10th row 6 times. [78 sts].

All sizes. Cont without shaping until work measures 12 (14-16-18) cm [4½ (5½-6½-7) ins] from beg.

Top Shaping. Cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 4 (4-6-6) rows; dec 1 st at both ends of next 2 alt rows then cast off 2 sts at beg of next 4 (6-6-8) rows and 4 sts at beg of next 2 rows. Cast off rem 26 (28-30-32) sts.

Cuffs. With right side of work facing and using 2½ mm needles and B, pick up and k 48 (58-58-68) sts along lower edge of one sleeve and work 4 rows in g st then divide at centre.

5th row. K 24 (29-29-34), turn and cont on these sts leaving rem sts on a spare needle.

6th, 7th and 8th rows. Work without shaping.

9th row. K to last st, k loop, k 1. Rep last 4 rows twice more. Work 1 row without shaping then cast off these 27 (32-32-37) sts. Rejoin yarn to rem 24 (29-29-34) sts, k to end thus completing 5th row.

6th, 7th and 8th rows. Work without shaping.

9th row. K 1, k loop, k to end. Rep last 4 rows twice more, work 1 row on these 27 (32-32-37) sts then cast off. Work cuff on other sleeve in same way.

COLLAR

This is made in two halves. For first half cast on 30 (31-32-33) sts using 2½ mm needles and B; work 2 rows in g st then begin shaping. Dec 1 st at beg of next row and next 6 (7-7-8) alt rows, work 1 row after last dec row thus ending at shaped edge; cast off 9 (9-10-10) sts at beg of next row, 3 sts at same edge on next 2 alt rows and 2 sts on next 2 alt rows. Work 1 more row then cast off rem 4 sts. Work second half in same way but work 3 rows before the first dec, thus reversing the shape.

MAKE UP & BORDERS

Join shoulder edges of front to a corresponding width on cast-off edge of back, thus leaving 13 (14-15-16) sts free at each back neck edge.

Neck border. With right side of work facing and using 2½ mm needles and A, pick up and k 13 (14-15-16) sts across left back neck edge, 38 (40-44-46) sts around front neck edge and 13 (14-15-16) sts across right back neck edge. [64 (68-74-78) sts]. Work 4 rows in g st then cast off rather loosely.

Back opening borders. With right side of work facing and using 2½ mm needles and A, pick up and k 65 (71-77-83) sts along right back edge of opening, including edge of neck border. Work 2 rows in g st then make buttonholes.

3rd row. Beg at base of opening, wrong side facing, k 5 (6-7-8), yfd, k 2 tog, [k 9 (10-11-12), yfd, k 2 tog] 5 times, k rem 3 sts. Work 3 more rows in g st then cast off rather loosely. Pick up same number of sts along left back edge of opening; work 4 rows in g st then cast off rather loosely. Sew lower edge of left back border to base of opening, lap right back border over it and slip-st lower edge in place; this border extends slightly beyond left border. Slip-st shaped edges of the two halves of collar to front neckline on 1st row of neck border, see picture; slip-st upper edges to shoulder seams.

Pocket borders. With right side of work facing and using 2½ mm needles and B, pick up and k 24 sts along cast-off edge at one pocket opening. Work 6 rows in g st then cast off


rather loosely. Work other pocket border in same way. Slip-st pocket linings in place on wrong side and neatly sew ends of borders on right side. Sew in sleeves then join side seams. Join short centre back and front seam along crotch shapings.


Lower leg borders. With right side of work facing and using 2½ mm needles and B, pick up and k 62 (70-78-86) sts around lower edge of one leg. Work 6 rows in g st then cast off rather loosely. Work other leg border in same way.

Inner leg borders. With right side of work facing and using 2½ mm needles and A, pick up and k 40 (46-52-58) sts along inner edge of right front leg, 1 st in centre seam and 40 (46-52-58) sts along inner edge of left front leg. [81 (93-105-117) sts]. Work 2 rows in g st then make buttonholes.

3rd row. K 4, yfd, k 2 tog, [k 10 (12-14-16), yfd, k 2 tog] 6 times, k rem 3 sts. Work 3 more rows in g st then cast off rather loosely. Work similar border on back leg edges, beg on left back leg when picking up sts and omitting buttonholes.

Join sleeve seams beg at top edge and cont along the first 4 rows of g st cuff, then join remainder of seam on reverse side. Fold cuffs in half onto right side. Sew on 13 buttons to correspond with buttonholes. On cuffs sew a button on back edge of opening and make a loop on front edge to correspond.





| = k on right side
 - = p on right side
 □ = st st

Use chart as a guide when working shapings; patt rows are fully explained in the instructions.

11 SWEATER WITH CHAIN CABLE PANELS



No 94.378

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when completed, 19 $\frac{1}{4}$ (20 $\frac{1}{4}$ -22 $\frac{1}{2}$ -23 $\frac{1}{2}$ -25 $\frac{1}{2}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. For best results the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (2-3-3-4) balls Ciel No 3104. Pair each of needles size 2 $\frac{1}{2}$ mm and 3 mm (US sizes 2 and 3); a cable needle; 8 small buttons.

STITCHES USED

Double rib; C 4 L, cross 4 left thus, slip next 3 sts on cable needle, leave at front, p 1, then k 3 from cable needle; C 4 R, cross 4 right thus, slip next st on cable needle, leave at back, k 3, then p 1 from cable needle; **cable 6 front**, slip next 3 sts on cable needle, leave at front, k 3, then k 3 from cable needle; **m st**, worked on an odd number of sts as follows: 1st row. (right side). *K 1, p 1; * rep from * to

* ending k 1. This row forms m st and all rows are alike.

Chain cable panel, worked over 14 sts as shown on diagram.

1st row. P 2, k 3, p 4, k 3, p 2.

2nd row. K 2, p 3, k 4, p 3, k 2.

3rd and 4th rows. As 1st and 2nd rows.

5th row. P 2, C 4 L, p 2, C 4 R, p 2.

6th row. K 3, p 3, k 2, p 3, k 3.

7th row. P 3, C 4 L, C 4 R, p 3. Cont working patt from chart and on wrong-side rows work sts as they appear.

TENSIONS. Over m st using 3 mm needles, 30 sts and 46 rows to 10 cm [4 ins]; work a sample on 45 sts. Chain cable panel worked on 14 sts using 3 mm needles measures 3.5 cm [just over 1 $\frac{1}{4}$ ins] wide. Work a sample on 18 sts working 2 sts in st st at beg and end of rows.

INSTRUCTIONS

BACK

With 2 $\frac{1}{2}$ mm needles cast on 78 (82-90-94-102) sts and work in double rib.

1st row. (right side). *K 2, p 2; * rep from * to * ending k 2.

2nd row. P 2, *k 2, p 2; * rep from * to *. Rep these 2 rows twice more then 1st row again.

Inc row. Rib 7 (6-6-8-9), inc in next st, [rib 8 (9-10-10-11), inc in next st] 7 times, rib rem 7 (5-6-8-8) sts. [86 (90-98-102-110) sts]. Change to 3 mm needles and patt.

1st row. For m st [k 1, p 1] 5 (5-6-6-7) times,

k 1; *work 1st row of chain cable panel on next 14 sts then for m st [k 1, p 1] 5 (6-7-8-9) times, k 1; * rep from * to * again, work 1st row of cable panel again then for m st [k 1, p 1] 5 (5-6-6-7) times, k 1.

2nd row. For m st [k 1, p 1] 5 (5-6-6-7) times, k 1, work 2nd row of chain cable panel, *for m st [k 1, p 1] 5 (6-7-8-9) times, k 1, then work 2nd row of chain cable panel; * rep from * to * again, for m st [k 1, p 1] 5 (5-6-6-7) times, k 1. Cont working 3 chain cable panels with sts at sides and between panels in m st. Cont without shaping until work measures 22 (24-26-28-30) cm [8 $\frac{1}{2}$ (9 $\frac{1}{2}$ -10 $\frac{1}{2}$ -11-11 $\frac{1}{2}$) ins] from beg, ending with a wrong-side row. Make a note of the total number of rows worked in the chain cable panels.**

Neck Shaping. 1st row. Patt 31 (32-35-36-39) sts and leave these sts of right back on a spare needle, cast off next 24 (26-28-30-32) sts, patt to end. Cont on 31 (32-35-36-39) sts now rem on needle for left back. Dec 1 st at neck edge on next row then cast off 4 sts at beg of foll row. Work 2 rows on rem 26 (27-30-31-34) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of right back sts, cast off 4, patt to end. Dec 1 st at neck edge on next row, work 2 rows then cast off rem 26 (27-30-31-34) sts for shoulder edge.

FRONT

Work as given for back until you have worked 10 fewer rows than on back to **, thus ending with a wrong-side row.

Neck Shaping. 1st row. Patt 36 (37-40-41-44) sts and leave these sts of left front on a spare needle, cast off next 14 (16-18-20-22) sts, patt to end. Cont on 36 (37-40-41-44) sts now rem on needle for right front and work 1 row. ***Cast off 3 sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 alt rows. *** Work 2 rows on rem 26 (27-30-31-34) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of left front sts; cont as given for right front from *** to ***; work 3 rows then cast off rem 26 (27-30-31-34) sts for shoulder edge.

SLEEVES

With 2 $\frac{3}{4}$ mm needles cast on 38 (41-46-50-50) sts and work in double rib as on back border for 7 rows.

Inc row. Rib 4 (3-5-7-4), inc in next st, [rib 4 (5-8-8-6), inc in next st] 6 (6-4-4-6) times, rib rem 3 (2-4-6-3) sts. [45 (49-51-55-57) sts]. Change to 3 mm needles and work in m st; there are no chain cable panels worked on sleeves; inc 1 st at both ends of every foll 8th row 0 (2-0-2-1) times, then on every foll 6th row 8 (7-11-10-13) times, working extra sts into m st. Cont on 61 (67-73-79-85) sts until work measures 15 (17-19-21-23) cm [6 (6 $\frac{3}{4}$ -7 $\frac{1}{2}$ -8 $\frac{1}{4}$ -9) ins] from beg. Cast off in m st.

MAKE UP & BORDERS

With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 29 (29-33-33-37) sts across right back shoulder edge. Work in rib with g st border at outer edge.

1st row. (wrong side). *K 2, p 2; * rep from * to * ending k 1.

2nd row. K 3, p 2, *k 2, p 2; * rep from * to *. Rep these 2 rows again then cast off loosely ribwise.

Pick up same number of sts across left back shoulder edge.

1st row. (wrong side). K 1, *p 2, k 2; * rep

from * to *.

2nd row. *P 2, k 2; * rep from * to * ending p 2, k 3. Rep these 2 rows again then cast off loosely ribwise.

Front shoulder borders. On left front shoulder work as for right back shoulder until you have worked 1st row then make buttonholes.

2nd row. Beg at outer edge k 3, p 2, k 2, cast off 2, [rib until there are 6 (6-8-8-10) sts on right needle after buttonhole, cast off 2] twice, rib to end. On foll row cast on 2 sts over each buttonhole. Work 1 more row in rib then cast off loosely ribwise.

On right front shoulder work as for left back shoulder until you have worked 1st row then make buttonholes.

2nd row. Beg at inner edge rib 4, cast off 2, [rib until there are 6 (6-8-8-10) sts on right needle after buttonhole, cast off 2] twice, rib to end. On foll row cast on 2 sts over each buttonhole. Work 1 more row in rib then cast off loosely ribwise.


Neck borders. With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 46 (46-50-50-54) sts around front neck edge, including edge of shoulder borders. Rep 2nd rib row given on back welt then make another buttonhole at each end.

Next row. Rib 2, cast off 2, rib to last 4 sts, cast off 2, rib to end. On foll row cast on 2 sts over each buttonhole. Work 1 more row in rib then cast off loosely ribwise.


With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 42 (42-46-46-50) sts across back neck edge including edge of shoulder borders. Beg with 2nd row work 4 rows in rib as on back welt then cast off loosely ribwise.

Lap front shoulder borders over back borders and tack in place. Sew cast-off edge of sleeves to sides of back and front placing centre of sleeves level with centre of shoulder borders and stitching through double thickness on edge of borders. Join side and sleeve seams. Remove tackings and sew on buttons to correspond with buttonholes.

94.378




Sleeves



Back and front

94.378



See instructions for arrangement of these panels on front

— = p 1 on right side

| = k 1 on right side

 = cable 6 front

 = C 4 R

 = C 4 L

On wrong-side rows work all sts as they appear.



No 94.391

SIZES

To fit a baby at birth (3 months-6 months-9 to 12 months-18 months). Actual width around hips when completed, 19 (20-21 $\frac{3}{4}$ -23 $\frac{3}{4}$ -25 $\frac{1}{2}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 1 (2-2-3-3) balls Ciel No 3101. Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); elastic thread.

STITCHES USED

Single rib; m st, worked on an odd number of sts as folls:

1st row. (right side). K 1, *p 1, k 1; * rep from * to *. This row forms m st and all rows are alike but count 1st row worked as right side of work. Take care to keep m st correct during shapings; always p each st which appears as a k st and k each st which appears as a p st.

TENSION. Over m st using 3 mm needles, 30 sts and 46 rows to 10 cm [4 ins]; work a sample on 45 sts.

INSTRUCTIONS

BACK

With 3 mm needles cast on 31 (33-37-41-41) sts for lower edge of one leg; border is

worked later. Work in m st for 5 (7-9-9-9) rows then shape sides; working extra sts into m st inc 1 st at both ends of next row, then on every foll 10th row 0 (0-1-5-2) times, on every foll 8th row 0 (3-4-0-5) times, then on every foll 6th row 5 (2-0-0-0) times. Cont on these 43 (45-49-53-57) sts with m st fitting correctly as before; cont without shaping until work measures 10 (12-14-16-18) cm [4 (4 $\frac{1}{4}$ -5 $\frac{1}{4}$ -6 $\frac{1}{4}$ -7) ins] from beg, ending with a right-side row. ** Cast off 2 sts at beg of next row then work 1 more row on these sts thus ending at shaped edge. Cut yarn and leave rem 41 (43-47-51-55) sts on a spare needle. Work second leg in same way to **; work 1 more row then cast off 2 sts at beg of foll row. Now join legs.

Next row. (wrong side). M st 40 (42-46-50-54) sts, k rem st tog with 1st st of first leg, m st 40 (42-46-50-54) sts. [81 (85-93-101-109) sts]. Cont across all sts shaping at centre.

1st row. M st 39 (41-45-49-53) sts, p 3 tog, m st 39 (41-45-49-53).

2nd row. Work in m st without shaping.

3rd row. M st 38 (40-44-48-52), k 3 tog, m st 38 (40-44-48-52). Keeping m st correct in this way work a double dec at centre on next 1 (1-2-2-3) alt rows. [75 (79-85-93-99) sts]. Cont without shaping until work measures 21 (25-29-33-37) cm [8 $\frac{1}{4}$ (9 $\frac{3}{4}$ -11 $\frac{1}{2}$ -13-14 $\frac{1}{2}$) ins] from beg, ending with a wrong-side row. Change to 2 $\frac{3}{4}$ mm needles and work waistband.

1st row. P 1, *k 1, p 1; rep from * to end. **2nd row.** K 1, *p 1, k 1; rep from * to end. Rep these 2 rows 3 times more then cast off loosely ribwise.


FRONT

Work exactly as given for back.

MAKE UP & LEG BORDERS

Join side seams. With right side of work fac-

ing and using 2 $\frac{3}{4}$ mm needles, pick up and k 57 (61-67-73-77) sts around lower edge of one leg. Beg with 2nd row work in rib as on waistband for 8 rows then cast off loosely ribwise. Work other leg border in same way. Join inner leg seams and ends of borders. Pass 3 rows of elastic thread through wrong side of waistband on 3rd, 5th and 7th rows of ribbing, securing ends in a seam.



yarn to first group of 10 (12-13) sts; with 1st needle work these sts in m st then onto same needle pick up and k 19 (21-23) sts along side of instep; now with 2nd needle work across the instep sts working p 2 tog (p 2 tog-k 2 tog), work next 5 (7-9) sts in m st then p 2 tog (p 2 tog-k 2 tog); with 3rd needle pick up and k 19 (21-23) sts along other side of instep and work 10 (12-13) sts from other holder in m st. [65 (75-83) sts]. Using 4th needle work in rows of m st across all sts for 7 (9-9) rows thus ending with a wrong-side row, placing all sts onto one needle during last row.

Sole shaping. 1st row. With 1st needle m st 28 (32-36); with 2nd needle m st 9 (11-11), turn

leaving rem 28 (32-36) sts on 3rd needle.



2nd row. [K 1, p 1] 4 (4-5) times, k rem st tog with 1st st of those at side, turn. Keeping m st correct rep 2nd row until you have 5 (6-6) sts rem at each side as well as the 9 (11-11) sts of sole. Turn after last row and work to end then cast off these 19 (23-23) sts in m st.

MAKE UP

Fold in the last 5 (6-6) at each side so that they meet at centre of sole and join along cast-off edge then join back seam.

Ankle strap. With 2½ mm needles cast on 5 sts and work in single rib. **1st row.** (right side). K 2, p 1, k 2. **2nd row.** [K 1, p 1] twice, k 1. Rep these 2 rows until work measures 14 (16-18) cm [5½ (6½-7) ins] from beg, ending with a 2nd rib row. On foll row k 2, yfd, k 2 tog, k 1. Work 5 more rows in rib then cast off ribwise. Pin strap around ankle so that the buttonhole comes at one side of instep (outer edge of bootie) then sew strap in place by stitching through strap and ankle section at back seam. Sew button to cast-on edge of strap. Make another bootie in same way but reversing position of strap.

N O T E S



14

CARDIGAN WITH DIAMOND MOTIFS



No 94.385

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when fastened, 19 (20½-22-23½-25½) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 (1-2-2-2) balls Fumee (pale grey) No 9102 (A), 1 ball or part-ball Opaline (pale green) No 4104 (B) and Ciel (sky-blue) No 3101 (C) and a small amount Grand blanc (white) No 103 (D). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); 5 small buttons.

STITCHES USED

G st; st st; diamond motifs, worked from chart on fronts; use separate small balls of A for the sts at sides of motifs so that yarns are not carried across more than 5 sts and always twist yarns when changing to another ball.

Embroidery: diagonal lines shown on chart are worked in Swiss Darning, or use cross-stitch if you prefer.

Patt sequence for fronts: work 2 (6-10-0-6) rows in A; work 1st row to 60th row of patt panel once (once-once-twice-twice); for 1st, 2nd and 3rd sizes only work from 1st row to 30th row again; work 2 (6-10-2-8) rows in A. Total, 94 (102-110-122-134) rows.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

Note. For this design it is particularly important that the row tension should be correct; in order than the diamond motifs can be neatly arranged on the fronts it is necessary to work

the stated number of rows for each size. Work the fronts first and then the back which is plain can be knitted to the same length.

INSTRUCTIONS

RIGHT FRONT

With 2½ mm needles and A cast on 37 (40-43-46-49) sts and work 4 rows in g st. Change to 3 mm needles and work in st st beg motifs and working 1st buttonhole on different rows according to size as follows:

1st size. 1st row. K in A.

2nd row. P in A.

3rd row. K 2, yfd, k 2 tog, k 15; now working 1st row of patt from chart k 7 A, join on C, k 1 C, 7 A; k rem 3 sts in A.

4th row. P 3 A, then working 2nd row of patt from chart p 7 A, twist C around A, p 1 C, 7 A; p 19 A. Cont working diamond motif as now set.

2nd size. 1st to 4th rows. Beg with a k row work 4 rows st st in A.

5th row. K 2, yfd, k 2 tog, k to end.

6th row. P. Now begin motif.

7th row. K 21 A; working 1st row of patt from chart k 7 A, join on C, k 1 C, 7 A; k rem 4 sts in A.

8th row. P 4 A, then working 2nd row of patt from chart p 7 A, twist C around A, p 1 C, 7 A; p 21 A. Cont working diamond motif as now set.

3rd size. 1st row. K in A.

2nd row. P in A.

3rd row. K 2, yfd, k 2 tog, k to end.

4th to 10th rows. Work in A. Now begin motif.

11th row. K 23 A; working 1st row of patt from chart k 7 A, join on C, k 1 C, 7 A; k rem 5 sts in A.

12th row. P 5 A, then working 2nd row of patt from chart p 7 A, twist C around A, p 1 C, 7 A; p 23 A. Cont working diamond motif as now set.

4th size. 1st row. K 25 A; working 1st row of patt from chart k 7 A, join on C, k 1 C, 7 A; k rem 6 sts in A.

2nd row. P 6 A, then working 2nd row of patt

from chart p 7 A, twist C around A, p 1 C, 7 A; p 25 A.

3rd row. K 2, yfd, k 2 tog, k 21 A; working from chart k 6 A, twist C around A, k 3 C, 6 A; k rem 6 sts in A. Cont working diamond motif as now set.

5th size. 1st row. K in A.

2nd row. P in A.

3rd row. K 2, yfd, k 2 tog, k to end.

4th to 6th rows. Work in A. Now begin motif.

7th row. K 27 A; working 1st row of patt from chart k 7 A, join on C, k 1 C, 7 A; k rem 7 sts in A.

8th row. P 7 A then working 2nd row of patt from chart p 7 A, twist C around A, p 1 C, 7 A; p 27 A.

All sizes. Cont in patt as now set and on 7th row of chart join on another ball of A so that this colour is not carried across sts of motif, always twisting yarns when changing colour.

At same time, work 4 more buttonholes in same position as 1st, always working 11 (11-13-15-17) rows between them. Work 1 row after last buttonhole thus ending at front edge. You have now worked 52 (54-60-68-76) rows excluding the g st border.

****Neck Shaping.** Dec 1 st at beg of next row and next 12 (11-12-12-12) alt rows then on every foll 4th row 3 (5-5-6-7) times. Cont on rem 21 (23-25-27-29) sts until all rows of patt sequence has been worked then cast off these sts for shoulder edge.

LEFT FRONT

With 2½ mm needles and A cast on 37 (40-43-46-49) sts and work 4 rows in g st then change to 3 mm needles and beg with a k row work 2 (6-10-0-6) rows st st in A. Now begin working diamond motifs from chart noting the change of colour.

1st row of patt. K 3 (4-5-6-7) A; working from chart k 7 A, join on B, k 1 B, 7 A; k rem 21 (23-25-27-29) A.

2nd row. P 21 (23-25-27-29) A; working from chart p 7 A, twist B around A, p 1 B, 7 A; p rem 3 (4-5-6-7) A. Cont working motif in this position, joining on 2nd ball of A on 7th row of patt. Cont without shaping until you have worked 52 (54-60-68-76) rows excluding the g

st border, thus ending at side edge after a p row. Complete as given for right front from ** to end working neck decs at end of corresponding rows.

BACK

With 2 $\frac{3}{4}$ mm needles and A cast on 71 (77-83-89-95) sts and work 4 rows in g st. Change to 3 mm needles and beg with another k row work in st st. Cont without shaping until you have worked 4 rows fewer than the total on fronts, thus ending with a p row.

Neck Shaping. 1st row. K 26 (28-30-32-34) sts and leave these sts of right back on a spare needle, cast off next 19 (21-23-25-27) sts, k to end. Cont on 26 (28-30-32-34) sts now rem on needle for left back; dec 1 st at neck edge on next row then cast off 4 sts at beg of foll row. P 1 row on rem 21 (23-25-27-29) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of right back sts, cast off 4, p to end. Dec 1 st at neck edge on next row, work 1 row then cast off rem 21 (23-25-27-29) sts.

SLEEVES

With 2 $\frac{3}{4}$ mm needles and A cast on 50 (52-54-56-58) sts and work 4 rows in g st. Change to 3 mm needles and beg with another k row work in st st; inc 1 st at both ends of every foll 8th row 3 times, on every foll 6th row 4 times, then on every foll 4th row 0 (2-4-6-8) times. Cont on these 64 (70-76-82-88) sts until work measures 15 (17-19-21-23) cm [6 (6 $\frac{1}{4}$ -7 $\frac{1}{2}$ -8 $\frac{1}{4}$ -9) ins] from beg. Cast off all sts.


MAKE UP & BORDERS

First complete the panel of motifs on each front by working the zig-zag lines using D and working either in Swiss Darning or cross-stitch as preferred.

Front & neck borders. With right side of work facing and using 2 $\frac{3}{4}$ mm needles and A, pick up and k 40 (42-46-52-58) sts along straight front edge of right front and 30 (34-36-39-42) sts along sloping edge to shoulder. Work 4 rows in g st then cast off rather loosely. Work similar border on left front picking up groups of sts in reverse order. With right side of work facing and using 2 $\frac{3}{4}$ mm needles and A, pick up and k 31 (33-35-37-39) sts across back neck edge; work 4 rows in g st then cast off rather loosely.


Join shoulder seams and ends of borders. On each side edge mark a point 11 (12-13-14-15) cm [4 $\frac{1}{4}$ (4 $\frac{3}{4}$ -5-5 $\frac{1}{2}$ -6) ins] below shoulder seam for armholes and sew cast-off edge of sleeves between these points. Join side and sleeve seams. Buttonhole-stitch around each buttonhole and sew buttons to left front to correspond.

94.385



- 1 = Opaline (B) on right front or Ciel (C) on left front
- 2 = Ciel (C) on right front or Opaline (B) on left front
- = embroider in D using Swiss Darning or cross-stitch

94.385





No 94.386

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months). Actual width around hips when completed, 20½ (21½-23½-25) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 ball in each of the foll, Grand blanc (white) No 103 (A), Opaline (pale green) No 4104 (B), Fumee (pale grey) No 9102 (C) and Ciel (sky-blue) No 3101 (D). Pair each of needles size 2½ mm and 3 mm (US sizes 2 and 3); elastic thread.

STITCHES USED

Single rib; g st; st st; check patt, see instructions; use a separate ball for each large check and small balls of A for the sts at sides and between checks, always twisting yarns when changing colour.

TENSION. Over st st or patt using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts working in st st.

Note. Because so many different balls are used for the patt this design is not suitable for beginners.

INSTRUCTIONS

LEFT LEG

First wind off 7 small balls of A and 5 small balls each in B, C and D. Using 2½ mm needles and main ball of C cast on 66 (69-76-79) sts and work 3 rows in g st.

1st row. K 2 (1-2-1), [inc in next st, k1] 32 (34-37-39) times. [98 (103-113-118) sts]. Change to 3 mm needles, cut C and join on main ball of A. Beg with another k row work 2 (4-4-6) rows st st in A. Now begin check patt joining on separate small balls as required for each panel and each vertical stripe in A.

First patt band. 1st row. K 3 A, *16 (17-19-20) C, 3 A, 16 (17-19-20) B, 3 A; *rep from * to * again, k16 (17-19-20) C, 3 A.

2nd row. P 3 A, twist C around A, p16 (17-19-20) C, *twist A around C, p3 A, twist B around A, p16 (17-19-20) B, twist A around B, p3 A, twist C around A, p16 (17-19-20) C; *rep from * to * again, twist A around C, p3 A. Always twisting yarns when changing colour rep 1st and 2nd rows 8 (9-10-11) times more then 1st row again. Cut off all colours and rejoin main ball of A. Work 3 rows st st in A.

Second patt band. 1st row. K 3 A, then joining on colours as required *k16 (17-19-20) D, 3 A, 16 (17-19-20) C, 3 A; *rep from * to * again, k16 (17-19-20) D, 3 A. Always twisting yarns when changing colour work 18 (20-22-24) more rows in patt as set; cut off

all colours, rejoin main ball of A and work 3 rows st st in A. These 44 (48-52-56) rows complete 1st patt. Work 12 (14-16-18) rows of 2nd patt.

Crutch Shaping. Keeping patt correct cast off 3 (3-4-4) sts at beg of next 2 rows, 2 (3-3-3) sts at beg of next 2 rows and 2 sts at beg of next 4 rows then dec 1 st at both ends of foll row. You have thus ended with a k row after working 2 rows in A across all sts. ** Cut yarn and leave rem 78 (81-89-94) sts on a spare needle.

RIGHT LEG

Work as given for left leg to **; now join the legs.

Next row. P 77 (80-88-93) sts of right leg, p rem st tog with first 2 (1-1-2) sts of left leg, p to end. [154 (161-177-186) sts].

Second patt band. Rejoining colours as required k9 (9-10-11) D, 3 A, *16 (17-19-20) C, 3 A, 16 (17-19-20) D, 3 A; *rep from * to * twice more, k16 (17-19-20) C, 3 A, 9 (9-10-11) D. Cont in patt as now set and work a

further 18 (20-22-24) rows then work 3 rows in A to complete 2nd patt.


1st row of 3rd patt. K9 (9-10-11) C, 3 A, *k16 (17-19-20) B, 3 A, 16 (17-19-20) C, 3 A; *rep from * to * twice more, k16 (17-19-20) B, 3 A, 9 (9-10-11) C. Work 18 (20-22-24) more rows in patt as now set. Cut off all colours and join on C.

Dec row. (wrong side). [P10 (12-9-9), p2 tog] 12 (11-15-16) times, p rem 10 (7-12-10) sts. [142 (150-162-170) sts]. Change to 2½ mm needles and work in single rib for 8 rows then cast off loosely ribwise.

MAKE UP


Join inner leg seams. Join short centre front seam along shaped edges then join entire centre back seam. Pass 3 rows of elastic thread through wrong side of waistband, on 2nd, 4th and 6th rows of ribbing, securing ends in back seam.

94.386



Right half

N O T E S



16 BOOTEES WITH LACING



No 94.387

SIZES

To fit ages 3 months (6 months).

MATERIALS

PINGOUIN Tendresse: 1 ball Fumee No 9102. Pair of needles size 3 mm (US size 3) plus an extra pair for working foot section but double-pointed needles are not required; 1 needle size 2½ mm (US size 2), for use when forming pleat; about 1 metre (1 yard) of narrow ribbon.

STITCHES USED

St st; g st; k loop, pick up loop lying between needles and k it through the back.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

With 3 mm needles cast on 45 (51) sts for centre of sole. Beg with a k row work 2 rows in st st then shape as follows:

3rd row. K 1, k loop, k 21 (24), k loop, k 1 (centre st), k loop, k 21 (24), k loop, k 1. Cont to inc in these positions, after 1st st, at each side of centre st and before last st, on next 2 alt rows then p 1 row on 57 (63) sts. This completes sole. Cont without shaping and work 8 rows in st st then form pleat. With wrong side facing, beg at opposite end of work insert needle in back loop of every st in 1st of these 8 rows; bring this needle level with left-hand needle with p side inside.

Next row. *K next st tog with 1 st from the spare needle; * rep from * to * along row. Beg with a p row work 6 (8) more rows in st st then on foll row divide work onto 3 of the 3 mm needles thus: with wrong side facing p 23 (25)

sts onto one needle, then with 2nd needle p next 11 (13) sts which will form instep, then with 3rd needle p rem 23 (25) sts. Cut yarn and with right side facing rejoin to the instep sts.

Instep shaping. 1st row. K 10 (12), k rem st tog with 1st st from needle at side, turn.

2nd row. P 10 (12), p rem st tog with 1st st from needle at side, turn. Rep these 2 rows 6 (7) times more; you now have 16 (17) sts rem on each side needle. Turn after last row as usual and cont on the 11 (13) instep sts to form tongue; work 21 rows without shaping thus ending with a k row then cast off k-wise on wrong side.

Ankle section. With right side facing rejoin yarn at outer edge to the first group of 16 (17) sts at side.

1st to 5th rows. Work in st st without shaping. **6th row.** P 2 tog, p to end. Rep these 6 rows again, work 4 (6) rows in st st on rem 14 (15)

sts then work 4 rows in g st. Cast off. Work other side of ankle in same way but working shapings at opposite edge.

Borders. With right side of work facing pick up and k 15 (17) sts along one inner edge of ankle section and work in g st.

1st row. K.

2nd row. K 2, yfd, k 2 tog, [k 3 (4), yfd k 2 tog] twice, k rem st. Work 2 more rows in g st then cast off. Work border on other side of ankle in same way.

MAKE UP

Fold cast-on edge of sole in half and join with a flat seam. Join back seam of ankle sections. Make second bootie in same way. Cut ribbon in half and thread through eyelet holes in ankle borders with ends at upper edge.

N O T E S



No 94.388

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual width around chest when completed, 19 $\frac{1}{4}$ (20 $\frac{3}{4}$ -22 $\frac{1}{2}$ -24-25 $\frac{3}{4}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions all parts of the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 1 (1-1-2-2) balls Fumee (pale grey) No 9102 (A), 1 ball or part-ball Opaline (pale green) No 4104 (B) and Ciel (sky-blue) No 3101 (C) and a small amount Grand blanc (white) No 103 (D). Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 4 small buttons.

STITCHES USED

Single rib; st st; heart motif, worked from chart on front; use separate small balls of the colours, joining them on as required so that yarns are not carried across more than 5 sts and always twist yarns when changing to another ball during the row.

Embroidery: diagonal lines shown on chart are worked in Swiss darning, or use cross-stitch if you prefer.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With 2 $\frac{3}{4}$ mm needles and A cast on 71 (77-83-89-95) sts and work in rib.

1st row. (right side). P 1, *k 1, p 1; rep from * to end. **2nd row.** K 1, *p 1, k 1; rep from * to end. Rep these rows 3 times more but inc 1 st at both ends of last row. [73 (79-85-91-97) sts]. Change to 3 mm needles and beg with a k row work in st st. Cont without shaping until work measures 13 (14-15-16-17) cm [5 (5 $\frac{1}{2}$ -6-6 $\frac{3}{4}$) ins] from beg, ending with a p row.

Armhole Shaping & Back Opening. 1st row. Cast off 2, k until there are 33 (36-39-42-45) sts on right needle, leave these for right back, cast off next 3 sts, k to end. Cont on 35 (38-41-44-47) sts now rem on needle for left back. Cast off 2 sts at beg of next row then dec 1 st at same edge on next 3 alt rows. Cont on rem 30 (33-36-39-42) sts until work measures 22 (24-26-28-30) cm [8 $\frac{3}{4}$ (9 $\frac{1}{2}$ -10 $\frac{1}{4}$ -11-11 $\frac{3}{4}$) ins] from beg, ending at back opening edge.

Neck Shaping. Cast off 9 (10-11-13-14) sts at beg of next row and 4 sts at same edge on next alt row. Work 1 row on rem 17 (19-21-22-24) sts then cast off these sts for shoulder edge. With wrong side facing rejoin yarn to sts of right back, p to end. Dec 1 st at beg of next row and next 2 alt rows then cont on rem 30

(33-36-39-42) sts and complete as given for left back working neck shaping at opposite edge.

FRONT

Work as given for back until work measures 4 (5-6-7-8) cm [1 $\frac{1}{2}$ (2-2 $\frac{1}{4}$ -2 $\frac{3}{4}$ -3 $\frac{1}{4}$) ins] from beg, ending with a p row. Wind off 2 small balls of A in addition to the main ball in use and begin working motif from chart.

1st row. K 36 (39-42-45-48) A, join on C, k 1 C, then k 36 (39-42-45-48) A.

2nd row. P 35 (38-41-44-47) A, twist C around A, p 3 C, then p 35 (38-41-44-47) A.

3rd row. K 34 (37-40-43-46) A, twist C around A, k 5 C, then k 34 (37-40-43-46) A.

4th row. P 33 (36-39-42-45) A, twist C around A, p 7 C, join on 2nd ball of A, p 33 (36-39-42-45) A. Cont working motif as now set twisting yarns at each side of motif, joining on 2 small balls of B on 23rd row and joining on 3rd ball of A at centre of motif on 42nd row. **At same time,** cont without shaping until work matches back to armhole, ending with a p row.

Armhole Shaping. Cast off 2 sts at beg of next 2 rows then dec 1 st at both ends of next 3 alt rows. Cont on rem 63 (69-75-81-87) sts and when last row of heart motif has been worked cut off spare balls and cont in st st using A only for remainder of front. Cont without shaping until work measures 19 (21-23-25-27) cm [7 $\frac{1}{2}$ (8 $\frac{1}{4}$ -9-9 $\frac{3}{4}$ -10 $\frac{1}{2}$) ins] from beg, ending with a p row.

Neck Shaping. 1st row. K 27 (29-31-33-35) sts and leave these sts of left front on a spare needle, cast off next 9 (11-13-15-17) sts, k to end. Cont on 27 (29-31-33-35) sts now rem on needle for right front and p 1 row. ****Cast off 3 (3-3-4-4) sts at beg of next row, 2 sts at same edge on next 2 alt rows and 1 st on next 3 alt rows.**** Work 3 rows on rem 17 (19-21-22-24) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of left front sts; cont as given for right front from ** to **, work 4 rows without shaping then cast off rem 17 (19-21-22-24) sts for shoulder edge.

SLEEVES

With 2 $\frac{3}{4}$ mm needles and A cast on 39 (41-43-

45-47) sts and work in rib as on back for 7 rows.

Inc row. Rib 3 (4-5-6-7), [inc in next st, rib 7] 4 times, inc in next st, rib rem 3 (4-5-6-7) sts. [44 (46-48-50-52) sts]. Change to 3 mm needles and beg with a k row work in st st; work 7 rows without shaping then inc 1 st at both ends of next row, then on every foll 6th row 6 times, then inc at both ends of every foll 4th row 0 (2-4-6-8) times. Cont on these 58 (64-70-76-82) sts until work measures 15 (17-19-21-23) cm [6 (6 $\frac{3}{4}$ -7 $\frac{1}{2}$ -8 $\frac{1}{4}$ -9) ins] from beg.

Top Shaping. Cast off 2 sts at beg of next 2 rows then dec 1 st at both ends of next 3 alt rows. Cast off rem 48 (54-60-66-72) sts.

MAKE UP & BORDERS


First complete the motif by working the diagonal lines in D either using Swiss Darning or cross-stitch; beg on same row as 1st st of heart motif miss 25 sts to the right of this st then begin line on next st and cont it across the motif, ending on the last row of motif. Work the other line in corresponding position.


Neck border. First join shoulder seams then with right side of work facing and using 2 $\frac{3}{4}$ mm needles and A, pick up and k 15 (16-17-19-20) sts across left back neck edge, 43 (45-47-51-53) sts around front neck edge and 15 (16-17-19-20) sts across right back neck. [73 (77-81-89-93) sts]. Beg with 2nd row work 4 rows in rib then cast off loosely ribwise.

Back opening borders. With right side of work facing and using 2 $\frac{3}{4}$ mm needles and A, pick up and k 33 (35-39-41-45) sts along right back edge of opening, including edge of neck border. Rep 2nd rib row then make buttonholes.

Next row. Beg at upper edge, right side facing, p 1, k 1, p 1, yrn, p 2 tog, [rib 6 (6-8-8-10), yrn, p 2 tog] 3 times, rib rem 4 (6-4-6-4) sts. Work 2 more rows in rib then cast off loosely ribwise. Work similar border on left edge of opening omitting buttonholes.

Sew in sleeves then join side and sleeve seams. Sew lower edge of back borders to base of opening, lapping right border over left. Sew on buttons to correspond with buttonholes.





See instructions for exact position of motif on front.

Background is in A

1 = B

2 = C

● = embroider in D using Swiss Darning or cross-stitch

SKIRT WITH DIAMOND PANELS



No 94.389

SIZES

To fit ages 3 months (6 months-9 to 12 months-18 months-2 years). Actual measurements shown on diagram.

Note. Skirt has been designed in centimetres; we give alternative measurements in inches but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 1 (2-2-3-3) balls Fumee (pale grey) No 9102 (A), a small ball each in Opaline (pale green) No 4104 (B) and Ciel (sky-blue) No 3101 (C) and a small

amount Grand blanc (white) No 103 (D). Pair each of needles size $2\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 2 small buttons.

STITCHES USED

G st; single rib; st st; S2KPO, slip next 2 sts as if to k them tog thus reversing their order, k next st then pass both slipped sts over k st and off needle; **diamond motifs**, worked from chart; use a separate small ball of B or C for each motif and 4 separate balls of A for the sts between motifs, joining on these balls when working 13th row of chart so that yarn is not carried across more than 5 sts and always twist yarns when changing to another ball during the row.

Embroidery. Zig-zag lines shown on chart are

embroidered afterwards in Swiss Darning, or you could use cross-stitch if you prefer.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With $2\frac{3}{4}$ mm needles and A cast on 123 (131-139-147-155) sts and work 4 rows in g st then change to 3 mm needles and work from chart.

1st to 6th rows. Beg with a k row work 6 rows st st in A. Now begin motifs; there is an extra st in B at beg and end of rows not shown on chart. Join on a ball of B at beg and join on

2 more balls of B and 2 balls of C during the row when required.

7th row. K 1 B, then working from chart *k 1 B, 29 (31-33-35-37) A, 1 C, 29 (31-33-35-37) A; * rep from * to * again, k 1 B to complete chart then k 1 more st in B.

8th row. P 1 B then working from chart p 1 B, twist A around B, *p 29 (31-33-35-37) A, twist C around A, p 1 C, 29 (31-33-35-37) A, twist B around A, p 1 B; * rep from * to * again, p rem st in B. Always twist yarns when changing to another ball. Now begin dart shapings between motifs.

9th row. K 1 B, then working from chart k 2 B, twist A around B, *with A k 12 (13-14-15-16), S2KPO, k 12 (13-14-15-16), twist C around A, k 3 C, with A k 12 (13-14-15-16), S2KPO, k 12 (13-14-15-16), twist B around A, k 3 B; * rep from * to * again. [115 (123-131-139-147) sts]. Cont working diamond motifs as now set, working 3 complete motifs with a half-motif at each end, joining on the extra balls of A on 13th row. Cont until you have worked 18th (20th-22nd-24th) row from chart then work 4 more double decs above previous ones on next row, then on every foll 10th (12th-14th-16th) row 4 times more. **At same time**, when diamond motifs have been completed cut off spare balls of yarn and cont in st st using A only. When last row of dart shapings has been worked cont on rem 75 (83-91-99-107) sts until work measures 19 (21-23-25-27) cm [$7\frac{1}{2}$ ($8\frac{1}{4}$ -9-9 $\frac{1}{2}$ -10 $\frac{1}{2}$) ins] from beg, ending with a p row. Change to 2 $\frac{3}{4}$ mm needles and work in rib for waistband.

1st row. P 1, *k 1, p 1; rep from * to end. **2nd row.** K 1, *p 1, k 1; rep from * to end. Rep these 2 rows until work measures 4 cm [$1\frac{1}{2}$ ins] from beg of waistband, ending with a 2nd rib row. **** Now make buttonholes.**

Next row. 1st size. Rib 16, yfd, k 2 tog, rib 39, k 2 tog, yfd, rib 16.

2nd size. Rib 18, yfd, k 2 tog, rib 43, k 2 tog, yfd, rib 18.

3rd size. Rib 19, yrn, p 2 tog, rib 49, p 2 tog, yrn, rib 19.

4th size. Rib 23, yrn, p 2 tog, rib 49, p 2 tog, yrn, rib 23.

5th size. Rib 25, yrn, p 2 tog, rib 53, p 2 tog, yrn, rib 25.

All sizes. Work 3 more rows in rib then cast off loosely ribwise.

FRONT

Work as given for back to ******; work 4 more rows in rib then divide sts for shoulder straps.


Next row. Cast off 10 (12-12-16-18) sts loosely ribwise, rib until there are 13 (13-15-15-15) sts on right needle, leave these on a spare needle for left strap, cast off next 29 (33-37-37-41) sts loosely ribwise, rib until there are 13 (13-15-15-15) sts on right needle, leave these for right strap, cast off rem 10 (12-12-16-18) sts loosely ribwise and fasten off.

Shoulder straps. With wrong side facing and using 2 $\frac{3}{4}$ mm needles rejoin A to sts of right strap and cont in rib for 22 (24-26-28-30) cm [$8\frac{3}{4}$ (9 $\frac{1}{2}$ -10 $\frac{1}{4}$ -11-11 $\frac{3}{4}$) ins] then cast off loosely ribwise. Work right strap in same way.

MAKE UP


Complete the diamond motifs by working the zig-zag lines in D using either Swiss Darning or cross-stitch as preferred. Join side seams with a neat backstitch join taking in 1 st from each side. Sew buttons to centre of each shoulder strap 3 rows from cast-off edge.

94.389




Back and front

N O T E S



See instructions for exact arrangement of patt and for dart shapings; there is an extra st at beg and end of rows not shown on chart and worked in B on patt rows.

- = background in A
- 1 = Opaline (B)
- 2 = Ciel (C)
- = embroider in D using Swiss Darning or cross-stitch.



19 BOOTEES WITH FRILLED BORDER



No 94.395

SIZES

To fit a baby at birth (3 months-6 months).

MATERIALS

PINGOUIN Tendresse: 1 ball or part-ball each in Dragee (pale pink) No 8104 (A) and Grand blanc (white) No 103 (B). Pair of needles size 3 mm (US size 3) plus an extra pair for working foot section but double-pointed needles are not required.

STITCHES USED

G st; single rib; st st; k loop, pick up loop lying between needles and k it through the back; **picot edging**, see instructions.

TENSIONS. Both worked with 3 mm needles. Over st st, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts. Over g st, 29 sts and 54 rows to 10 cm [4 ins]; provided the st st tension is correct there is no need to knit other samples.

INSTRUCTIONS

Using A cast on 33 (37-41) sts for sole and work in g st.

1st and 2nd rows. Work without shaping. Count 1st row as right side of work.

3rd row. K 2, k loop, k 14 (16-18), k loop, k 1 (centre st), k loop, k 14 (16-18), k loop, k 2.

4th and alt rows. K without shaping.

5th row. K 2, k loop, k 16 (18-20), k loop, k 1, k loop, k 16 (18-20), k loop, k 2. Cont to dec in these positions, after the 2nd st of row, at each side of centre st and before the last 2 sts, on next 2 alt rows. [49 (53-57) sts]. Work 10 (12-12) rows after last inc row. Now divide sts.

Next row. (wrong side). K 21 (22-24) sts, leave these sts on one needle; k 7 (9-9) sts with 2nd needle; k rem 21 (22-24) sts with 3rd needle. Cut yarn and with right side facing join on B to the centre 7 (9-9) sts and cont on these sts for instep.

1st row. (right side). K 2 (1-1), [k loop, k 1 (2-2)] 4 times, k 1 (0-0). [11 (13-13) sts]. Now work in rib.

2nd row. [K 1, p 1] 5 (6-6) times, k 1. Begin taking in sts from sides.

3rd row. [P 1, k 1] 5 (6-6) times, p rem st tog with 1st st from needle at side.

4th row. [K 1, p 1] 5 (6-6) times, k rem st tog with 1st st from needle at side. Rep last 2 rows 8 (8-9) times more; you now have 12 (13-14) sts rem at each side. Cut yarn.

Ankle. With right side of work facing rejoin B to first group of sts at side, k 0 (1-0), [p 1, k 1] 6 (6-7) times, cont in rib across sts of instep and across the 12 (13-14) sts at other side. [35 (39-41) sts]. Work 11 (11-15) more rows in rib thus ending with a wrong-side row. Leave sts on a spare needle without cutting yarn.

Frill. Using A cast on 52 (58-61) sts and beg with a k row work 4 rows in st st for hem.

5th row. K 1, *yfd, k 2 tog; * rep from * to * ending k 1. This row of holes forms picot edging when hem is turned up. Work 8 (8-10) more rows in st st.

Dec row. [P 1, p 2 tog] 17 (19-20) times, p 1. [35 (39-41) sts]. Cut A. Place needle with these sts in front of sts of ankle section, with the p side of frill next to the right side of ankle.

Next row. Using A *k 1 st of frill tog with 1 st of ankle] 35 (39-41) times. Cont in rib as on ankle for 6 rows then cast off loosely ribwise.

MAKE UP

Fold cast-on edge of sole in half and join with a flat seam. Join back seam of bootie and back seam of frill. Fold the first 4 rows of frill to wrong side, folding along centre of row of holes to form picot edging and slip-st cast-on edge in place. Make another bootie in same way.

N O T E S



No 94.393

SIZES

To fit ages 3 months (6 to 9 months-12 to 18 months). Actual width around chest when fastened, 19 $\frac{3}{4}$ (23 $\frac{1}{4}$ -26 $\frac{3}{4}$) ins.

Note. This garment has been designed in centimetres; we give alternative measurements in inches on the size diagram and in the instructions but these can only be approximate. To ensure correct proportions the work should be measured in centimetres.

MATERIALS

PINGOUIN Tendresse: 2 (2-3) balls Dragee No 8104. Pair each of needles size 2 $\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); 2 small buttons.

STITCHES USED

G st; st st; lace patt border, shown on chart and explained in the instructions; **picot edging**, see instructions.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts. Lace border worked at lower edge of front and the two halves of back gives a tighter tension and a dec row is worked after this patt is completed. All measurements shown on size diagram are taken over st st. When measuring the length measure from one of the lower points formed by the patt.

INSTRUCTIONS

FRONT

With 2 $\frac{3}{4}$ mm needles cast on 81 (97-113) sts and work 4 rows in g st then change to 3 mm needles and work in lace patt.

1st row. K 1, *yfd, k 5, SKPO, k 1, k 2 tog, k 5, yfd, k 1; * rep from * to *.

2nd and alt rows. P.

3rd row. K 2, *yfd, k 4, SKPO, k 1, k 2 tog, k 4, yfd, k 3; * rep from * to * ending last rep k 2 instead of k 3.

5th row. K 3, *yfd, k 3, SKPO, k 1, k 2 tog, k 3, yfd, k 5; * rep from * to * ending last rep k 3 instead of k 5.

7th row. K 4, *yfd, k 2, SKPO, k 1, k 2 tog, k 2, yfd, k 7; * rep from * to * ending last rep k 4, instead of k 7.

9th row. K 5, *yfd, k 1, SKPO, k 1, k 2 tog, k 1, yfd, k 9; * rep from * to * ending last rep k 5 instead of k 9.

11th row. K 6, *yfd, SKPO, k 1, k 2 tog, yfd, k 11; * rep from * to * ending last rep k 6 instead of k 11. This completes patt.

Dec row. P 5 (3-3), p 2 tog, [p 8 (7-6), p 2 tog] 7 (10-13) times, p rem 4 (2-4) sts. [73 (86-99) sts]. Now work in st st for remainder of front and cont without shaping until work measures 12 (13-14) cm [4 $\frac{3}{4}$ (5-5 $\frac{1}{2}$) ins] from beg, ending with a p row.

Armhole Shaping. Cast off 3 sts at beg of next 3

2 rows and 2 sts at beg of next 6 rows then dec 1 st at both ends of next 3 (4-5) alt rows. Cont on rem 49 (60-71) sts until work measures 18 (20-22) cm [7 (8-8 $\frac{3}{4}$) ins] from beg, ending with a p row.

Neck Shaping. **1st row.** K 20 (24-28) sts and leave these sts of left front on a spare needle, cast off next 9 (12-15) sts, k to end. Cont on 20 (24-28) sts now rem on needle for right front and p 1 row. ****Cast off 3 (4-4) sts at beg of next row, 2 sts at same edge on next 2 (2-3) alt rows and 1 st on next 3 (3-2) alt rows.**** Work 3 rows on rem 10 (13-16) sts then cast off these sts for shoulder edge. Rejoin yarn to neck edge of left front sts; cont as given for right front from ** to **, work 4 rows without shaping then cast off rem 10 (13-16) sts for shoulder edge.

RIGHT BACK

With 2 $\frac{3}{4}$ mm needles cast on 57 (65-73) sts and work 4 rows in g st then change to 3 mm needles and work in lace patt.

2nd size only. Work from 1st row to 11th row as given for front.

1st and 3rd sizes. Work patt as folls: (3rd size in brackets).

1st row. K 1, rep from * to * in 1st patt row of front 3 (4) times, yfd, k 5, SKPO, k 1.

2nd and alt rows. P.

3rd row. K 2, rep from * to * in 3rd patt row 3 (4) times, yfd, k 4, SKPO, k 1.

5th row. K 3, rep from * to * in 5th patt row 3 (4) times, yfd, k 3, SKPO, k 1.

7th row. K 4, rep from * to * in 7th patt row 3 (4) times, yfd, k 2, SKPO, k 1.

9th row. K 5, rep from * to * in 9th patt row 3 (4) times, yfd, k 1, SKPO, k 1.

11th row. K 6, rep from * to * in 11th patt row 3 (4) times, yfd, SKPO, k 1. This completes patt.

All sizes. Dec row. [P 6 (9-13), p 2 tog] 6 (5-4) times, p rem 9 (10-13) sts. Cont on rem 51 (60-69) sts and work in st st, without shaping until work matches front to armhole, ending with a p row.

Armhole Shaping. Cast off 3 sts at beg of next row and 2 sts at same edge on next 3 alt rows then dec 1 st at same edge on next 3 (4-5) alt rows. [39 (47-55) sts]. Cont without shaping until work measures 21 (23-25) cm [8 $\frac{1}{4}$ (9-9 $\frac{1}{2}$) ins] from beg, ending at straight back edge after a k row.

Neck Shaping. Cast off 25 (30-35) sts at beg of next row and 4 sts at same edge on next alt row. Work 1 row on rem 10 (13-16) sts then cast off these sts for shoulder edge.

LEFT BACK

With 2 $\frac{3}{4}$ mm needles cast on 57 (65-73) sts and work 4 rows in g st then change to 3 mm needles and lace patt.

2nd size only. Work from 1st row to 11th row as given for front.

1st and 3rd sizes. Work patt as folls: (3rd size in brackets).

1st row. K 1, k 2 tog, k 5, then rep from * to * in 1st patt row of front 3 (4) times, yfd, k 1.

2nd and alt rows. P.

3rd row. K 1, k 2 tog, k 4, then rep from * to * in 3rd patt row 3 (4) times, yfd, k 2.

5th row. K 1, k 2 tog, k 3, then rep from * to *

in 5th patt row 3 (4) times, yfd, k 3.

7th row. K 1, k 2 tog, k 2, then rep from * to * in 7th patt row 3 (4) times, yfd, k 4.

9th row. K 1, k 2 tog, k 1, then rep from * to * in 9th patt row 3 (4) times, yfd, k 5.

11th row. K 1, k 2 tog, then rep from * to * in 11th patt row 3 (4) times, yfd, k 6. This completes patt.

All sizes. Work the dec row as on right back then complete as given for right back working shapings at opposite edges.

SLEEVES

With 2 $\frac{3}{4}$ mm needles cast on 44 (46-50) sts and beg with a k row work 4 rows in st st for hem. Change to 3 mm needles.

5th row. K 1, *yfd, k 2 tog; * rep from * to * ending k 1. This row of holes forms picot edging when hem is turned up.

6th to 9th rows. Work in st st.

10th row. P 1, *yrn, p 2 tog; * rep from * to * ending p 1. This row of holes is ornamental. Cont in st st shaping sides; inc 1 st at both ends of next row, then on every foll 6th row 4 times more, then on every foll 4th row 2 (4-5) times. Work 5 rows on these 58 (64-70) sts.

Top Shaping. Cast off 3 sts at beg of next 2 rows and 2 sts at beg of next 6 rows; dec 1 st at both ends of every alt row 6 times then cast off 2 sts at beg of next 6 (8-10) rows and 3 sts at beg of next 2 rows. Cast off rem 10 (12-14) sts.

MAKE UP & BORDERS

With right side of work facing and using 2 $\frac{3}{4}$ mm needles, pick up and k 63 (69-75) sts along straight back edge of right back and k 1 row.

2nd row. Beg at neck edge, right side facing, k 2, yfd, k 2 tog, k to end. Work 2 more rows in g st then cast off rather loosely.



Pick up same number of sts along back edge of left back and k 1 row.

2nd row. Beg at lower edge, right side facing, k to last 4 sts, k 2 tog, yfd, k 2. Work 2 more rows in g st then cast off rather loosely. Join shoulder seams.

Neck border. With right side of work facing and using 3 mm needles, pick up and k 32 (37-42) sts across left back neck edge including edge of neck border, 42 (47-52) sts around front neck edge and 32 (37-42) sts across right back neck edge and edge of neck border. [106 (121-136) sts]. Beg with a p row work 4 rows in st st then change to 2 $\frac{3}{4}$ mm needles.

5th row. P 1 (2-1), *yfd, p 2 tog; * rep from * to * ending p 1. Work 4 more rows in st st then cast off rather loosely.

Sew in sleeves easing in fullness at top then join side and sleeve seams. Around lower edge of sleeves fold up the first 4 rows of st st to wrong side, folding along centre of row of holes to form picot edging and slip-st cast-on edge in place. Fold the last 4 rows of neck border to wrong side, folding along centre of row of holes and slip-st cast-off edge in place. Lap right back over left and sew on buttons to correspond with buttonholes, one on wrong side of right back, the other on right side of left back.



Use chart as a guide; patt rows are fully explained in the instructions. On the two halves of back the patt rows vary according to size, see instructions.

□ = k on right side

○ = yfd

△ = k 2 tog

△ = SKPO

On wrong-side rows p all sts.

N O T E S



No 94.394

SIZES

To fit ages 3 months (6 months-9 to 12 months). Actual measurements are shown on diagram. Length measurements shown are taken with the hem turned up.

Note. Skirt has been designed in centimetres; we give alternative measurements in inches but these can only be approximate.

MATERIALS

PINGOUIN Tendresse: 2 (2-3) balls Dragee No 8104. Pair each of needles size $2\frac{3}{4}$ mm and 3 mm (US sizes 2 and 3); elastic thread.

STITCHES USED

Single rib; st st; picot edging, see instructions.

TENSION. Over st st using 3 mm needles, 29 sts and 40 rows to 10 cm [4 ins]; work a sample on 44 sts.

INSTRUCTIONS

BACK

With $2\frac{3}{4}$ mm needles cast on 126 (138-150) sts and beg with a k row work 4 rows in st st for hem.

5th row. K 1, *yfd, k2 tog;* rep from * to * ending k 1. This row of holes will form picot edging when hem is turned up. Change to 3 mm needles.

6th to 9th rows. Work in st st.

10th row. P 1, *yrn, p2 tog;* rep from * to * ending p 1. This row of holes is ornamental. Cont in st st without shaping until work measures 20 (23-25) cm [8 (9-9 $\frac{3}{4}$) ins] measured from the first row of holes, ending with a k row.

Dec row. P 1, [p2 tog] 62 (68-74) times, p 1. [64 (70-76) sts]. Change to $2\frac{3}{4}$ mm needles and work in single rib for 8 rows then cast off loosely ribwise.

FRONT

Work exactly as given for back.

MAKE UP

Join side seams. Fold up hem all round lower edge to wrong side, folding along centre of row of holes to form picot edging and slip-st cast-on edge in place. Pass 3 rows of elastic thread through wrong side of waistband on 3rd, 5th and 7th rows of ribbing, securing ends in a seam.

94.394

