

Robin

15348

DK

41-56cm 16-22in



Robin BAMBINO BRIGHTS DK AND BAMBINO BABY DK

41-56cm 16-22in

CARDIGANS AND SWEATERS

☆ ☆ 15348

The garments photographed are knitted in size 46cm, 18in.

MEASUREMENTS

To fit chest	41 16	46 18	51 20	56 22	cm in
Actual Size	47 18½	53 21	58 23	62 24½	cm in
Full Length	23 9	27 10½	30 12	34 13½	cm in
Sleeve Length (adjustable)	15 6	17 6½	18 7	20 8	cm in

MATERIALS

	Colour					
V NECK CARDIGAN	Main	393	2	2	3	3
Bambino Brights DK	Contrast	306	1	1	1	1
CREW NECK CARDIGAN	Main	8853	2	2	3	3
Bambino Baby DK	Contrast	8822	1	1	1	1
V NECK SWEATER	Main	8870	2	2	3	3
Bambino Baby DK	Contrast	8811	1	1	1	1
CREW NECK SWEATER	Main	393	2	2	3	3
Bambino Brights DK	Contrast	0366	1	1	1	1

The quantities of yarn stated are based on average requirements and are therefore approximate.

- 1 Pair of 4mm (UK8 – USA5) Knitting Needles.
- 1 Pair of 3¼mm (UK10 – USA3) Knitting Needles.
- 1 3¼mm (UK10 – USA3) 80cm Circular Needle.
- 3(3, 4, 4) Buttons for V Neck Cardigan.
- 5(5, 6, 6) Buttons for Crew Neck Cardigan.
- Cable Needle.

TENSION

Cable Patt of 8 sts measures approximately 3cm (1in).
22 sts and 30 rows to 10cm (4in), over stocking stitch on 4mm needles or the size required to give the correct tension.

VERY IMPORTANT
MEASURE YOUR TENSION THROUGHOUT
KNITTING TO ENSURE SUCCESS.

INTARSIA TECHNIQUE

When working with different balls of yarn, the colour to be used should be twisted around the colour just used to avoid holes. DO NOT BREAK OFF AND JOIN IN YARN EXCEPT WHERE NECESSARY.

Instructions are given in 4 sizes: 41(46, 51, 56) cm
16(18, 20, 22) in

ABBREVIATIONS

k knit	dec decrease(ing)
p purl	cont continue
st(s) stitch(es)	foll following
rep repeat	tog together
patt pattern	rem remain(ing)
M Main	alt alternate
C contrast	CN Cable Needle
rs right side	in inch(es)
ws wrong side	cm centimetres
inc increase(ing)	mm millimetres

SPECIAL ABBREVIATIONS

1x1 Rib. 1st Row: * K1, p1, rep from * to last st, k1.

2nd Row: P1, * k1, p1, rep from * to end.

Rep 1st and 2nd rows.

m1. make one stitch. Pick up loop between last and next stitch and work into back of this loop.

st-st. stocking stitch. * 1st Row: Knit. 2nd Row: Purl. Rep from *.

C6. Slip next 3 stitches onto CN and hold at back of work, k3, then k3 from CN.

Due to restrictions of photography colour is matched as closely as possible.

ROBIN WOOLS cannot accept responsibility for the completed garment if any yarn other than the ROBIN quality stated is used.

Design Dept, Robert Glew & Co Ltd, Leeds Road, Greengates, Bradford, BD10 9TE.

© Reproduction of this leaflet in any form (including photostat) is protected by copyright and is strictly forbidden.

Printed in Great Britain.

CABLE PATT

1st Row: Using C, p1, k6, p1.

2nd Row: Using C, k1, p6, k1.

Rep 1st and 2nd rows 3 times.

9th Row: Using C, p1, C6, p1.

10th Row: Using C, k1, p6, k1.

1st to 10th row (inclusive), forms Cable Patt.

V NECK CARDIGAN LEFT FRONT

Using 3¼mm needles and M, cast on 23(27, 29, 31) sts, work in 1x1 rib for 11 rows.

12th Row: Rib 10(12, 13, 14), m1, [rib 2, m1] twice, rib to end. 26(30, 32, 34) sts.

Change to 4mm needles and proceed as follows:

1st Row: Using M, k9(11, 12, 13), using C, patt 8 sts as given for 1st row of Cable Patt, using M, k9(11, 12, 13).

2nd Row: Using M, p9(11, 12, 13), using C patt 8 sts as given

for 2nd row of Cable Patt, using M, p9(11, 12, 13). **

1st and 2nd rows set st-st and Cable Patt. Keeping continuity of st-st and Cable Patt (throughout), as set, commencing with 3rd row of Cable Patt cont until Left Front measures 13(15, 18, 20) cm, 5(6, 7, 8) in, ending on a ws row.

Shape Front Edge: Dec 1 st at front edge in next and every foll 4th row to 19(22, 23, 24) sts.

Work 4 rows without shaping. ***

Next Row: p2(3, 3, 3), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

RIGHT FRONT

Work exactly as given for Left Front reversing shapings until *** is reached.

Next Row: P9(11, 12, 13), p2tog [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

BACK

Using 3¼mm needles and M, cast on 51(59, 63, 67) sts work in 1x1 rib for 12 rows.

Change to 4mm needles and proceed in st-st (throughout) until Back measures same as Left Front ending on a ws row.

Cast off.

SLEEVES (Both alike)

Using 3¼mm needles and M, cast on 31(33, 35, 39) sts work in 1x1 rib for 4cm, 1½in, ending on a rs row.

Next Row: Rib 3(4, 2, 4), m1, [rib 3, m1] 8(8, 10, 10) times, rib to end. 40(42, 46, 50) sts.

Change to 4mm needles and proceed as follows:

1st Row: Using M, k16(17, 19, 21), using C patt 8 sts as given for 1st row of Cable Patt, using M, k16(17, 19, 21).

2nd Row: Using M, p16(17, 19, 21), using C, patt 8 sts as given

for 2nd row of Cable Patt, using M, p16(17, 19, 21).

1st and 2nd rows set st-st and Cable Patt. Keeping continuity of st-st and Cable Patt (throughout), as set and commencing with 3rd row of Cable Patt, inc 1 st at each end of 1st(3rd, 1st, 1st) and every foll 7th(6th, 6th, 6th) row to 48(52, 58, 64) sts, working increased sts in st-st.

Cont without shaping until Sleeve measures 15(17, 18, 20) cm, 6(6½, 7, 8) in, or length required, ending on a rs row.

Next Row: P20(22, 25, 28), p2tog, [p1, p2tog] twice, p to end. 45(49, 55, 61) sts.
Cast off.

BORDER

Join shoulder seams. With rs facing, using 3¼mm circular needle and M, commencing at lower edge of rib on Right Front, pick up and k 10 sts evenly along rib, 22(29, 36, 42) sts evenly along straight edge, 26(29, 33, 36) sts evenly along shaped edge, 19(21, 23, 25) sts across cast off sts at back of neck, 26(29, 33, 36) sts evenly along shaped edge of Left Front, 22(29, 36, 42) sts evenly along straight edge to rib and 10 sts evenly along rib. 135(157, 181, 201) sts.

Commencing with 2nd row of 1x1 rib work 3 rows for Girl or 2 rows for Boy.

Next Row: Rib 4, cast off 2 sts, [rib 9(12, 9, 11) cast off 2 sts] 2(2, 3, 3) times, rib to end.

Next Row: Rib to last 24(30, 34, 40) sts, cast on 2 sts, [rib 10(13, 10, 12) cast on 2 sts] 2(2, 3, 3) times, rib 4.

Work 3 rows for Girl or 4 rows for Boy.

Cast off in rib.

TO MAKE UP

See ball band for pressing and washing details. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Sew on buttons. Fading or discolouring may occur if garments are left to dry in harsh sunlight.

CREW NECK CARDIGAN BACK

Work exactly as given for Back of V Neck Cardigan until Back measures 23(27, 30, 34) cm, 9(10½, 12, 13½) in, ending on a ws row. **

Cast off.

LEFT FRONT

Work exactly as given for Left Front of V Neck Cardigan until ** is reached.

1st and 2nd rows set st-st and Cable Patt. Keeping continuity of st-st and Cable Patt (throughout) as set, commencing with 3rd row of Cable Patt, cont until Left Front measures 5cm, 2in less than Back ending at neck edge.

Shape Neck: Cast off 3(4, 5, 6) sts, patt to end. 23(26, 27, 28) sts. ***

Work 8 rows dec 1 st at neck edge in next and every alt row. 19(22, 23, 24) sts.

Cont without shaping until Left Front measures same as Back ending on a rs row.

Next Row: P2(3, 3, 3), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

RIGHT FRONT

Work exactly as given for Left Front until *** is reached.

Next Row: Patt to end.

Work 8 rows dec 1 st at neck edge in next and every alt row. 19(22, 23, 24) sts.

Cont without shaping until Right Front measures same as Back ending on a rs row.

Next Row: P9(11, 12, 13), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

SLEEVES (Both alike)

Work exactly as given for V Neck Cardigan.

BORDERS

Right Front Border: With rs facing, using 3¼mm needles and M, pick up and k 10 sts evenly along rib and 35(43, 55, 65) sts evenly along rem front edge. 45(53, 65, 75) sts. **

Commencing with 2nd row of 1x1 rib work 3 rows for Girl or 5 rows for Boy.

For Girl

Next Row: Rib 4, cast off 2 sts [rib 8(10, 10, 12) cast off 2 sts] 3(3, 4, 4) times, rib to end.

Next Row: Rib 6(8, 7, 9), cast on 2 sts, [rib 9(11, 11, 13), cast on 2 sts] 3(3, 4, 4) times, rib 4.

For Girl or Boy

Work 3 rows. Cast off in rib.

Left Front Border: Work to match Right Front Border to **.

Commencing with 2nd row of 1x1 rib work 5 rows for Girl or 3 rows for Boy.

For Boy

Next Row: Rib 6(8, 7, 9), cast off 2 sts, [rib 8(10, 10, 12) cast off 2 sts] 3(3, 4, 4) times, rib 3.

Next Row: Rib 4, cast on 2 sts, [rib 9(11, 11, 13), cast on 2 sts] 3(3, 4, 4) times, rib to end.

For Girl or Boy

Work 3 rows. Cast off in rib.

NECKBAND

Join shoulder seams. With rs facing, using 3¼mm needles and M, commencing at top of Right Front Border, pick up and k 7 sts evenly along top of Right Front Border, 18(19, 20, 21) sts evenly up right side of neck, 19(21, 23, 25) sts across cast off sts at back of neck, 18(19, 20, 21) sts evenly down left side of neck and 7 sts evenly along top of Left Front Border. 69(73, 77, 81) sts.

Commencing with 2nd row of 1x1 rib, work 3 rows for Girl or 2 rows for Boy.

Next Row: Rib 3, cast off 2 sts, rib to end.

Next Row: Rib to last 3 sts, cast on 2 sts, rib 3.

Work 3 rows. Cast off in rib.

TO MAKE UP

See ball band for pressing and washing details. Fold sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Sew on buttons. Fading or discolouring may occur if garments are left to dry in harsh sunlight.

V NECK SWEATER FRONT

Using 3¼mm needles and M, cast on 51(59, 63, 67) sts, work in 1x1 rib for 11 rows.

12th row: * Rib 10(12, 13, 14), m1, [rib 2, m1] twice, * rep from * to * twice, rib to end. 60(68, 72, 76) sts.

Change to 4mm needles and proceed as follows:

1st Row: * Using M, k9(11, 12, 13), using C patt 8 sts as given for 1st row of Cable Patt * rep from * to * twice, using M k9(11, 12, 13).

2nd Row: * Using M, p9(11, 12, 13), using C, patt 8 sts as given for 2nd row of Cable Patt * rep from * to * twice, using M, p9(11, 12, 13). **

1st and 2nd rows set st-st and Cable Patt. Keeping continuity of st-st and Cable Patt (throughout) as set, commencing with 3rd row of Cable Patt, cont until Front measures 13(15, 18, 20) cm, 5(6, 7, 8) in, ending on a rs row.

Next Row: Patt 26(30, 32, 34), p2tog [p1, p2tog] twice, patt to end. 57(65, 69, 73) sts.

Divide for Neck: Patt 26(30, 32, 34) sts, turn.

*** Working on these 26(30, 32, 34) sts only, dec 1 st at neck edge in 2nd and every foll 4th row to 19(22, 23, 24) sts.

Work 2 rows without shaping. ***

Next Row: P2(3, 3, 3), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

With rs facing, working on rem 31(35, 37, 39) sts, cast off 5 sts, patt to end. 26(30, 32, 34) sts.

Work from *** to *** as given for first side of neck.

Next Row: P9(11, 12, 13), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

BACK

Work exactly as given for V Neck Cardigan.

SLEEVES (Both alike)

Work exactly as given for V Neck Cardigan.

NECKBAND

Join shoulder seams. With rs facing, using 3¼mm circular needle and M pick up and k28(32, 36, 40) sts evenly up right side of neck, 19(21, 23, 25) sts across cast off sts at back of neck and 28(32, 36, 40) sts evenly down left side of neck. 75(85, 95, 105) sts.

Working in **Rows**, commencing with 1st row of 1x1 rib cont until Neckband measures same as cast off sts. Cast off in rib.

TO MAKE UP

See ball band for pressing and washing details. Fold Sleeves in half lengthways then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Overlap right side of neckband over left for Girl or left side over right for Boy and sew in position. Fading or discolouring may occur if garments are left to dry in harsh sunlight.

CREW NECK SWEATER BACK

Work exactly as given for back of Crew Neck Cardigan until ** is reached.

Shape Shoulders and back of Neck: Cast off 16(19, 20, 21) sts, k18(20, 22, 24), cast off 16(19, 20, 21) sts. Leave rem 19(21, 23, 25) sts on a thread.

FRONT

Work exactly as given for Front of V Neck Sweater until ** is reached.

1st and 2nd rows set st-st and Cable Patt. Keeping continuity of st-st and Cable Patt (throughout) as set, commencing with 3rd row of Cable Patt cont until Front measures 5cm, 2in less than Back ending on a ws row.

Shape Neck: Patt 23(26, 27, 28) sts turn.

Working on these 23(26, 27, 28) sts only, proceed as follows:

*** Work 8 rows dec 1 st at neck edge in every alt row. 19(22, 23, 24) sts.

Cont without shaping until Front measures same as Back to

shape shoulders ending on a rs row. ***

Shape Shoulder: P2(3, 3, 3) p2tog [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

With rs facing, slip first 14(16, 18, 20) sts of rem 37(42, 45, 48) sts onto a thread.

Rejoin yarn to rem 23(26, 27, 28) sts, patt to end.

Work from *** to *** as given for first side of neck.

Shape Shoulder: P9(11, 12, 13), p2tog, [p1, p2tog] twice, p to end. 16(19, 20, 21) sts.

Cast off.

SLEEVES (Both alike)

Work exactly as given for Sleeves of V Neck Cardigan.

NECKBAND

Join right shoulder seam. With rs facing, using 3¼mm needles and M pick up and k 16 sts down left side of neck, work across 14(16, 18, 20) sts left on a thread at front of neck as follows: k3(4, 5, 6), k2tog, [k1, k2tog] twice, k3(4, 5, 6), pick up and k 15 sts evenly up right side of neck and 19(21, 23, 25) sts left on a thread at back of neck. 61(65, 69, 73) sts. Work in 1x1 rib for 3cm, 1in. Cast off loosely in rib.

TO MAKE UP

See ball band for pressing and washing details. Join left shoulder and neckband seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Fading and discolouring may occur if garments are left to dry in harsh sunlight.

	Simple patterns. Easy knitting for beginners.
	Stitch detail and shapings for the average knitter.
	Stitch detail and shapings for the more experienced knitter.



5 006539 153489