

Robin 4 PLY

BAMBINO

2835

To Fit Chest
19-21 inch
48-53 cms
THREE SIZES



Note

Stitches and measurements for the smallest size are given in the ordinary way. Larger sizes are given in the following brackets.

Queries regarding this leaflet should be addressed to CHIEF DESIGNER. These can only be dealt with if accompanied by a ball band and a stamped addressed envelope.

ANGEL TOP

BACK

★ Using size 3¼ mm. (10) needles and C.C., cast on 120 (126, 137) sts. and work 2 rows in st.st. (1 row k., 1 row p.).

Next row (Picot Hemline): K.2 (2, 1), * y.f., k.2 tog., rep. from * to end.

Commencing with a p. row, work a further 3 rows in st.st. Change to M.C. and work 2 rows. Commence pattern.

1st row: K.4 (7, 5), * k.3, y.f., sl.1, k.1, p.s.s.o., k.10, rep. from * to last 11 (14, 12) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.6 (9, 7).

2nd row: P.

3rd row: K.4 (7, 5), * k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.9, rep. from * to last 11 (14, 12) sts., k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.5 (8, 6).

4th row: P.

5th row: K.4 (7, 5), * k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.8, rep. from * to last 11 (14, 12) sts., k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.4 (7, 5).

6th row: P.

Rep. these 6 rows 3 times more.

25th row: K.2 (5, 3), k.2 tog., * k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.4, k.2 tog., rep. from * to last 11 (14, 12) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.2 (5, 3). 104 (110, 119) sts.

26th row: P.

27th row: K.3 (6, 4), * k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.7, rep. from * to last 10 (13, 11) sts., k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.4 (7, 5).

28th row: P.

29th row: K.3 (6, 4), * k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.6, rep. from * to last 10 (13, 11) sts., k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.3 (6, 4).

30th row: P.

31st row: K.3 (6, 4), * k.3, y.f., sl.1, k.1, p.s.s.o., k.8, rep. from * to last 10 (13, 11) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.5 (8, 6).

Rep. rows 26 to 31 once, then 26 to 30 inclusive once.

43rd row: K.1 (4, 2), k.2 tog., * k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.2, k.2 tog., rep. from * to last 10 (13, 11) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.1 (4, 2). 88 (94, 101) sts.

44th row: P.

45th row: K.2 (5, 3), * k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.5, rep. from * to last 9 (12, 10) sts., k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.3 (6, 4).

46th row: P.

47th row: K.2 (5, 3), * k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.4, rep. from * to last 9 (12, 10) sts., k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.2 (5, 3).

48th row: P.

49th row: K.2 (5, 3), * k.3, y.f., sl.1, k.1, p.s.s.o., k.6, rep. from * to last 9 (12, 10) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.4 (7, 5).

Rep. rows 44 to 49 once, then 44 to 48 inclusive once.

Robin Bambino 4 Ply Courtelle/Bri-Nylon

(20 grm Balls)

Robin Vogue 4-Ply

(25 grm Balls)

Robin Columbine 4-Ply Crepe

(20 grm Balls)

Robin Reward 4-Ply

(20 grm Balls)

To fit Chest	cms.	48	51	53
	ins.	19	20	21
Length to Shoulder	cms.	31	32	33
	ins.	12¼	12½	13
Sleeve Seam	cms.	14	15	16
	ins.	5½	6	6½

ANGEL TOP

Main Colour

Balls 4 4 5

Small Amount of Contrast Colour
for Hem and Cuff Edging

KNICKERS

Main Colour

Balls 2 2 2

Small Amount of Contrast Colour
for Leg Edging

Milward Disc Knitting Needles size 3¼ mm. (10) and 3 mm. (11).

8 Small Buttons for Angel Top.

Elastic to fit waist of Knickers.

Important

Check your Needle sizes as we quote both Metric and old U.K. sizes.

Tension

It is important that you test your tension before commencing the garment. A tension square to measure 10 cms. x 10 cms. (4" x 4") should be knitted and, before this sample is measured, it should be pinned out and pressed according to the special instructions.

14 stitches to 5 cms. (2 inches approx.) measured over stocking stitch.

Abbreviations

K., knit; p., purl; st(s), stitch(es); st.st., stocking stitch; rep., repeat; beg., beginning; inc., increase(ing); dec., decrease(ing); tog., together; sl., slip; p.s.s.o., pass slipped stitch over; y.f., yarn forward; M.C., main colour; C.C., contrast colour.

Angel Top and Knickers

1st size only

61st row: K.2 tog., * k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.2 tog., rep. from * to last 9 sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o. (72 sts.)

2nd and 3rd sizes only

61st row: K. (3, 1), k.2 tog., * k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k.2 tog., rep. from * to last (12, 10) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.2, sl.1, k.1, p.s.s.o., k. (3, 1). (78, 83) sts.

All sizes

62nd row: P.

63rd row: K.1 (4, 2), * k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.3, rep. from * to last 8 (11, 9) sts., k.1, k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.2 (5, 3).

64th row: P.

65th row: K.1 (4, 2), * k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.2, rep. from * to last 8 (11, 9) sts., k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.1 (4, 2).

66th row: P.

67th row: K.1 (4, 2), * k.3, y.f., sl.1, k.1, p.s.s.o., k.4, rep. from * to last 8 (11, 9) sts., k.3, y.f., sl.1, k.1, p.s.s.o., k.3 (6, 4).

Rows 62 to 67 inclusive form the bodice pattern. Continue in pattern until work measures 8½ (8½, 8¾) inches from Picot Hemline, ending with a wrong side row.

Shape Armholes

Keeping continuity of pattern, cast off 4 sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following alternate row until 56 (58, 63) sts. remain. ★ Continue without further shaping until work measures 3¾ (4, 4¼) inches from commencement of armhole shaping, ending with a right side row.

Shoulder Edging

Change to size 3 mm. (11) needles. K.5 rows.

Next row: Cast off 16 (16, 18) sts., k.24 (26, 27), including st. used in casting off, cast off remaining 16 (16, 18) sts. Break off yarn. With wrong side of work facing, join in yarn to remaining 24, (26, 27) sts. and k.3 rows. Cast off.

FRONT

Follow instructions for Back from ★ to ★. Continue without further shaping until work measures 2¼ (2½, 2¾) inches from commencement of armhole shaping, ending with a wrong side row.

Shape Neck

Next row: Pattern 22 (22, 24) sts. and turn, leaving remaining sts. on a spare needle. Dec. 1 st. at neck edge on the next 6 rows. Continue without further shaping until work measures 3¾ (4, 4¼) inches from commencement of armhole shaping, ending with a right side row.

Shoulder Edging

Change to size 3 mm. (11) needles. K.3 rows.

Next row (Buttonhole row): K.1 (1, 3), [k.2 tog., y.f., k.3] 3 times.

K.3 rows. Cast off. Slip centre 12 (14, 15) sts. onto a spare needle. Join in yarn to remaining sts. then using size 3¼ mm. (10) needles, work to end. Dec. 1 st. at neck edge on the next 6 rows. Continue without further shaping until work measures 3¾ (4, 4¼) inches from commencement of armhole shaping, ending with a right side row.

Shoulder Edging

Change to size 3 mm. (11) needles. K.3 rows.

Next row (Buttonhole row): [K.3, y.f., k.2 tog.] 3 times, k.1 (1, 3). K.3 rows. Cast off.

NECKBAND

With right side of work facing and using size 3 mm. (11) needles and M.C., commence at cast off edge of shoulder and pick up and k.14 (14, 14) sts. down left side of front neck, k. across the 12 (14, 15) sts. left on spare needle and pick up and k.13 (13, 14) sts. up right side of neck, ending at cast off edge of shoulder. 39 (41, 43) sts.

K.3 rows.

Next row (Buttonhole row): K.3, y.f., k.2 tog., k. to last 5 sts., k.2 tog., y.f., k.3.

K.3 rows. Cast off.

SLEEVES

Using size 3 mm. (11) needles and C.C., cast on 39 (41, 41) sts. and work 2 rows in st.st.

Next row (Picot Hemline): K.1, * y.f., k.2 tog., rep. from * to end.

Commencing with a p. row, work a further 3 rows in st.st. Change to size 3¼ mm. (10) needles and M.C. Work 2 rows.

Commence pattern.

1st row: K.19 (20, 20), y.f., sl.1, k.1, p.s.s.o., k.18 (19, 19).

2nd row: P.

3rd row: K.17 (18, 18), k.2 tog., y.f., k.1, y.f., sl.1, k.1, p.s.s.o., k.17 (18, 18).

4th row: P.

5th row: K.16 (17, 17), k.2 tog., y.f., k.3, y.f., sl.1, k.1, p.s.s.o., k.16 (17, 17).

6th row: P.

These 6 rows form the pattern. Inc. and work into st.st., 1 st. at each end of the next and every following 4th (5th, 4th) row until there are 53 (55, 59) sts. on the needle. Continue without further shaping until work measures 5½ (6, 6½) inches from Picot Hemline, ending with a wrong side row.


Shape Top

Cast off 4sts. at the beg. of the next 2 rows. Dec. 1 st. at each end of the next and every following 4th row until 39 (41, 45) sts. remain, then 1 st. at each end of every alternate row until 29 (31, 35) sts. remain. Now dec. 1 st. at each end of every row until 15 (17, 17) sts. remain. Cast off.

KNICKERS

BACK AND FRONT ALIKE

Using size 3¼ mm. (10) needles and M.C., cast on 15 (17, 17) sts. Work 10 rows in st.st. (1 row k., 1 row p.). Continue in st.st., inc. 1 st. at each end of every row until there are 63 (65, 65) sts. on the needle. Cast on 5 (6, 8)



sts. at the beg. of the next 2 rows. 73 (77, 81) sts. Continue on these sts. until work measures $7\frac{1}{2}$ (8, $8\frac{1}{2}$) inches from base of crotch, ending with a k. row. Change to size 3 mm. (11) needles. K.5 rows.
Next row (Eyelet Holes): K.1, * k.2 tog., y.f., k.2, rep. from * to end.
K.5 rows. Cast off fairly loosely.

LEG EDGINGS

Using a flat stitch, join side seams. With right side of work facing, using size 3 mm. (11) needles and C.C., pick up and k.60 (62, 64) sts. evenly around leg shaping, starting and ending at crotch edge. K.5 rows. Cast off fairly loosely.

SPECIAL INSTRUCTIONS

Wool

Pin out to correct measurements and press with a warm iron (at wool setting) over a damp cloth. Hand wash unless specific machine washing instructions are given on the ball band.

Other Yarns

Pin out to correct measurements and press with a cool iron over a dry cloth.

TO MAKE UP

Angel Top

Using a back stitch, join side and sleeve seams. Overlap front shoulder edgings over back and catch down, then set in Sleeves. Fold hem and cuffs at Picot Hemline and slip stitch down onto wrong side. Sew on buttons.

Knickers

Using a flat stitch, join crotch seam. Thread elastic through eyelet holes at waist.



We recommend
washing in
Woolite[®]
For the clothes you
care about



COURTELLE

ROBIN WOOLS LTD., 6-10 KIRBY STREET, LONDON EC1N 8TS