

# Shepherd

1622

8 PLY

SIZES  
45-60cm

Button to neck  
and v-buttoning  
aran cardigans  
with raglan  
sleeves

1.00



A GIFT FOR YOU

## MEASUREMENTS:

### Sizes:

45 50 55 60 cm

### Finished measurement:

51 56 61 66 cm

### Length to back neck (approximately):

27 30 35 40 cm

### Sleeve length (approximately):

16.5 18.5 20 23.5 cm

## MATERIALS:

SHEPHERD GLEN MIST

8 PLY CREPE

50 g balls

### Button to Neck Cardigan:

4 4 5 6

### V-Buttoning Cardigan:

4 4 5 6

One pair each size 3.25 mm and 4 mm Aero knitting needles. Cable needle. 7 (7: 8: 8) buttons for Button to Neck Cardigan. 5 buttons for V-Buttoning Cardigan.

## BUTTON TO NECK CARDIGAN BACK:

With 3.25 mm needles, cast on 53 (59: 65: 71) sts and work in rib as fol:

**1st row:** K1, \*k1 tbl, p1, rep from \* to last 2 sts, k1 tbl, k1.

**2nd row:** K1, \*p1, k1 tbl, rep from \* to last 2 sts, p1, k1.

Rep these 2 rows 2 (2: 3: 3) times more, then 1st row again.

**Inc row:** Rib 2, [M1, rib 4 (5: 6: 7)] 3 times, M1, rib 2, M1, rib 1, [M1, rib 2] 3 times, M1, rib 4, M1, rib 3, [M1, rib 2] 3 times, M1, rib 1, M1, rib 2, [M1, rib 4 (5: 6: 7)] 3 times, M1, rib 2. [72 (78: 84: 90) sts]

Change to 4 mm needles and work in patt as fol:

**1st row:** (right side) P0 (1: 0: 1), [k1, p1] 7 (8: 10: 11) times, \*yb, sl 1, yf, p2, k2, sl 2, k2, p2, yb, sl 1, yf, \*p2, [T2F, T2B, p2] 3 times, rep from \* to \*, [p1, k1] 7 (8: 10: 11) times, p0 (1: 0: 1).

**2nd row:** K0 (1: 0: 1), [p1, k1] 7 (8: 10: 11), \*p1, k2, p2, sl 2, p2, k2, p1, \*k3, [T2P, k4] twice, T2P, k3, rep from \* to \*, [k1, p1] 7 (8: 10: 11) times, k0 (1: 0: 1).

**3rd row:** K14 (17: 20: 23), \*sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, \*yf, p2, [T2B, T2F, p2] 3 times, yb, rep from \* to \*, k14 (17: 20: 23).

**4th row:** K14 (17: 20: 23), \*p1, k2, p2, sl 2, p2, k2, p1, \*k2, [p1, k2] 6 times, rep from \* to \*, k14 (17: 20: 23).

**5th row:** P0 (1: 0: 1), [k1, p1] 7 (8: 10:

## TENSION:

22 sts and 30 rows to 10 cm over stst on 4 mm needles.

25 sts and 30 rows to 10 cm over double moss stitch on 4 mm needles.

## NOTE: THIS PARAGRAPH IS MOST IMPORTANT.

To obtain perfect results, correct tension is absolutely essential. Check tension by knitting a sample at least 10 cm square. If you obtain more sts per 10 cm than specified change to larger needles, if less use smaller needles.

## ABBREVIATIONS:

alt = alternate; beg = begin(ning); cm = centimetres; cont = continue; dec = decrease(ing); fin = finishing; fol = follow(s)ing; inc = increase(ing); k = knit; meas = measures; O = no rows/stitches/times; p = purl; patt = pattern; psso = pass slipped stitch over; rem = remain(ing); rep = repeat; RS = right side; sl = slip; st(s) = stitch(es); stst = stocking stitch (RS row k, WS row p); tbl = through back of loop; tog = together; WS = wrong side; yb = yarn back; yf = yarn forward; yrn = yarn round needle.

## SPECIAL ABBREVIATIONS:

**C3L** = cross 3 left (sl next st onto cable needle and hold at front of work, k2 sts from left hand needle then k st from cable needle).

**C3R** = cross 3 right (sl next 2 sts onto cable needle and hold at back of work, k next st from left hand needle then k sts from cable needle).

**M1** = make 1 stitch (pick up horizontal strand of yarn lying between st just worked and next st and work into back of it).

**T2B** = twist 2 back (sl next st onto cable needle and hold at back of work, k next st from left hand needle then p st from cable needle).

**T2F** = twist 2 front (sl next st onto cable needle and hold at front of work, p next st from left hand needle then k st from cable needle).

**T2P** = twist 2 purlwise (sl next st onto cable needle and hold at front of work, p next st from left hand needle then p st from cable needle).

11) times, \*yb, sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, yf, \*p1, [T2B, p2, T2F] 3 times, p1, rep from \* to \*, [p1, k1] 7 (8: 10: 11) times, p0 (1: 0: 1).

**6th row:** K0 (1: 0: 1), [p1, k1] 7 (8: 10: 11) times, \*p1, k2, p6, k2, p1, \*k1, p1, [k4, T2P] twice, k4, p1, k1, rep from \* to \*, [k1, p1] 7 (8: 10: 11) times, k0 (1: 0: 1).

**7th row:** K14 (17: 20: 23), \*sl 1, yf, p2, k6, p2, yb, sl 1, \*yf, p1, [T2F, p2, T2B] 3 times, p1, yb, rep from \* to \*, k14 (17: 20: 23).

**8th row:** K14 (17: 20: 23), \*p1, k2, p6, k2, p1, \*k2, [p1, k2] 6 times, rep from \* to \*, k14 (17: 20: 23).

These 8 rows form the patt. Rep patt until Back meas approximately 14.5 (16: 19.5: 23) cm from beg, fin with a 4th or 8th patt row.

## Shape Raglans:

Cast on 3 sts at beg of next 2 rows. [66 (72: 78: 84) sts]

**Next row:** K1, sl 1, k2tog, psso, patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to last 2 sts, p2.

Rep last 2 rows twice more. [54 (60: 66: 72) sts]

**Next row:** K1, sl 1, k1, psso, patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to last 2 sts, p2.

Rep last 2 rows until 24 (26: 28: 30) sts rem, fin with a WS row. Cast off, working 2tog at top of each T2B and T2F (total of 6 sts dec).

## LEFT FRONT:

\*\*With 3.25 mm needles, cast on 33 (35:

39: 41) sts and work as fol:

### Girl's Garment Only:

Work 7 (7: 9: 9) rows in twisted rib as given for Back.

### Boy's Garment Only:

Work 4 rows in twisted rib as given for Back.

**Next row (buttonhole):** Rib to last 4 sts, yrn, p2tog, k1 tbl, k1.

Work a further 2 (2: 4: 4) rows in twisted rib.

### Girl's and Boy's Garments:

**Inc row:** Rib 6, sl these 6 sts onto a safety pin for front band, rib 3, [M1, rib 2] 1 (2: 1: 2) times, M1, rib 5 (2: 5: 2), M1, rib 1, M1, rib 2, [M1, rib 4 (5: 6: 7)] 3 times, M1, rib 2. [35 (38: 41: 44) sts]

Change to 4 mm needles and work in patt as fol:

**1st row:** (right side) P0 (1: 0: 1), [k1, p1] 7 (8: 10: 11) times, yb, sl 1, yf, p2, k2, sl 2, k2, p2, yb, sl 1, yf, p2, T2F, T2B, p2, k1.

**2nd row:** K4, T2P, k3, p1, k2, p2, sl 2, p2, k2, p1, [k1, p1] 7 (8: 10: 11) times, k0 (1: 0: 1).

**3rd row:** K14 (17: 20: 23), sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, yf, p2, T2B, T2F, p2, k1.

**4th row:** K3, [p1, k2] 3 times, p2, sl 2, p2, k2, p1, k14 (17: 20: 23).

**5th row:** P0 (1: 0: 1), [k1, p1] 7 (8: 10: 11) times, yb, sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, yf, p1, T2B, p2, T2L, p1, k1.

**6th row:** K2, p1, k4, p1, k1, p1, k2, p6, k2, p1, [k1, p1] 7 (8: 10: 11) times, k0 (1: 0: 1).

**7th row:** K14 (17: 20: 23), sl 1, yf, p2, k6, p2, yb, sl 1, yf, p1, T2F, p2, T2B, p1, k1.

**8th row:** K3, [p1, k2] 3 times, p6, k2, p1, k14 (17: 20: 23).

These 8 rows form the patt. Rep patt until Front meas same as Back to beg raglan shaping, fin with same patt row as Back.\*\*

### Shape Raglan:

**Next row:** With RS facing, cast off 3 sts, patt to end. [32 (35: 38: 41) sts]

**Next row:** Patt to end.

**Next row:** K1, sl 1, k2tog, psso, patt to end.

**Next row:** Patt to last 2 sts, p2.

Rep last 2 rows twice more. [26 (29: 32: 35) sts]

**Next row:** K1, sl 1, k1, psso, patt to end.

**Next row:** Patt to last 2 sts, p2.

Rep last 2 rows until 18 (19: 20: 21) sts rem, fin with a WS row.

### Shape Neck:

**Next row:** K1, sl 1, k1, psso, patt 10 (10: 11: 11), **TURN** and cont on these sts only, leaving rem 5 (6: 6: 7) sts on a safety pin for neckband. [12 (12: 13: 13) sts]

### Size 45 cm only:

**Next row:** Work 3tog, patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to last 2 sts, work 2tog.

**Next row:** Work 2tog, patt to last 2 sts, p2. [7 sts]

### Sizes 50 (55: 60) cm only:

**Next row:** Work 2tog, patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to last 2 sts, work 2tog.

**Next row:** Work 2tog, patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to end.

**Next row:** Work 2tog, patt to last 2 sts, p2.

Rep last 2 rows 0 (1: 1) times more. [6 (5: 5) sts]

### All Sizes:

Keeping neck edge straight, cont raglan shaping on the next and every fol alt row as before until 2 sts rem, fin with a RS row. P2tog and fasten off.

### RIGHT FRONT:

\*\*With 3.25 mm needles, cast on 33 (35: 39: 41) sts and work as fol:

### Boy's Garment Only:

Work 7 (7: 9: 9) rows in twisted rib as given for Back.

### Girl's Garment Only:

Work 4 rows in twisted rib as given for Back.

**Next row (buttonhole):** K1, k1 tbl, p1, yrn, p2tog, rib to last 2 sts, k1 tbl, k1.

Work a further 2 (2: 4: 4) rows in twisted rib.

### Boy's and Girl's Garments:

**Inc row:** Rib 2, [M1, rib 4 (5: 6: 7)] 3 times, M1, rib 2, M1, rib 1, M1, rib 5 (2:

5: 2), [M1, rib 2] 1 (2: 1: 2) times, M1, rib 3, **TURN** and sl rem 6 sts onto a safety pin for front band. [35 (38: 41: 44) sts]

Change to 4 mm needles and work in patt as fol:

**1st row:** (right side) K1, p2, T2F, T2B, p2, yb, sl 1, yf, p2, k2, sl 2, k2, p2, yb, sl 1, yf, [p1, k1] 7 (8: 10: 11) times, p0 (1: 0: 1).

**2nd row:** K0 (1: 0: 1), [p1, k1] 7 (8: 10: 11) times, p1, k2, p2, sl 2, p2, k2, p1, k3, T2P, k4.

**3rd row:** K1, p2, T2B, T2F, p2, yb, sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, k14 (17: 20: 23).

**4th row:** K14 (17: 20: 23), p1, k2, p2, sl 2, p2, [k2, p1] 3 times, k3.

**5th row:** K1, p1, T2B, p2, T2F, p1, yb, sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, yf, [p1, k1] 7 (8: 10: 11) times, p0 (1: 0: 1).

**6th row:** K0 (1: 0: 1), [p1, k1] 7 (8: 10: 11) times, p1, k2, p6, k2, p1, k1, p1, k4, p1, k2.

**7th row:** K1, p1, T2F, p2, T2B, p1, yb, sl 1, yf, p2, k6, p2, yb, sl 1, k14 (17: 20: 23).

**8th row:** K14 (17: 20: 23), p1, k2, p6, [k2, p1] 3 times, k3.

These 8 rows form the patt. Rep patt until Front meas same as Back to armhole, fin with same patt row as Back.\*\*

Patt one more row.

### Shape Raglan:

**Next row:** With WS facing, cast off 3 sts, patt to end. [32 (35: 38: 41) sts]

**Next row:** Patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to end.

Rep last 2 rows twice more. [26 (29: 32: 35) sts]

**Next row:** Patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to end.

Rep last 2 rows until 18 (19: 20: 21) sts rem, fin with a WS row.

### Shape Neck:

**Next row:** Patt 5 (6: 6: 7), sl these sts onto a safety pin for neckband, patt 10 (10: 11: 11), k2tog, k1. [12 (12: 13: 13) sts]

### Size 45 cm only:

**Next row:** P2, patt to last 3 sts, work 3tog.

**Next row:** Work 2tog, patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to last 2 sts, work 2tog. [7 sts]

### Sizes 50 (55: 60) cm only:

**Next row:** P2, patt to last 2 sts, work 2tog.

**Next row:** Work 2tog, patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to last 2 sts, work 2tog.

**Next row:** Patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to last 2 sts, work 2tog.

Rep last 2 rows 0 (1: 1) times more. [6 (5: 5) sts]

### All Sizes:

Keeping neck edge straight, cont raglan shaping on the next and every fol alt row as before until 2 sts rem, fin with a RS row. P2tog and fasten off.

### SLEEVES:

With 3.25 mm needles, cast on 31 (33: 35: 37) sts and work 7 (7: 9: 9) rows in twisted rib as given for Back.

**Inc row:** Rib 2 (1: 2: 1), [M1, rib 6 (7: 7: 8)] twice, M1, rib 2, M1, rib 1, [M1, rib 6 (7: 7: 8)] twice, M1, rib 2 (1: 2: 1). [38 (40: 42: 44) sts]

Change to 4 mm needles and work in patt as fol:

**1st row:** (right side) P1 (0: 1: 0), [k1, p1] 6 (7: 7: 8) times, yb, sl 1, yf, p2, k2, sl 2, k2, p2, yb, sl 1, yf, [p1, k1] 6 (7: 7: 8) times, p1 (0: 1: 0).

**2nd row:** K1 (0: 1: 0), [p1, k1] 6 (7: 7: 8) times, p1, k2, p2, sl 2, p2, k2, p1, [k1, p1] 6 (7: 7: 8) times, k1 (0: 1: 0).

**3rd row:** K13 (14: 15: 16), sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, k13 (14: 15: 16).

**4th row:** K13 (14: 15: 16), p1, k2, p2, sl 2, p2, k2, p1, k13 (14: 15: 16).

**5th row:** Inc 1, p0 (1: 0: 1), [k1, p1] 6 (6: 7: 7) times, yb, sl 1, yf, p2, C3R, C3L, p2, yb, sl 1, yf, [p1, k1] 6 (6: 7: 7) times, p0 (1: 0: 1), inc 1.

**6th row:** K0 (1: 0: 1), [p1, k1] 7 (7: 8: 8) times, p1, k2, p6, k2, p1, [k1, p1] 7 (7: 8: 8) times, k0 (1: 0: 1).

**7th row:** K14 (15: 16: 17), sl 1, yf, p2, k6, p2, yb, sl 1, k14 (15: 16: 17).

**8th row:** K14 (15: 16: 17), p1, k2, p6, k2, p1, k14 (15: 16: 17).

These 8 rows form the patt. Rep patt and **AT THE SAME TIME**, working extra sts into ridge patt, inc one st each end of the next and every fol 4th row until there are 52 (56: 62: 66) sts.

Cont straight until Sleeve meas approximately 16.5 (18.5: 20: 23.5) cm from beg, fin with same patt row as Back at beg raglan shaping.

### Shape Raglans:

With RS facing, cast off 3 sts at beg of next 2 rows. [46 (50: 56: 60) sts]

**Next row:** K1, sl 1, k2tog, psso, patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to last 2 sts, p2.

Rep last 2 rows until 8 (8: 10: 10) sts rem, fin with a WS row. Cast off, working 2tog twice over centre cable.

## BUTTON BAND:

Omitting ribbing, press all pieces according to instructions on bandwrap, taking care not to crush pattern.

With 3.25 mm needles, cast on one st and with RS of Left Front or WS of Right Front facing, rib across sts on safety pin for front band. [7 sts]

Cont in rib as set until band **when slightly stretched** fits up front to beg of neck shaping, fin with a WS row. Break off yarn for Left Front Band. **DO NOT** break yarn for Right Front Band. Sl sts onto a safety pin for Neckband.

Sew band in place stretching evenly.

Mark button positions on band, the first one in 5th row from cast on edge, allowing for the top one to come in centre of neckband and the rem 5 (5: 6: 6) spaced evenly between.

## BUTTONHOLE BAND:

Work as given for Button Band, working buttonholes to match markers as before.

Sew band in place, stretching evenly.

## NECKBAND:

Join raglan seams.

With RS facing and 3.25 mm needles, rib across 6 sts from right front band, k tog tbl last st of band and first st from 2nd safety pin; work across rem sts from safety pin as fol: – k2, k2tog, k0 (1: 1: 2); pick up and k15 sts up right front neck; 6 (6: 8: 8) sts across right sleeve top, 19 (21: 23: 25) sts across back neck, 6 (6: 8: 8) sts across left sleeve top, 15 sts down left front neck, work across safety pin as fol: – k0 (1: 1: 2), k2tog, k2; k tog last st of safety pin and first st from band, rib across rem 6 sts from left front band. [81 (85: 91: 95) sts]

Work 5 rows in twisted rib, working a buttonhole on 2nd row as before. Cast off ribwise.

## TO MAKE UP:

Join side and sleeve seams.

Sew on buttons to correspond with buttonholes.

Press seams lightly.

## V-BUTTONING CARDIGAN

### BACK:

Work as given for Button to Neck Cardigan Back.

### LEFT FRONT:

Work as given for Button to Neck Cardigan Left Front from \*\* to \*\*.

### Shape Raglan and Front Slope:

**Next row:** With RS facing, cast off 3 sts, patt to last 2 sts, work 2tog. [31 (34: 37: 40) sts]

**Next row:** Patt to end.

**Next row:** K1, sl 1, k2tog, psso, patt to end.

**Next row:** Patt to last 2 sts, p2.

**Next row:** K1, sl 1, k2tog, psso, patt to last 2 sts, work 2tog.

**Next row:** Patt to last 2 sts, p2.

**Next row:** K1, sl 1, k2tog, psso, patt to end.

**Next row:** Patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to last 2 sts, work 2tog.

**Next row:** Patt to last 2 sts, p2.

**Next row:** K1, sl 1, k1, psso, patt to end.

**Next row:** Patt to last 2 sts, p2.

Rep last 4 rows until 4 sts rem, fin with a WS row.

**Next row:** K1, sl 1, k1, psso, patt 1.

**Next row:** Patt 1, p2.

**Next row:** K1, sl 1, k1, psso.

**Next row:** P2tog and fasten off.

### RIGHT FRONT:

Work as given for Button to Neck Cardigan Right Front from \*\* to \*\*.

### Shape Raglan and Front Slope:

**Next row:** With RS facing, work 2tog, patt to end.

**Next row:** Cast off 3 sts, patt to end. [31 (34: 37: 40) sts]

**Next row:** Patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to end.

**Next row:** Work 2tog, patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to end.

**Next row:** Patt to last 4 sts, k3tog, k1.

**Next row:** P2, patt to end.

**Next row:** Work 2tog, patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to end.

**Next row:** Patt to last 3 sts, k2tog, k1.

**Next row:** P2, patt to end.

Rep last 4 rows until 4 sts rem, fin with a WS row.

**Next row:** Patt 1, k2tog, k1.

**Next row:** P2, patt 1.

**Next row:** K2tog, k1.

**Next row:** P2tog and fasten off.

## SLEEVES:

Work as given for Button to Neck Cardigan Sleeves.

## BUTTON BAND:

Omitting ribbing, press all pieces according to instructions on bandwrap.

Join raglan seams.

With 3.25 mm needles, cast on one st and with RS of Left Front or WS of Right Front facing, rib across sts on safety pin for front band. [7 sts]

Cont in rib as set until band **when slightly stretched** fits up front and across to centre back neck. Cast off ribwise.

Sew band in place stretching evenly.

Mark button positions on band, the first one in 5th row from cast on edge, the 5th one just below beg of front slope shaping and the rem 3 spaced evenly between.

## BUTTONHOLE BAND:

Work as given for Button Band, working buttonholes to match markers as before.

Sew band in place, stretching evenly.

Sew ends of bands tog at centre back neck.

## TO MAKE UP:

Join side and sleeve seams.

Sew on buttons to correspond with buttonholes.

Press seams lightly.

# Shepherd.

All designs are copyright to Alliance Knitting Yarns.  
Private Bag 50032, Mosgiel, New Zealand.  
Reproduction in whole or part, without permission  
from the publishers, is forbidden.  
Printed by John McIndoe Ltd, Dunedin, New Zealand.



9 417118 009565

## CUSTOMER HOTLINE

For Expert Advice Concerning  
SHEPHERD YARNS AND PATTERNS  
Call Toll Free Within New Zealand  
On 0800 107 999 Mon-Fri 9am-5pm