

Starlight Starbright



Co-ordinated Designs and Accessories in Snuggly 4 ply

SIRDAR



Round Neck Cardigan Design C
Lace Border Skirt Design D



Crew Neck Sweater Design A
Lace Pants Design B



V Neck Cardigan Design C
Lace Panel Skirt Design D



V Neck Sweater Design A
Lace Panel Pants Design B



Dress Design F
Mantinee Coat, Bonnet, Bootees Design G



Romper Suit Design E
Mittens Design G



Waistcoat Design C
Lace Skirt Design D



Slipover Design A
Stocking Stitch Pants Design B



Round Neck Cardigan Design C
Lace Pants Design B



Crew Neck Sweater Design A
Lace Border Skirt Design D



SIRDAR PLC
Flanshaw Lane, Alverthorpe
Wakefield WF2 9ND, West Yorkshire
England

Starlight Starbright

CONTENTS

	Page No.
DESIGN A	Sweaters and Slipover
DESIGN B	Pants
DESIGN C	Cardigans and Waistcoat
DESIGN D	Skirts
DESIGN E	Romper Suit
DESIGN F	Dress
DESIGN G	Matinee Coat, Bonnet, Mittens, Shoes and Blanket.
	BLANKET shown on Front Cover.

ABBREVIATIONS

Alt Alternate	Rep Repeat
Beg Beginning	Rs Right side
Cont Continue	S1 Slip stitch knitways
Ch Chain	S1p Slip stitch purlways
CN Cable Needle	Sts Stitch(es)
Dec Decrease(ing)	Ss Slip stitch
Dc Double Crochet	Tbl Through back of loops
Foll Following	Tog Together
Inc Increase(ing)	Ws Wrong side
K Knit	Yfwd Yarn forward
P Purl	Yo Yarn over
Patt Pattern	Yrn Yarn round needle
Psso Pass slipped stitch over	in inch(es)
Rem Remain(ing)	cm centimetres
	mm millimetres

WORKING ABBREVIATIONS

1 x 1 Rib. 1st Row. * K1, p1, rep from * to last st, k1.

2nd Row. * P1, k1, rep from * to last st, p1.

Rep 1st and 2nd rows.

m1. Make one stitch. Pick up loop between last and next stitch and work into back of this loop.

St-st. Stocking stitch. * **1st Row.** Knit. **2nd Row.** Purl. Rep from *.

G-st. Garter stitch. Every row knit.

Ssk. Slip next 2 sts knitwise, one at a time, insert left needle into fronts from the left and knit them together.

VERY IMPORTANT

IT IS ESSENTIAL TO WORK TO THE STATED TENSION TO ENSURE SUCCESS. SIRDAR PLC CANNOT ACCEPT RESPONSIBILITY FOR THE RESULT OF USING ANY OTHER YARN.

Due to printing restrictions the colour throughout is matched as close as possible.

QUERIES. Please contact Knitting Advisory Bureau,
SIRDAR PLC, Flanshaw Lane, Alverthorpe, Wakefield WF2 9ND, West Yorkshire,
England.

WARNING. Reproduction of this publication is protected by copyright. They are sold on the condition that they are used only for non-commercial purposes. All other rights are reserved by Sirdar Plc.

SP 223 Printed in Gt.Britain

DESIGN A

SWEATERS AND SLIPOVER

MEASUREMENTS

Sweaters and Slipover To Fit Chest	16	18	20	22	in
	41	46	51	56	cm
Actual Size	19	21	23	25	in
	48	53	58	64	cm
Full Length	10½	11½	12½	13½	in
	27	29	32	34	cm
Sleeve Length	6	6½	7	7½	in
	15	17	18	19	cm

Quality		Shade	16	18	20	22	Balls
074	Crew Neck Snuggly 4 ply	251	2	2	2	3	50gm
074	V Neck Snuggly 4 ply	251	2	2	2	3	50gm
074	Slipover Snuggly 4 ply	251	2	2	2	2	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2¾mm (UK12 - USA1) Knitting Needles.
Shirring Elastic for Waist.

TENSION

30 sts and 38 rows to 4in, 10 cm over stocking
stitch on 3¼mm needles or the size required to
give the correct tension.

PATT PANEL

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.

2nd Row. Purl.

3rd Row. K2tog, yo, k3, yo, ssk.

4th Row. Purl.

5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.

6th Row. Purl.

CREW NECK
BACK

Using No. 2¾mm needles cast on 71 [79:87:93] sts, work in 1 x 1 rib for 2in, 5cm, ending with a ws row.

Change to No. 3¼mm needles and proceed in st-st (throughout) until work measures 8½ [9½ : 10½ : 11½]in, 22 [24:27:29]cm, ending with a ws row.

Shape Neck. K31 [33:36:37], turn.

Working on these 31 [33:36:37] sts only proceed as follows:-

Next Row. P.

** Work 8 [8:9:9] rows dec 1 st at neck edge in every row. 23 [25:27:28] sts. Cont without shaping until work measures 10½ [11½: 12½:13½]in, 27 [29:32:34]cm, ending with a ws row. Cast off. **

With rs facing, slip first 9 [13:15:19] sts of rem 40 [46:51:56] sts onto a thread, rejoin yarn to rem 31 [33:36:37] sts, k to end.

Next Row. P.

Work from ** to **.

FRONT

Using No. 2¾mm needles cast on 71 [79:87:93] sts, work in 1 x 1 rib for 2in, 5cm, ending with a ws row.

Change to No. 3¼mm needles and proceed as follows:-

1st Row. K6 [10:10:13], * patt 14 sts as given for 1st row of Patt Panel, * k31 [31:39:39], rep from * to * once, k6 [10:10:13].

2nd Row. P6 [10:10:13], * patt 14 sts as given for 2nd row of Patt Panel, * p31 [31:39:39], rep from * to * once, p6 [10:10:13].

1st and 2nd rows set st-st and Patt Panels.

Keeping continuity of st-st and Patt Panels (throughout) as set commencing with 3rd row of Patt Panel, cont until work measures 8½ [9½:10½:11½]in, 22 [24:27:29]cm, ending with a ws row.

Shape Neck. Patt 31 [33:36:37], turn. Working on these 31 [33:36:37] sts only proceed as follows:-

Next Row. Patt to end.

Work from ** to ** as given for Back. With rs facing, slip first 9 [13:15:19] sts of rem 40 [46:51:56] sts onto a thread, rejoin yarn to rem 31 [33:36:37] sts, patt to end.

Next Row. Patt to end.

Work from ** to ** as given for Back.

SLEEVES (Both alike)

Using No. 2¾mm needles cast on 33[35:37:39] sts, work in 1 x 1 rib for 1½in, 4cm, ending with a rs row.

Next Row. Rib 2 [1:5:1], (m1, rib 2, m1, rib 2 [2:1:2]) 7 [8:9:9] times, m1, rib 3 [2:5:2]. 48 [52:56:58] sts.

Change to No. 3¼mm needles and proceed in st-st (throughout) inc as follows:-

** Work 10 [9:8:8] rows inc 1 st at each end of 5th [5th:3rd:3rd] and 10th [9th:7th:7th] row, rep from ** to 60 [68:76:82] sts. Cont without shaping until work measures 6 [6½:7:7½]in, 15 [17:18:19]cm, ending with a ws row. Cast off.

NECKBAND

Join right shoulder seam. With rs facing, using No. 2¾mm needles pick up and k 19 sts evenly along left side of front neck, 9 [13:15:19] sts left on a thread at front of neck, 19 sts evenly along right side of front neck, 19 sts evenly along right side of back neck, 9 [13:15:19] sts left on a thread at back of neck and 20 sts evenly along left side of back neck. 95 [103:107:115] sts. Commencing with 2nd row of 1 x 1 rib work 2in, 5cm, ending with a ws row. Cast off in rib.

TO MAKE UP

Join left shoulder and neckband seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Fold Neckband in half onto ws and slip stitch loosely in position. See ball band for pressing and care instructions.

V NECK
BACK

Using No. 2¾mm needles cast on 71 [79:87:93] sts, work in 1 x 1 rib for 2in, 5cm, ending with a ws row.

Change to No. 3¼mm needles and proceed in st-st (throughout) until work measures 10½ [11½:12½:13½]in, 27 [29:32:34]cm, ending with a ws row. Cast off.

FRONT

Work as given for Front - Crew Neck until work measures 6½ [7:7½:8]in, 17 [18:19:20]cm, ending with a ws row.

Divide for Neck. Patt 33 [37:41:44], k2tog, turn.

Working on these 34 [38:42:45] sts

only proceed as follows:-

Next Row. Patt to end.

****** Work 5 rows dec 1 st at neck edge in 2nd and 4th row, rep from ****** to 23 [25:27:28] sts. Cont without shaping until work measures same as Back, ending with a ws row. Cast off. *******

With rs facing, slip first st of rem 36 [40:44:47] sts onto a thread, rejoin yarn to rem 35 [39:43:46] sts, k2tog, patt to end.

Next Row. Patt to end.

Work from ****** to *******.

SLEEVES (Both alike)

Work as given for Sleeves - Crew Neck.

NECKBAND

Join right shoulder seam. With rs facing, using No. 2³/₄mm needles pick up and k 37 [43:47:53] sts evenly along left side of neck, k st left on a thread at centre of V, 38 [44:48:54] sts evenly along right

side of neck and 25 [29:33:37] sts from back of neck. 101 [117:129:145] sts.

Commencing with 2nd row of 1 x 1 rib proceed as follows:-

1st Row. Rib to centre 3 sts, insert needle purlways through back of second st then back of first st and slip both sts off needle together, purl next st then pass 2 slipped sts together over purl st, rib to end.

2nd Row. Rib to centre 3 sts, insert needle knitways into second st then first st and slip both sts off needle together, knit next st then pass 2 slipped sts together over knit st, rib to end.

Rep 1st and 2nd rows for 1in, 3cm, ending with a ws row. Cast off in rib.

TO MAKE UP

Join left shoulder and neckband seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve

seams. See ball band for pressing and care instructions.

SLIPOVER

Work as given for Back and Front - V Neck Sweater omitting Sleeves and To Make Up.

ARMBANDS (Both alike)

Join left shoulder and neckband seams. Place marker thread at each side of Back and Front 4 [4¹/₂:5: 5¹/₂]in, 10 [11:13:14]cm below shoulder seam. With rs facing, using No. 2³/₄mm needles pick up and k 75 [85:95:105] sts evenly between markers. Commencing with 2nd row of 1 x 1 rib work ³/₄in, 2cm, ending with a ws row. Cast off in rib.

TO MAKE UP

Join side and armhole border seams. See ball band for pressing and care instructions.

DESIGN B
PANTS

MEASUREMENTS

Table with 6 columns: Measurement, 16, 18, 20, 22, in/cm. Rows include To Fit Chest, Pants Length - Front waist to crotch, and Leg Length.

Table with 7 columns: Quality, Shade, 16, 18, 20, 22, Balls. Rows include Lace Panel Pants, Lace Pants, and Stocking Stitch Pants.

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Pair of No. 3 1/4mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2 3/4mm (UK12 - USA1) Knitting Needles.
Shirring Elastic for Waist.

TENSION

30 sts and 38 rows to 4in, 10 cm over stocking stitch on 3 1/4mm needles or the size required to give the correct tension.

PATT PANEL

Mult 7 sts.

- 1st Row. K1, k2tog, yo, k1, yo, ssk, k1.
- 2nd Row. Purl.
- 3rd Row. K2tog, yo, k3, yo, ssk.
- 4th Row. Purl.
- 5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.
- 6th Row. Purl.

LACE PANEL PANTS

FRONT

Left Leg.

Using No. 2 3/4mm needles cast on 27[31:35:39] sts, work in 1 x 1 rib for 3in, 8cm, ending with a rs row.

Next Row. Rib 1 [3:5:1], (m1, rib 1, m1, rib 1 [1:1:2]) 12 times, m1, rib 2 [4:6:2]. 52 [56:60:64] sts.

Change to No. 3 1/4mm needles and proceed as follows:-

1st Row. K19 [21:23:25], patt 14 sts as given for 1st row of Patt Panel, k19 [21:23:25].

2nd Row. P19 [21:23:25], patt 14 sts as given for 2nd row of Patt Panel, p19 [21:23:25].

1st and 2nd rows set st-st and Patt Panel. Keeping continuity of st-st and Patt Panel (throughout) as set commencing with 3rd row of Patt Panel, cont until work measures 9 1/2 [10:10 1/2:11]in, 24 [25:27:28]cm, ending with a rs row. ** Leave these sts on a thread.

Right Leg.

Work to ** as given for Left Leg.

Next Row. Patt to end, cast on 1 st, patt across 52 [56:60:64] sts left on a thread. 105 [113:121:129] sts.

Cont until crotch measures 5 1/2 [6 1/2: 7 1/2: 8 1/2]in, 14 [17:19:22]cm, ending with a rs row.

Next Row. P2 [0:1:2], (p2tog, p1) 34 [37:40:42]times, (p2tog)0[1:0:0]times, p1 [0:0:1]. 71 [75:81:87] sts.

Change to No. 2 3/4mm needles and work in 1 x 1 rib for 12 rows. Cast off in rib.

BACK

Work Left and Right Legs as given for Front omitting Patt Panels.

TO MAKE UP

Join side and inside leg seams reversing sewing for turnback. Turn lower ribs in half onto rs to form turn ups. Thread shirring elastic through waistband as required. See ball band for pressing and care instructions.

LACE PANTS
BACK AND FRONT
(Both alike)

Left Leg.

Using No. 2 3/4mm needles cast on 31 [33:37:39] sts, work in 1 x 1 rib for 2in, 5cm, ending with a rs row.

Next Row. Rib 2 [2:2:1], * (m1, rib 1) 1 [2:2:4] times, m1, rib 2, rep from * 8 [6:7:5] times, (m1, rib 1)0[2:2:1] times, rib 2 [1:1:1]. 49 [56:63:70] sts.

Change to No. 3 1/4mm needles and proceed in Patt (throughout) until work measures 9 1/2 [10:10 1/2:11]in, 24 [25:27:28]cm, ending with a ws row. Leave these sts on a thread.

Right Leg.

Work as given for Left Leg, leave sts on needle.

With rs facing, patt 49 [56:63:70] sts of Right Leg, then patt 49 [56:63:70] sts left on a thread for Left Leg. 98 [112:126:140] sts.

Cont until crotch measures 5 1/2 [6 1/2: 7 1/2: 8 1/2]in, 14 [17:19:22]cm, ending on a ws row.

Next Row. P3 [1:0:0], (p2tog) 0 [0:1:1] times, (p2tog, p1) 30 [36:40:46] times, p2tog 1 [1:2:1] times, p3 [1:0:0]. 67 [75:83:91] sts.

Change to No. 2 3/4mm needles and work in 1 x 1 rib for 12 rows.

Cast off in rib.

TO MAKE UP

Join side and inside leg seams reversing sewing for turnback. Turn lower ribs in half onto rs to form turn ups. Thread shirring elastic through waistband as required. See ball band for pressing and care instructions.

STOCKING STITCH
PANTS

Working in stocking stitch (throughout) work as given for Lace Panel Pants.

DESIGN C

CARDIGANS AND WAISTCOAT

MEASUREMENTS

To Fit Chest	16	18	20	22	in
	41	46	51	56	cm
Actual Size	20	22	24	26	in
	51	56	61	66	cm
Full Length	10½	11½	12½	13½	in
	27	29	32	34	cm
Sleeve Length	6	6½	7	7½	in
	15	17	18	19	cm

Quality		Shade	16	18	20	22	Balls
074	Round Neck Snuggly 4 ply	251	2	2	2	3	50gm
074	V Neck Snuggly 4 ply	251	2	2	2	3	50gm
074	Waistcoat Snuggly 4 ply	251	2	2	2	2	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

4 Buttons for V Neck and Waistcoat.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2¾mm (UK12 - USA1) Knitting Needles.
5 Buttons for Round Neck.

TENSION

28 sts and 38 rows to 4in, 10 cm over stocking stitch on 3¼mm needles or the size required to give the correct tension.

PATT

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.

2nd Row. Purl.

3rd Row. K2tog, yo, k3, yo, ssk.

4th Row. Purl.

5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.

6th Row. Purl.

ROUND NECK BACK AND FRONTS

(Worked in one piece to armholes)

Using No. 2¾mm needles cast on 157 [165:185:193] sts, work in 1 x 1 rib for 2 rows.

Next Row. Rib 4, cast off 2 sts, rib to end.

Next Row. Rib to last 4 sts, cast on 2 sts, rib 4.

Work 13 rows.

Next Row. Rib and slip first 9 sts onto a thread, rib 69 [73:83:87], (m1) 1 [0:1:0] times, rib to last 9 sts, slip rem 9 sts onto a thread. 140 [147:168:175] sts.

Change to No. 3¼mm needles and proceed in Patt (throughout) until work measures 6½ [7:7½:8]in, 17 [18: 19: 20]cm, ending with a rs row.

Divide for Back and Fronts.

Next Row. Patt 35 [35:42:42] sts, turn. Working on these 35 [35:42:42] sts only proceed as follows for Right Front:- ***

RIGHT FRONT

** Next Row. Patt to end.

Cont without shaping until armhole measures 2 [2½:3:3½]in, 5 [6:8:9]cm, ending at neck edge.

Shape Neck. Cast off 5 [3:7:5] sts, patt to end.

Dec 1 st at neck edge in every row to 23 [25:26:28] sts. Cont without shaping until armhole measures 4 [4½:5:5½]in, 10 [11:13:14]cm, ending with a ws row. Cast off in patt. **

BACK

With rs facing, rejoin yarn to rem 105 [112:126:133] sts and proceed as follows:-

Next Row. Patt 70 [77:84:91] sts, turn. Working on these 70 [77:84:91] sts only cont until armholes measure same as Right Front, ending with a ws row. Cast off in patt.

LEFT FRONT

With rs facing, rejoin yarn to rem 35 [35:42:42] sts, patt to end.

Work from ** to ** as given for Right Front.

SLEEVES (Both alike)

Using No. 2¾mm needles cast on 33 [35:37:39] sts, work in 1 x 1 rib for 17 rows.

Next Row. Rib 3 [4:2:4], m1, (rib 4 [4:3:3], m1, rib 3 [5:3:4], m1) 4 [3:5:4] times, (rib 3, m1) 0 [0:1:1] times, rib 2 [4:2:4]. 42 [42:49:49] sts.

Change to No. 3¼mm needles and proceed in Patt (throughout) inc as follows:-

** Work 9 [5:7:6] rows inc 1 st at each end of 3rd and 7th [5th:6th:6th] row, rep from ** to 56 [64:71:77] sts working inc sts in patt. Cont without shaping until work measures 6 [6½: 7:7½]in, 15 [17:18:19]cm, ending with a ws row. Cast off in patt.

BORDERS

Right Front Border.

With ws facing, using No. 2¾mm needles work across 9 sts left on a thread as follows:-

1st Row. P1, (k1, p1) 4 times.

** 2nd Row. Rib 4, cast off 2 sts, rib 2.

3rd Row. Rib 3, cast on 2 sts, rib 4.

Work 18 [20:22:24] rows. **

Work from ** to ** once, 2nd and 3rd rows once then work 16 [18:20:22] rows.

Do not break off yarn, leave these sts on a thread.

Left Front Border.

With rs facing, using No. 2¾mm needles work across 9 sts left on a thread as follows:-

1st Row. K1, (p1, k1) 4 times.

2nd Row. P1, (k1, p1) 4 times.

Complete as given for Right Front Border omitting buttonholes.

Break off yarn, leave these sts on a thread.

NECKBAND

Join shoulder seams. With rs facing, using No. 2¾mm needles rib across 9 sts left on a thread for Right Front Border, pick up and k 16 [15:18:17] sts evenly along right side of neck, 24 [27:32:25] sts from back of neck, 17 [15:19:17] sts evenly along left side of neck and rib across 9 sts left on a thread for Left Front Border. 75 [75:87:87] sts. Commencing with 2nd row of 1 x 1 rib work 1 row.

Next Row. Rib 4, cast off 2 sts, rib to end.

Next Row. Rib to last 4 sts, cast on 2 sts, rib 4.

Work 4 rows. Cast off in rib.

TO MAKE UP

Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join sleeve seams. Sew front borders in position. Sew on buttons. See ball band for pressing and care instructions.

V NECK

Work as given for Round Neck until *** is reached.

RIGHT FRONT

*** Patt to end.

** Work 5 [7:5:6] rows dec 1 st at neck edge in 1st and 4th row, rep from ** to 23 [25:26:28] sts. Cont without shaping until armhole measures 4 [4½:5:5½] in, 10 [11:13:14] cm, ending with a ws row. Cast off in patt. ***

BACK

With rs facing, rejoin yarn to rem 105 [112:126:133] sts and proceed as follows:-

Next Row. Patt 70 [77:84:91] sts, turn. Working on these 70 [77:84:91] sts only cont until armholes measure same as Right Front, ending with a ws row. Cast off in patt.

LEFT FRONT

With rs facing, rejoin yarn to rem 35 [35:42:42] sts, patt to end.

Work from *** to *** as given for Right Front.

SLEEVES (Both alike)

Work as given for Sleeves - Round Neck.

BORDERS

Right Front Border.

With ws facing, using No. 2¾mm needles work across 9 sts left on a thread as follows:-

1st Row. P1, (k1, p1) 4 times.

** **2nd Row.** Rib 4, cast off 2 sts, rib 2.

3rd Row. Rib 3, cast on 2 sts, rib 4.

Work 16 [18:20:22] rows. **

Work from ** to ** once, then 2nd and 3rd rows once. Cont in rib until border is of sufficient length to go up front and halfway across back of neck, ending with a ws row. Cast off in rib.

Left Front Border.

With rs facing, using No. 2¾mm needles work across 9 sts left on a thread as follows:-

1st Row. K1, (p1, k1) 4 times.

2nd Row. P1, (k1, p1) 4 times.

Complete to match Right Front Border omitting buttonholes.

TO MAKE UP

Join shoulder seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join sleeve seams. Sew ends of Borders together and placing seam to centre back of neck sew front borders in position. Sew on buttons. See ball band for pressing and care instructions.

WAISTCOAT

Work as given V Neck Cardigan omitting Sleeves and To Make Up.

ARMBANDS (Both alike)

With rs facing, using No. 2¾mm needles commencing at top of shoulder pick up and k 65 [73:81:89] sts evenly all round edge of armhole ending at top of shoulder. Commencing with 2nd row of 1 x 1 rib work 7 rows. Cast off in rib.

TO MAKE UP

Join shoulder and armband seams. Sew ends of Borders together and placing seam to centre back of neck, sew Front Borders in position. Sew on buttons. See ball band for pressing and care instructions.

DESIGN D

SKIRTS

MEASUREMENTS

To Fit Chest	16	18	20	22	in
	41	46	51	56	cm
Length	9	9½	10	10½	in
	23	24	25	27	cm

Quality		Shade	16	18	20	22	Balls
074	Lace Panel Skirt Snuggly 4 ply	251	2	2	2	3	50gm
074	Lace Skirt Snuggly 4 ply	251	2	2	2	3	50gm
074	Lace Border Skirt Snuggly 4 ply	251	2	2	2	3	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2¾mm (UK12 - USA1) Knitting Needles.
Shirring elastic for waist.

TENSION

30 sts and 38 rows to 4in, 10 cm over stocking stitch on 3¼mm needles or the size required to give the correct tension.

PATT PANEL

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.
2nd Row. Purl.
3rd Row. K2tog, yo, k3, yo, ssk.
4th Row. Purl.
5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.
6th Row. Purl.

LACE PANEL SKIRT

BACK

**Using No. 3¼mm needles cast on 98 [105:112:119] sts, work in g-st for 2 rows. **

1st Row. K18 [19:21:22], patt 14 sts as given for 1st row of Patt Panel, k34 [39:42:47], patt 14 sts as given for 1st row of Patt Panel, k18 [19:21:22].
2nd Row. P18 [19:21:22], patt 14 sts as given for 2nd row of Patt Panel, p 34 [39:42:47], patt 14 sts as given for 2nd row of Patt Panel, p 18 [19:21:22].
1st and 2nd rows set st-st and Patt Panel. Keeping continuity of st-st and Patt Panel (throughout) commencing with 3rd row of Patt Panel, cont until work measures 8 [8½:9:9½]in, 20 [22:23:24]cm, ending with a rs row.
Next Row. P1 [0:2:3], (p1, p2tog, p1,

p2tog, p1) 13 [15:15:16] times, (p1, p2tog) 1 [0:1:0] times, p3 [0:2:4]. 71 [75:81:87] sts.
Change to No. 2¾mm needles and work in 1 x 1 rib for 12 rows. Cast off in rib.

FRONT

Work exactly as given for Back.

TO MAKE UP

Join side seams.
Thread shirring elastic through waistband as required. See ball band for pressing and care instructions.

LACE SKIRT

Work from ** to ** as given for Lace Panel Skirt. Working in patt (throughout) work as given for Lace Panel Skirt.

LACE BORDER SKIRT

BACK

Using No. 3¼mm needles cast on 98 [105:112:119] sts, work in g-st for 2 rows.
Work 6 rows in patt.
Work 2 rows in g-st.
Working in st-st proceed as given for Lace Panel Skirt.

DESIGN E

ROMPER SUIT

MEASUREMENTS

To Fit Chest	16	18	20	22	in
	41	46	51	56	cm
Actual Size	18	20	22	24	in
	46	51	56	61	cm
Full Length	21	23	25	27½	in
	53	58	64	70	cm
Sleeve Length	6	6½	7	7½	in
	15	17	18	19	cm

Quality		Shade	16	18	20	22	Balls
074	Romper Suit Snuggly 4 ply	251	4	4	4	4	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

- 1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
- 1 Pair of No. 2¾mm (UK12 - USA1) Knitting Needles.
- 6 Buttons.

TENSION

4 patterns (28 sts) and 38 rows to 4in, 10 cm over pattern on 3¼mm needles or the size required to give the correct tension.

PATT

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.

2nd Row. Purl.

3rd Row. K2tog, yo, k3, yo, ssk.

4th Row. Purl.

5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.

6th Row. Purl.

BACK

Left Leg.

Using No. 2¾mm needles cast on 31 [33:37:39] sts, work in 1 x 1 rib for 2in, 5 cm, ending with a rs row.

Next Row. Rib 2 [2:2:1], ((m1, rib 1) 1 [2:2:4] times, m1, rib 2) 9 [7:8:6] times, (m1, rib 1) 0 [2:2:1] times, rib 2 [1:1:1]. 49 [56:63:70] sts.

Change to No. 3¼mm needles and proceed in Patt (throughout) until work measures 8 [8½:9:9½]in, 20 [22:23:24]cm, ending with a ws row. Leave these sts on a thread.

Right Leg.

Work as given for Left Leg, leave sts on needle.

With rs facing, patt 49 [56:63:70] sts of Right Leg, then patt 49 [56:63:70] sts left on a thread for Left Leg. 98 [112:126:140] sts.

Next Row. Patt to end. ***

Work 10 rows.

Divide for Back Opening. Patt 46 [53:60:67], turn.

Working on these 46 [53:60:67] sts only proceed as follows:-

** Next Row. Patt to end.

Cont without shaping until work

measures 17½ [19:20½:22½]in, 44 [48:52:57]cm, ending with a rs row.

Shape Yoke. P1 [3:2:1], (p2tog, p1, p2tog, p2 [1:1:1]) 6 [8:9:10] times, (p2tog, p1) 1 [0:1:2] times, p0 [2:1:0]. 33 [37:41:45] sts.

Next Row. P.

Next Row. P.

Next Row. P.

Commencing with 2nd row of 1 x 1 rib cont until yoke measures 4 [4½:5:5½]in, 10 [11:13:14]cm, ending with a ws row.

Cast off in rib. **

With rs facing, slip first 6 sts of rem 52 [59:66:73] sts onto a thread, rejoin yarn to rem 46 [53:60:67] sts and patt to end. Work from ** to **.

FRONT

Work to *** as given for Back.

Cont without shaping until work measures 17½ [19:20½:22½]in, 44 [48:52:57]cm, ending with a rs row.

Shape Yoke. P0 [1:3:2], (p2tog, p1) 2 [2:2:0] times, p2tog, (p2 [1:1:1], (p2tog) 1 [1:2:2] times, (p1, p2tog) 4 [4:3:3] times) 5 [6:8:9] times, p2 [0:0:1], (p2tog) 1 [0:0:2] times, (p1, p2tog) 2 [4:0:1] times, p0 [1:3:2]. 67 [75:83:91] sts.

Next Row. P.

Next Row. P.

Next Row. P.

Commencing with 2nd row of 1 x 1 rib cont until yoke measures 2½ [3:3½:4]in, 6 [8:9:10]cm, ending with a ws row.

Shape Neck. Rib 28 [30:33:36], cast off 11 [15:17:19] sts in rib, rib 27 [29:32:35].

Working on first 28 [30:33:36] sts only proceed as follows:-

** Next Row. Patt to end.

Work 8 rows dec 1 st at neck edge in every row. 20 [22:25:28] sts.

Cont without shaping until yoke measures same as Back, ending with a ws row.

Cast off in rib. **

With ws facing, rejoin yarn to rem 28 [30:33:36] sts and proceed as follows:- Work from ** to **.

SLEEVES (Both alike)

Using No. 2¾mm needles cast on 33 [35:37:39] sts, work in 1 x 1 rib for 17 rows.

Next Row. Rib 3 [4:2:4], m1, (rib 4 [4:3:3], m1, rib 3 [5:3:4], m1) 4 [3:5:4] times, (rib 3, m1) 0 [0:1:1] times, rib 2 [4:2:4]. 42 [42:49:49] sts.

Change to No. 3¼mm needles and proceed in Patt (throughout) inc as follows:-

** Work 9 [5:7:6] rows inc 1 st at each end of 3rd and 7th [5th:7th:6th] row, rep from ** to 56 [64:71:77] sts working inc sts in patt. Cont without shaping until work measures 6 [6½:7:7½]in, 15 [17:18:19]cm, ending with a ws row. Cast off in patt.

BACK BORDERS

Right Back Border.

With rs facing, using No. 2¾mm needles work across 6 sts left on a thread as follows:-

Next Row. K3, m1, k3. (7 sts).

Commencing with 2nd row of 1 x 1 rib work 15 [19:21:23] rows.

** Next Row. Rib 2, cast off 2 sts, rib 2.

Next Row. Rib 3, cast on 2 sts, rib 2.

Work 16 [20:22:24] rows. **

Work from ** to ** 4 times.

Next Row. Rib 2, cast off 2 sts, rib 2.

Next Row. Rib 3, cast on 2 sts, rib 2.

Work 2 rows. Cast off in rib.

Left Back Border.

Using No. 2¾mm needles cast on 7 sts, work in 1 x 1 rib for 110 [134:146:158] rows. Cast off in rib.

NECK EDGING

Using No. 2¾mm needles cast on 6 sts.

1st Row. K2, yfwd, k2tog, yfwd, k2.

2nd Row. K2, (yfwd, k1) twice, yfwd, k2tog, k1.

3rd Row. K2, yfwd, k2tog, yfwd, k3, yfwd, k2.

4th Row. K2, yfwd, k5, yfwd, k1, yfwd, k2tog, k1.

5th Row. K2, yfwd, k2tog, yfwd, ssk, k3, k2tog, yfwd, k2.

6th Row. K3, yfwd, ssk, k1, k2tog, yfwd, k2, yfwd, k2tog, k1.

7th Row. K2, yfwd, k2tog, k2, yfwd, sl1-k2tog-psso, yfwd, k4.

8th Row. Cast off 7 sts, k2, yfwd, k2tog, k1.

Rep 1st to 8th row until Neck Edging is sufficient length to go all round neck edge, ending with 8th row. Cast off.

TO MAKE UP

Join shoulder seams. Fold Sleeves in

half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side, sleeve and inside leg seams. Sew Borders in position. Sew Neck Edging evenly all round neck edge. Sew on buttons. See ball band for pressing and care instructions.

DESIGN F

DRESS

MEASUREMENTS

To Fit Chest	16	18	20	22	in
	41	46	51	56	cm
Actual Size	18	20	22	24	in
	46	51	56	61	cm
Full Length	12½	13½	14½	15½	in
	32	34	37	39	cm
Sleeve Length	6	6½	7	7½	in
	15	17	18	19	cm

Quality		Shade	16	18	20	22	Balls
074	Dress Snuggly 4 ply	251	3	3	4	4	50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2¾mm (UK12 - USA1) Knitting Needles.
2 Buttons.

TENSION

4 patterns (28 sts) and 38 rows to 4in, 10 cm over pattern on 3¼mm needles or the size required to give the correct tension.

PATT

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.

2nd Row. Purl.

3rd Row. K2tog, yo, k3, yo, ssk.

4th Row. Purl.

5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.

6th Row. Purl.

BACK

Using No. 3¼mm needles cast on 98 [105:112:119] sts, work in g-st for 2 rows.

Proceed in Patt until work measures 8½ [9:9½:10]in, 22 [23:24:25]cm, ending with a rs row.

Shape Yoke. P0 [3:4:2], (p2tog, p1 [1:1:2]) 2 [2:1:2] times, p2tog, ((p2 [2:2:3], p2tog) 1 [1:2:1] times, (p1 [1:1:2], p2tog) 4 [2:1:3] times) 5 [9:9:6] times, (p2, p2tog) 1 [0:0:0] times, (p1, p2tog) 2 [0:0:0] times, p0 [4:4:1] . 67 [75:83:91] sts.

Next Row. P.

Next Row. P.

Next Row. P.

Commencing with 2nd row of 1 x 1 rib cont until yoke measures 2½ [3:3½:4]in, 6 [8:9:10]cm, ending with a ws row.

Divide for Back Opening. Rib 33 [37:41:45], cast off 1 st, rib 32 [36:40:44].

Working on first 33 [37:41:45] sts only proceed as follows:-

Next Row. Rib to end.

** Cont without shaping until yoke measures 4 [4½:5:5½]in, 10 [11:13:14]cm, ending with a ws row.

Cast off in rib. **

With ws facing, rejoin yarn to rem 33 [37:41:45] sts and proceed as follows:-
Work from ** to **.

FRONT

Work as given for Back until Yoke measures 2½ [3:3½:4]in, 6 [8:9:10]cm, ending with a ws row.

Shape Neck. Rib 28 [30:33:36], cast off 11 [15:17:19] sts in rib, rib 27 [29:32:35].

Working on first 28 [30:33:36] sts only proceed as follows:-

Next Row. Rib to end.

** Work 8 rows dec 1 st at neck edge in every row. 20 [22:25:28] sts.

Cont without shaping until yoke measures same as Back, ending with a ws row.

Cast off in rib. **

With ws facing, rejoin yarn to rem 28 [30:33:36] sts and rib to end.

Work from ** to **.

SLEEVES (Both alike)

Using No. 2¾mm needles cast on 33 [35:37:39] sts, work in 1 x 1 rib for 17 rows.

Next Row. Rib 3 [4:2:4], m1, (rib 4 [4:3:3], m1, rib 3 [5:3:4], m1) 4 [3:5:4] times, (rib 3, m1) 0 [0:1:1] times, rib 2 [4:2:2]. 42 [42:49:49] sts.

Change to No. 3¼mm needles and proceed in Patt (throughout) inc as follows:-

** Work 9 [5:7:6] rows inc 1 st at each end of 3rd and 7th [5th:7th:6th] row, rep from ** to 56 [64:71:77] sts working inc

sts in patt. Cont without shaping until work measures 6 [6½:7:7½]in, 15 [17:18:19]cm, ending with a ws row. Castoff in patt.

BORDERS

Right Back Border.

With rs facing, using No. 2¾mm needles pick up and k 14 sts evenly along back opening.

Next Row. K.

Next Row. K2, cast off 2 sts, k3, cast off 2 sts, k3.

Next Row. K4, cast on 2 sts, k4, cast on 2 sts, k2. Cast off.

Left Back Border.

Work to match Right Back Border omitting buttonholes.

NECK EDGING

Using No. 2¾mm needles cast on 6 sts.

1st Row. K2, yfwd, k2tog, yfwd, k2.

2nd Row. K2, (yfwd, k1) twice, yfwd, k2tog, k1.

3rd Row. K2, yfwd, k2tog, yfwd, k3, yfwd, k2.

4th Row. K2, yfwd, k5, yfwd, k1, yfwd, k2tog, k1.

5th Row. K2, yfwd, k2tog, yfwd, ssk, k3, k2tog, yfwd, k2.

6th Row. K3, yfwd, ssk, k1, k2tog, yfwd, k2, yfwd, k2tog, k1.

7th Row. K2, yfwd, k2tog, k2, yfwd, sl1-k2tog -psso, yfwd, k4.

8th Row. Cast off 7 sts, k2, yfwd, k2tog, k1.

Rep 1st to 8th row until Neck Edging is of sufficient length to go all round neck edge, ending with 8th row. Cast off.

TO MAKE UP

Join shoulder seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join side and sleeve seams. Sew back borders in position. Sew Neck Edging evenly all round neck edge. Sew on buttons. See ball band for pressing and care instructions.

MATINEE COAT, BONNET, MITTENS, SHOES AND BLANKET

MEASUREMENTS

Matinee Coat To Fit Chest	16 41	18 46	20 51	in cm
Actual Size	18 46	20 51	22 56	in cm
Full Length	10 25	11 28	12 30	in cm
Sleeve Length	5½ 14	6 15	6½ 17	in cm
Blanket	26 x 30 66 x 76			in cm

Quality		Shade	16	18	20	Balls
074	Matinee Coat Snuggly 4 ply	251	2	2	3	50gm
074	Bonnet Snuggly 4 ply	251	1	1	1	50gm
074	Mittens Snuggly 4 ply	251	1	1	1	50gm
074	Shoes Snuggly 4 ply	251	1	1	1	50gm
074	Blanket Snuggly 4 ply	251	4			50gm

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 Button for Bonnet.

1 Pair of No. 3¼mm (UK10 - USA3) Knitting Needles.
1 Pair of No. 2½mm (UK12 - USA1) Knitting Needles.
1 No. 2.50 (UK12 - USA C2) Crochet Hook.
4 Buttons for Matinee Coat.

TENSION

28 sts and 38 rows to 4in, 10 cm over pattern on 3¼mm needles or the size required to give the correct tension.

Change to No. 3¼mm needles and proceed in Patt (throughout) inc as follows:-

** Work 9 [5:7] rows inc 1 st at each end of 3rd and 7th [5th:6th] row, rep from ** to 56 [64:71] sts working inc sts in patt.

Cont without shaping until work measures 5½ [6:6½]in, 14 [15:17]cm, ending with a ws row. Cast off in patt.

TO MAKE UP

Join shoulder seams. Fold Sleeves in half lengthways, then placing folds to shoulder seams, sew Sleeves in position. Join sleeve seams.

LOWER EDGING

With rs facing, using No. 2.50 crochet hook work 153 [181:209] dc evenly along lower edge, turn.

Next Row. * 3ch, ss into first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss into first of 3ch, miss 1dc, ss to last dc. Fasten off.

PATT

Mult 7 sts.

1st Row. K1, k2tog, yo, k1, yo, ssk, k1.

2nd Row. Purl.

3rd Row. K2tog, yo, k3, yo, ssk.

4th Row. Purl.

5th Row. K2, yo, sl1-k2tog-ssso, yo, k2.

6th Row. Purl.

MATINEE COAT
BACK AND FRONTS

(Worked in one piece to armholes)

Using No. 3¼mm needles cast on 154 [182:210] sts, work in Patt until work measures 6 [6½:7]in, 15 [17:18]cm, ending with 5th row of patt.

Next Row. P4 [6:4], (p2tog, p7 [4:3]) 16 [28:40] times, p2tog, p4 [6:4]. 137 [153:169] sts.

Divide for Back and Fronts. (K1, p1) 17 [19:21] times, k1, slip these sts onto a thread for Right Front, (k1, p1) 33 [37:41] times, k1, slip these sts onto a thread for Back, (k1, p1) 17 [19:21] times, k1.

Working on first 35 [39:43] sts only proceed as follows for Left Front.

LEFT FRONT

** Commencing with 2nd row of 1 x 1 rib

cont until armhole measures 2½ [3:3]in, 6 [8:8]cm, ending at neck edge.

Shape Neck. Cast off 6 sts in rib, rib to end.

Work 7 [8:10] rows dec 1 st at neck edge in every row. 22 [25:27] sts. Cont without shaping until armhole measures 4 [4½:5]in, 10 [11:13]cm, ending with a ws row. Cast off in rib. **

BACK

With ws facing, rejoin yarn to 67 [75:83] sts left on a thread for Back and commencing with 2nd row of 1 x 1 rib cont until work measures same as Left Front, ending with a ws row. Cast off in rib. **

RIGHT FRONT

With ws facing, rejoin yarn to rem 35 [39:43] sts left on a thread for Right Front. Work from ** to ** as given for Left Front.

SLEEVES (Both alike)

Using No. 2¾mm needles cast on 33 [35:37] sts, work in 1 x 1 rib for 13 rows.

Next Row. Rib 3 [4:2], m1, (rib 4 [4:3], m1, rib 3 [5:3], m1) 4 [3:5] times, (rib 3, m1) 0 [0:1] times, rib 2 [4:2]. 42 [42:49] sts.

FRONT EDGINGS
(Both alike)

With rs facing, using No. 2.50 crochet hook work an odd number of dc evenly along front edge, turn.

Next Row. * 3ch, ss into first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss into first of 3ch, miss 1dc, ss to last dc. Fasten off.

NECK EDGING

With rs facing, using No. 2.50 crochet hook work 16 [18:18] dc evenly along right side of neck, 23 [25:27] dc evenly along back neck and 16 [18:18] dc evenly along left side of neck. 55 [61:63] dc, turn.

Next Row. * 3ch, ss into first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss into first of 3ch, miss 1dc, ss to last dc. Fasten off.

TO COMPLETE

Sew on buttons using holes in picot edging to form buttonholes. See ball band for pressing and care instructions.

BONNET
MAIN PART

Using No. 3¼mm needles cast on 77 [84:91] sts, work in Patt until work

measures 3 [3½:4]in, 8 [9:10]cm, ending with 6th row of patt. Cast off in patt.

BACK PANEL

Using No. 3¼mm needles cast on 21 [28:28] sts, work in Patt until work measures 4 [4:4½]in, 10 [10:11]cm, ending with 6th row of patt. Cast off in patt.

TO MAKE UP

Placing centre of cast off sts of Back Panel to centre of cast off sts of Main Part, sew Back Panel in position.

BACK PANEL EDGING

With rs facing, using No. 2.50 crochet hook, working through double fabric, work an odd number of dc evenly all round back seam, turn.

Next Row. * 3ch, ss to first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss to first of 3ch, miss 1dc, ss to last dc. Fasten off.

FACE EDGING

With rs facing, using No. 2.50 crochet hook work an odd number of dc evenly all round face edge, turn.

Next Row. * 3ch, ss to first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss to first of 3ch, miss 1dc, ss to last dc. Fasten off.

NECKBAND AND STRAP

With right side facing, using No. 2¾mm needles, pick up and k 63 [77:85] sts evenly all round lower edge, cast on 20 [24:28] sts. 83 [101:113] sts.

Commencing with 2nd row of 1 x 1 rib work 3 rows.

Next Row. Rib to last 4 sts, yfwd, k2tog, rib 2.

Work 3 rows. Cast off in rib.

TO COMPLETE

Sew on button. See ball band for pressing and care instructions.

MITTENS

LEFT HAND MITTEN

Using No. 2¾mm needles cast on 33 [37:41] sts, work in 1 x 1 rib for 3in, 8cm, ending with a rs row, m1 in centre of last row. 34 [38:42] sts. **

Change to No. 3¼mm needles and proceed as follows:-

1st Row. K5 [6:7], patt 7 sts as given for 1st row of Patt Panel, k22 [25:28].

2nd Row. P.

1st and 2nd rows set Patt Panel and st-st.

Keeping continuity of Patt Panel and st-st (throughout) commencing with 3rd row of patt panel cont until work measures 5 [5½:6]in, 13 [14:15]cm, ending with a ws row.

Shape Top.

1st Row. K1, ssk, k2 [3:4], patt 7, k2 [3:4], k2tog, k1, ssk, k12 [14:16], k2tog, k1.

2nd Row. P.

3rd Row. K1, ssk, k1 [2:3], patt 7, k1 [2:3], k2tog, k1, ssk, k10 [12:14], k2tog, k1.

4th Row. P.

5th Row. K1, ssk, k0 [1:2], patt 7, k0 [1:2], k2tog, k1, ssk, k8 [10:12], k2tog, k1.

Cast off.

RIGHT HAND MITTEN

Work to ** as given for Left Hand Mitten.

Change to No. 3¼mm needles and proceed as follows:-

1st Row. K22 [25:28], patt 7 sts as given for 1st row of Patt Panel, k5 [6:7].

2nd Row. P.

1st and 2nd rows set Patt Panel and st-st. Keeping continuity of Patt Panel and st-st (throughout) commencing with 3rd row of patt panel cont until work measures 5 [5½:6]in, 13 [14:15]cm, ending with a ws row.

Shape Top.

1st Row. K1, ssk, k12 [14:16], k2tog, k1, ssk, k2 [3:4], patt 7, k2 [3:4], k2tog, k1.

2nd Row. P.

3rd Row. K1, ssk, k10 [12:14], k2tog, k1, ssk, k1 [2:3], patt 7, k1 [2:3], k2tog, k1.

4th Row. P.

5th Row. K1, ssk, k8 [10:12], k2tog, k1, ssk, k0 [1:2], patt 7, k0 [1:2], k2tog, k1.

Cast off.

TO MAKE UP

Join seam. Fold rib in half onto rs and sew in position. See ball band for pressing and care instructions.

SHOES (Both alike)

Using No. 3¼mm needles cast on 35 [41:47] sts, work in g-st for 2 rows.

Next Row. K1, (m1, k16 [19:22], m1, k1) twice.

Next Row. K.

Next Row. K1, m1, k17 [20:23], m1, k3, m1, k17 [20:23], m1, k1.

Next Row. K.

Cont in g-st inc 4 times (as before) in

next and every alt row to 51 [57:63] sts. Work in g-st for 2 rows.

Commencing with 2nd row of 1 x 1 rib work 3 rows.

Work in g-st for 3 rows.

Next Row. P.

Work in g-st for 3 rows.

Commencing with 2nd row of 1 x 1 rib work 3 rows.

Work in g-st for 2 rows.

Shape Instep.

1st Row. K31 [34:37], k2togtbl, turn.

2nd Row. Slp1, p11, p2tog, turn.

3rd Row. Sl1, k11, k2togtbl, turn.

Rep 2nd and 3rd rows 5 [6:7] times, then 2nd row once. 37 [41:45] sts.

Next Row. Sl1, k to end.

Next Row. P2, p2tog, (p2 [3:4], p2tog, p3, p2tog) 3 times, p2 [3:4], p2tog, p2. 29 [33:37] sts.

Change to No. 2¾mm needles and work in 1 x 1 rib for 10 rows.

Next Row. Rib 4 [4:2], (m1, rib 4 [3:8]) 5 [8:4] times, m1, rib 5 [5:3]. 35 [42:42] sts.

Change to No. 3¼mm needles and work in Patt for 8 rows. Cast off in patt.

EDGING

With rs facing, using No. 2.50 crochet hook, work 35 [41:41] dc evenly along cast off edge, turn.

Next Row. * 3ch, ss to first of 3ch, miss 1dc, 1dc in next dc, rep from * to last 2dc, 3ch, ss to first of 3ch, miss 1dc, ss to last dc. Fasten off.

TO MAKE UP

Join foot and leg seams. Fold rib in half and sew through double fabric to form a ridge all round edge of sole. Fold last 8 rows onto rs. See ball band for pressing and care instructions.

BLANKET

Using No. 3¼mm needles cast on 182 sts, work in Patt until work measures approximately 30in, 76cm, ending with 6th row of patt. Cast off in patt.

EDGING

With rs facing, using No. 2.50 crochet hook, work an odd number of dc evenly all round edge, working 3dc in each corner, ss to first dc.

Next Round. * 3ch, ss into first of 3ch, miss 1dc, 1dc in next dc, rep from * to end, ss to first dc. Fasten off.

See ball band for pressing and care instructions.