

DK

3/6 months

top line nylon
courtelle crepe
double knitting wool
double crepe wool
trichel nylon
20" 4 to 5 balls

SIRDAR

3021

1/6(7½p)



Model A

Model B

To obtain a perfect reproduction of the design illustrated you must obtain the Sirdar quality stated and work to the tension given.

Original Shade No's. **051 White**
007 Peach

MATINEE COATS

MODEL A			MODEL B		
To Fit	20	ins	To Fit	20	ins
Full length	10½	ins	Full length	10½	ins
Sleeve length (adjustable)	6	ins	Sleeve length (adjustable)	6	ins
TOP LINE Nylon D.K. Reference T.			TOP LINE Nylon Reference T.		
	5	25gm balls		5	25gm balls
1 Pair No. 7 and No. 9 Knitting Needles.			1 Pair No. 7 and No. 9 Knitting Needles.		
COURTELLE CREPE D.K. Reference C.			COURTELLE CREPE D.K. Reference C.		
	4	25gm balls		4	25gm balls
1 Pair No. 9 and No. 12 Knitting Needles.			1 Pair No. 9 and No. 12 Knitting Needles.		
DOUBLE KNITTING Wool			DOUBLE KNITTING Wool		
	5	balls		5	balls
DOUBLE CREPE Wool			DOUBLE CREPE Wool		
	5	balls		5	balls
TRICEL NYLON			TRICEL NYLON		
	5	25gm balls		5	25gm balls
1 Pair No. 8 and No. 10 Knitting Needles. 3 Buttons. Daisy Motifs for trimming.			1 Pair No. 8 and No. 10 Knitting Needles. 3 Buttons.		

The quantities of yarn stated are based on average requirements and are therefore approximate.

TENSION

THE TENSION FOR THIS DESIGN IS 6 stitches to one inch.

Check your tension – if less stitches use a finer needle, if more use a coarser needle.

ABBREVIATIONS

K knit, p purl, sts stitches, tog together, s1 slip one stitch knitways, s1p slip one stitch purlways, st-st stocking stitch (1 row knit, 1 row purl), yfwd yarn forward, ybk yarn to back, inc increase(ing), dec decreasing, D.K. Double Knitting, T Top Line Nylon, C Courtelle Crepe.

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

Alternative needles recommended. Select your needle size according to yarn chosen — see materials.
T—Top Line Nylon; C—Courtelle Crepe.

MODEL A

THE BACK

Using No. 7(T), 8 or 9(C) needles cast on 94 sts.

1st Row. S1, knit to end of row.

Repeat 1st row 3 times.

Proceed as follows:

1st Row. S1, knit to end of row.

2nd Row. S1, purl to last st, k1.

Continue in st-st dec once at each end of 3rd and every following 8th row until 86 sts remain.***

Continue without shaping until work measures 5½ inches, ending on wrong side.

SHAPE FOR THE ARMHOLES

Cast off 2 sts at beginning of each of next 2 rows.

Work 12 rows dec once at each end of every row. (58 sts).

Next Row. K2tog, k3, (k2tog, k1, k3tog, k1) 3 times, (k3tog) twice, (k1, k3tog, k1, k2tog) 3 times, k3, k2tog. (34 sts).

Break off yarn, leave these sts on a thread.

THE LEFT FRONT

Using No. 7(T), 8 or 9(C) needles cast on 50 sts.

1st Row. S1, knit to end of row.

Repeat 1st row 3 times.

Proceed as follows:

1st Row. S1, knit to end of row.

2nd Row. S1, k4, purl to last st, k1.

Keeping continuity of st-st and garter st border (throughout) dec once at beginning of 3rd and every following 8th row until 46 sts remain.***

Continue without shaping until work measures same as The Back to armhole, ending on wrong side.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 2 sts, knit to end of row.

Next Row. S1, k4, purl to last st, k1.

Work 12 rows dec once at armhole edge in every row. (32 sts).

Next Row. K2tog, k3, (k2tog) 4 times, k3tog, (k2tog) 4 times, k8. (21 sts).

Do not break off yarn, leave these sts on a thread.

THE RIGHT FRONT

Using No. 7(T), 8 or 9(C) needles cast on 50 sts.

1st Row. S1, knit to end of row.

Repeat 1st row 3 times.

Proceed as follows:

1st Row. S1, knit to end of row.

2nd Row. S1, purl to last 5 sts, k5.

Keeping continuity of garter st border and st-st (throughout) dec once at end of 3rd and every following 8th row until 46 sts remain. ****

Continue without shaping until work measures same as The Back to armhole, ending on right side.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 2 sts purlways, purl to last 5 sts, k5.

Work 12 rows dec once at armhole edge in every row. (32 sts).

Next Row. S1, k4, k3, (k2tog) 4 times, k3tog, (k2tog) 4 times, k3, k2tog. (21 sts).

Break off yarn, leave these sts on a thread.

THE SLEEVES (Both alike)

Using No. 9(T), 10 or 12(C) needles cast on 31 sts.

1st Row. S1, k1, * p1, k1, repeat from * to last st, k1.

2nd Row. S1, * p1, k1, repeat from * to end of row.

Repeat 1st and 2nd rows 3 times inc once at end of last row. (32 sts).

Change to No. 7(T), 8 or 9(C) needles and proceed as follows:

1st Row. S1, knit to end of row.

2nd Row. S1, purl to last st, k1.

*****Continue in st-st inc once at each end of 3rd and every following 4th row until there are 44 sts on needle.

Continue without shaping until work measures 6 inches from commencement, or length required, ending on wrong side of work. *****

SHAPE FOR THE TOP

Cast off 2 sts at beginning of each of next 2 rows.

Work 4 rows dec once at each end of next and alternate row. (36 sts).

Work 9 rows dec once at each end of every row. (18 sts). Break off yarn, leave these sts on a thread.

TO MAKE UP

Read Pressing Instructions. Sew up side and sleeve seams. Placing seam to seam sew decreased edges of sleeves to decreased edges of bodice.

THE YOKE

With wrong side of work facing, using No. 7(T), 8 or 9(C) needles and commencing at Left Front, work across 21 sts left on a thread as follows: s1, k20, work across 18 sts of one sleeve left on a thread as follows: k18, work across 34 sts of The Back left on a thread as follows: k34, work across 18 sts of other sleeve left on a thread as follows: k18, work across 21 sts of The Right Front left on a thread as follows: k21. (112 sts).

1st Row. S1, k2, yfwd, k2tog, (k24, k2tog) 3 times, k29. (109 sts).

2nd Row. S1, knit to end of row.

Repeat 2nd row once.

4th Row. S1, k4, purl to last 5 sts, k5.

5th Row. S1, k5, k2tog, (k4, k2tog) 7 times, k3, k3tog, k3, (k2tog, k4) 7 times, k2tog, k6. (91 sts).

Repeat 4th row once, 2nd row 5 times then 4th row once.

13th Row. S1, k2, yfwd, k2tog, k1, k2tog, (k3, k2tog) 7 times, k1, k3tog, k1, (k2tog, k3) 7 times, k2tog, k6. (73 sts).

Repeat 4th row once, 2nd row 5 times then 4th row once.

21st Row. S1, k5, k2tog, (k4, k2tog) 4 times, k9, k2tog, (k4, k2tog) 4 times, k6. (63 sts).

22nd Row. S1, k4, purl to last 5 sts, k5.

Change to No. 9(T), 10 or 12(C) needles and proceed as follows:

Next Row. S1, k15, (k2tog, k13) 3 times, k2. (60 sts). Repeat 2nd row once.

Next Row. S1, k2, yfwd, k2tog, knit to end of row. Cast off loosely knitways.

TO COMPLETE

Sew on buttons to correspond with buttonholes. Sew Daisy Motifs on yoke as shown on Front Cover.

MODEL B

THE BACK

Using No. 7(T), 8 or 9(C) needles cast on 94 sts.

Work exactly as given for The Back of Model A until ** is reached.

Continue without shaping until work measures 5½ inches, ending on wrong side.

Proceed as follows:

1st Row. S1, k8, * (k2tog) 3 times, k4, * repeat from * to * twice, (k2tog) 4 times, k4, repeat from * to * 3 times, k5. (64 sts).

2nd Row. S1, k30, inc once in next st, k32. (65 sts).

3rd Row. S1, * s1p, k1, repeat from * to end of row.

4th Row. S1, * yfwd, s1p, ybk, k1, repeat from * to end of row.

5th and 6th Rows. S1, knit to end of row.

From 3rd to 6th row (inclusive) forms pattern.

Repeat 3rd and 4th rows once.

SHAPE FOR THE ARMHOLES

Next Row. Cast off 1 st knitways, knit to end of row.

Next Row. Cast off 1 st knitways, knit to end of row. Keeping continuity of pattern (throughout) work 48 rows dec once at each end of next and every alternate row. (15 sts). Cast off knitways.

THE LEFT FRONT

Using No. 7(T), 8 or 9(C) needles cast on 50 sts.

Work exactly as given for The Left Front of Model A until *** is reached.

Continue without shaping until work measures 5½ inches, ending on wrong side.

Proceed as follows:

1st Row. S1, k6, * (k2tog) 4 times, k4, * repeat from * to * once, (k2tog) 3 times, k9. (35 sts).

2nd Row. S1, knit to end of row.

3rd Row. S1, * s1p, k1, repeat from * to last 4 sts, k4.

4th Row. S1, k4, * yfwd, s1p, ybk, k1, repeat from * to end of row.

5th and 6th Rows. S1, knit to end of row.
From 3rd to 6th row (inclusive) forms pattern.
Repeat 3rd and 4th rows once.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 1 st knitways, knit to end of row.

Next Row. S1, knit to end of row.

Keeping continuity of pattern (throughout) work 32 rows
dec once at armhole edge in next and every alternate
row. (18 sts).

SHAPE THE NECK

Next Row. K2tog, work in pattern to last 5 sts, slip these
5 sts onto a thread, turn.

Next Row. S1, work in pattern to last st, k1.

Work 3 rows dec once at armhole edge in next and alter-
nate row at same time dec once at neck edge in every
row. (7 sts).

Work 9 rows dec once at armhole edge only in 2nd and
every alternate row. (3 sts).

Next Row. K2tog, k1.

Next Row. K2tog. Break off yarn, fasten off.

THE RIGHT FRONT

Using No. 7(T), 8 or 9(C) needles cast on 50 sts.
Work exactly as given for The Right Front of Model A
until **** is reached.

Continue without shaping until work measures 5½ inches
from commencement, ending on wrong side.

Proceed as follows:

1st Row. S1, k8, (k2tog) 3 times, * k4, (k2tog) 4 times, *
repeat from * to * once, k7. (35 sts).

2nd Row. S1, knit to end of row.

3rd Row. S1, k4, * s1p, k1, repeat from * to end of row.

4th Row. S1, * yfwd, s1p, ybk, k1, repeat from * to last
4 sts, k4.

5th and 6th Rows. S1, knit to end of row.

From 3rd to 6th row (inclusive) forms pattern.

Repeat 3rd and 4th rows once.

Next Row. S1, k1, yfwd, k2tog, k1, knit to end of row.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 1 st knitways, knit to end of row.

Keeping continuity of pattern (throughout) work 32 rows
dec once at armhole edge in next and every alternate
row at same time working a buttonhole (as before) in
17th row. (18 sts).

SHAPE THE NECK

Do not break off yarn, slip next 5 sts onto a thread, join
in a second ball of yarn and proceed as follows:

Next Row. Work in pattern to last 2 sts, k2tog.

Next Row. S1, work in pattern to last st, k1.

Work 3 rows dec once at neck edge in every row at same

time dec once at armhole edge in next and every
alternate row. (7 sts).

Work 9 rows dec once at armhole edge only in 2nd and
every alternate row. (3 sts).

Next Row. S1, k2tog.

Next Row. K2tog. Break off yarn, fasten off.

THE SLEEVES (Both alike)

Using No. 9(T), 10 or 12(C) needles cast on 31 sts.

1st Row. S1, knit to end of row.

Repeat 1st row 3 times inc once at end of last row. (32 sts).

Proceed as follows:

1st Row. S1, knit to end of row.

2nd Row. S1, purl to last st, k1.

Repeat 1st and 2nd rows twice.

Change to No. 7(T), 8 or 9(C) needles and repeat from
**** to **** as given for The Sleeves of Model A
once.

SHAPE FOR THE TOP

Cast off 1 st at beginning of each of next 2 rows.

Work 31 rows dec once at each end of next and every
alternate row. (10 sts).

Next Row. S1, p1, p2tog, p2, p2tog, p1, k1. (8 sts).
Break off yarn, leave these sts on a thread.

TO MAKE UP

Read Pressing Instructions. Sew up side and sleeve
seams. Placing seam to seam sew decreased edges of
sleeves to decreased edges of bodice.

THE NECKBAND

With right side of work facing, using No. 9(T), 10 or 12(C)
needles and commencing at Right Front, work across
5 sts left on a thread as follows: k5, pick up and knit
7 sts evenly along right side of front of neck, work
across 8 sts of sleeve top left on a thread as follows:
k8, pick up and knit 15 sts from 15 cast off sts at back
of neck, work across 8 sts of other sleeve top left on a
thread as follows: k8, pick up and knit 7 sts evenly
along left side of front of neck and work across 5 sts
left on a thread as follows: k5. (55 sts).

1st Row. S1, knit to end of row.

2nd Row. S1, k1, yfwd, k2tog, knit to end of row.

Repeat 1st row twice. Cast off loosely knitways.

TO COMPLETE

Sew on buttons to correspond with buttonholes.

GENERAL PRESSING INSTRUCTIONS

WOOL
NYLON
MOHAIR

— under damp cloth — hot iron.
— under dry cloth — warm iron.
— under damp cloth — hot iron,
light pressure.

TRICEL
NYLON

— PRESS WELL under damp
cloth — hot iron.

WOOL and
MAN MADE
FIBRES

— under dry cloth — warm iron,
light press.

NYLON and
COTTON

— under damp cloth — hot iron.

COURTELLE

— DO NOT PRESS.

SIRDAR LIMITED

P.O. BOX No. 31 WAKEFIELD

SIRDAR WOOLS (PTY) LTD
P.O. BOX No. 49072 ROSETTENVILLE JOHANNESBURG

SIRDAR WOOLS (AUSTRALIA) PTY LTD
P.O. BOX No. 472 GOULBURN, N.S.W.