

DK

9/12 months

top line nylon
courtelle crepe
double knitting wool
double crepe wool
trichel nylon

9 to 11 balls for boy or girl

SIRDAR

3022

1/6(7½p)



Original Shade No. 052 Lemon

MATERIALS: THE PRAM SET can be worked from:

- 10 balls Top Line Nylon D.K.
- 9 balls Courtelles Crepe D.K.
- 11 balls Double Knitting Wool.
- 11 balls Double Crepe Wool.

PRAM SET

To obtain a perfect reproduction of the design illustrated you must obtain the Sirdar quality stated and work to the tension given.

JACKET			LEGGINETTES			HELMET		
To Fit	21	ins	Waist to crutch	9	ins	Width all round head	14	ins
Actual size	22	ins	Leg seam	8½	ins			
Full length	9	ins						
Sleeve length (adjustable)	6½	ins						
TOP LINE Nylon D.K. Reference T.			TOP LINE Nylon D.K. Reference T.			TOP LINE Nylon D.K. Reference T.		
1 Pair No. 7 and No. 9 Knitting Needles. 1 Spare Needle with points at each end.			1 Pair No. 7 and No. 9 Knitting Needles.			1 Pair No. 7 Knitting Needles.		
COURTELLE CREPE D.K. Reference C.			COURTELLE CREPE D.K. Reference C.			COURTELLE CREPE D.K. Reference C.		
1 Pair No. 9 and No. 12 Knitting Needles. 1 Spare Needle with points at each end.			1 Pair No. 9 and No. 12 Knitting Needles.			1 Pair No. 9 Knitting Needles.		
DOUBLE KNITTING Wool			DOUBLE KNITTING Wool			DOUBLE KNITTING Wool		
5 balls			4 balls			2 balls		
DOUBLE CREPE Wool			DOUBLE CREPE Wool			DOUBLE CREPE Wool		
5 balls			5 balls			2 balls		
TRICEL NYLON			TRICEL NYLON			TRICEL NYLON		
5 25gm balls			5 25gm balls			2 25gm balls		
1 Pair No. 8 and No. 10 Knitting Needles. 1 Spare Needle with points at each end. 6 Medium Buttons. 2 Small Buttons.			1 Pair No. 8 and No. 10 Knitting Needles.			1 Pair No. 8 Knitting Needles. 2 Small Buttons.		

The quantities of yarn stated are based on average requirements and are therefore approximate.

TENSION

THE TENSION FOR THIS DESIGN IS 6 stitches to one inch.

Check your tension — if less stitches use a finer needle, if more use a coarser needle.

ABBREVIATIONS

K knit, p purl, sts stitches, tog together, s1 slip one stitch knitways, st-st stocking stitch (1 row knit, 1 row purl), garter stitch (every row knit), tbl through back of loops, psso pass slipped stitch over, yfwd yarn forward, yrn yarn round needle, inc increase(ing), dec decrease(ing), D.K. Double Knitting, T Top Line Nylon, C Courtelles Crepe.

After casting off stitches for shaping, one stitch will remain on the right hand needle which is not included in the instructions that follow.

Alternative needles recommended. Select your needle size according to yarn chosen — see materials.
T—Top Line Nylon C—Courtelles Crepe.

THE JACKET

THE BACK

Using No. 9(T), 10 or 12(C) needles cast on 64 sts.
1st Row. S1, k2, * p2, k2, repeat from * to last st, k1.
2nd Row. S1, * p2, k2, repeat from * to last 3 sts, p2, k1. Repeat 1st and 2nd rows 4 times inc once at each end of last row. (66 sts).

Change to No. 7(T), 8 or 9(C) needles. Work 20 rows in st-st.

SHAPE FOR THE ARMHOLES

Cast off 4 sts at beginning of each of next 2 rows.

1st Row. S1, s1, k1, psso, knit to last 3 sts, k2tog, k1.
2nd Row. S1, purl to last st, k1.

Repeat 1st and 2nd rows 15 times. (26 sts).

33rd Row. S1, s1, k1, pssso, knit to last 3 sts, k2tog, k1.
34th Row. S1, p2tog, purl to last 3 sts, p2tog tbl, k1.
Repeat 33rd and 34th rows once. (18 sts).
Break off yarn, slip these sts onto a thread.

THE LEFT FRONT

Using No. 9(T), 10 or 12(C) needles cast on 43 sts.

1st and 3rd Rows. S1, k2, * p2, k2, repeat from * to last 20 sts, k20.

2nd Row. S1, k19, * p2, k2, repeat from * to last 3 sts, p2, k1.

4th Row. S1, k5, (inc once in next st, k3) twice, inc once in next st, k5, * p2, k2, repeat from * to last 3 sts, p2, k1. (46 sts).

5th Row. S1, * k2, p2, repeat from * to last 25 sts, k4, yfwd, k2tog, ** p1, slip next 2 sts onto spare needle and leave at back of work, k1 then knit 2 sts from spare needle (this will now be termed 'cable back'), slip next st onto spare needle and leave at front of work, k2 then knit st from spare needle (this will now be termed 'cable front'), ** repeat from ** to ** once, p1, k1, yfwd, k2tog, k1.

6th, 8th and 10th Rows. S1, k4, (p6, k1) twice, k4, * p2, k2, repeat from * to last 3 sts, p2, k1.

7th Row. S1, k2, * p2, k2, repeat from * to last 23 sts, k4, (p1, 'cable front', 'cable back') twice, p1, k4.

9th Row. S1, k2, * p2, k2, repeat from * to last 23 sts, k4, (p1, 'cable back', 'cable front') twice, p1, k4.

Change to No. 7(T), 8 or 9(C) needles. Keeping continuity of 23 sts in pattern at front edge work 18 rows in st-st.

Next Row. S1, knit to last 21 sts, yfwd, k2tog, (p1, 'cable back', 'cable front'), twice, p1, k1, yfwd, k2tog, k1.

Next Row. S1, k4, (p6, k1) twice, k4, purl to last st, k1.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 4 sts, knit to last 19 sts, (p1, 'cable front', 'cable back') twice, p1, k4.

Work 1 row.

Work 20 rows dec once (as before) at armhole edge in next and every alternate row.

Next Row. S1, s1, k1, pssso, knit to last 21 sts, yfwd, k2tog, (p1, 'cable back', 'cable front') twice, p1, k1, yfwd, k2tog, k1.

Work 1 row.

SHAPE THE NECK

Next Row. S1, s1, k1, pssso, k9, p1, 'cable front', turn.

Next Row. S1, p2, k5, p6, k1.

Work 9 rows in pattern dec once at each end of next and every alternate row. (5 sts).

Next Row. S1, k1, p2tog tbl, k1.

Next Row. S1, s1, k2tog, pssso.

Next Row. K2tog. Break off yarn, fasten off.

With right side facing, slip first 7 sts onto a thread, rejoin yarn to remaining 8 sts.

Next Row. 'Cable back', p1, k4.

Next Row. S1, k4, p2, k1.

Work 10 rows in pattern dec once at neck edge in next and every alternate row. (3 sts).

Next Row. K2tog, k1.

Next Row. K2tog. Break off yarn, fasten off.

THE RIGHT FRONT

Using No. 9(T), 10 or 12(C) needles cast on 43 sts.

1st and 3rd Rows. S1, k19, * k2, p2, repeat from * to last 3 sts, k3.

2nd Row. S1, p2, * k2, p2, repeat from * to last 20 sts, k20.

4th Row. S1, p2, * k2, p2, repeat from * to last 20 sts, k5, (inc once in next st, k3) twice, inc once in next st, k6.

5th Row. S1, k1, yfwd, k2tog, (p1, 'cable back', 'cable front') twice, p1, k1, yfwd, k2tog, k1, * k2, p2, repeat from * to last 3 sts, k3.

6th, 8th and 10th Rows. S1, p2, * k2, p2, repeat from * to last 23 sts, k5, (p6, k1) twice, k4.

7th Row. S1, k3, (p1, 'cable front', 'cable back') twice, p1, k4, * k2, p2, repeat from * to last 3 sts, k3.

9th Row. S1, k3, (p1, 'cable back', 'cable front') twice, p1, k4, * k2, p2, repeat from * to last 3 sts, k3.

Change to No. 7(T), 8 or 9(C) needles. Keeping continuity of 23 sts in pattern at front edge work 18 rows in st-st.

Next Row. S1, k1, yfwd, k2tog, (p1, 'cable back', 'cable front') twice, p1, k1, yfwd, k2tog, knit to end of row.

Work 2 rows.

SHAPE FOR THE ARMHOLE

Next Row. Cast off 4 sts, purl to last 23 sts, k5, (p6, k1) twice, k4.

Work 20 rows dec once (as before) at armhole edge in next and every alternate row.

Next Row. S1, k1, yfwd, k2tog, (p1, 'cable back', 'cable front') twice, p1, k1, yfwd, k2tog, knit to last 3 sts, k2tog, k1.

Work 1 row.

SHAPE THE NECK

Next Row. S1, k3, p1, 'cable front', turn.

Next Row. S1, p2, k5.

Work 10 rows in pattern dec once at neck edge in next and every alternate row. (3 sts).

Next Row. S1, k2tog.

Next Row. K2tog. Break off yarn, fasten off.

With right side facing, slip first 7 sts onto a thread, rejoin yarn to remaining 16 sts.

Next Row. 'Cable back', p1, knit to last 3 sts, k2tog, k1.

Next Row. S1, p6, k5, p2, k1.

Work 9 rows in pattern dec once at each end of next and every alternate row. (5 sts).

Next Row. S1, p2tog, k2.

Next Row. K3tog, k1.

Next Row. K2tog. Break off yarn, fasten off.

THE SLEEVES (Both alike)

Using No. 9(T), 10 or 12(C) needles cast on 32 sts.

Repeat 1st and 2nd rows as given at commencement of The Jacket, 6 times.

Change to No. 7(T), 8 or 9(C) needles.

1st Row. S1, k11, p1, 'cable back', 'cable front', p1, k12.

2nd and 4th Rows. S1, p11, k1, p6, k1, p11, k1.

3rd Row. S1, k11, p1, 'cable front', 'cable back', p1, k12.

Keeping centre 8 sts in pattern (throughout) inc once at each end of next and every following 4th row until there are 48 sts. Continue without shaping until work measures 6½ inches or length required, ending with 4th row.

SHAPE FOR THE TOP

Cast off 4 sts at beginning of each of next 2 rows.

Work 16 rows dec once (as before) at each end of next and every following 4th row. (32 sts).

Work 20 rows dec once (as before) at each end of next and every alternate row. (12 sts). Break off yarn, slip these sts onto a thread.

TO MAKE UP

Read Pressing Instructions. Sew up side and sleeve seams. Placing seam to seam sew in sleeves.

THE NECKBAND

Using No. 9(T), 10 or 12(C) needles and with right side facing, commencing at Right Front, pick up and knit 8 sts from right side of neck, k7 sts on thread at front of neck, pick up and knit 8 sts from decreased edge of neck, k12 sts on thread of sleeve top, k18 sts on thread at back of neck, k12 sts on thread of other sleeve top, pick up and knit 8 sts from decreased edge of neck, k7 sts on thread at front of neck, pick up and knit 9 sts from decreased edge of neck. (89 sts).

Work 5 rows in k1, p1 rib. Cast off.

THE COLLAR (If required)

Using No. 7(T), 8 or 9(C) needles cast on 62 sts and work 4 rows in garter st. Keeping a border of 4 garter sts at each end work 14 rows in st-st. Cast off.

TO COMPLETE

Sew on medium buttons over buttonholes not required. For a Boy, with wrong side facing, work a button loop on 6th st in from edge of neckband on Left Front, work another button loop on right side at opposite end of neckband. For a Girl, with wrong side facing, work a button loop on 6th st in from front edge of neckband on Right Front, work another button loop on right side at opposite end of neckband. Sew on small buttons. Placing right side of collar to wrong side of neckband and ends 13 sts in from front edges, sew collar in position.

THE LEGGINETTES

THE RIGHT LEG

Using No. 9(T), 10 or 12(C) needles cast on 64 sts. Repeat 1st and 2nd rows as given at commencement of The Jacket 4 times.

9th Row. S1, k2, * yrn, p2tog, k2, repeat from * to last st, k1.

Work 7 rows in rib inc once at end of last row. (65 sts). Change to No. 7(T), 8 or 9(C) needles and work 2 rows in st-st. ** Proceed as follows:

1st Row. S1, k6, turn.

2nd, 4th, 6th and 8th Rows. Purl to last st, k1.

3rd Row. S1, k16, turn.

5th Row. S1, k25, turn.

7th Row. S1, k34, turn.

Work 6 rows in st-st. Inc once at beginning of next and every following 8th row until there are 70 sts.

*** Continue without shaping until short side of work measures $8\frac{3}{4}$ inches, ending on wrong side. Dec once at each end of next and every alternate row until there are 36 sts. Commencing with a purl row work 17 rows in st-st. Change to No. 9(T), 10 or 12(C) needles and repeat 1st and 2nd rows as given at commencement of The Jacket 5 times. Cast off.

THE LEFT LEG

Using No. 9(T), 10 or 12(C) needles cast on 64 sts. Work exactly as given for The Right Leg until ** is reached.

Next Row. S1, knit to end of row. Proceed as follows:

1st Row. S1, p6, turn.

2nd, 4th, 6th and 8th Rows. Knit to end of row.

3rd Row. S1, p16, turn.

5th Row. S1, p25, turn.

7th Row. S1, p34, turn.

Commencing with a purl row work 5 rows in st-st. Inc once at end of next and every following 8th row until there are 70 sts. Complete from *** as given for The Right Leg.

TO MAKE UP

Read Pressing Instructions. Sew up front, back and leg seams. Using 5 strands of yarn make a twisted cord 35 inches in length. Thread through holes at waist and attach a small tassel at each end of cord.

THE HELMET

THE RIGHT EAR FLAP

Using No. 7(T), 8 or 9(C) needles cast on 8 sts and work 2 rows in garter st.

3rd Row. S1, (k1, inc once in next st) twice, k3.

4th Row. S1, p2, inc once in next st purlways, p1, inc once in next st purlways, k1, p2, k1.

5th Row. S1, k2, p1, inc once in next st, k1, inc once in next st, p2, k3.

6th Row. S1, p2, k2, (inc once in next st purlways, p1) twice, k2, p2, k1.

Keeping continuity of rib inc once at each side of centre 2 sts (as before) in every row until there are 28 sts.

** Break off yarn, leave sts on a thread.

THE LEFT EAR FLAP

Using No. 7(T), 8 or 9(C) needles cast on 8 sts and work exactly as given for the Right Ear Flap until ** is reached, casting on 8 sts at end of last row.

Next Row. K3, (p2, k2) 8 times, p1, cast on 32 sts, work across 28 sts left on a thread as follows: p1, (k2, p2) 6 times, k2, p1, cast on 8 sts. (104 sts). Proceed as follows: Work 5 rows in rib.

6th Row. S1, inc once in next st, k9, (p2, k2) twice, p2tog tbl, k2, p2tog, (k2, p2) twice, k38, (p2, k2) twice, p2tog tbl, k2, p2tog, (k2, p2) twice, k8, inc once in next st, k2.

7th Row. S1, p11, (k2, p2) twice, k1, p2, k1, (p2, k2) twice, p38, (k2, p2) twice, k1, p2, k1, (p2, k2) twice, p11, k1.

8th Row. S1, inc once in next st, k10, p2, k2, p2, k1, k2tog tbl, k2, k2tog, k1, p2, k2, p2, k38, p2, k2, p2, k1, k2tog tbl, k2, k2tog, k1, p2, k2, p2, k9, inc once in next st, k2.

9th Row. S1, p12, (k2, p2) twice, p2, (p2, k2) twice, p38, (k2, p2) twice, p2, (p2, k2) twice, p12, k1.

Keeping continuity of st-st and rib work 8 rows dec once at each side of centre 2 sts of Ear Flaps (as before) at same time inc once at each end (as before) in next and every alternate row. (92 sts).

Continue dec once at each side of centre 2 sts of Ear Flaps (as before) in next and every alternate row until there are 80 sts. Proceed as follows:

1st, 3rd and 5th Rows. S1, purl to last st, k1.

2nd Row. S1, k16, k2tog tbl, k2tog, k38, k2tog tbl, k2tog, k17.

4th Row. S1, k16, k2tog, k38, k2tog, k17. (74 sts).

Work 8 rows in st-st.

SHAPE THE CROWN

1st Row. S1, * k6, k2tog, repeat from * to last st, k1.

2nd Row. S1, purl to last st, k1.

Continue dec in this manner working one st less between dec in next and every alternate row until 11 sts remain. Break off yarn, run yarn through remaining sts, draw up and fasten off.

THE CHIN STRAP

Using No. 7(T), 8 or 9(C) needles cast on 6 sts.

1st Row. S1, p1, k2, p1, k1.

2nd Row. S1, k1, p2, k2.

3rd Row. S1, p1, k1, yfwd, k2tog, k1.

4th Row. S1, k1, p2, k2.

Repeat 1st and 2nd rows 15 times, 3rd and 4th rows once then 1st row once. Cast off.

TO MAKE UP

Read Pressing Instructions. Sew up back seam. Sew on buttons to Ear Flaps.

GENERAL PRESSING INSTRUCTIONS

WOOL — under damp cloth hot iron.

NYLON — under dry cloth warm iron.

COURTELLE — DO NOT PRESS.

TRICEL NYLON — PRESS WELL — under damp cloth — hot iron.

SIRDAR LIMITED P.O. BOX No. 31 WAKEFIELD

SIRDAR WOOLS (PTY) LTD
P.O. BOX No. 49072 ROSETTENVILLE JOHANNESBURG

SIRDAR WOOLS (AUSTRALIA) PTY LTD
P.O. BOX No. 472 GOULBURN, N.S.W.