



SIRDAR

To Fit Chest	41 16	46 18	51 20	56 22	cm in		
Actual Measurement	48 19	56 22	60 23¾	67 26½	cm in		
Full Length (approximately)	24 9½	27 10¾	29 11½	34 13½	cm in		
Sleeve Length (adjustable)	15 6	17 6½	18 7	19 7½	cm in		
Quality		Shade			Balls		
075	Sweater Snuggly DK	208	2	2	3	3	50 gm
075	Round Neck Cardigan Snuggly DK	208	2	2	3	3	50 gm
075	V Neck Cardigan Snuggly DK	208	2	2	3	3	50 gm

The quantities of yarn are based upon average requirements and are therefore approximate.

1 Pair of 4mm (UK8 - USA6) Knitting Needles.

1 Pair of 3¼mm (UK10 - USA3) Knitting Needles.

Stitch Holders for Sweater.

6 Buttons for Sweater.

4 [5:5:6] Buttons for Round Neck Cardigan.

3 [3:4:4] Buttons for V Neck Cardigan.

Owing to printing restrictions the colour reproduction is matched as closely as possible to the yarn.

TENSION

Patten Panel (12 sts) measures 5cm, (2in).
22 sts and 28 rows to 10cm, (4in) over
double moss-stitch on 4mm needles or the
size required to give correct tension.

VERY IMPORTANT

IT IS ESSENTIAL TO WORK TO THE
STATED TENSION TO ENSURE SUCCESS.

SIRDAR PLC CANNOT ACCEPT
RESPONSIBILITY FOR THE RESULT
OF USING ANY OTHER YARN.

QUERIES. Please contact:- Knitting Advisory
Bureau.

SIRDAR PLC. Flanshaw Lane. Wakefield.
WF2 9ND. West Yorkshire. England.

ABBREVIATIONS

cont continue	rep repeat
dec decrease(ing)	st(s) stitch(es)
folll following	tog together
inc increase(ing)	tbl through back
k knit	of loop
p purl	ws wrong side
patt pattern	cm centimetres
rs right side	mm millimetres
rem remain(ing)	in inch(es)

WORKING ABBREVIATIONS

1x1 Rib

1st Row. * K1, p1, rep from * to last st, k1.

2nd Row. * P1, k1, rep from * to last st, p1.

Rep 1st and 2nd rows.

Double Moss-stitch

1st Row. * P1, k1, rep from * to last st, p1.

2nd Row. * K1, p1, rep from * to last st, k1.

3rd Row. * K1, p1, rep from * to last st, k1.

4th Row. * P1, k1, rep from * to last st, p1.

Rep from 1st to 4th row.

m1. Make one stitch

Pick up loop between last and next stitch and
work into the back of this loop.

m1p. Make one stitch purlways

Pick up loop between last and next stitch and
purl into the back of this loop.

T2R Twist 2 right by knitting into the front of
the 2nd st on left hand needle then the front of
the 1st st on left hand needle, slip both sts off
needle tog.

T2L Twist 2 left by knitting into the back of the
2nd st on left hand needle then the front of the
1st st on left hand needle, slip both sts off
needle tog.

T2F Twist 2 front by purling into the back of
the 2nd st on left hand needle then knit into the
front of the 1st st on left hand needle, slip both
sts off needle tog.

T2B Twist 2 back by knitting into the front of
the 2nd st on left hand needle then purl into the
front of the 1st st on left hand needle, slip both
sts off needle tog.

PATT PANEL

1st Row. Purl.

2nd Row. K5, p2, k5.

3rd Row. P4, T2R, T2L, p4.

4th Row. K4, p4, k4.

5th Row. P3, T2R, k2, T2L, p3.

6th Row. K3, p6, k3.

7th Row. P2, T2R, k4, T2L, p2.

8th Row. K2, p8, k2.

9th Row. P1, T2R, k6, T2L, p1.

10th Row. K1, p10, k1.

11th Row. P1, k3, T2B, T2F, k3, p1.

12th Row. K1, p4, k2, p4, k1.

13th Row. P1, T2F, T2B, p2, T2F,
T2B, p1.

14th Row. K2, p2, k4, p2, k2.

15th Row. P2, m1p, k2togtbl, p4,
k2tog, m1p, p2.

16th Row. Knit.

Rep from 1st to 16th row.

SWEATER

BACK

Using 3¼mm needles cast on 55 [63:
67:75] sts, work 11 rows in 1x1 rib.

12th Row. Rib to end m1 in centre of
row. 56 [64:68:76] sts.

Change to 4mm needles and proceed
as follows:-

1st Row. Patt 5 [9:11:15] sts as given
for 1st row of double moss-st, patt 12
sts as given for 1st row of Patt Panel,
* patt 5 sts as given for 1st row of
double moss-st, patt 12 sts as given
for 1st row of Patt Panel, * rep from
* to * once, patt 5 [9:11:15] sts as
given for 1st row of double moss-st.
2nd Row. Patt 5 [9:11:15] sts as
given for 2nd row of double moss-st,
patt 12 sts as given for 2nd row of
Patt Panel, * patt 5 sts as given for

2nd row of double moss-st, patt 12 sts
as given for 2nd row of Patt Panel, *
rep from * to * once, patt 5 [9:11:15]
sts as given for 2nd row of double
moss-st.

1st and 2nd rows set double moss-st
and Patt Panels. **

Keeping continuity of patt as set
(throughout) commencing with 3rd
row of double moss-st and Patt Panel
work 46 [54:60:74] rows more.

Shape Neck

Next Row. Patt 21 [24:25:29], turn,
leave rem 35 [40:43:47] sts on a stitch
holder.

Working on these 21 [24:25:29] sts
only proceed as follows:-

Work 2 rows dec 1 st at neck edge in
every row. 19 [22:23:27] sts.

Next Row. Patt to end m1 in centre of

row for 2nd size only.

19 [23:23:27] sts.

Shoulder Edging

Change to 3¼mm needles and commencing with 2nd row of 1x1 rib work 8 rows. Cast off in rib.

With rs facing, working on rem 35 [40:43:47] sts, slip 14 [16:18:18] sts onto a stitch holder, rejoin yarn to rem 21 [24:25:29] sts and patt to end.

Complete to match first side of neck.

FRONT

Work as given for Back until 38 [46:52:66] rows in patt have been completed.

Shape Neck

Next Row. Patt 24 [27:28:32], turn, leave rem 32 [37:40:44] sts on a stitch holder.

Working on these 24 [27:28:32] sts only proceed as follows:-

Work 5 rows dec 1 st at neck edge in every row. 19 [22:23:27] sts.

Work 7 rows more without shaping.

Next Row. Patt to end m1 in centre of row for 2nd size only.

19 [23:23:27] sts.

Shoulder Edging

Change to 3¼mm needles and commencing with 2nd row of 1x1 rib work 3 rows.

Next Row. Rib 5 [7:7:9], cast off 2 sts, rib 6 [8:8:10], cast off 2 sts, rib 2.

Next Row. Rib 3, cast on 2 sts, rib 7 [9:9:11], cast on 2 sts, rib 5 [7:7:9].

Work 3 rows in rib.

Cast off in rib.

With rs facing, working on rem 32 [37:40:44] sts, slip 8 [10:12:12] sts onto a stitch holder, rejoin yarn to rem 24 [27:28:32] sts and patt to end.

Work 5 rows dec 1 st at neck edge in every row. 19 [22:23:27] sts.

Work 7 rows more without shaping.

Next Row. Patt to end m1 in centre of row for 2nd size only.

19 [23:23:27] sts.

Shoulder Edging

Change to 3¼mm needles and commencing with 2nd row of 1x1 rib work 3 rows.

Next Row. Rib 3, cast off 2 sts, rib 6 [8:8:10], cast off 2 sts, rib 4 [6:6:8].

Next Row. Rib 5 [7:7:9], cast on 2 sts, rib 7 [9:9:11], cast on 2 sts, rib 3.

Work 3 rows in rib.

Cast off in rib.

SLEEVES (Both alike)

Using 3¼mm needles cast on 31 [31:33:33] sts, work in 1x1 rib for 4cm, ending with a rs row.

Next Row. Rib 3 [3:4:4], m1, (rib 4 [4:3:2], m1) 6 [6:8:12] times, rib 4 [4:5:5]. 38 [38:42:46] sts.

Change to 4mm needles and proceed as follows:-

1st Row. Patt 13 [13:15:17] sts as given for 1st row of double moss-st, patt 12 sts as given for 1st row of Patt Panel, patt 13 [13:15:17] sts as given for 1st row of double moss-st.

2nd Row. Patt 13 [13:15:17] sts as given for 2nd row of double moss-st, patt 12 sts as given for 2nd row of Patt Panel, patt 13 [13:15:17] sts as given for 2nd row of double moss-st.

1st and 2nd rows set double moss-st and Patt Panel.

Keeping continuity of patt as set (throughout) commencing with 3rd row of double moss-st and Patt Panel inc 1 st at each end of 1st [1st:3rd:1st] and every foll 4th [5th:4th:4th] row to 50 [50:56:62] sts, working inc sts in double moss-st.

Cont without shaping until sleeve measures 15 [17:18:19]cm, or length required, ending with a ws row.

Cast off in patt.

BACK NECKBAND

With rs facing, using 3¼mm needles pick up and knit 7 sts evenly along right shoulder edging, 4 sts evenly along right side of neck, 14 [16:18:18] sts left on a stitch holder at back of neck, 3 sts evenly along left side of neck and 7 sts evenly along left shoulder edging. 35 [37:39:39] sts.

Commencing with 2nd row of 1x1 rib work 8 rows. Cast off in rib.

FRONT NECKBAND

With rs facing, using 3¼mm needles pick up and knit 7 sts evenly along left shoulder edging, 14 sts evenly along left side of neck, 8 [10:12:12] sts left on a stitch holder at front of neck, 13 sts evenly along right side of neck and 7 sts evenly along right shoulder edging. 49 [51:53:53] sts.

Commencing with 2nd row of 1x1 rib work 3 rows.

Next Row. Rib 3, cast off 2 sts, rib to last 5 sts, cast off 2 sts, rib 2.

Next Row. Rib 3, cast on 2 sts, rib to last 3 sts, cast on 2 sts, rib 3.

Work 3 rows in rib.

Cast off in rib.

TO MAKE UP

Place front shoulder edgings over back shoulder edgings and join tog at side edges. Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Sew on buttons.

See ball band for pressing and care instructions.

ROUND NECK CARDIGAN

BACK

Work as given for Back of Sweater to **.

Keeping continuity of patt as set (throughout) commencing with 3rd row of double moss-st and Patt Panel work 54 [62:68:82] rows more. Cast off in patt.

LEFT FRONT

Using 3¼mm needles cast on 26 [30:32:36] sts.

1st Row. * K1, p1, rep from * to end. Rep 1st row 11 times more.

Change to 4mm needles and proceed as follows:-

1st Row. Patt 5 [9:11:15] sts as given for 1st row of double moss-st, patt 12 sts as given for 1st row of Patt Panel, patt 9 sts as given for 1st row of double moss-st.

2nd Row. Patt 9 sts as given for 2nd row of double moss-st, patt 12 sts as given for 2nd row of Patt Panel, patt 5 [9:11:15] sts as given for 2nd row of double moss-st.

1st and 2nd rows set double moss-st and Patt Panel.

Keeping continuity of patt as set (throughout) commencing with 3rd row of double moss-st and Patt Panel work 37 [45:51:65] rows more.

Shape Neck

Next Row. Cast off 2 [3:4:4] sts in patt, patt to end. 24 [27:28:32] sts.

Work 5 rows dec 1 st at neck edge in every row. 19 [22:23:27] sts.

Work 11 rows more without shaping. Cast off in patt.

RIGHT FRONT

Using 3¼mm needles cast on 26 [30:32:36] sts.

1st Row. * P1, k1, rep from * to end. Rep 1st row 11 times more.

Change to 4mm needles and proceed as follows:-

1st Row. Patt 9 sts as given for 1st

row of double moss-st, patt 12 sts as given for 1st row of Patt Panel, patt 5 [9:11:15] sts as given for 1st row of double moss-st.

2nd Row. Patt 5 [9:11:15] sts as given for 2nd row of double moss-st, patt 12 sts as given for 2nd row of Patt Panel, patt 9 sts as given for 2nd row of double moss-st.

1st and 2nd rows set double moss-st and Patt Panel.

Keeping continuity of patt as set (throughout) commencing with 3rd row of double moss-st and Patt Panel work 36 [44:50:64] rows more.

Shape Neck

Next Row. Cast off 2 [3:4:4] sts in patt, patt to end. 24 [27:28:32] sts.

Next Row. Patt.

Work 5 rows dec 1 st at neck edge in every row. 19 [22:23:27] sts.

Work 11 rows more without shaping. Cast off in patt.

SLEEVES (Both alike)

Work as given for Sleeves of Sweater.

NECKBAND

Join shoulder seams. With rs facing, using 3¼mm needles pick up and knit 19 [20:21:21] sts evenly along right side of neck, 18 [20:22:22] sts from back of neck and 20 [21:22:22] sts evenly along left side of neck.

57 [61:65:65] sts.

Commencing with 1st row of 1x1 rib work 8 rows. Cast off in rib.

RIGHT FRONT BORDER

With rs facing, using 3¼mm needles pick up and knit 10 sts evenly along rib, 34 [40:48:62] sts evenly along front edge and 7 sts evenly along neckband. 51 [57:65:79] sts.

Commencing with 2nd row of 1x1 rib proceed as follows:-

For a Girl

Work 3 rows in rib.

Next Row. Rib 4, cast off 2 sts, (rib 11 [9:11:11], cast off 2 sts) 3 [4:4:5] times, rib 2.

Next Row. Rib 3, cast on 2 sts, (rib 12 [10:12:12], cast on 2 sts) 3 [4:4:5] times, rib 4.

Work 3 rows in rib.
Cast off in rib.

For a Boy

Work 8 rows in rib.

Cast off in rib.

LEFT FRONT BORDER

With rs facing, using 3¼mm needles pick up and knit 7 sts evenly along neckband, 34 [40:48:62] sts evenly along front edge and 10 sts evenly along rib. 51 [57:65:79] sts.

Commencing with 2nd row of 1x1 rib proceed as follows:-

For a Boy

Work 3 rows in rib.

Next Row. Rib 3, cast off 2 sts, (rib 11 [9:11:11], cast off 2 sts) 3 [4:4:5] times, rib 3.

Next Row. Rib 4, cast on 2 sts, (rib 12 [10:12:12], cast on 2 sts) 3 [4:4:5] times, rib 3.

Work 3 rows in rib.

Cast off in rib.

For a Girl

Work 8 rows in rib.

Cast off in rib.

TO MAKE UP

Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Sew on buttons. See ball band for pressing and care instructions.

V NECK CARDIGAN

BACK

Work as given for Back of Round Neck Cardigan.

LEFT FRONT

Work as given for Left Front of Round Neck Cardigan until 24 [32:34:46] rows in patt have been completed.

Shape Neck

Work 25 [29:33:33] rows dec 1 st at neck edge in next and every foll 4th row. 19 [22:23:27] sts.

Work 7 [3:3:5] rows more without shaping. Cast off in patt.

RIGHT FRONT

Work as given for Right Front of Round Neck Cardigan until 24 [32:34:46] rows in patt have been completed.

Shape Neck

Work 25 [29:33:33] rows dec 1 st at neck edge in next and every foll 4th row. 19 [22:23:27] sts.

Work 7 [3:3:5] rows more without shaping. Cast off in patt.

SLEEVES (Both alike)

Work as given for Sleeves of Sweater.

BORDER

Join shoulder seams. With rs facing, using 3¼mm needles, commencing at right front pick up and knit 10 sts evenly along rib, 22 [28:31:40] sts evenly along straight edge, 29 [29:33:35] sts evenly along shaped edge, 19 [21:23:23] sts from back of neck, 29 [29:33:35] sts evenly along shaped edge, 22 [28:31:40] sts evenly along straight edge and 10 sts evenly along rib. 141 [155:171:193] sts.

Commencing with 2nd row of 1x1 rib work 3 rows.

For a Girl

Next Row. Rib 4, cast off 2 sts, (rib 9 [12:8:11], cast off 2 sts) 2 [2:3:3] times, rib to end.

Next Row. Rib to last 24 [30:31:40] sts, cast on 2 sts, (rib 10 [13:9:12], cast on 2 sts) 2 [2:3:3] times, rib 4.

For a Boy

Next Row. Rib to last 30 [36:39:48] sts, cast off 2 sts, (rib 9 [12:8:11], cast off 2 sts) 2 [2:3:3] times, rib 3.

Next Row. Rib 4, cast on 2 sts, (rib 10 [13:9:12], cast on 2 sts) 2 [2:3:3] times, rib to end.

For Girl or Boy

Work 3 rows in rib.

Cast off in rib.

TO MAKE UP

Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Sew on buttons.

See ball band for pressing and care instructions.

